

RAJENDRA INSTITUTE OF MEDICAL SCIENCES, RANCHI

Final Tender paper for Chemical of RIMS, Ranchi

Tender Notice No. 1410 dated 25.02.2017

Issued to

M/s _____

Against money receipt number/RIMS, dated :

Cashier
RIMS, Ranchi

**RAJENDRA INSTITUTE OF MEDICAL SCIENCES,
RANCHI**

Tender paper for Medicine/Chemical/Surgical

Tender Notice No:- 1110..... dated 25.2.17 Session 20.....

Issued To,

M/s

.....

.....

Performa for Price bid

Sl. No.	Name of Product	Make/ Manufacturer	Qty/Vol	Unit Price	All Taxes	Remarks
1						
2						
3						
4						
5						

Note :- 1. The price will be accepted in the above given Performa only. In any other Performa price bid shall not be accepted.

2. If the name of any Medicine/Surgical/Chemicals good are mentioned by its trade (Brand) name in the tender item list, it does not mean the same brand only. The tender may quoted their tender for the same (having similar composition of chemicals or items or Surgically by their own brand name showing the similar composition).

Your's Faithfully

Signature of Tenderer
With Seal

Medical Officer (Store),
Rajendra Institute of Medical
Sciences,
Ranchi

RAJENDRA INSTITUTE OF MEDICAL SCIENCES, RANCHI

Final Tender paper for Chemical of RIMS, Ranchi

Tender Notice No. 1410 dated 25.02.2017

Issued to

M/s _____

Against money receipt number/RIMS, dated :

Cashier
RIMS, Ranchi

निदेशक का कार्यालय, राजेन्द्र आयुर्विज्ञान संस्थान, राँची।

निविदा सं० 1410 / रिम्स, राँची

दिनांक 25-2-17

निविदा आमंत्रण सूचना

इस संस्थान में वर्ष 2017-18 के लिए केवल सर्जिकल समानों/रसायनों की आपूर्ति हेतु लाईसेंसधारी सरकारी प्रतिष्ठानों/गैर सरकारी प्रतिष्ठानों/निर्माताओं एवं प्राधिकृत विक्रेताओं से मुहरबंद टंकित निविदा तकनीकी बीड एवं प्राईस बीड अलग-अलग सीलबंद लिफाफे में सिर्फ निबंधित डाक/स्पीड पोस्ट द्वारा आमंत्रित की जाती है। साधारण डाक/प्राईवेट कुरियर/हाथो-हाथ प्राप्त निविदा पर विचार नहीं किया जायेगा तथा वे स्वतः रद्द हो जायेंगे।

निविदा से संबंधित मुख्य तिथियाँ:-

- | | | |
|------------|---|---|
| क्रम सं०-1 | <u>निविदा प्रपत्र विक्री की तिथि :-</u> | दिनांक 06.04.2017 से 03.05.2017 तक कार्य दिवस तथा कार्य अवधि में निविदादाता सर्जिकल के लिए ₹ 5000/- (पाँच हजार रूपए) एवं रसायन के लिए ₹ 5000/- (पाँच हजार रूपए) अलग - अलग नगद रूप से रोकड़पाल, रिम्स, राँची के पास जमा कर सर्जिकल एवं रसायनों का अलग-अलग निविदा प्रपत्र प्राप्त कर सकते हैं अथवा रिम्स वेब साईट से निविदा प्रपत्र डाउन लोड करके ₹ 5000/- का बैंक ड्राफ्ट (निदेशक, रिम्स, राँची के नाम) निविदा प्रपत्र के साथ संलग्न करते हुए भी निविदा जमा कर सकते हैं। |
| क्रम सं०-2 | <u>निविदा समर्पित करने की अंतिम तिथि :-</u> | दिनांक 06.05.2017 को अपराहन् 4:30 बजे तक। |
| क्रम सं०-3 | <u>निविदा का तकनीकी भाग खुलने की तिथि</u> | दिनांक 11.05.2017 को अपराहन् 12:30 बजे रिम्स, निदेशक सम्मेलन कक्ष में, सभी निविदादाता उक्त बैठक में क्रय समिति के समक्ष निश्चित रूप से उपस्थित होंगे। |
| क्रम सं०-4 | <u>निविदा की शर्तें</u> | निविदा से संबंधित विस्तृत जानकारी संस्थान के वेबसाईट www.rimsranchi.org पर देखा जा सकता है। |



निविदा की अन्य शर्तें:-

- निविदादाता के तकनीकी बिड में निम्नांकित कागजात संलग्न करेंगे:-
 - सरकारी उपक्रमों को छोड़कर अन्य सभी निविदादाताओं द्वारा EMD के रूप में निदेशक रिम्स के नाम से प्लेज्ड सर्जिकल समानों के लिए ₹ 1,50,000/- एवं रसायनों के लिए ₹ 1,50,000/- का बैंक ड्राफ्ट की मूल प्रति संलग्न करेंगे
 - (I) - झारखण्ड राज्य बिक्री कर/JVAT निबंधन प्रमाण पत्र की छायाप्रति संलग्न करना अनिवार्य है।
(II) - वाणिज्य कर विभाग द्वारा निर्गत अधतन स्वच्छता प्रमाण पत्र की छायाप्रति जो निविदा खुलने की तिथि को मान्य हो।
अथवा
अगर निविदा दाता/फर्म का कार्यालय झारखण्ड राज्य में निबंधित नहीं हैं तो उन निविदादाताओं को नोटरी पब्लिक का शपथ पत्र देना होगा कि झारखण्ड सरकार का बिक्री कर (Jharkhand Vat) भुगतान करने के पश्चात ही सामग्रियों की आपूर्ति करेंगे तथा बिक्री कर में राहत इत्यादि के लिए निविदा आमंत्रित करने वाले विभाग से किसी प्रकार के अभिलेखों की माँग नहीं करेंगे।
 - सभी निविदादाताओं को नोटरी पब्लिक के माध्यम से शपथ पत्र देना अनिवार्य होगा जिसमें अंकित होना चाहिए कि:-
 - हमारा फर्म/कम्पनी किसी सरकारी अथवा अर्द्ध सरकारी उपक्रम की काली सूची में नहीं है तथा पूर्व में भी दोषी नहीं पाया गया है।
 - रिम्स को आपूर्ति किये जाने वाले सभी सामग्रियों के लेबुल पर Supply for RIMS, Ranchi /Not for sale/ for Govt. Supply only अंकित होना अनिवार्य है।
 - निविदादाता का अधतन ड्रग लाईसेंस की छायाप्रति संलग्न होना चाहिए। अगर निविदादाता स्वयं निर्माता है तो MFG Licence की छायाप्रति अथवा अगर निविदादाता किसी निर्माता द्वारा प्राधिकृत फर्म हैं, तो मूल निर्माता द्वारा निविदादाता/फर्म के नाम निर्गत प्राधिकार पत्र की मूल प्रति जो इस निविदा के लिए निर्गत हो, निविदा के साथ संलग्न करना अनिवार्य होगा। प्राधिकार पत्र निदेशक, रिम्स, राँची के नाम से निर्दिष्ट होना अनिवार्य है तथा निर्माता को प्राधिकार पत्र में यह प्रमाण पत्र देना होगा कि उनकी फर्म काली सूची (Black listed) में नहीं है।
- प्राधिकार पत्र के साथ प्राधिकृत करने वाले कम्पनी/फर्म/व्यक्ति का चार्टर एकाउन्टेन्ट द्वारा अकेक्षित प्रमाण पत्र

- संलग्न करना अनिवार्य होगा। जिसमें कम्पनी/फर्म/व्यक्ति का वार्षिक टर्न ओवर कम से कम दो करोड़ रुपये सलाना हो साथ ही साथ प्राधिकार पत्र निर्गत करने वाले पदाधिकारी का पूरा नाम, पदनाम एवं मोबाईल नं० देना अनिवार्य है। जैसे निविदादाता, जो झारखण्ड राज्य के उद्योग विभाग द्वारा एस०एस०आई० का प्रमाण-पत्र के अन्तर्गत झारखण्ड में ही सामग्रियों का निर्माण करते हैं, को वार्षिक टर्न ओवर की राशि में छूट प्रदान करने की शक्ति क्रय समिति को नीहित रहेगी जो झारखण्ड सरकार की उद्योग नीति के अनुसार होगा।
- (च) निविदादाता फर्म का आयकर प्रमाण पत्र एवं पै नं० की छायाप्रति। अगर निविदादाता पार्टनरसीप फर्म अथवा कम्पनी हो तो फर्म के नाम से ही आयकर पै नं० मान्य होगा। अगर निविदादाता फर्म एक ओनरसीप फर्म है तो वैसी परिस्थिति में ही फर्म का मालिक का पै नं० मान्य होगा। अतः सभी निविदादाता अपने पै नं० की छायाप्रति में इस बात का स्पष्ट उल्लेख करेंगे कि फर्म Properitery है अथवा Partnership Firm है। साथ ही अंतिम तीन वर्षों का आयकर रिटर्न की छायाप्रतियाँ संलग्न करना है।
- (छ) निविदादाता फर्म द्वारा निविदित सर्जिकल/रसायनों का न्यूनतम दो वर्षों अथवा अधिकतम अवधि से अच्छे गुणवत्ता पूर्ण सामग्री निर्माण करने से संबंधित प्रमाण पत्र संलग्न होना अनिवार्य है।
- (ज) निविदादाताओं का विगत तीन वित्तीय वर्षों का अर्थात् (2013-14, 2014-15 एवं 2015-16) में औसतन कंपनी एवं निमार्ता के लिए न्यूनतम दो करोड़ रूपयों का प्रतिवर्ष टर्न ओवर या तीन वर्षों में कुल छः करोड़ रूपये का टर्न ओवर होना अनिवार्य है; तथा प्राधिकृत आपूर्ति कर्ता के लिए प्रत्येक वर्ष कम से कम एक करोड़ रूपया अथवा तीन वर्ष में कम से कम तीन करोड़ का टर्न ओवर होना अनिवार्य है। जो चार्टर एकाउन्टेन्ट द्वारा अभिप्रमाणित एवं चार्टर एकाउन्टेन्ट द्वारा अंकेक्षित होना चाहिए जिसकी छायाप्रति संलग्न होना अनिवार्य है। जैसे निविदादाता, जो झारखण्ड राज्य के उद्योग विभाग द्वारा एस०एस०आई० का प्रमाण-पत्र के अन्तर्गत झारखण्ड में ही सामग्रियों का निर्माण करते हैं, को वार्षिक टर्न ओवर की राशि में छूट प्रदान करने की शक्ति क्रय समिति को नीहित रहेगी जो झारखण्ड सरकार की उद्योग नीति के अनुसार होगा।
- (झ) सर्जिकल सामग्रियों के निविदादाताओं को रिम्स तकनिकी समिति की अनुशंसा या निदेश के अनुसार सूचीबद्ध सामग्रियों का नमूना मूल्यांकन हेतु रिम्स द्वारा निर्धारित समय पर जमा करना होगा। नमूना जमा नहीं करने की स्थिति में संबंधित निविदादाता के उस सामग्री पर विचार नहीं किया जायेगा।
2. निविदादाता अपने निविदा में संलग्न सभी पृष्ठों पर पृष्ठ सं० निश्चित रूप से अंकित करेंगे तथा अपने पैड पर प्रमाण पत्र देंगे जिसमें अंकित होगा कि "हमारे द्वारा प्रेषित निविदा के तकनिकी भाग में कुल पृष्ठ संलग्न है। तथा प्राइस बीड में कुल पृष्ठ अंकित है।" एवं निविदा के साथ माँगी गई सभी प्रमाण पत्र पृष्ठ सं० पर अंकित है। जिसे Index पर लिखना अनिवार्य है।
 3. समर्पित निविदा का प्रत्येक पृष्ठ पर मुहर के साथ स्वअभिप्रमाणित होना अनिवार्य है।
 4. निविदित सर्जिकल सामग्रियों/रसायनों की आपूर्ति की तिथि को औसतन Expiry Period उक्त सामग्री में वास्तविक Expiry Period से एक वर्ष छः माह से कम अवधि वाली सामग्री मान्य नहीं होगा।
 5. टूटे-फूटे Soiled, लीकेज वाले सामग्रियों को स्वीकार नहीं किया जायेगा।
 6. यदि किसी निविदादाता कम्पनी अथवा फर्म द्वारा इस निविदा के लिए किसी खास व्यक्ति को प्राधिकृत किया जाता है अथवा पावर ऑफ ऑटर्नी दिया जाता है तो उस कम्पनी अथवा फर्म द्वारा निर्गत प्राधिकार पत्र की मूलप्रति अथवा पावर ऑफ ऑटर्नी की सर्टिफाइड प्रति लगाना अनिवार्य होगा।
 7. क्रय समिति द्वारा अनुमोदित दर न्यूनतम एक वर्ष अथवा क्रय समिति के अनुमोदन के आलोक में आगामी निविदा के दरों का अनुमोदन होने तक मान्य होगा।
 8. सर्जिकल समानों/रसायनों के लिए समर्पित निविदा के लिफाफे पर स्पष्ट रूप से निविदा सूचना सं० एवं दिनांक अंकित होना अनिवार्य होगा।
 9. निविदा दो अलग अलग मुहरबंद लिफाफे में होना चाहिए। एक में टेकनिकल बीड जिसमें सभी वाँछित अभिलेख तथा निविदादाता द्वारा निविदित औषधियों की सूची होगी तथा दूसरे में प्राइस बीड तथा दोनों मुहरबंद लिफाफे एक बड़े मुहरबंद लिफाफे में होना चाहिए।
 10. निविदित मूल्य से किसी भी परिस्थिति में Drug Price Control Order का उलंघन नहीं होना चाहिए।
 11. किसी भी परिस्थिति में निविदा अथवा क्रय आदेश का हस्तांतरण मान्य नहीं होगा।
 12. जैसे निविदादाता जिनका वर्ष 2017-18 में दरों का अनुमोदन होने के पश्चात् सर्जिकल समानों/रसायनों की आपूर्ति समय सीमा के अन्दर नहीं करने पर संबंधित निविदादाता के अग्रधन की राशि वापस नहीं की जायेगी अथवा संबंधित आपूर्तिकर्ता के दवा के विपत्र से अन्तर की राशि का समायोजन करने के लिए संस्थान स्वतंत्र है। आपूर्ति आदेश निर्गत होने के पश्चात् अधिकतम 30 दिनों के अन्तर्गत आपूर्ति रिम्स भण्डार में करना अनिवार्य होगा।
 13. इस निविदा से संबंधित सभी प्रकार के निपटारे का न्यायिक क्षेत्र राँची होगा।
 14. निविदादाता द्वारा प्रेषित निविदा में उपरोक्त किसी भी निविदा शर्त के अपूर्ण रहने की स्थिति में अथवा आवश्यक प्रमाण पत्र

निविदा में संलग्न नहीं रहने पर उक्त निविदादाता की निविदा स्वतः रद्द मानी जायेगी।

15. निविदा समर्पण एवं निष्पादन हेतु निर्धारित अन्तिम तिथि को सरकारी अवकाश घोषित होने पर अवकाश के ठीक अगले दिन उसी समय एवं स्थल पर निविदा संबंधी कार्य निष्पादन होंगे एवं इसके लिए अलग से किसी प्रकार की सूचना प्रकाशित नहीं की जायेगी।
16. अद्योहस्ताक्षरी को किसी एक निविदा या सभी निविदाओं को आंशिक रूप से अथवा पूर्णतः, बिना कारण बताए, अस्वीकृत अथवा रद्द करने का अधिकार सुरक्षित होगा।


निदेशक,
राजेन्द्र आयुर्विज्ञान संस्थान, राँची।

25/2/17

LIST OF CHEMICAL GOODS 2017-18, RIMS, RANCHI

TENDER NO. 1456 DATED 25.2.17

Sl. No.	Description/Name of Chemical Goods
1.	Glacial Acid/Glocalic Acid
2.	Nitric Acid
3.	Hydrochloric Acid
4.	Carbolic Acid
5.	Fuchsine Acid
6.	Molybdic Acid
7.	Phosphoric Acid
8.	Citric Acid
9.	Tartaric Acid
10.	Glycolic Acid
11.	Salicylic Acid
12.	Trichloroacetic Acid
13.	Benzoic Acid
14.	Sulphuric Acid
15.	Boric Acid
16.	Absolute Acid
17.	Acetic Acid
18.	Caustic Soda
19.	Sodium Hypochloride
20.	Salt
21.	Hardness Testing Kit (For Water Analysis)
22.	Water Filter Papers
23.	H.C.V. Kit
24.	Antigen V.D.R.L. Kit
25.	H.I.V. Kit
26.	Anti - D
27.	Anti - A
28.	Anti - B
29.	Australia Antigen
30.	M.P. Test Kit (Malascan)
31.	Anti - AB Serum
32.	Anti Human Globin
33.	22% Bovine Albumin
34.	Magnifine Lence Glass
35.	Tissue Paper Roll
36.	Amyl Of Isoamy Alcohol
37.	Paraffin Wax
38.	Paraffin Liquid
39.	Adrenaline Hydrochloride
40.	Alcohol Ethyl
41.	Doxycyclin (Antibiotic Disc)
42.	Streptomycin

विक्रिस्ता पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान
रांची।

Sl. No.	Description/Name of Chemical Goods
43.	Cholramphenicol
44.	Tetracycline
45.	Cloxacillin
46.	Nitroruradatin
47.	Septron
48.	Cefotaxime
49.	Natidixic Acid
50.	Ampicilin
51.	Gentamycin
52.	Cephalexin
53.	Lomefloxacin
54.	Ofloxacin
55.	Norfloxacin
56.	Pefloxacin
57.	Cefprozil
58.	Cefepime
59.	Cefdinir
60.	Cepodoxime
61.	Cefuroxime
62.	Gemifloxacin
63.	Azithromycin
64.	Clarithromycin
65.	Amoxacin
66.	Erythromycin
67.	Amikacin
68.	Ciprofloxacin
69.	Levofloxacin
70.	Sparfloxacin
71.	Sultax (Cefoaximen + Sulbactam)
72.	Xtum (Ceftriaxone + Sulbactam)
73.	Piperacillin + Tazobactum
74.	Gatifloxacin
75.	Cefazoloine
76.	Cefadroxil
77.	Ceftazidim
78.	Imipenum
79.	Cerbenicillin
80.	Netilmycin
81.	Reactive Protin Kit
82.	Agar Powder
83.	Widal (Slide Method)
84.	Widal (Tube Method)
85.	A.S.O. Kit
86.	P.P.D. 10 Tube
87.	R.S. Test
88.	Washing Brush 12"

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

Sl. No.	Description/Name of Chemical Goods
89.	Washing Brush 6"
90.	Toxo Kit
91.	Mccartney Bottle
92.	Petri Disc 4"
93.	Blood Culture Bottle
94.	Sodium Taroculate
95.	Potassium Iodide
96.	Hepatitis C Kit
97.	Dengu Kit
98.	Bramathymol Blue
99.	Crystal Sulphate
100.	Carbol Fuchine
101.	Cedar Wood Oil
102.	Dimethyle Amino Bengaladehyde
103.	Dipotassium Hydrogen Phosphate
104.	Detorinor
105.	Diethylether Of Ether Solvent
106.	Deionized Water
107.	Distilled Water
108.	EDTA Vermane
109.	EDTA Powder
110.	Extract Glycyarhiza
111.	Ammonium Citrate
112.	Formaldehyde Solution
113.	Odonil
114.	Glucotyde Test Strips
115.	Glycerine
116.	Grange Iodine
117.	Iodine Apex
118.	Kh ₂ po ₄
119.	Lab Lemco
120.	Leishman Stain
121.	Malachite Green
122.	Methylane Green
123.	Methylene Blue
124.	Methylene Violet
125.	Manitol
126.	Monocavity Slide
127.	Nioren Wire
128.	N/10 HCL
129.	Benedicts Solution
130.	Potassium Iodide
131.	Peptone
132.	Pregnancy Test Kit
133.	PH Indicator Paper
134.	Phl 10

4

Sl. No.	Description/Name of Chemical Goods
131.	Washing Brush 6"
132.	Toxo Kit
133.	Mccartney Bottle
134.	Petri Disc 4"
131.	Blood Culture Bottle
132.	Sodium Taroculate
133.	Potassium Iodide
134.	Hepatitis C Kit
131.	Dengu Kit
132.	Bramathymol Blue
133.	Crystal Sulphate
134.	Carbol Fuchine
131.	Cedar Wood Oil
132.	Dimethyle Amino Bengaladehyde
133.	Dipotassium Hydrogen Phosphate
134.	Detorinor
131.	Diethylether Of Ether Solvent
132.	Deionized Water
133.	Distilled Water
134.	EDTA Vermane
131.	EDTA Powder
132.	Extract Glycyarhiza
133.	Ammonium Citrate
134.	Formaldehyde Solution
131.	Odonil
132.	Glucotyde Test Strips
133.	Glycerine
134.	Grange Iodine
131.	Iodine Apex
132.	Kh ₂ po ₄
133.	Lab Lemco
134.	Leishman Stain
131.	Malachite Green
132.	Methylane Green
133.	Methylene Blue
134.	Methylene Violet
131.	Manitol
132.	Monocavity Slide
133.	Nioren Wire
134.	N/10 HCL
131.	Benedicts Solution
132.	Potassium Iodide
131.	Peptone
132.	Pregnancy Test Kit
133.	PH Indicator Paper
134.	Phl 10

चिकित्सा प्रदाधिकारी (भंडार)
राजने आयुर्विज्ञान संस्थान,
राँची।

9

Sl. No.	Description/Name of Chemical Goods
135.	Potassium Tellurite
136.	Phosphorus Kit
137.	Powder Lactose
138.	Powder Sodium Desoxycholate
139.	Powder Sucrose
140.	Powder Sulphur
141.	Powder Calamine
142.	Rubber Cork
143.	Sodium Chloride
144.	Sodium Bicarbonate
145.	Sodium Faurocholate
146.	Spirit Alcohol
147.	Spirit Rectified
148.	Spirit Methylated
149.	Sodium Citrate
150.	Sodium Thiosalphate
151.	Stainer (Red Pansecure)
152.	Stainer (Fluoride Powder)
153.	Sodium Citrate 3.8%
154.	Staining Solution
155.	Saffranine
156.	Tetra Methyl Phenylene
157.	Tobidine Blue
158.	Triphicase Pepten
159.	Magnesium Sulphate
160.	Troporine T Stripe
161.	Savlon
162.	Formaline Tab
163.	Dettol
164.	Rat Killer (All Department)
165.	Fluroscein Stain
166.	Lysol
167.	Methylin Blue
168.	GGTP
169.	TIBC
170.	APTT Reagent
171.	Albumin Kit
172.	ALT (SGPT)
173.	AST (SGOT) Kit
174.	Cholesterol Kit
175.	HDL Cholestrol Kit
176.	Blood Urea Nitrogen
177.	Creatinine Kit
178.	Creatinine Kinase (CK) Kit
179.	Calcium Kit
180.	CK – MB Kit

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

Sl. No.	Description/Name of Chemical Goods
181.	LDH Kit
182.	Triglyceride Kit
183.	Bilirubin Kit
184.	Laboline Kit
185.	Amylase Kit
186.	Total Protein Kit
187.	CPK Kit
187.	Uric Acid Kit
189.	Urea Kit
190.	Serum Copper Kit
191.	Total Iron Kit
192.	Iron Binding Kit
193.	Prothrombin Kit
194.	Alkalin Phosphatase Kit
195.	Glucose Kit
196.	Deproteinising Solution
197.	Cellulose Acetate Paper for Electrophoresis
198.	Buffer For Seroprotin Electrophoresis
199.	Decotrorising Reagent Destainer (German) Electrophoresis
200.	Staining Reagent Red Panceaus Stainer
201.	Acid Phosphatase
202.	Glycocylated Hemoglobin Kit
203.	Na+ & K+ Standard Solution
204.	Dichlorophenol Indophenols
205.	Sample Appicafor For Cellulose Acetate Paper Electrophoresis
206.	Acetone
207.	Barium Carbonate
208.	Fructose
209.	Phenylhy Drazide
210.	Desicalor 9" x 12"
211.	NaCl ₂
212.	KEL
213.	Urinometer
214.	Culture Tube 10 x 100 mm
215.	Test Tube Brush
216.	Test Tube Holder
217.	Beaker 100 ml
218.	Beaker 250 ml
219.	Beaker 1000 ml
220.	Rubber Tubing 5/8"
221.	Rubber for Burette 3/8"
222.	Test Tube Rack
223.	Spirit Lamp
224.	Ammonium Sulphate
225.	Pasture Pipette With Rubber
226.	Conical Flask

चिकित्सा पदाधिकारी (प
राजेन्द्र आयुर्विज्ञान संस्थ
रांची)

Sl. No.	Description/Name of Chemical Goods
227.	Auto Pipette With Tips
228.	Glass Slide
229.	Capillary Tube
230.	Silver Allow
231.	Test Tube Khan Tube
232.	Rurified Mercury
233.	Zine Oxiod
234.	Dental Cement
235.	Elelay (Gel)
236.	Glass Innomer Cement Grade
237.	Pollyf (Cement)
238.	Amulgeum Pluger
239.	Potassium Almunium Sulphate
240.	Leishmen Powder
241.	Sodium Thiosulphate
242.	Auality Control Sor for Clinicoz Chemistry Normal High
243.	Advia time Pack
244.	Heamatoxlene Powder
245.	HgO ₂
246.	Isopropyl Alcohol
247.	Glass Cover Silips 18 X 18 mm
248.	22 X 22 mm
249.	22 X 40 mm
250.	22 X 60 mm
251.	22 X 24 mm
252.	Sudan Black B Powder
253.	Crystallin Phenol Powder
254.	Hydrated Disodium Hydrogen Phosphate
255.	Potassium Forrocyanide
256.	Nuclear Fast Red
257.	Methyl Green
258.	Choroform
259.	Sodium Alphanaphthy Phosphate
260.	Alpha Naphthyl Acetate
261.	Alpha Naphthyl Butyrate
262.	Fast Gernet GBC Salt
263.	Periodic Acid
264.	Basis Fuchsin
265.	Potassium Metabsul Phite
266.	Activated Charcoal
267.	Alcian Blue
268.	Neutral Red
269.	PH Paper
270.	Ceeto Orcein Powder
271.	Distillation Appactub
272.	Blood Cell Counting Chamber

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आर्यविज्ञान संस्थान,
रांची।

Sl. No.	Description/Name of Chemical Goods
273.	R.B.C. Pippitte
274.	W.B.C. Pippitte
275.	R.B.C. Fluid
276.	W.B.C. Fluid
277.	E.S.R. Stand
278.	E.S.R. Tube
279.	E.S.R. Fluid
280.	Hemoglobino Meter
281.	Haemocyto Meter
282.	G.V. Powder
283.	Lipignscar
284.	Hemoglobin Tube
285.	Extract Glycyarhiz Liquor
286.	Minthapip
287.	Liquor Staychnin Hydrochloride
288.	Glucose Powder
289.	Iodine
290.	Pot Iodide
291.	Pot. Chloride
292.	White Vessline
293.	Sulphur
294.	Stroptozotocinz
295.	Sodium
296.	Letnoproast 0.0005%
297.	Pilocarpine 2% & 4%
298.	Betaxolol 25% & 85%
299.	Trimolol 0.25%/5%
300.	Aqua Winthapip
301.	Barium Chloride
302.	Atropine Sulpher
303.	Chloralose
304.	Plate Late Fluid
305.	10% Potassium Hydroxide
306.	Staining Trough
307.	Wash Bottle
308.	Pastour Pipettes
309.	Sulpher Powder
310.	Soda Lime
311.	Lipignscar
312.	Glass Tips
313.	Ammonium Oxalate
314.	Glucerine
315.	Calamine Powder
316.	Calcium Chloride
317.	Sodium Salicylate
318.	R.A. Printing Paper

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

Sl. No.	Description/Name of Chemical Goods
319.	Cal – 3 Ecolyte
320.	Cal – 4 Ecolyte
321.	Lithum Ecolyte
322.	Wash Solution – 2
323.	L+ Memerance
324.	K+ Memerance
325.	Reference Memerance
326.	Printer Paper For Ecolyte
327.	Printer Paper for R.A. 50
328.	Sodium Fluoride Powder
329.	Oxalate Powder
330.	Test Tube
331.	Capillary Tube
332.	Centrifuge Tube 10 ml
333.	Centrifuge Tube 15 ml
334.	Droper
335.	Atropine
336.	Barbitone
337.	Magnesium Chloride
338.	Potassium Nitrate
339.	Methanol
340.	O. Toluidine
341.	Sulphosalioylic
342.	Casrine
343.	Pructose
344.	Mercuric Chloride
345.	Mercuric Sulphate
346.	Ninhydrin
347.	Pheuylttdrozine Hyderochloride
348.	Potassium Permanganate
349.	Potassium Thiocylate
350.	Resorcinol
351.	Silver Nitrate
352.	Sodium Hydroxide
353.	Sodium Tauroclate
354.	Sodium Tungatate
355.	Sodium Carbonate
356.	Suovose
357.	Thic Urea
358.	Tecpol
359.	Acid Orthophosphoric
360.	Sulphuric
361.	Picric
362.	Ammonium Sulphate
363.	Benzidine
364.	Copper Sulphate

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र अयुर्विज्ञान संस्थान,
रांची।

Sl. No.	Description/Name of Chemical Goods
365.	Creatinine Zinc Chloride
366.	Maltose
367.	Sodium Carbonate
368.	Sodium Acetate
369.	Sodium Hydride
370.	Chlorophenol Red
371.	D.P.X.
372.	Thymol Blue
373.	Giemsa Stain
374.	Conical Centrifuge Tube
375.	Conical Flask
376.	Orange G Stain
377.	Light Green Stain
378.	Bismark Brown Stain
379.	Gram Stain
380.	PAS Stain
381.	Immune Stain
382.	Sulphur Powder
383.	Benzidin Powder
384.	Liquor Ammonia
385.	90% Alcohol
386.	Uristix
387.	20% Ko
388.	Methyl Alcohol
389.	Potassium Alcohol Sulphate
390.	Litmus Paper Red/Blue
391.	Filter Paper
392.	Diastic
393.	Combistix
394.	P.H. Liquid Handicator
395.	Xylene
396.	Plain Vial
397.	Alcian Blue
398.	Plain Vial Glass
399.	EDTA Vial
400.	Fluoride Vial
401.	Barium Chloride
402.	Barium Carbonate
403.	Urea
404.	Phenyl Hydrazine Hydrochloride
405.	Potassium Thicyante
406.	Sodium Chloride
407.	Indicater Phenol Red
408.	Bromo Cresol Green
409.	Bromo Phenol Blue
410.	Chlorophenol Red

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

Sl. No.	Description/Name of Chemical Goods
411.	Phenolphthalign
412.	Thymol Blue
413.	Sodium Dihydrogen Phosphate
414.	Crystalline Phenol
415.	Neutrophil Alkaline Phosphatase Kit
416.	Non Specific Esterase Kit
417.	PT Kit
418.	Alkian Blue
419.	Margring Jars With Cover
420.	Pap Asmear Kit
421.	Power Pack Kit Reagent
422.	Prothrombin Time
423.	Potassium Dichromate
424.	Torniquate
425.	Hydrogen Peroxide Solution
426.	Sticker
427.	Swab Stick
428.	Testosterrone
429.	Prolactine
430.	Prostrate Specific Antigen
431.	Glass Marking Pencil
432.	Ketamine HCL
433.	Pentobarbitone Sodium
434.	Thiopentone Sodium
435.	Glycerin
436.	Bone Wax
437.	Acrylic Cold Curve Powder
438.	Reagent/Articles
439.	V.P. Test Reagent
440.	Nitrate Reduction Test
441.	Lysine Decarboxylase Test
442.	Ornithine Dec Arbovylace Test Reagent
443.	DCA Media
444.	TCBS Media
445.	Oxidative/Fermentative Medium with "Ferric Chloride" Reagent
446.	Oxidase Reagents Powder
447.	Albert's Stain - A
448.	Albert's Stain - B
449.	Lactophenol Cotton Blue
450.	Nlgrosln Stain
451.	Methyl Red Indicator
452.	Kovac's Indole Reagent
453.	R.C.M. Media
454.	T.S.I. Media
455.	SIM Media


चिकित्सा पदाधिकारी (भंड)
राजेंद्र आयुर्विज्ञान संस्था
राँची।

Sl. No.	Description/Name of Chemical Goods
456.	MSA Media
457.	Bacltracin Disc
458.	Optochin Disc
459.	Concavity Slide (One Cavity)
460.	Concavity Slide (Two Cavity)
461.	Petri Disc
462.	Flit
463.	Acrylic Cold Cureve Powder & Liquid
464.	Bromine Sample
465.	Vacutainer/Glass/Plastic CE And FoApproved
466.	Tripod Stand
467.	Koh
468.	2.45% W/V Glutaral Dehyde with A Powder Activator Completely Free of Surfaotants
469.	0.55% Ortho Pthaladehyde Sol.
470.	11% W/V Hydrogen Peroxide Stabilized by 0.01% Solver Nitrate
471.	Low Foaming Prcsoak Cum Cleaner
472.	Castick Soda
473.	White Finale
474.	Black Finale, Brillbiant
475.	Cresyl Blue Powder
476.	Hemo Dialysis Solution
477.	Chloroform
478.	Diethylether
479.	Hexane
480.	Petroleum Ether
481.	Ethyl Acetate
482.	Toluene
483.	T-Butyl Alcohol
484.	Methylene Chloride
485.	Sodium Sulphate
486.	Calcium Oxide
487.	3.5 Dinitroben Zoic Acid
488.	Magnesium Powder
489.	Zinc Powder
490.	Silymarin
491.	Silica Gel For Column Chromatography Grade 60-120 Mesh Size, Grade 100-200 Mesh Size, Grade 230-400 Mesh Size,
492.	Solica Get For Thin Layer Chromatography
493.	Cylindrical Glass Tubes For Column Chromatography
494.	Pasteur Pipettes with Rubber Blubs
495.	Graduated Pipettes of Different Capacity
496.	Measuring Cylinder 100 ml, 500 ml

12

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

Sl. No.	Description/Name of Chemical Goods
497.	Test Tube Size – 10 X 75 mm
498.	Test Tube Size – 12 X 75 mm
499.	Test Tube Size – 12 X 100 mm
500.	Round Bottom Flask
501.	Conical Flask
502.	Micro Slide
503.	Disposable Plastics Syringe S 2 ml, 5 ml
504.	Beakers
505.	Blood Collections Bags
506.	Blood Grouping Reagents
507.	Hepatitis B Test Kit
508.	Glass Wares Etc.
PATHOLOGY	
509.	For PAS
510.	Parlodic Acid
511.	Schiff Reagent
512.	Methanol
513.	For Myeloperoxidase
514.	Buffered Formal Acotone
515.	3.3 Diaminobenxdine (Sigma D-8001)
516.	Sorensen's Phosphate Buffer PH-7.3
517.	Hydrogen Peroxide
518.	Hematoxylin Powder
519.	For LAP
520.	Naphol As Phosphate Reagent (Sigma N-5625)
521.	Tris Buffer
522.	Fast Blue BB Salt (Sigma F-0250)
523.	Neutral Red (.02% Aq-Soln)
524.	N.N. Dimethyl Formamide
525.	Brilliant Crysyl Blue
526.	Lishman Powder
527.	Savlon Solution
528.	Sodium Hypochloride
529.	Glacial Acetic Acid
530.	Neubauer Counting Chamber
531.	Urintobe's Tube
532.	Hemoglobin Meter (Heltigie Haemometer Set)
533.	Tri Sodium Citrate Solution
534.	Methylene Blue
535.	Tincture Iodine
536.	For NSE
537.	L-Naphthyl Acetate (Sigma N – 8505)
538.	Pararosaniline (Sigma P-7632)
539.	Sodium Nitrite
540.	Hexa Zotized Parasaniline
541.	Bone Narrow Aspiration Neddle No. 14, 16


 विकित्सा पदाधिकारी (भंडार)
 आयुर्विज्ञान संस्थान,
 राँची।

BIOCHEMISTRY	
Sl. No.	Description/Name of Chemical Goods
542.	Ecoshield Solution
543.	Griess Assay Reagent
544.	C-reacting Protein (CRP)
545.	Insulin
546.	Micro Albumin
547.	Reagent Bottle (100 ml & with droper)
548.	Electrophoresis Hemoglobin & Protein buffer
549.	Cellulose Acetate Paper
550.	Destainer
551.	BGA 3 (Calibration Solution) (130 ml)
552.	BGA 4 (Calibration Solution) (130 ml)
553.	CAL 3 (Calibration Solution) (150 ml)
554.	CAL 4 (Calibration Solution) (150 ml)
555.	Wash 2 (Rinsing Solution) (250 ml)
556.	PO ₂ Membrane Shell
557.	pCO ₂ Membrane Shell
558.	Ref Membrane Shell
559.	K ⁺ Membrane Shell
560.	Ca ⁺⁺ Membrane Shell
561.	Na ⁺ Senser Casing
562.	pO ₂ Fill Solution 20 ml Bottle
563.	PCO ₂ Fill Solution 20 ml Bottle
564.	Ref. Fill Solution 50 ml Bottle
565.	K ⁺ Fill Solution 20 ml Bottle
566.	Ca ⁺⁺ Fill Solution 20 ml Bottle
567.	Na ⁺ Fill Solution 20 ml Bottle
568.	Protein Remover – 100 ml
569.	Paper Roll (1 Pack)
570.	Set Tubing for roller pump (reagent) 2 pcs.
571.	Sample support sera card
572.	Buffer Solution sera protein (ready to use)
573.	Cellulose acetate strip 25 X 130
574.	Cellulose acetate strip 57 X 130
575.	Buffer Solution Hemaglobin
576.	Poivceu red staining solution
577.	Glass Slide for transport
578.	Destainer & Clearing Solution
579.	Lipoporotein (a) – One Kit
580.	Reagert bottle – 100 ml (Slilicate with droper cap – 100 pc)
581.	Maintenance Hit B121
582.	Thermol paper Roll
583.	C1 Solution
584.	C2 Solution
585.	C3 Solution

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

15

BIOCHEMISTRY	
Sl. No.	Description/Name of Chemical Goods
586.	Combitrol Plus
587.	Combitrol Plus
588.	Combitrol Plus
589.	Micro Albumin
590.	Eletrophoresis Hemoglobin
591.	Cellulose Acetate Paper
592.	Destainer
593.	Dengue Kit
594.	Electrodes For B121 PH, PCO ₂ , PO ₂ , Na, K, Ca, Cl, Ref, Mcom
595.	Hard Wash Solution
596.	G.V. Laser – 125 ml, 500 ml
597.	LIAPASE
598.	SYSTEM CALIBRATOR
599.	HDL CONTROL
600.	LDL CONTROL
601.	CREATININE KINASE (CK – NAC)
602.	ALIQUOTE CUP (CENTRIFUGE TAB 1.5 ML)
603.	SAMPLE CUP
604.	HEMMOGLOBIN DENATARANT
605.	CRP REAGENT
606.	CRP CONTROL
607.	CRP CALIBRATOR

01. Ca⁺⁺ Conducting System for Electrolyte Analyser – Model Ecolyte BIO CHEMISTRY Department
02. Cobas Taqman 48 Consumables, Installed in Department of Microbiology.
03. Variant II (HPLC) for Department of Biochemistry.
04. D-10 (HBA 1c Analyzer) for Department of Laboratory Medicine.
05. Architect I – 1000sr. Department of Biochemistry
06. Automated Blood Cell Counter – 5 Part (Mocel I count – 5) Department of Blood Bank/Pathology.
07. Cobas Taqman 48 and Lightcycler 2.0, Consumables, Department of Pharmacology & Microbiology.

नोट :- रिम्स में लगे मशीनों में लगने वाली कीट का दर अवश्य ही अंकित करना चाहेगें तथा प्रति कीट का दर उनके सामने होना चाहिए। इसे आवश्यक समझा जाय।

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

16

RIMS Chemical Tender List 2017-18

SL NO	DESCRIPTION	Pack Size	Unit Rate	RATES/ Per Test
1	Glacial Acetic Acid			
2	Hydrochloric Acid			
3	Sulphuric Acid			
4	Sulpho Salicylic Acid			
5	Nitric Acid			
6	Trichloro Acetic Acid			
7	Picric Acid			
8	Phosphoric Acid			
9	Phosphotungstic Acid			
10	Salicylic Acid			
11	Benzoic Acid			
12	Chromic Acid			
13	Acetone			
14	Absolute Alcohol			
15	N- Butyl Alcohol			
16	Alpha naphthol			
17	Ammonium chloride			
18	Ammonium Sulphate			
19	Ammonium Molybdate			
20	Ammonia			
21	Methyl Alcohol (Methanol)			
22	Ammonium Sulphate			
23	Barium chloride			
24	Bromine vials (20ml)			
25	Casein			
26	Chloroform			
27	Copper Sulphate			
28	Cotton RHT MILLED ALL DEPT. RIMS →			
29	Createine Zinc Chloride			
30	Copper Acetate			
31	Dextrose			
32	2.6 Dichloro Phenol Indo Phenol			
33	2.6 Dichloro Indo Phenol			
34	Diethyl Monoxime			
35	Barium Carbonate			
36	Benzedrine			
37	Fenic Aluminum			
38	Formalin			
39	Fructose			
40	Gelatin			


चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
रांची।

41	Glycerol			
42	Hydrogen Peroxide 100 vol			
43	Hydrogen Peroxide 20 vol			
44	Hydroquinone			
45	Lactose			
46	Lead Acetate			
47	Magnesium Sulphate			
48	Maltose			
49	Mercuric Suphate			
50	Mentholated Spirit			
51	Ninhydrin			
52	Paraffin Liquid			
53	Phenyl Hydrazine Hydrochloride			
54	Potassium fenoeynode			
55	Potassium Thiocynate			
56	Pumice Stone			
57	Rectified Spirit			
58	Resorcinol			
59	Sodium Acetate			
60	Sodium bicarbonate			
61	Sodium Chloride			
62	Sodium Citrate			
63	Sodium Hydroxide (Pallets)			
64	Sodium Nitrate			
65	Sodium Nitropruside			
66	Sodium Potassium Tantrate			
67	Sodium Sulphate			
68	Sodium Tanrocolate			
69	Sodium Tungstate			
70	Mercuric Chloride			
71	Sodium Carbonate			
72	Sodium Fluoride			
73	Starch			
74	Sucrose			
75	Sulphur (Powder)			
76	Thiourea			
77	Urea			
78	Zinc Sulphate			
79	Ammonium Oxalate			
80	Lab wash			
81	Potassium oxalate			
Q2	Hypochlorous Acid (HOCL) + Sodium Hypochlorite (NaOCL) + Electrolyzed Water → Wound Care spray			
	INDICATOR			
1	Litmus Paper Red			
2	Litmus Paper Blue			
3	Bromo Cresol green			
4	Chlorophenol Red			
5	Indicator Paper 2.5 to 4.0 Ph			

6	Indicator Paper 4.0 to 5.5 Ph			
7	Indicator Paper 5.5 to 7.0 Ph			
8	Indicator Paper 8.5 to 10.0 Ph			
9	Indicator Paper 7.0 to 8.5 Ph			
10	Methyl Orange			
11	Methyl Red			
12	Methyl Violet			
13	Methyl Blue			
14	Phenol Red			
15	Phenolphthaleine			
16	Thymol Blue			
17	Methylene Blue			
1	Hydrochloric Acid Con.			
2	Nitric Acid Con			
3	Sulphuric Acid			
4	Trichloro Acetic Acid			
5	Glacial Acetic Acid			
6	Orthophosphoric Acid			
7	Sulphosalicylic Acid			
8	Iodine			
9	O-Toluidine			
10	Potassium Iodide			
11	Ferric Chloride			
12	Sodium Thiosulphate			
13	Thiosemi Carburize			
	KIT FOR AU -480			
1	Alkaline Phosphatase Reagent			
2	Liquid Amylase			
3	ALT/SGPT			
4	AST/SGOT			
5	Total Bilirubin			
6	Direct Bilirubin			
7	Creatinine			
8	Urea/BUN			
9	Total Protein			
10	Uric Acid			
11	Glucose			
12	Wash Solution			
13	Control Serum Level-2			
14	Cholesterol			
15	LDL Cholesterol			
16	HDL Cholesterol			
17	Triglyceride			
18	CK MB Kit			
19	Albumin Kit			
20	L.D.L. Calibrator			
21	Lipase			
22	System Calibrator			

चिकित्सा पदाधिकारी (भंडार)
राजेन्द्र आयुर्विज्ञान संस्थान,
राँची।

23	Micro Albumin			
24	Micro Albumin Calibrator			
25	HDL Control			
26	HDL/LDL Control			
27	HDL Cholesterol Calibrator			
28	LDL Control			
29	Cleaning Solution			
30	Creatinine Kinase (CK-NAC)			
31	Serum Control LEVEL-1			
32	Iron			
33	Aliquate Cup (Centrifuge Tube 1.5ml)			
34	Sample Cup			
35	Hemoglobin Denaturant			
36	CRP Reagent			
37	CRP Control			
38	CRP Calibrator			
	KITS FOR Chemilumino Meter			
1	Anti HCV Reagent			
2	Anti HCV Control			
3	Anti HCV Calibrator			
4	Total PSA Reagent			
5	Total PSA Control			
6	F T-3 Reagent			
7	F T-3 Calibrator			
8	F T-4 Reagent			
9	F T-4 Calibrator			
10	Total PSA Calibrator			
11	TSH Reagent			
12	TSH Calibrator			
13	LH Reagent			
14	LH Calibrator			
15	FSH Reagent			
16	FSH Control			
17	FSH Calibrator			
18	Prolactin (PRL) Reagent			
19	PRL Control			
20	PRL Calibrator			
21	Pre-Trigger Solution			
22	Wash Buffer			
23	Prof Conditioner			
24	ARC Reaction Vessels			
25	Trigger			
26	Insulin Reagent			
27	Insulin calibrator			
28	Insulin Control			
29	Ferreting Reagent			
30	Ferreting Calibrator			
31	Ferreting Control			


 चिकित्सा पदाधिकारी (भंडार)
 राजेन्द्र आयुर्विज्ञान संस्थान,
 राँची।

RAJENDRA INSTITUTE OF MEDICAL SCIENCES, RANCHI

Tender paper for Medicine / Surgical / Chemical of RIMS, Ranchi

Tender Notice No 14/10 date 25-2-2017

Issued to

M/s _____

Against money receipt number/RIMS, dated :

Cashier
RIMS, Ranchi

**RAJENDRA INSTITUTE OF MEDICAL SCIENCES,
RANCHI**

Tender paper for Medicine/Chemical/Surgical

Tender Notice No:- 1470 ... dated 25-2-2017 Session 20...

Issued To,

M/s

.....

.....

Performa for Price bid

Sl. No.	Name of Product	Make/ Manufacturer	Qty/Vol	Unit Price	All Taxes	Remarks
1						
2						
3						
4						
5						

Note :- 1. The price will be accepted in the above given Performa only. In any other Performa price bid shall not be accepted.

2. If the name of any Medicine/Surgical/Chemicals good are mentioned by its trade (Brand) name in the tender item list, it does not mean the same brand only. The tender may quoted their tender for the same (having similar composition of chemicals or items or Surgically by their own brand name showing the similar composition).

Signature of Tenderer
With Seal

Your's Faithfully

Medical Officer (Store),
Rajendra Institute of Medical
Sciences,
Ranchi

RAJENDRA INSTITUTE OF MEDICAL SCIENCES, RANCHI

LIST OF SURGICAL

Tender No. - 1410/RIMS, Ranchi dated - 25.02.2017

(Financial Year 2017-18)

SL. NO	NAME OF SURGICAL ITEM	APPROX REQUIRED QTY
1	Absorbable Geletin Sponge	2000pc
2	Adhesive Plaster (10mtr. x 7.5cm)	5000 Roll
3	Ambu Bag (Adult Size) Silicon materials only	200pc
4	Ambu Bag (Paediatric / Infant size) Silicon materials only	200pc
5	Air way Disposable (Different size)	5000pc
6	Artificial Kidney	50pc
7	Oxygen Mask (Adults and Paed)	5000pc
8	Bandage Than (100cm x 20 mtr) as per Schedule FII	8000 Than
9	B.T.Set with 200 micron filter	15000pc
10	Bone wax	60 box
11	B.P Blade (size 10 to 24)	15000pc
12	Disposable Scalpel - Different Sizes	As & when required
13	Bed Pan (Plastic)	2000pc
14	Adhesive Bandage	4000pc
15	Blood Line Tubbing Set	50pc
16	Colostomy Bag	4000strip
17	Colostomy Kit	As & when required
18	Cotton Absorbant Roll (400gms nett)	8000Roll
19	Nasal Oxygen Cathether	3000pc
20	Nelaton Cathetor - Diff. Sizes	As & when required
21	Suction Cathetor - Plain - Different Sizes	2000pc
22	Suction Cathetor - Thumb Control - Different Sizes	As & when required
23	Femoral Cathetor	As & when required
24	Plain Rubber Cathetor	As & when required
25	Melicot Cathetor(diff size)	As & when required
26	Mini-vac set	As & when required
27	Three way Catheter	As & when required
28	Close Wound Suction unit (Removac Set) no.14,16,18 etc	5000pc
29	Corrugated Rubber Drain	As & when required
30	Corrugated sheet	As & when required
31	Crepe Bandage 4" & 6"	As & when required
32	Cidex Tray s/s size 27"x7"x4.5"	As & when required
33	Catheter Mount Set (Plastic Connector-Diff size)	As & when required
34	Glucometer with strip	As & when required
35	Paediatric breathing circuit	As & when required
36	Catheter Introducer	As & when required
37	Disposable Syringe With Needle (Non reusable) 2ml, 3ml, 5ml, 10ml, 20ml, 50ml	9,00,000pc
38	Disposable Insulin Syringe	5000pc
39	Disposable Tuberculin Syringe	5000pc
40	Disposable Face Mask (3 layer)	15000pc
41	Disposable Surgeon Cap	15000pc
42	Disposable Nurses Cap	As & when required
43	Disposable Gloves for Examination - Latex (Non Sterile)	As & when required
44	Disposable Gloves for Examination - Poly (Non Sterile)	As & when required
45	Disposable Skin Grafting Blades	As & when required
46	Epidural Catheter	As & when required

47	G-patch 2	As & when required
48	Electrodes For T.M.T	As & when required
49	Endotracheal Tube Disposable - PVC, Plain (Diff. Size)	As & when required
50	Endotracheal Tube Disposable - PVC, Cuffed (Diff. Size)	As & when required
51	Endotracheal Tube Disposable - PVC with Silicon Blend, Plain (Diff. Size)	As & when required
52	Endotracheal Tube Disposable - PVC with Silicon Blend, Cuffed (Diff. Size)	As & when required
53	Epidural Kit (Adults & Paed)	As & when required
54	H.I.V. universal Protection Kit	As & when required
55	Gauge Than (18mtr x 90cm) as per schedule FII	8000Than
56	Sterile Surgical Pad / Combine Dressing (Absorbant Cotton Pad with Non Woven Fabric) - Different Sizes	As & when required
57	Sterile Gauze Swab , 12Ply - Different Sizes	As & when required
58	Abdominal Pad / Gauze Sponge with X-ray Thread , 12 Ply - Different Sizes	As & when required
59	Surgeons Gloves (Latex Resuable, Non Sterile) - Size 6 to 8	50,000 pair
60	Intra Venous Cannula (Diff. size for Adults)	1,00,000pc
61	I.V. Cannula (Diff size for paediatrics)	25000pc
62	Infant Mucus Extractor	1000pc
63	Intercostal Tube with water seal Drainage	As & when required
64	E.C.G. Jelly	500 tube
65	Ultra sound Jelly	360kg
66	E.E.G.Paste	As & when required
67	Laryngeal Mask Air way (LML) size 1,2,2.5,3&4	As & when required
68	L.P. Needle 18,20	As & when required
69	Makintosh sheet	300mtr
70	Micro Suction Cannula	As & when required
71	Micro Drip Set	5000pc
72	Paediatric Circuit	As & when required
73	Iodine Adhesive drape 15 x 20cm &30 x 25cm & other Sizes	As & when required
74	Supra glotic Airway	As & when required
75	Disposable Needle (diff size)	As & when required
76	Needle Certrofix (Mono / Duo / Trio) (Adult & Paedia)	As & when required
77	Needle Liver , Kidney , Pleural Biopsy Needle (Diff. size)	As & when required
78	Needle Bone Marrow Puncture Needle / Bone Marrow Display Needle (Klima 14/16 gauze)	As & when required
79	Needle Trepine Biopsy Needle	As & when required
80	Needle Combined Epidural and spinal needle with Catheter set	As & when required
81	Suturing Needle (Round body all size - 4,5,6,7,8,10)	As & when required
82	Suturing Needle (Cd cutting all size-4,5,6,7,8,10)	As & when required
83	Quinke type Spinal Needle(Diff size-26,25,27,etc for Adult)	As & when required
84	Spinal Needle (Diff Size for Paediatrics)	As & when required
85	Needle Lament Needle	As & when required
86	Needle Fistula needle	As & when required
87	Recording papers (Caradiomin 12B) for E.C.G machine	As & when required
88	E.C.G. Clamp	As & when required
89	Paediatric Drip Set	3000pc
90	Infant Feeding Tube	3000pc
91	Rubber Tubbing (8mm)	As & when required
92	Ryles Tube - PVC - Adult & Paediatric size	5000pc
93	Ryles Tube - PVC with Silicon Elastomer Coating - Adult & Paediatric size	As & when required
94	R.A.E.Tube Oral & nasal (diff size)	As & when required
95	Rebreathing Bag(1ltr / 2ltr)	As & when required
96	Saline Set (I.V.Set) with Filter	As & when required

97	Scalp Vain Set (diff size)	5000pc
98	Set of Silicon Face Mask 0 to 4 Disposal	As & when required
99	Thread-Cotton Thread no. 20 black	As & when required
100	Sterile Surgeon's Gloves - Latex - Diff Size	As & when required
101	Disposable shoe cover	As & when required
102	Tracheostomy kit C.Cett all size	As & when required
103	Hard Cervical collar	As & when required
104	Three way I.V Stop Cock	As & when required
105	Tube Extension for 3 way Stop Cock	As & when required
106	Pressure bag for I.V Infusion	As & when required
107	Adult Diapers	As & when required
108	Underpad - 60cm x 90cm	As & when required
109	Clinical Thermometer	500pc
110	Urine Collection Bag (for Adult & Paediatrics)	10000 Pc
111	Urinal (Plastic)	As & when required
112	Vacuum Suck Suction set	As & when required
113	Water seal Drainages System	As & when required
114	X-ray Films Size 8"x10", 10"x12", 12"x12", 12"x15"	1500pkt
115	Esmarch Bandage 3", 4", 5	As & when required
116	E.C.G.Paper Size 280cm x 215cm	As & when required
117	Tailor scissor - 12" size	As & when required
118	S.S Bowl-12"φ, 15"φ	As & when required
119	Metalic airway (adult)	As & when required
120	Suction Nasal	As & when required
121	Surgical diff. Sizes	As & when required
122	V.P. Shunt	As & when required
123	E.C.G. Electrode	As & when required
124	E.C.G. Balloon	As & when required
125	Octylcyano acrylate based synthetic scalant	As & when required
126	A.D. Syringers-2ml, 3ml, 5ml, 10ml	As & when required
127	Mini Close Suction Drain	As & when required
128	Abdominal Drain kit	As & when required
129	Thoracic Drainage Catheter with Trocar - Diff. Sizes	As & when required
130	Thoracic Drainage Catheter - Diff. Sizes	
131	Double J. Stent - Diff Size	As & when required
132	Uretric Catheter Open End + Close end - Diff size	As & when required
133	Stone Basket - Diff size	As & when required
134	Male External Catheter - Diff. Size	As & when required
135	Two way Foleys Catheter (No.6 to 24), Latex	As & when required
136	Two way Foleys Catheter - Diff. Size, Latex with Silicon Elastomer Coated	As & when required
137	Two way Foleys Catheter (No.8 to 24), All Silicon	As & when required
138	Three way Foleys Catheter - Diff. Size, Latex	As & when required
139	Three way Foleys Catheter - Diff. Size, Latex with Silicon Elastomer Coated	As & when required
140	Three way Foleys Catheter (No.8 to 24), All Silicon	As & when required
141	Tur set	As & when required
142	Suprapubic Cystostomy Catheter - Diff size	As & when required
143	Silicon Tubing-mm +8mm	As & when required
144	Kehrs T.Tube - Diff size	As & when required
145	Guide Wire	As & when required
146	H.F. Filter	As & when required
147	Tracheal Culture Testing Bottle	
148	Ventilator Circuit	As & when required
149	Mammography Films Size (18 x 24cm)	40pkt
150	X-Ray Films for Dental use	25pkt

151	Dry view films for MRI size 14"17"(kodak)	180pkt As & when required
152	Adult Electrodes with MVP Gel for Zoll Defibillateor	As & when required
153	Disposable pace maker Pad for external Pacing of Zoll Defibillator	As & when required
154	Recorder Printer Paper for Zoll Defibillator	As & when required
155	Battery for Schaller Make Biphagle Defibrillator Model Fred Easy	As & when required
156	Enama Caine	As & when required
157	Disposable Pad for Schiller Make Bipnagne Defibillator Model Fred Easy	As & when required
158	Flexible Black Cable for Driving Unit	As & when required
159	Bains Circuit (Pediatrics Size & Adult size)	As & when required
160	Disposable Gown	As & when required
161	Ice caps	As & when required
162	Hot Water Bag (1ltr.Cap)	As & when required
163	Water bed	As & when required
164	Air cushion	As & when required
165	Polypropylene Mesh size 6cm x 11cm	As & when required
166	Polypropylene Mesh size 7.6cm x 15.2cm	As & when required
167	Polypropylene Mesh size 15.2cm x 15.2cm	As & when required
168	Polypropylene Mesh size 30cm x 30cm	As & when required
169	Microporous Paper Tape -1" x 9.1M	3000 Roll
170	Silicon Gel Tape - For Paediatric	As & when required
171	I.B.P.Elecrodes (Disposable)	As & when required
172	Paper Roll for records om Multi Para Monitor	As & when required
173	Ear Rubber Bulb	As & when required
174	Bran Biopsy Canula (Needle) Diff .Diameter	As & when required
175	Suction Canula (S/S) with Thumb Tip	As & when required
176	S/S wire Asorted Thickness	As & when required
177	HME Filter with Encloser	As & when required
178	HME membrane	As & when required
179	Bacteria Filter membrane	As & when required
180	Ventricular canula	As & when required
181	Bone Cement	As & when required
182	CVP Measurement Kit	As & when required
183	Nebulizer Tobung mask Adult &Pediartic	As & when required
184	Ventilator Filter	As & when required
185	L.MA .Diff Size	As & when required
186	Urometer C Urobag with Cutt	As & when required
187	E.T.Tube Blue Line (Diff Size)	As & when required
188	Universal Extrimity Drape	As & when required
189	Sterilization Packing Reel - Different Sizes	As & when required
190	Polyurethane Transperent Dressing with Pad - Different Size	As & when required
191	Coil for intra Vascular Coils	As & when required
192	Drape Kit for Sereoiogy Positive Patients	As & when required
193	Patient Circuit hose Connector Tube Long Type for Ventilator	As & when required
194	Accessoies for ICCU Ventilator,Dept of Medicine	As & when required
195	Infusion Pipe Pump	As & when required
196	HME Membrane	As & when required
197	Bacteria Filter Membrane	As & when required
198	Pressure Bag 500ml	As & when required
199	Catheter Mount	As & when required
200	Trachea Tee Plus(T-Piece with 2 mtr.Oxygen Tube	As & when required
201	Nebulizer T-Piece	As & when required

Gm

[Signature]

202	Bidirectional & Unidirectional Tissue Control Device of Various strength and various size	As & when required
203	Tracheostomy tube (Cuffed) - Adult	As & when required
204	Tracheostomy tube (Cuffed) - Paediatric	As & when required
205	Tracheostomy tube (Plain) - All size	As & when required
206	Tracheostomy tube with Subglotic Suction (Adult & Paediatric)	As & when required
207	Denmark (Skin Marker Pen)	As & when required
208	ETT Intubating Stylet (Small,Medium,Large)	As & when required
209	Kwic Fusor1000ml(Pressure Bag)	As & when required
210	Patient Circuit Disposable	As & when required
211	I.V.Cannula Fixator	As & when required
212	I.V.Cannula Fixator with semipermeable transparent film with pad	As & when required
213	I.V.Cannula with three ways stop cock	As & when required
214	Brains Circuit adult &Paediatric	As & when required
215	Flexo metallic Re-inforced E.T (Tube all size)	As & when required
216	Disposable Bougie (For ET Tube intubating)	As & when required
217	Disposable Bougie - Vented (For ET Tube intubating)	As & when required
218	Venturi Mask(A/C)	As & when required
219	Needle Free devices "Dou"	As & when required
220	Needle Free devices "Trio"	As & when required
221	Needle free devices ,"Uno"	As & when required
222	Transducer Protector	As & when required
223	Central Line F (Femoral Double Luman size 7, Length20 cms)	As & when required
224	Central Line F (Femoral Triple Luman size 7, Length20 cms)	As & when required
225	Urine Bag with Measure Volume Character	As & when required
226	Eviseal 1ml/2ml	As & when required
227	Feeding Bag (To Connect with NG Tube)	As & when required
228	Under Pads	As & when required
229	Reusable Bougie (Imported ,for ET tube Intubation)	As & when required
230	Bone Marrow Needle no.16	As & when required
231	Bone Marrow Needle no.14	As & when required
232	Plain Gut Sutures .All size	60 box
233	Chromic Gut Sutures different sizes (Without Needle)	190box
234	Chromic Gut Sutures different sizes (With Needle)	200box
235	Polypropylene Sutures different size	60box
236	Braided Black Silk Sutures diff size Roundy Body Needle	200box
237	Braided Black Silk Sutures diff size Cutting Needle	200 box
238	Synthetic Absorbable Sutures (P.G.A) dufferent size Round body	200 box
239	Synthetic Absorbable Sutures (P.G.A) dufferent Size Cutting	200 box

NOTE-The bidders have to quote their product,size with length of threads of guts.

Surgical item for Anaesthesiology

S.NO	NAME OF SURGICAL ITEM	APPROX REQUIRED QTY
240	Wrights Respirometer	As & when required
241	Airway sets Combitube sets size Fr.37	As & when required
242	Airway sets Combitube sets size Fr.38	As & when required
243	Airway sets Combitube sets size Fr.39	As & when required
244	Airway sets Combitube sets size Fr.40	As & when required
245	Airway sets Combitube sets size Fr. 41	As & when required
246	Circuit Adaptors size -15M/22F	As & when required

247	Circuit Adaptors size -22F/22F	As & when required
248	Combined spinal epidural set	As & when required
249	Endotracheal tubes Oral Cuffed made up of portex .Size -3 (Neonate)	As & when required
250	Endotracheal tubes Oral without Cuffed made up of portex .Size -3 (Neonate)	As & when required
251	Endotracheal tubes Oral Cuffed made up of portex .Size -3 .5, (Neonate)	As & when required
252	Endotracheal tubes Oral without Cuffed made up of portex .Size -3.5 (Neonate)	As & when required
253	Endotracheal tubes Oral Cuffed made up of portex .Size -4, (Neonate)	As & when required
254	Endotracheal tubes Oral without Cuffed made up of portex .Size -4 (Neonate)	As & when required
255	Endotracheal tubes Oral Cuffed made up of portex .Size -4.5(Neonate), 1 Nos	As & when required
256	Endotracheal tubes Oral without Cuffed made up of portex .Size -4.5(Neonate)	As & when required
257	Endotracheal tubes Oral Cuffed made up of portex .Size -5(Pediatric)	As & when required
258	Endotracheal tubes Oral Cuffed made up of portex .Size -5.5(Pediatric)	As & when required
259	Endotracheal tubes Oral Cuffed made up of portex .Size -6(Pediatric)	As & when required
260	Endotracheal tubes Oral Cuffed made up of portex .Size -6.5(Adult)	As & when required
261	Endotracheal tubes Oral Cuffed made up of portex .Size -7(Adult)	As & when required
262	Endotracheal tubes Oral Cuffed made up of portex .Size -7.5(Adult)	As & when required
263	Endotracheal tubes Oral Cuffed made up of portex .Size -8(Adult)	As & when required
264	Endotracheal tubes Oral Cuffed made up of portex .Size -8.5(Adult)	As & when required
265	Flexometalic armoured tracheal Tube with cuff size -5	As & when required
266	Flexometalic armoured tracheal Tube with cuff size -5.5	As & when required
267	Flexometalic armoured tracheal Tube with cuff size -6	As & when required
268	Flexometalic armoured tracheal Tube with cuff size -6.5	As & when required
269	Flexometalic armoured tracheal Tube with cuff size -7	As & when required
270	Flexometalic armoured tracheal Tube with cuff size -7.5	As & when required
271	Flexometalic armoured tracheal Tube with cuff size -8	As & when required
272	Flexometalic armoured tracheal Tube with cuff size -8.5	As & when required
273	Endotracheal Tube with subglotic suction - Different Size	As & when required
274	Laryngeal mask airway-latex reusable (CLASSIC) sizes 3	As & when required
275	Laryngeal mask airway-latex reusable (CLASSIC) sizes 4	As & when required
276	Nasal prong for Oxygen thereapy :Adult	As & when required
277	Nasal prong for Oxygen thereapy :Paediatric	As & when required
278	Nasopharyngeal airway set No 4mm	As & when required
279	Nasopharyngeal airway set No 5mm	As & when required
280	Nasopharyngeal airway set No 6mm	As & when required
281	Nasopharyngeal airway set No 7mm	As & when required
282	Nasopharyngeal airway set No 8mm	As & when required
283	Nasopharyngeal airway set No 9mm	As & when required
284	Nasopharyngeal airway with rotator - Different Sizes, Flexicare / Protex etc	a

285	Needle disposable for nerve locator short bevel needle for plexus ,Anaesthesia(0.7*50mm,18G*2"	As & when required
286	Needle disposable for nerve locator short bevel needle for plexus ,Anaesthesia(0.7*50mm,20G*2"	As & when required
287	Needle disposable for nerve locator short bevel needle for plexus ,Anaesthesia(0.7*50mm,22G*2"	As & when required
288	Needle Epidural NO 16G ,1 Nos	As & when required
289	Needle Epidural NO 18G ,1 Nos	As & when required
290	Needle Epidural with catheter set NO 16	As & when required
291	Needle Epidural with catheter set NO 18G	As & when required
292	Needle Spinal quinckle bibcock no 25	As & when required
293	Needle Spinal quinckle bibcock no 26	As & when required
294	Needle Spinal quinckle bibcock no 27	As & when required
295	Oesophageal stethoscope with continuous core body	As & when required
296	Temperature monitoring and gastric suction lumen 24F,32,25"	As & when required
297	Oropharyngeal Guedles airway size 0	As & when required
298	Oropharyngeal Guedles airway size 1	As & when required
299	Oropharyngeal Guedles airway size 2	As & when required
300	Oropharyngeal Guedles airway size 3	As & when required
301	Oropharyngeal Guedles airway size 4	As & when required
302	R.A.E. tube north pole-4	As & when required
303	R.A.E. tube north pole-4.5	As & when required
304	R.A.E. tube north pole-5	As & when required
305	R.A.E. tube north pole-5.5	As & when required
306	R.A.E. tube north pole-6	As & when required
307	R.A.E. tube north pole-6.5	As & when required
308	R.A.E. tube north pole-7	As & when required
309	R.A.E. tube north pole-7.5	As & when required
310	R.A.E. tube north pole-8	As & when required
311	R.A.E. tube north pole-8.5	As & when required
312	R.A.E. tube south pole-4	As & when required
313	R.A.E. tube south pole-4.5	As & when required
314	R.A.E. tube south pole-5	As & when required
315	R.A.E. tube south pole-5.5	As & when required
316	R.A.E. tube south pole-6	As & when required
317	R.A.E. tube south pole-6.5	As & when required
318	R.A.E. tube south pole-7	As & when required
319	R.A.E. tube south pole-7.5	As & when required
320	R.A.E. tube south pole-8	As & when required
321	R.A.E. tube south pole-8.5	As & when required
322	Venturi mask:Adult	As & when required
323	Venturi mask:Paediatric	As & when required
324	Venturi mask with reservoir bag:Adult	As & when required
325	Venturi mask with reservoir bag:Paediatric	As & when required
326	Laryngeal mask airway No.3.5	As & when required
327	Epidural needle 20G	As & when required
328	Epidural Catheter size 22G	As & when required
329	Proseal LMA NO.2	As & when required
330	Proseal LMA NO.3	As & when required
331	Proseal LMA NO.4	As & when required
332	Proseal LMA NO.5	As & when required
333	Adult Nebulizer Mask kit	As & when required
334	Nebulizer T-Piece kit	As & when required
335	Oxygen T-Piece kit	As & when required
336	Oxygen mask kit	As & when required
337	Catheter Mount	As & when required

338	Syringe-50CC	As & when required
339	Sodalime	As & when required
340	Face Mask size 00	As & when required
341	Face Mask size 0	As & when required
342	Face Mask size 1	As & when required
343	Spinal needle Pencil Point 25 G	As & when required
344	Cuff Pressure Gauzes	As & when required
345	Cuff Controller	As & when required
346	Malleable Stylet all sizes	As & when required
347	Anaesthetic tube Holder	As & when required
348	Pressure infusion cuff	As & when required
349	Glucometer	As & when required
350	Microlaryngeal tube size -5.5,6.5	As & when required
351	Glucostrips-compatible with glucometer	As & when required
356	Percutaneous Trach.Tube set-Adult	As & when required

Surgical Item for Neurosurgery

355	External Ventricular Drainage system with double chamber bag	As & when required
356	External Lumbar (CSF) drainage system with double chamber bag	As & when required
358	Operating Microscope drainage (Sterile)	As & when required
361	Sterile Disposable Gowns	As & when required
362	Nebulizer tubing set	As & when required
363	T-connector	As & when required
364	ET Tube Extension (for ventilator)	As & when required
365	Silicon Tube (6mm, 8mm, 10mm)	As & when required
366	Inkjet photo paper	As & when required
367	T.M.Paper	As & when required

Note : Above mentioned quantity may vary (Change) on as & when basis & as per requirement of RIMS

368. TOPICAL TISSUE adhesive,

369. Disposable sterile SKIN stapler.

370. Disposable sterile SKIN stapler remover

371. Polymer Coted latex gloves (Powder Free)

372. DYNABIX




S.NO	PRODUCT NAME	PRODUCT DESCRIPTION
373	HIV UNIVERSAL PROTECTION KIT	1. Full Gown 1 NOS. Material- 50 GSM (NW SMS)Front stichless ,Fluid barrier cuff (Not Kintted cuff) 2. DIPOSABLE BAG. 1 NOS. 3. PLAIN SHEET LARGE 2 NOS. 25 Micron thick PE Hygiene film SIZE - 120X210 CM. 4 . WATER PROOF LEGGINGS 1 PAIR. Cover up to knee. 5. CAP. 1 NOS. 6 . MASK. 1 NOS. 7 . PAPER HAND TOWEL 2 NOS. 8. NITRILE GLOVES GLOVES 1 PAIR. Latex Powder free double layer on finger tip 9. GOOGLES 1 NOS. Wearing on the any type of spectacle. All product should be in single sterlized pack.Packet material - 35 GSM POLYPROPYLENE one side and another side half part Tyvek paper 35 GSM packing
374	DIPOSABLE DRAPES FOR CRANIOTOMY	Material. - 50 GSM SMS Polypropylene febric,Fiber free Water repellent Sheet Size. -1.6X 3.2 Mt. Adhesive area - 20 CM Dia impregnated with Iodine 45 GSM Film Poly sheet lining 120X120 CM Product should be in sterlized pack.Packet material - 45 GSM POLYPROPYLENE one side and another side One third part Tyvek paper 45 GSM packing Material. - 50 GSM SMS Polypropylene febric,Fiber free Water repellent Sheet Size. -1.6X 3.2 Mt. Adhesive area - 15X35CM bonded with drapes sheet impregnated with Iodine 45 GSM Film Poly sheet lining 120X120 CM Product should be in sterlized pack.Packet material - 45 GSM POLYPROPYLENE one side and another side One third part Tyvek paper 45 GSM packing
375	DIPOSABLE DRAPE FOR LAMINOSPINAL SURGERY	Material. - 50 GSM SMS Polypropylene febric,Fiber free Water repellent Sheet Size. -1.6X 3.2 Mt. Adhesive area - 15X35CM bonded with drapes sheet impregnated with Iodine 45 GSM Film Poly sheet lining 120X120 CM Product should be in sterlized pack.Packet material - 45 GSM POLYPROPYLENE one side and another side One third part Tyvek paper 45 GSM packing
376	DIPOSABLE GOWNS	Material- 50 GSM (NW SMS)Front stichless ,Fluid barrier cuff (Not Kintted cuff)

Gm

[Signature]

NOTE

Product should be in sterilized pack. Packet material - 35 GSM POLYPROPYLENE one side and another side Tyvek paper 35 GSM packing

5 377 PLAIN SHEET FOR OT TABLE

25 Micron thick PE Hygiene film SIZE - 120X210 CM.
Product should be in sterilized pack. Packet material - 35 GSM POLYPROPYLENE one side and another side Tyvek paper 35 GSM packing

NOTE

6 378 PLAIN SHEET FOR INSTRUMENT TABLE

25 Micron thick PE Hygiene film SIZE - 120X150 CM.
Product should be in sterilized pack. Packet material - 35 GSM POLYPROPYLENE one side and another side Tyvek paper 35 GSM packing

NOTE

7 379 DISPOSABLE SHOE COVER

45 Micron thick water proof , length cover up to knee.
Product should be in sterilized pack. Packet material - 35 GSM POLYPROPYLENE one side and another side Tyvek paper 35 GSM packing

NOTE

8 380 G PATCH -2
9 381 VPMP SHUNT
10 382 EXTERNAL VENTRICULAR DRAINAGE KIT
11 383 Y CONNECTOR KIT

Y connector with extra long ventricular catheter .



Laparoscopy Pack

- 384 • Waterproof Transparent film dressing with Non-adherent absorbent pad
- 385 • Transparent P.U. Film with hypoallergenic adhesive
- 386 • Non-Woven Absorbent Pad, PKT of 4 Dressings
- 387 • Silicon Paper Release Liner

- 388 • Absorbable Gelatin Sponge Tampon
Size- 80mm x 30mm
- 1. 389

- 1. 390 • Caesarean Section Kit

- 391 • Triclosan Coated Polydioxanone

Gm

[Signature]

निदेशक का कार्यालय, राजेन्द्र आयुर्विज्ञान संस्थान, राँची।

निविदा सं० 1410 / रिम्स, राँची

दिनांक 25.2.17

निविदा आमंत्रण सूचना

इस संस्थान में वर्ष 2017-18 के लिए केवल सर्जिकल समानों/रसायनों की आपूर्ति हेतु लाईसेंसधारी सरकारी प्रतिष्ठानों/गैर सरकारी प्रतिष्ठानों/निर्माताओं एवं प्राधिकृत विक्रेताओं से मुहरबंद टंकित निविदा तकनीकी बीड एवं प्राईस बीड अलग-अलग सीलबंद लिफाफे में सिर्फ निबंधित डाक/स्पीड पोस्ट द्वारा आमंत्रित की जाती है। साधारण डाक/प्राईवेट कुरियर/हाथो-हाथ प्राप्त निविदा पर विचार नहीं किया जायेगा तथा वे स्वतः रद्द हो जायेंगे।

निविदा से संबंधित मुख्य तिथियाँ:-

क्रम सं०-1	निविदा प्रपत्र विक्री की तिथि :-	दिनांक 06.04.2017 से 03.05.2017 तक कार्य दिवस तथा कार्य अवधि में निविदादाता सर्जिकल के लिए ₹0 5000/- (पाँच हजार रूपए) एवं रसायन के लिए ₹0 5000/- (पाँच हजार रूपए) अलग - अलग नगद रूप से रोकड़पाल, रिम्स, राँची के पास जमा कर सर्जिकल एवं रसायनों का अलग-अलग निविदा प्रपत्र प्राप्त कर सकते हैं अथवा रिम्स वेब साईट से निविदा प्रपत्र डाउन लोड करके ₹0 5000/- का बैंक ड्राफ्ट (निदेशक, रिम्स, राँची के नाम) निविदा प्रपत्र के साथ संलग्न करते हुए भी निविदा जमा कर सकते हैं।
क्रम सं०-2	निविदा समर्पित करने की अंतिम तिथि :-	दिनांक 06.05.2017 को अपराह्न 4:30 बजे तक।
क्रम सं०-3	निविदा का तकनीकी भाग खुलने की तिथि	दिनांक 11.05.2017 को अपराह्न 12:30 बजे रिम्स, निदेशक सम्मेलन कक्ष में, सभी निविदादाता उक्त बैठक में क्रय समिति के समक्ष निश्चित रूप से उपस्थित होंगे।
क्रम सं०-4	निविदा की शर्तें	निविदा से संबंधित विस्तृत जानकारी संस्थान के वेबसाईट www.rimsranchi.org पर देखा जा सकता है।

निविदा की अन्य शर्तें:-

1. निविदादाता के तकनीकी बिड में निम्नांकित कागजात संलग्न करेंगे:-



- (क) सरकारी उपकरणों को छोड़कर अन्य सभी निविदादाताओं द्वारा EMD के रूप में निदेशक रिम्स के नाम से प्लेज्ड सर्जिकल समानों के लिए ₹0 1,50,000/- एवं रसायनों के लिए ₹0 1,50,000/- का बैंक ड्राफ्ट की मूल प्रति संलग्न करेंगे
- (ख) (I) - झारखण्ड राज्य बिक्री कर/JVAT निबंधन प्रमाण पत्र की छायाप्रति संलग्न करना अनिवार्य है।
(II) - वाणिज्य कर विभाग द्वारा निर्गत अधतन स्वच्छता प्रमाण पत्र की छायाप्रति जो निविदा खुलने की तिथि को मान्य हो।
अथवा
अगर निविदा दाता/फर्म का कार्यालय झारखण्ड राज्य में निबंधित नहीं है तो उन निविदादाताओं को नोटरी पब्लिक का शपथ पत्र देना होगा कि झारखण्ड सरकार का बिक्री कर (Jharkhand Vat) भुगतान करने के पश्चात ही सामग्रियों की आपूर्ति करेंगे तथा बिक्री कर में राहत इत्यादि के लिए निविदा आमंत्रित करने वाले विभाग से किसी प्रकार के अभिलेखों की माँग नहीं करेंगे।
- (ग) सभी निविदादाताओं को नोटरी पब्लिक के माध्यम से शपथ पत्र देना अनिवार्य होगा जिसमें अंकित होना चाहिए कि:-
(1) हमारा फर्म/कम्पनी किसी सरकारी अथवा अर्द्ध सरकारी उपकरण की काली सूची में नहीं है तथा पूर्व में भी दोषी नहीं पाया गया है।
(2) रिम्स को आपूर्ति किये जाने वाले सभी सामग्रियों के लेबुल पर Supply for RIMS, Ranchi /Not for sale/ for Govt. Supply only अंकित होना अनिवार्य है।
- (घ) निविदादाता का अधतन ड्रग लाईसेंस की छायाप्रति संलग्न होना चाहिए। अगर निविदादाता स्वयं निर्माता है तो MFG Licence की छायाप्रति अथवा अगर निविदादाता किसी निर्माता द्वारा प्राधिकृत फर्म है, तो मूल निर्माता द्वारा निविदादाता/फर्म के नाम निर्गत प्राधिकार पत्र की मूल प्रति जो इस निविदा के लिए निर्गत हो, निविदा के साथ संलग्न करना अनिवार्य होगा। प्राधिकार पत्र निदेशक, रिम्स, राँची के नाम से निर्दिष्ट होना अनिवार्य है तथा निर्माता को प्राधिकार पत्र में यह प्रमाण पत्र देना होगा कि उनकी फर्म काली सूची (Black listed) में नहीं है।
- (ङ) प्राधिकार पत्र के साथ प्राधिकृत करने वाले कम्पनी/फर्म/व्यक्ति का चार्टर एकाउन्टेन्ट द्वारा अकेक्षित प्रमाण पत्र

संलग्न करना अनिवार्य होगा। जिसमें कम्पनी/फर्म/व्यक्ति का वार्षिक टर्न ओवर कम से कम दो करोड़ रुपये सलाना हो साथ ही साथ प्राधिकार पत्र निर्गत करने वाले पदाधिकारी का पूरा नाम, पदनाम एवं मोबाईल नं० देना अनिवार्य है। जैसे निविदादाता, जो झारखण्ड राज्य के उद्योग विभाग द्वारा एस०एस०आई० का प्रमाण-पत्र के अन्तर्गत झारखण्ड में ही सामग्रियों का निर्माण करते हैं, को वार्षिक टर्न ओवर की राशि में छूट प्रदान करने की शक्ति कय समिति को नीहित रहेगी जो झारखण्ड सरकार की उद्योग नीति के अनुसार होगा।

- (च) निविदादाता फर्म का आयकर प्रमाण पत्र एवं पै नं० की छायाप्रति। अगर निविदादाता पार्टनरसीप फर्म अथवा कम्पनी हो तो फर्म के नाम से ही आयकर पै नं० मान्य होगा। अगर निविदादाता फर्म एक ओनरसीप फर्म है तो वैसी परिस्थिति में ही फर्म का मालिक का पै नं० मान्य होगा। अतः सभी निविदादाता अपने पै नं० की छायाप्रति में इस बात का स्पष्ट उल्लेख करेंगे कि फर्म Properity है अथवा Partnership Firm है। साथ ही अंतिम तीन वर्षों का आयकर रिटर्न की छायाप्रतियाँ संलग्न करना है।
 - (छ) निविदादाता फर्म द्वारा निविदित सर्जिकल/रसायनों का न्यूनतम दो वर्षों अथवा अधिकतम अवधि से अच्छे गुणवत्ता पूर्ण सामग्री निर्माण करने से संबंधित प्रमाण पत्र संलग्न होना अनिवार्य है।
 - (ज) निविदादाताओं का विगत तीन वित्तीय वर्षों का अर्थात् (2013-14, 2014-15 एवं 2015-16) में औसतन कंपनी एवं निमाता के लिए न्यूनतम दो करोड़ रूपयों का प्रतिवर्ष टर्न ओवर या तीन वर्षों में कुल छः करोड़ रूपयों का टर्न ओवर होना अनिवार्य है; तथा प्राधिकृत आपूर्ति कर्ता के लिए प्रत्येक वर्ष कम से कम एक करोड़ रूपया अथवा तीन वर्ष में कम से कम तीन करोड़ का टर्न ओवर होना अनिवार्य है। जो चार्टर एकाउन्टेन्ट द्वारा अभिप्रमाणित एवं चार्टर एकाउन्टेन्ट द्वारा अंकेक्षित होना चाहिए जिसकी छायाप्रति संलग्न होना अनिवार्य है। जैसे निविदादाता, जो झारखण्ड राज्य के उद्योग विभाग द्वारा एस०एस०आई० का प्रमाण-पत्र के अन्तर्गत झारखण्ड में ही सामग्रियों का निर्माण करते हैं, को वार्षिक टर्न ओवर की राशि में छूट प्रदान करने की शक्ति कय समिति को नीहित रहेगी जो झारखण्ड सरकार की उद्योग नीति के अनुसार होगा।
 - (झ) सर्जिकल सामग्रियों के निविदादाताओं को रिस्स तकनिकी समिति की अनुशंसा या निदेश के अनुसार सूचीबद्ध सामग्रियों का नमूना मूल्यांकन हेतु रिस्स द्वारा निर्धारित समय पर जमा करना होगा। नमूना जमा नहीं करने की स्थिति में संबंधित निविदादाता के उस सामग्री पर विचार नहीं किया जायेगा।
2. निविदादाता अपने निविदा में संलग्न सभी पृष्ठों पर पृष्ठ सं० निश्चित रूप से अंकित करेंगे तथा अपने पैड पर प्रमाण पत्र देंगे जिसमें अंकित होगा कि "हमारे द्वारा प्रेषित निविदा के तकनिकी भाग में कुल पृष्ठ संलग्न है। तथा प्राइस बीड में कुल पृष्ठ अंकित है।" एवं निविदा के साथ माँगी गई सभी प्रमाण पत्र पृष्ठ सं० पर अंकित है। जिसे Index पर लिखना अनिवार्य है।
 3. समर्पित निविदा का प्रत्येक पृष्ठ पर मुहर के साथ स्वअभिप्रमाणित होना अनिवार्य है।
 4. निविदित सर्जिकल सामग्रियों/रसायनों की आपूर्ति की तिथि को औसतन Expiry Period उक्त सामग्री में वास्तविक Expiry Period से एक वर्ष छः माह से कम अवधि वाली सामग्री मान्य नहीं होगा।
 5. दूटे-फूटे Soiled, लीकेज वाले सामग्रियों को स्वीकार नहीं किया जायेगा।
 6. यदि किसी निविदादाता कम्पनी अथवा फर्म द्वारा इस निविदा के लिए किसी खास व्यक्ति को प्राधिकृत किया जाता है अथवा पावर ऑफ ऑटर्नी दिया जाता है तो उस कम्पनी अथवा फर्म द्वारा निर्गत प्राधिकार पत्र की मूलप्रति अथवा पावर ऑफ ऑटर्नी की सर्टिफाइड प्रति लगाना अनिवार्य होगा।
 7. क्रय समिति द्वारा अनुमोदित दर न्यूनतम एक वर्ष अथवा क्रय समिति के अनुमोदन के आलोक में आगामी निविदा के दरों का अनुमोदन होने तक मान्य होगा।
 8. सर्जिकल समानों/रसायनों के लिए समर्पित निविदा के लिफाफे पर स्पष्ट रूप से निविदा सूचना सं० एवं दिनांक अंकित होना अनिवार्य होगा।
 9. निविदा दो अलग अलग मुहरबंद लिफाफे में होना चाहिए। एक में टेकनिकल बीड जिसमें सभी वाँछित अभिलेख तथा निविदादाता द्वारा निविदित औषधियों की सूची होगी तथा दूसरे में प्राइस बीड तथा दोनों मुहरबंद लिफाफे एक बड़े मुहरबंद लिफाफे में होना चाहिए।
 10. निविदित मूल्य से किसी भी परिस्थिति में Drug Price Control Order का उलंघन नहीं होना चाहिए।
 11. किसी भी परिस्थिति में निविदा अथवा क्रय आदेश का हस्तांतरण मान्य नहीं होगा।
 12. जैसे निविदादाता जिनका वर्ष 2017-18 में दरों का अनुमोदन होने के पश्चात् सर्जिकल समानों/रसायनों की आपूर्ति समय सीमा के अन्दर नहीं करने पर संबंधित निविदादाता के अग्रधन की राशि वापस नहीं की जायेगी अथवा संबंधित आपूर्तिकर्ता के दवा के विपत्र से अन्तर की राशि का समायोजन करने के लिए संस्थान स्वतंत्र है। आपूर्ति आदेश निर्गत होने के पश्चात् अधिकतम 30 दिनों के अन्तर्गत आपूर्ति रिस्स भण्डार में करना अनिवार्य होगा।
 13. इस निविदा से संबंधित सभी प्रकार के निपटारे का न्यायिक क्षेत्र राँची होगा।
 14. निविदादाता द्वारा प्रेषित निविदा में उपरोक्त किसी भी निविदा शर्त के अपूर्ण रहने की स्थिति में अथवा आवश्यक प्रमाण पत्र

निविदा में संलग्न नहीं रहने पर उक्त निविदादाता की निविदा स्वतः रद्द मानी जायेगी।

15. निविदा समर्पण एवं निष्पादन हेतु निर्धारित अन्तिम तिथि को सरकारी अवकाश घोषित होने पर अवकाश के ठीक अगले दिन उसी समय एवं स्थल पर निविदा संबंधी कार्य निष्पादन होंगे एवं इसके लिए अलग से किसी प्रकार की सूचना प्रकाशित नहीं की जायेगी।
16. अद्योहस्ताक्षरी को किसी एक निविदा या सभी निविदाओं को आंशिक रूप से अथवा पूर्णतः, बिना कारण बताए, अस्वीकृत अथवा रद्द करने का अधिकार सुरक्षित होगा।


निदेशक,
राजेन्द्र आयुर्विज्ञान संस्थान, राँची।

25/2/17