

राजेन्द्र आयुर्विज्ञान संस्थान
(झारखण्ड सरकार का एक स्वयतशासी संस्थान)
राँची-834009 (झारखण्ड)
दुरभाष: 0651-2541533, फ़ैक्स: 0651-2540629,
E-mail: rimsranchi@rediffmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES
(An Autonomous Institute under Govt. of Jharkhand)
Ranchi-834009 (Jharkhand)
Phone: 0651-2541533, Fax: 0651-2540629,
Email : rimsranchi@rediffmail.com

Tender notice no. RIMS/Stores/ME(4)/ 13277 Kitchen Dated 06.12.2016

**Final Tender paper for Machine, Equipment & Appliances of Kitchen
Ddepartment, RIMS, Ranchi**

Issued to

M/s _____

Against money receipt number/RIMS, dated :

Cashier
RIMS, Ranchi

Tender for supply & installation machine, equipment & appliances of Diet Section (Kitchen) of RIMS, Ranchi

To,

M/s _____

Dear Sir,

Director, Rajendra Institute of Medical Sciences, Ranchi invites you to tender for supply & installation of equipment & appliances of kitchen as mentioned hereunder including civil / mechanical / electrical works (if any) required for installation of these equipments on turnkey basis.at RIMS, Ranchi.

The conditions of contract which will govern any contract made are as under. Any special conditions attached in tender will also be part of the conditions

If you are in a position to quote for supply & installation in accordance with requirements stated in tender notice & tender form, you must also furnish all the information called for, along with your tender.

This tender is non transferable.

All legal matter in respect to this tender will be subject to jurisdiction of Hon'ble Jharkhand High Court, Ranchi.

The last date of submission of tender paper by registered posts / speed post only, is 16.02.2017 latest by 4:30 p.m.

Note :- The list of equipments or items with required specification is encloed with this tender document.

The bidders have to submit tender document fee @Rs. 5000/- without tender fee the tenders will not be entertained. Similarly the bidders have to enclose the EMD in form of Demand Draft of Rs. 50,000/- (Fifty thousand) only in favour of Director, Rajendra Institute of Medical Sciences, Ranchi. The bids should be submitted in separate sealed envelops (in two bid system) Technical Bid & Price Bid. Both the sealed bids must be sealed in one envelope.

Yours faithfully

Sd/-
Director
Rajendra Institute of Medical Sciences,
Ranchi

OFFICE OF THE DIRECTOR
RAJENDRA INSTITUTE OF MEDICAL SCIENCES, RANCHI
Bariatu, Ranchi – 834009 (Jharkhand)

General Terms & Conditions

1. The terms and conditions mentioned in tender notice no. 13277 dated 06.12.2016.
2. The tender should be submitted in duplicate complete with specification, literature, leaflet along with catalogues etc. leaving no room for back references.
3. Bids are to be submitted in two parts viz. (A) Technical Bid containing complete technical aspects including original EMD, Affidavit etc., except price bid & (B) Price Bid containing price elements only.

Note : The tenderers have to submit separate sealed technical & price bids for each department. The envelopes must be superscribed as technical bid for tender no. dated for department of & similarly price bid envelopes should be superscribed. All the envelopes of one department should be sealed within one envelop.

4. Technical Specification should be in the proforma / format given below :

**A. Technical Specification Proforma for department of
 (for Major Equipments)**

| Sl. No. | Required technical specification as mentioned in tender form | Tenderer's detail technical specification of the equipment for which they are quoting | Remarks or any other extra advantages of the quoted model or attachments (if any) |
|---------|--|---|---|
| | | | |
| | | | |
| | | | |

B. Tenderers Technical Details of turn key works

- i. **Civil /Electrical/Mechanical / furnishing etc works to be done (if any) by the bidders under turnkey project.**

| Sl. No. | Tenderer's detailed item list/work list | Quantity offered by the tenderer |
|---------|---|----------------------------------|
| | | |
| | | |
| | | |

ii. Electrical works : (If any required under turnkey)

| Sl. No. | Tenderer's detailed item list/work list | Quantity offered by the tenderer |
|---------|---|----------------------------------|
| | | |
| | | |
| | | |

Note :

1. All the electrical items including wiring, switches etc & earthing will have to be supplied & installed by the tenderer

iii. **Furnitures works : (If any required to run the machines under turnkey)**

| Sl. No. | Tenderer's item list | Quantity offered by the tenderer |
|---------|----------------------|----------------------------------|
| | | |
| | | |

1. Before quoting the tender & before participating in the meeting the tenderers must have to visit the sites & they have to discuss with authority for location & confirmation of site.
2. Before finalization of the tender, if needed by the technical committee, the tenderers have to arrange on site practical demonstration of their quoted machines (major equipment) to the members of technical committee on any of their pre installed sites on tenderer's own cost.

Full signature of the tenderer with seal

Designation :

Dated :

5. **Price Bid Proforma : (Price of every item must be in separate sealed envelops)**

A.

| Sl. No. | Technical specification of the main machine | Unit Price in Indian Rs. | Mention clearly the excise duty charges, or any other charges, sales tax etc. in Indian Rs. | Price FOR destination with installation charges, training to staff/ Doctors on turn key basis with all taxes. (INR) |
|---------|---|--------------------------|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

B. Essential accessories supplied by the firm free of cost with main machine to run the machine smoothly.

| Sl. No. | Name of accessories | Technical specification in details with manufacturer name. | Quantity | Remarks (if any) |
|---------|---------------------|--|----------|------------------|
| | | | | |
| | | | | |
| | | | | |

C. Optional accessories (if any for major equipments)

| Sl. No. | Name of accessories | Detail technical specification with make & model | Qty | Unit price in India Rs. | Mention clearly the excise duty charges, or any other charges, sales tax etc. in Indian Rs. | Price FOR Destination with installation charges, training on turn key basis with all taxes. |
|---------|---------------------|--|-----|-------------------------|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |

D. Essential consumables required to run the machine such as papers, oil, greaze cartridges, chemicals etc. supplied by the firm free of cost with main machine to run the machine smoothly.

| Sl. No. | Name of consumables | Technical specification in details with manufacturer name. | Quantity | Unit Rate | Remarks (if any) |
|---------|---------------------|--|----------|-----------|------------------|
| | | | | | |
| | | | | | |

E. Rate for essential civil, electrical works & furnitures for smooth running & installation of the machine. (Tenderers have to give details of civil (including furnitures) & electrical works to be done for smooth running of machine were ever required for installation & functioning of the system). Rs. (in words Rs.....)

(Total amount of the complete equipment set on turn key basis i.e. A+B+C+D+E = Rs.)

(in words Rs) with five years comprehensive guarantee/warranty with all accessories, spares, manpower & turnkey maintenance works.

6. Price of Comprehensive maintenance contract with all spares after expiry of guarantee period for five years :- (for machine & equipments)

| Year | C.M.C. Rate in Indian Rs. (per year) |
|----------------------|--------------------------------------|
| 1 st Year | |
| 2 nd Year | |
| 3 rd Year | |
| 4 th Year | |
| 5 th Year | |

Note :

- (1) For machine & equipments Price of C.M.C. for five years will also be considered during price comparative evaluation without CMC, the tender will be rejected at the time of evaluation.

- (2) Warranty as well as CMC will cover (inclusive of) all spares, accessories & turnkey works and it will also cover :-
- i. X-ray & C.T. tubes & high tension cables (which ever is required as per need of equipment)
 - ii. Helium replacement
 - iii. Any kind of motor
 - iv. Plastic & glass parts, pipes, switches, nob's etc.
 - v. All kind of sensors
 - vi. All kind of coils, magnets, probes, transducers, cuffs, paddles, cables, chart recorders, patient circuits, tube, bulbs, electrodes, humidifiers, sensors, cassettes, printers & images, UPS including the replacement of batteries, Air-conditioners, fuses, transformers, monitors, cameras, stabilizers, furnitures, aprons, badges, radiation accessories, software & Hardware, chambers, phantoms & other accessories (if any) will be supplied & installed by the bidders without charging any extra cost under warranty & C.M.C.

Full signature of the
tenderer with seal

Name
(in capital letters)

Designation

Sd/-
Director
Rajendra Institute of Medical Sciences
Ranchi

7. List & specifications of equipments :- Separate list is enclosed herewith this tender documents. All the bidders have to get it confirmed at the time of purchase or during downloading of tender documents.
8. The tenderers have to mention clearly the names and technical specifications of the relevant accessories which they will supply along with the main equipment, free of cost in their price bid.
9. The price should be inclusive packing, carriage & installation cost.
10. The total cost of each equipments should be quoted in figures and words.
11. The price quoted should be valid for at least two years from the date of opening of tender.
12. The intending tenderers should produce the copy of manufacturing registration certificate. In case of authorization – original authorization certificate issued by the manufacturer in the name of Director, RIMS, Ranchi. The authorization must be valid at the time of tender opening.
13. The tenderer must enclose registration certificate of Jharkhand Sales tax/JVAT along with update respective clearance certificate or If the bidding agency is not registered under Jharkhand Sales tax department then they must give an undertaking through notary affidavit that "They will supply & install the equipment/items at fixed destination after payment of JVAT/Jharkhand Sales tax on their own & they will make their own arrangements for customs clearance in case of imported equipments. They shall not demand any document from Director, RIMS for clearance or duty exemption/waiver/relief in this regard."
14. The tenderer should furnish the warranty / guarantee period (minimum five years) of the complete system.
15. The tender without EMD & without tender cost will be ignored straightway.

16. Incomplete tender will be summarily rejected.
17. The EMD will be refunded in full to the unsuccessful tenderers after finalization of tender and in case of successful tender, the EMD will be refunded only after expiry of warranty / guarantee period.
18. The full EMD shall be forfeited in case of backing out of the offer after acceptance.
19. The successful tenderer have to supply the items in accordance with the specification as finalized and approved by the purchase committee.
20. If there is any need then the bidders have to do the construction or modification works by their own including all mechanical & electrical works as per requirement of their quoted equipments for fully functioning of the complete project including all the equipments or for all the machines under the turnkey project. They have to quote accordingly. No consideration regarding extension of work or escalation of rates will be made after finalization of tender.

Full signature of the tenderer
With seal and date

Designation.

21. Contractor Form 'A'

Telegraph Address :-
Telephone No. :
Telex No. :
Fax No.

From

(Full name and address of the tenderer)

To

The Director
Rajendra Institute of Medical Sciences,
Ranchi.

Sir,

1. I / We hereby offer to supply the stores detailed in the schedule here to such position thereof as you may specify in the supply order at the price given in the said schedule and agree to hold the order (offer) open till it is opened. I/We shall be bound by communication of acceptance within the prescribed time.
2. I / We have understood the instructions to tenderers and terms conditions of contract for contract concluded by Director, RIMS as contained in schedule & tender notice. We have thoroughly examined specification drawing or pattern quoted in the schedule here to and am/are fully aware of the nature of the stores required.
3. The following pages have been enclosed to and from part of this tender's technical bid

Yours faithfully

Signature of tenderer

Address

Dated

22. All documents duly completed, signed and sealed should be enclosed with your tender offer failing which your quotation will be treated as incomplete.

Technical compliance report duly filled and signed with seal of the bidder.

The bidders must fill all the rows/columns of this compliance report. This report will be inspected & evaluated by purchase committee and accordingly documents will be verified on the concerned page numbers.

| Sl. No. | Enclosures required | Have you enclosed it? write clearly Yes or No | If yes then on page no. of this bid. |
|---------|--|---|--------------------------------------|
| 1. | Photocopy of JVAT (Sales tax) Registration certificate in Jharkhand State. | Yes or No | Page No. |
| 2. | Photocopy of JVAT/Sates tax clearance certificate of Jharkhand State, valid at the time of opening of technical bid. OR If the bidding agency is not registered under Jharkhand sales tax department, then they must give an undertaking through notary affidavit that "They will supply the equipment/items at RIMS, Ranchi after payment of JVAT/Jharkhand Sales tax on their own & they will make their own arrangements for custom clearance in case of imported equipments. They shall not demand any document from RIMS for JVAT/custom clearance/duty exemption / waiver/relief in this regard". | Yes or No | Page No. |
| 3. | (i) Whether manufacturer or authorized dealer | Yes or No | On Page No. |
| | (ii) If authorized dealer then write names of the original manufacturers and enclose the authorizations issued to you. e.g. | Yes or No | On Page No. |
| | a. Authorization letter of M/s | Yes or No | On Page No. |
| | b. Authorization letter of M/s and so on | Yes or No | On Page No. |
| 4. | Income Tax PAN No. (e.g. XYZA1234G) also mention clearly that PAN No. of proprietor or PAN no. of Company | Yes or No | On Page No. |
| 5. | EMD in form of Demand Draft No. dated issued by (name of bank) amount Rs. 50,000.00 (Fifty thousand) only in favour of Director, RIMS, Ranchi. (Note :- The bidders also have to submit Rs. 5,000/- for tender papers. | Yes or No | On Page No. |
| 6. | Affidavits through first class magistrate / Notary Public, mentioning that – (a) "Our company has not been black listed or convicted in the past by any Hospital Organization or by any Government / Semi government organization / P.S.U.s / C.B.I / C.C.I & free from all kind of litigation/allegations, (b) That the firm has no vigilance case/CBI/FEMA/CCI case pending against him/supplier (Principal) (c) That the firm is not supplying the same item at lower rate quoted in the tender to any | Yes or No | On Page No. |

| | | | |
|-----|---|-----------|------------------|
| | government organization or any other institute”. | | |
| 7. | Technical specifications with catalogue & dimensions of equipment, accessories & details of turnkey works. The bidders have to provide complete layout plan of the constructions & electrical works (if any) required and to be done by the bidder within their offer for installation & functioning of the complete system. | Yes or No | On Page No. |
| 8. | I.T. return certificate & balance sheet of the bidders for last three financial year having minimum turnover of Rs. 40,00,000/- (Rupee forty lakhs only) in any one year within last three years. | Yes or No | On Page No. |
| 9. | Bidders acceptance letter/undertaking that they shall provide five years comprehensive warranty & then after five years comprehensive maintenance contract with all spares, accessories & labour charges for all the equipments. | Yes or No | On Page No. |
| 10. | ISO/CE/BIS/FDA certificate as per items wise requirement (if any for the specified item as mentioned in the required technical details in tender document) in the name of equipment manufacturing company. It must be shown in the certificate that this certificate is for particular product. | Yes or No | On Page No. |
| 11. | For price justification all the bidders have to enclosed the order copy/copies issued by any govt./semi govt./PSUs for the same equipment model in th bidder offer. Note : In the technical bid the bidders shall enclose the order copy without price i.e. after deliting the prices but in their price bids all the bidders must have to enclosed the previous order copies with their price value. | Yes or No | On Page No. |
| 12. | The bidders have to enclose/confirm the list of institutions regarding supply, installations and functioning of the same make & model equipment within last three years. The purchaser or technical committee may verify or confirm the bidders documents from the concerned institutes. (Not mandatory for consumables & small equipments) | Yes or No | On Page No. |
| 13 | For kitchen items / appliances if there is need of electrical wring or fittings or any other mechanical or plumbing of civil work requirement for running the quoted equipment, then all these have to be provided of done by the bidders on their own. And accordingly the bidders have to give an undertaking tha "I/We have all ready visited the site and am/are agree to supply and install and make the quoted items fully functional with all the required job such as electrical wring, fittings, plumbing, mechanical or domestic gas pipe line fittings to run the machine by our own”. | Yes or No | On Page No. |

Note :

1. Sales tax form JVAT-504 G / Road permit / Entry tax etc. of Govt. of Jharkhand will not be issued by authority. It will be responsibility of the bidders to arrange JVAT form 504-G or any other documents related to sales tax / entry tax on their own.
2. If any of the above enclosures are of more than one page then in the page number columns write clearly on page no. to page no.
3. Without filling the compliance report the offer will be rejected directly at the time of technical evaluation.

4. All the bidders have to provide soft copy of their technical specifications (same as they have submitted in hard copy of technical bid) in PEN drive also. PEN drive must be submitted by all the bidders at the time of opening of technical bid in front of purchase committee.

Certificate of Compliance

I Mr. / Mrs. / Miss on behalf of M/s (Name of firm / company) do hereby confirm that I have verified the above compliance report, it is duly filled. Our technical bid consists of total (No. of pages) (in words)

Signature of the Bidder
with date & seal of the firm / company

23. Please enclose photocopies of your complete registration certificate with DGS&D / NSIC ./ DGQA, (if any) as applicable, which should be valid on the date of tender opening.
24. Price bid of technically acceptable offers would only be opened for which either the respective firm would be invited through telephone / fax or the same may be opened with display in the notice board in case telephone message can not be passed on.
25. The following information should be given in the offer by tenderers :-
- a. Complete configuration of the main equipments.
 - b. Relevant (must) accessories should be supplied with the equipment, if it is required for running the complete system.
 - c. Optional accessories, if any.
26. In case of late job completion / installation / completion of the full complete project from the stipulated time frame, the liquidated damage charges / panalties shall be incorporated / charged on the bidders as follows :-
- (i) @0.5% of the total contract value after 07 (seven days) from the stipulated date of job completion and subsequently 0.5% on every seven days (weekly) maximum upto 04 weeks.
 - (ii) After 04 weeks @1% of the contract value on every 07 days and upto further 04 weeks (i.e. upto total 08 weeks after stipulated date of job completion)
 - (iii) After 08 weeks @2% of the contract value on every 07 days and upto further 04 weeks (i.e. upto total 12 weeks after stipulated date of job completion)
 - (iv) After 12 weeks of security money and EMD will be forfeited by RIMS & the amount will be deposited in RIMS account & will be utilized for institute's development / treatment of patients. The same panalties will be incorporated during warranty as well as CMC period.
27. Guarantee For Equipments : All quotees firms shall confirm guarantee of the complete equipments as well as for the turnkey works done by the bidder under this tender for 5 years of trouble free working from real date of handover, installation & functioning. During warranty as well as CMC period they will undertake repairs if needed within 07 days of intimation. Failing which penalty will be implemented as above. The bidder shall also indicate in their technical bids, how many precautionary physical check-up would be carried out by them during guarantee period
28. The successful tenderer shall have to submit security deposit equal to 10% of the value of the contract in form of Bank guarantee pledged to Director, RIMS, Ranchi. The bank buarantee shall ve valid for minimum period of 68 months.
29. Tenders / Quotations are to be submitted in duplicate. Number of pages, leaflets / pamphlets, catalogue drawings etc. should be tied separately and marked original / duplicate. However, the tender inquiry document issued by RIMS should be attached with original copy of tender / quotation.

30. Technical bids & Price bids should be kept sealed separately superscribing the envelope "**Technical Bid**" & "**Price Bid**" and Tender Notice No. & Tenderers name with full address & telephone numbers.
31. The tenderers shall give a clear and guaranteed delivery period for completion of supply & installation and functioning of the complete system in their bid and they have to maintain the time frame.
32. Tenderers are required to answer all the question mentioned in the schedule & should return the same duly signed and filled along with form "A"
33. The tendering firms shall note that the supplies will be made in accordance with the specification mentioned in the tender.
34. Nevertheless, the purchaser shall be liable for price variation after final approval by purchase committee.
35. The tenderer has to mention clearly the quality, specification, names of companies for consumables like films & others to be used in the machines for optimum quality results. The tenderer has to assure in written about the local availability of consumables in their tender.
36. If the supplier, having been called upon by the purchaser to furnish security deposit (S.D.), failed to furnish the same within the period provided it shall be lawful for the purchaser to forfeit the E.M.D. and to cancel the contract.
37. The purchaser shall be entitled and it shall be lawful on his part to forfeit the amount of security deposit in whole or in part in the event of any default, failure or neglect on the part of the supplier in the fulfillment of performance in all respect of the contract under references or any other contract with the purchaser or any part thereof to the satisfaction of the purchaser.
38. The security deposit shall remain in full force and effect during the period that would be taken for satisfactory performance and fulfillment of in all respects of the contract i.e. since final acceptance of the goods/equipments or any other by the consignee and be valid upto guarantee period of the equipments to be purchased.
39. After complete installation of the equipment the supplier shall inform the technical committee or the concerned authority in writing for inspection & functioning of the equipments. If the inspecting officer finds that pre-inspection of the consignment is not as required then the consignment is liable for rejection.
40. Contractor / Seller hereby declare that the goods / stores / articles sold / supplied / installed to the purchaser under this contract shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specification & particulars mentioned in the contract.
The contractor / seller hereby guarantees that the said goods / articles would continue to conform to the description and quality aforesaid for a period of Five years from the date of final installation.
 - a. Warranty to the effect that before joining out of production for the spare parts they will give in adequate advance notice to the purchaser of the equipment so that the later may undertake the balance of the life time requirements.
 - b. Warranty to the effect that they will make available the blue prints of drawings of the spares if & when required in connection with the main equipment.
41. The following clauses are required to be confirmed :-
 - c. Free routine servicing (at least 2 visits of their engineers at site in one year) will be carried out by the firm till guarantee period.
 - d. The firms will make available full engineer support package (ESP) including essential maintenance and recommended spares for maintenance of the equipment for further 05 years after the guarantee period.
 - e. The following set of documents in respect of the equipments are also required to be supplied by the firm :-

| Literature | Distributions | Quantity |
|--|---|-------------|
| (i) Operation instructions | With each equipment | 2 sets each |
| (ii) Wiring diagram | Inspecting authority (Concerned authority) | 2 sets |
| (iii) Maintenance service manual | Inspecting authority | 2 sets |
| (iv) Spare parts lists indicating cost | (Concerned authority) | 2 sets |

f. The tenderers should quote the latest models. Quotations for out dated models of equipments will not be entertained.

42. Payment terms as follows :

A) for imported goods (through letter of credit)

(i) 75% against shipment

(ii) 25% after job completion including operational training.

B) for Indigenous goods : 100% after job completion

C) No advance shall be payable to any bidder in normal cases. In emergency, after demand from the supplier party/parties for any releaf in any of the above terms of payments, the matter will be put infront of RIMS purchase committee for decision and then the decision of purchase committee will be kept infront of RIMS governing body for final decision.

43. Price bids and technical bids should be separately sealed, covers duly superscribed. Both the bids should be in duplicate. Both these sealed bids should be put in another main envelope duly sealed & mentioning following informations.

Tender notice no. RIMS/Store/ME(4) 13277 dated 06.12.2016. for the department of Kitchen.

Date & time of opening : 17.02.2016 at 12.30 P.M.

Sd/-
Director
Rajendra Institute of Medical Sciences,
Ranchi

Signature of Tenderer
Name (in block letters) : _____
Capacity in which tenderer is signed : _____
Address in full : _____
Dated : _____ Seal _____



Tender notice no. RIMS/Stores/ME(4)/ 13277(3) Dated 06.12.2016

NOTICE INVITING TENDER

FOR SUPPLY AND INSTALLATION ON TURN KEY BASIS VARIOUS NEW EQUIPMENT OF (1) CTVS DEPARTMENT (2) C.T. MRI ETC. OF RADIOLOGY (3) EQUIPMENT & APPLIANCES OF KITCHEN (4) EQUIPMENTS OF SURGERY, PAEDIATRIC SURGERY, ORTHOPAEDICS, OBST. & GYNAECOLOGY, OPHTHALMOLOGY AND OTHER DEPARTMENTS AT RIMS RANCHI.

Open tenders are being invited through sealed offers in two bid system (Technical bid & Price Bid) by speed post / Registered post only, from original equipment manufacturer or authorized dealer for supply and installation of medical equipments of (1) CTVS Department (2) C.T. MRI etc. Of radiology (3) Equipment & Appliances Of Kitchen (4) Equipments of Surgery, Paediatric Surgery, Orthopaedics, Obst. & Gynaecology, Ophthalmology and other departments at RIMS, Ranchi. Tenders will not be accepted by hand or any other agency.

| A. Important dates for Tenders | | |
|--------------------------------|---|--|
| 1. | Date of uploading of sample tender paper on RIMS website www.rimsranchi.org for attending pre-bid meeting | On 20.12.2016 |
| 2. | Pre bid meeting for discussion on various technical issues | On 04.01.2017 & 05.01.2017 at 12:30 P.M at RIMS. All the intending bidders must attend the pre-bid discussion meeting for clarification of their queries & requirements of RIMS. No claims will be considered after finalization of tender paper. |
| 3. | Date of issue of final tender documents (after pre-bid meeting) | From: 16.01.2017 to 15.02.2017 (The intended bidders may purchase tender document on any working day upon payment of Rs 5,000/- for each tender paper in cash to the RIMS Cashier or those who want to bid by downloading the tender document, they have to submit separate demand drafts in favour of Director, RIMS, Ranchi for Rs 5,000/- for each tender paper with their technical bid. (1) Cost of Tender Document for CTVS - Rs. 5,000.00 (2) Cost of Tender Document for Radiology - Rs. 5,000.00 (3) Cost of Tender Document for Kitchen - Rs. 5,000.00 (4) Cost of Tender Document for equipments of all other department - Rs. 5,000.00 |
| 4. | Last date of submission of sealed tender documents (Only by speed post / Registered post) | On 16.02.2017 till 04.30 P.M |
| 5. | Opening of technical bid & discussion on technical issues. | On 17.02.2017 at 12:30 P.M in RIMS administrative conference hall, in front of purchase committee. All the bidders or their duly authorized representative must represent the tender opening for discussion & queries of purchase committee. |

- Note :1. For details of list of equipments, tender terms, conditions & specification please visit RIMS website : www.rimsranchi.org from 20.12.2016 for sample tender paper to attend the pre-bid meeting.
2. Final Tender paper will be uploaded on 16.01.2017 after pre bid meeting. All the bidders have to submit their tenders as per final tender paper (Not as per sample tender paper).
3. Before participating the meetings the bidders may physically visit the site and they may discuss with the concerned H.O.Ds / Officer In-charge, RIMS, Ranchi regarding requirements or queries.

Sd/-
Director
Rajendra Institute of Medical Sciences
Ranchi



Corrigendum notice No. RIMS/Stores/ME(4)/ 033 Dated 02.01.2017

CHANGE OF DATE FOR PRE-BID DISCUSSION MEETING VIDE INVITED NIT NO. 13277 DATED 06.12.2016

Due to unavoidable circumstances the dates of pre-bid discussion meeting vide NIT no. 13277 dated 06.12.2016 are being rectified as here under. The intended bidders must have to come accordingly.

| | | Previous dates | New Changed dates |
|----|--|---|--|
| 1. | Pre bid meeting for discussion on various technical issues | On 04.01.2017 & 05.01.2017 at 12:30 P.M at RIMS. All the intending bidders must attend the pre-bid discussion meeting for clarification of their queries & requirements of RIMS. No claims will be considered after finalization of tender paper. | For CTVS & Kitchen appliances on 04.01.2017 & for Rest other departments such as Radiology, Surgery, Paediatric Surgery, Pathology, Orthopaedics, Obst. & Gynaecology, Ophthalmology, Urology, ENT, Anaesthesiology, Dental Institute, Neurosurgery, Biochemistry & Physiology on 09.01.2017 & 10.01.2017 Time & Venue will be same as per previous notice. |

Note : Rest terms & conditions will remain same as in NIT No. 13277 dated 06.12.2016.

Sd/-
Director
Rajendra Institute of Medical Sciences
Ranchi



Corrigendum notice No. RIMS/Stores/ME(4)/ 416 Dated 16.01.2017

CORRIGENDUM FOR CHANGE OF DATE FOR UPLOADING OF FINAL TENDER DOCUMENTS UNDER NIT NO. 13277 DATED 06.12.2016

Due to unavoidable circumstances (During pre-bid discussion meeting on 09.01.2017 and 10.01.2017 the large nos of submitted request letters from the intended bidders regarding rectification in specification of sample tender paper) the dates for uploading/ Issue of final tender document is being extended as under :

| | | Previous dates | New Changed dates |
|----|--|-----------------------------|--------------------------|
| 1. | Uploading of final tender documents on RIMS website (www.rimsranchi.org)/ Issue of final tender documents. | On 16.01.2017 to 15.02.2017 | 23.01.2017 to 15.02.2017 |

Note : Rest terms & conditions & submission date will remain same as in NIT No. 13277 dated 06.12.2016.

Sd/-
Director
Rajendra Institute of Medical Sciences
Ranchi

LIST OF EQUIPMENT WITH SPECIFICATION

1. PULVERISER
Capacity – 25 Kg per hour, 1 H.P Motor, 2900 RPM, suitable for operate on 230/220V/1 pH
2. MIXER GRINDER
Capacity – 25 Kg per hour, 1 H.P Motor, 2900 RPM, suitable for operate on 230/220V/1 pH
3. HOOD TYPE DISHWASHER (1000 PLATE / HR.)
Operating level - <70 db, Net weight – 83 Kg.
Shipping weight – 95 Kg, Shipping dimension – 850mm

Depth 800mm, Height – 1470mm, Built in air gap
 Water council approved – WRC
 Rinse booster pump, built in detergent dispenser
 Built in rinse aid dispenser, maximum racks per hour – 60
 Cycle times – short program 1 min+long program – 2 min.
 Water connection BSP-3/4", water inlet height from floor level, Gravity drain – 0-300mm, water pressure – 1-6 bar, water flow – 6.6 ltr. / min. drain height from floor level – Gravity drain 0-300mm
 Drain size – 45 ph per phase – 19, Total connected local – 12.85 Kw
 Wash tank heating – 4.35 Kw, Rinse boiler heating – 2 x 6 KW
 Wash tank capacity – 39 Ltr., Wash Tank operating temperature – 55°C, Rinse boiler capacity – 7 Ltr. Rinse boiler operating temperature – 65 & 80°C per cycle – 2.89 Ltr.

4. HOT FOOD TROLLEY
 Top 165Wg. Ss, Inner tank – 205 wgs, outer pinling 20 swg Ss and front Door & Under shelf 18 swg Ss, Tray slid angle 16swgSS 38mm x 38mm. Safety ground and easy door locking system. Air heating element. Automatic heating control system and thermostat with On/Off rocker switch. Electric load 1.5 KW, 1 Ph/230V/50HZ. From work 66 angle 40 x 40 x 4mm, 60mm thick glass wood insulation, 8" dia 4 nos PU wheel two brake and two without brake and tray capacity – 60 nos, Tray 300 x 405mm.
5. PLATFORM TROLLEY
 Top SS 16 swg, from work 50 x 50 x 5mm thick, Mild steel angle 8" dia 4 nos PU wheel two brake & two without brake, handle 38mm dia SS tube 16 swg, Load capacity 50 Kg to 250 Kg
6. WEIGHING SCALE PLATFORM TYPE
 Capacity – 1000 Kg
 Readability – 100 gm
 Pan size – 1000 x 1000 x 39" x 39"
 Display – (0.65") bright red LED display
 Power supply – AC 230V + 10% 50-60 Hz & with built in rechargeable battery backup. Should be IP67 class stainless steel. Load cells for washdown application. SS back rail support + provided. 304L or 316L platter provided. GMP, FDA compliance.
 Stainless steel capsulated load cell for complete washdown application.
 Auto-off function for power savings. Safety overload 150% of the scale capacity.
 Dust resistance membrane Key.
7. PLATE PACKING MACHINE
 Multiportion plate packing system for 12" x 16" size plate.
 Capacity – 500 plate per hour. Cast heating mould, single side cutting with peel of edge, cushioned support silicon rubber in base, film size 200mm
8. VEGETABLE CHOPPER
 Cap – 50 Kg, All SS outer body with 5 slabs different type. 1 HP motor, 1 ph 230V/50 HZ, 375 watt electric load and easy cleaning.
9. WALKING COOLER
 Temperature - +2 dia + 8°C.
 Chamber size – 10' x 10' x 8'
 Controller – Microprocessor based controller
 Temperature display – Digital LED / LCD
 Construction – Pre-fabricated panels made of stainless steel / GI sheet combination
 Front panels – Pre-engineered polyurethane foamed panels fastened together by means of cam locks actuated by a alarm key and two stage cam action speed locks to assemble panels together.
 Outer panels – Outer panels are made of GI coated / CPRCA sheet
 Interior panels – Interior panels are made of stainless steel
 Floor – Stainless steel floor panels / Moulder floor panels with on aluminium chequered plaster.
 Door – Single leaf, hinged type doors with magnetic barbettes for high sealing provide easy access to pre sub rooms. Safety release knob enable easy opening from inside even when door is locked.
 Door locks – Doors to cold rooms are lockable with 100% fail safe provision for opening from the inside. Robust lock with key & failsafe feature.
 Insulation – Polyurethane foam insulation with a thickness of 80mm.

- Racks / Shelves – Stainless steel
 Lighting – Interior fluorescent lighting
 Refrigeration – Superior refrigeration system with optional backup refrigeration system.
 Compressor – Heavy duty air cooled compressor. Low noise level (<60 dB) and minimal vibration.
 Condensor – Highly efficient condenser with automatic condensate evaporation system.
 Evaporator – Internal evaporation system forced draught.
 Refrigerant – Non CFE/HCFC environmental friendly based on compressor capacity
 Air circulation – Forced air circulation to maintain chamber uniformity.
 Alarms – Cold store is fitted with an alarm system to warn of high or low temperature
 Power supply – 220 Volts, 50 HZ / 110 Volts, 60 HZ
10. DEEP FAT FRYER
 Capacity – 100 to 200n Kg are friend in one hour.
 Body – S.S. body 304 grade.
 11. JUICER BID SIZE
 Compatiable for all kinds of fruits.
 12. FOOD TROLLEY
 304 grade SS material
 Size – 1200 mm(L) x 650(W) x 750(H) with five GW pan with lid size of pan. 4 pan should be 300 & 1 pan 450mm.
 Trolley should be covered by 3 side and two door front side and oen un der shelf. 8" dia PU wheel of 4 nos and two wheel should have brake.
 13. FREEZER (STEEL BODY 4 DOOR)
 Size – 7' x 4' x 2.5'
 Room temperature 4 deg. (\pm 2 deg.), Ambient temperatre 45°C,
 Door – Four door
 Outer body – 304 grade SS material
 Inner body – 304 grade SS material
 Heavy duty Air cooled compressor
 Power supply – 220 Volt, 50 Hz, / 110 VoH, 60 Hz.
 14. EGG PEALER
 Capacity – 2000 eggs are peeled in one hour.
 Body – Stainless steel body 304 grade
 15. FOOD SERVICE TROLLEY
 Size – 1200 (L) x 750 (W) x 750 (H) with 1 shelve.
 Make with 6 round GN pan capacity 12 ltrs each & lid. 8" dia PU wheel and two wheel should have brake.
 16. PATIENT TRAY
 Food grade malmine material. Size 16" x 12". 5 Partision of 1.5 inch depth.
 17. SS CUERHING TABLE
 Size – 1200mm (L) x 900 (W) x 750 (H) folding type make inSS (304) grade material. Top should be 18 SWG
 18. CHEPPER BREAD WITH KNIFE
 Head plastic material with stain,less steel knife. Choper based size – 600m (L) x 450mm (W)
 19. SS STORAGE CABINET
 SS storage cabinet are made in 18 swg. 304 grade SS material
 Size – 84 inch x 48 inch x 30 inch


 Director
 Rajendra Institute of Medical Sciences
 Ranchi

