

राजेन्द्र आयुर्विज्ञान संस्थान

(झारखण्ड सरकार का एक स्वयतशासी संस्थान)

राँची-834009 (झारखण्ड)

दुरभाष: 0651-2541533, फ़ैक्स: 0651-2540629,

E-mail: rimsranchi@rediffmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES

(An Autonomous Institute under Govt. of Jharkhand)

Ranchi-834009 (Jharkhand)

Phone: 0651-2541533, Fax: 0651-2540629,

Email : rimsranchi@rediffmail.com

E-tender notice No. RIMS/ Surgical Store (3)/ 5745 Dated 18.08.2017

NOTICE INVITING E-TENDER FOR SUPPLY OF (1) CONSUMABLES / ACCESSORIES LIKE STENTS, CATHETERS etc. REQUIRED FOR ANGIOGRAPHY / ANGIOPLASTY IN CARDIOLOGY DEPARTMENT & (2) ACCESSORIS / CONSUMABLES / IMPLANTS LIKE BONE PLATES, NAILS, SCREWS, PINS, WIRES, etc. REQUIRED IN ORTHOPAEDICS DEPARTMENT AT RIMS, RANCHI

Open tenders are being invited in two bid system (Technical & Price bid) through e-Tendering process only, from original equipment manufacturer or authorized dealer for supply of medical consumables / accessories / implants for (1) Cardiology implants like – Stents (Drug eluting stents & Bare metal stents), balloon, catheters, wire, sheath etc. & (2) Orthopaedics implants – like bone plates, nails, screws, pins, wire etc. at RIMS, Ranchi

A. Important dates for Tenders		
1	Date of uploading of sample tender document on website.	29.08.2017 (The intending bidder may visit RIMS website: www.rimsranchi.org & also on NIC website : www.jharkhandtenders.gov.in
2.	Pre bid meeting for discussion on various technical issues regarding terms & conditions for providing security services.	On 12.09.2017 at 12:30 P.M at RIMS. All the intending bidders must attend the pre-bid discussion meeting for clarification of their queries & requirements of RIMS. No claims will be considered after pre-bid meeting and finalization of tender documents.
3.	Date of uploading of final tender documents with amendments in sample tender paper, after pre-bid discussion meeting.	20.09.2017 (The intended bidder must download the final amended tender document & they have to submit demand draft in favour of "Director, Rajendra Institute of Medical Sciences, Ranchi" in original at RIMS office as cost of tender document. (i) for Orthopaedics implants – Rs. 5,000.00 (ii) for Cardiology implants – Rs. 5,000.00 seperately.
5.	Last date of submission of e-tenders	On 30.10.2017 till 04.30 P.M
4.	Opening of technical bid	On 06.11.2017 at 12:30 P.M. All the bidders must have to confirm the submission of original demand draft for tender documents cost & EMD (as mentioned in tender document) at RIMS, Ranchi. Latest by 11.00 A.M. on or before 06.11.2017. The tenders of only those bidders will be opened, who have submitted the demand drafts.

Note :

1. For details of list of accessories/ implants etc. tender terms, conditions & specification please visit RIMS website : www.rimsranchi.org or www.jharkhandtenders.gov.in from 29.08.2017 for sample tender paper to attend the pre-bid meeting.
2. Final tender paper will be uploaded on 20.09.2017 after pre bid meeting. All the bidders have to submit their tenders as per final tender paper (Not as per sample tender paper).
2. In case on any of the above last date, if announced government holiday, the tender process will continue on the very next working day on the same time and venue.

Sd/-
Director
Rajendra Institute of Medical Sciences
Ranchi

Memo No. RIMS/ Surgical Store (3)/ 6095 Dated 1.09.2017.

CORRIGENDUM FOR EXTENSION OF DATE FOR NIT NO. 5745 DATED 18.08.2017 FOR SUPPLY OF (1) CONSUMABLES / ACCESSORIES LIKE STENTS, CATHETERS etc. RQUIRED FOR ANGIOGRAPHY / ANGIOPLASTY IN CARDIOLOGY DEPARTMENT & (2) ACCESSORIS / CONSUMABLES / IMPLANTS LIKE BONE PLATES, NAILS, SCREWS, PINS, WIRES, etc. REQUIRED IN ORTHOPAEDICS DEPARTMENT AT RIMS, RANCHI

Due to unavoidable circumstances the dates of NIT No. 5745 dated 18.08.2017 being extended as here under :

A.	<u>Important dates for Tenders</u>	<u>Previous Dates</u>	<u>New Changed Dates</u>
1.	Date of uploading of sample tender document on website.	29.08.2017	11.09.2017 on Jharkhand Government web site www.jharkhandtenders.gov.in
2.	Pre bid meeting for discussion on various technical issues regarding terms & conditions for providing security services.	12.09.2017	19.09.2017 at 12:30 P.M at RIMS, Ranchi.
3.	Date of uploading of final tender documents with amendments in sample tender paper, after pre-bid discussion meeting.	20.09.2017	04.10.2017 on Jharkhand Government web site www.jharkhandtenders.gov.in
5.	Last date of submission of e-tenders.	30.10.2017 till 04.30 P.M	30.10.2017 till 04.30 P.M
4.	Opening of technical bid.	06.11.2017 at 12:30 P.M.	06.11.2017 at 12:30 P.M

Note : Rest terms & conditions will remain same as per previous tender notice no. 5745 dated 18.08.2017

Sd/-
Director
Rajendra Institute of Medical Sciences
Ranchi

राजेन्द्र आयुर्विज्ञान संस्थान
(झारखण्ड सरकार का एक स्वयतशासी संस्थान)
राँची-834009 (झारखण्ड)
दुरभाष: 0651-2541533, फ़ैक्स: 0651-2540629,
E-mail: rimsranchi@rediffmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES
(An Autonomous Institute under Govt. of Jharkhand)
Ranchi-834009 (Jharkhand)
Phone: 0651-2541533, Fax: 0651-2540629,
Email : rimsranchi@rediffmail.com

E-tender notice no. RIMS/Surgical goods stores (3)/ 5745 Dated 18.08.2017

SAMPLE TENDER PAPER FOR SURGICAL IMPLANTS AND ACCESSORIES FOR (1) CONSUMABLES / ACCESSORIES LIKE STENTS, CATHETERS etc. RQUIRED FOR ANGIOGRAPHY / ANGIOPLASTY IN CARDIOLOGY DEPARTMENT & (2) ACCESSORIS / CONSUMABLES / IMPLANTS LIKE BONE PLATES, NAILS, SCREWS, PINS, WIRES, etc. REQUIRED IN ORTHOPAEDICS DEPARTMENT AT RIMS, RANCHI

Issued to

M/s _____

Against money receipt number/RIMS, dated :

Cashier
RIMS, Ranchi

Tender for supply of (1) Consumables / accessories like Stents, Catheters etc. required for Angiography / Angioplasty in Cardiology department & (2) Accessories / Consumables / Implants Like Bone Plates, Nails, Screws, Pins, Wires, etc. at Orthopaedics Department at RIMS, Ranchi.

To,

M/s _____

Dear Sir,

Director, Rajendra Institute of Medical Sciences, Ranchi invites you to tender for supply of (1) Consumables / accessories like Stents, Catheters etc. required for Angiography / Angioplasty in Cardiology department & (2) Accessories / Consumables / Implants Like Bone Plates, Nails, Screws, Pins, Wires, etc. at Orthopaedics Department. at RIMS, Ranchi.

The conditions of contract which will govern any contract made are as under. Any special conditions attached in tender will also be part of the conditions

If you are in a position to quote for supply & installation in accordance with requirements stated in tender notice & tender form, you must also furnish all the information called for, along with your tender.

This tender is non transferable.

All legal matter in respect to this tender will be subject to jurisdiction of Hon'ble Jharkhand High Court, Ranchi.

The last date of submission of e-tenders - 30.10.2017 till 04:30 P.M.

Date of opening of technical bid - 06.11.2017 at 12:30 P.M

Note :- The department wise separate list of items under tender is enclosed with this tender document.

The bidders have to submit separate tender document fee @Rs. 5000/- for each tender document. Without tender fee the tenders will not be entertained. Similarly the bidders have to enclose separate EMD in form of Demand Draft :- (1) for Consumables / accessories like stents, catheters etc. for Angiography / Angioplasty in cardiology department of Rs. 50,000/- (Fifty thousand) and (2) for accessories / consumables / implants of orthopaedics department - Rs. 50,000/- (Fifty thousand) only in favour of Director, Rajendra Institute of Medical Sciences, Ranchi and accordingly the bidders have to submit separately packed envelopes for both the tenders. The bids should be submitted in two bid system (Technical Bid & Price Bid).

Yours faithfully

Sd/-

Director

Rajendra Institute of Medical Sciences,
Ranchi

**CONSUMABLES/ACCESSORIES REQUIRED IN ANGIOGRAPHY/ANGIOPLASTY IN
CARDIOLOGY DEPARTMENT
Group A**

S.No.	Name of articles Specification
1	Adult Introducer sheath with hemostatic valve & Puncture needle. Size:6F, 7F USFDA approved
2	Radial artery cannulation kit comprising of arterial sheath, Puncture needle 21G, Guide wire of 0.018"/0.021" and 50 cm long straight tip Size : 5F,6F,7F. USFDA approved
3	Manifold two port knobs to turn right when open
4	Pressure line : 100-150cm 4-6mm compatible with manifold and three way ports
5	Leur lock syringe for angiography (for multiple high pressure contrast injection in single patient) 5cm, 10cc
6	Angiography guidewires - A.) 0.035" PTFE coated J tip length (a) 140-160 cm (b) 250-260 cm and B.) 0.032" PTFE coated J tip length a.) 140-160cm USFDA approved
7	Right Coronary angiography diagnostic catheters :- 100 cm or longer for femoral approach and various curves of 3, 3.5, 4.0 & 5. USFDA approved
8	Left coronary angiography diagnostic catheters : 100 cm or longer for femoral approach and various curves of 3, 3.5, 4.0 & 5. USFDA approved
9	Pigtail catheters :- straight and angled 145-155 high flow light radius with 6-12 side holes, 5F, 6F, 7F USFDA approved
10	Coronary angiography diagnostic catheters for radial approach: 65 cm or longer and various curves 3, 3.5, 4, 5 USFDA approved

Group B

S.No.	Name of articles Specification
11	PTCA Guiding Catheters :- It should be large Lumen, stainless steel braided, inner layer coated with PTFE. It should have soft tip with radiopaque marker band at tip for femoral and radial route. 6F & 7F with curves (3,3.5,4.5) USFDA approved / CE / DCGI approved
12	PTCA Guiding Catheters - Judkin left , USFDA approved / CE / DCGI approved
13	PTCA Guiding Catheters -Judkin right , USFDA approved / CE / DCGI approved
14	PTCA Guiding Catheters - AL1, AL2, AR-1, AR-2, (Amplate Left & Right) , USFDA approved / CE / DCGI approved
15	PTCA Guiding Catheters - Extraback up left , USFDA approved / CE / DCGI approved
16	PTCA Guiding Catheters - Extraback up right , USFDA approved / CE / DCGI approved
17	PTCA Guiding Catheters - XB, Voda Left, Voda Right , USFDA approved / CE / DCGI approved
18	Radial Guiding Catheter - EBU for left, ECR for right , USFDA approved / CE / DCGI approved
19	Angiographic guide wire - Extra shift coated J tip , length (a) 140-160cm (b) 250-260cm USFDA approved / CE / DCGI approved
20	Inflation device with manometer 0-30 ATM & luminescent dial face. Easy to operate with ergonomic design. High strength syringe to maintain high pressure setting without pressure loss and immediate pressure release USFDA approved / CE / DCGI approved
21	PTCA insertion needle & torque device accepting 0.014", 0.018" guide wire.
22	Y Connector for PTCA - rotating hemostatic valve with spring type push & release mechanism. It should bleed back control valve and without formation of micro/macro air bubbles inside it during procedures.
23	Non spring Screw type Y connector for PTCA

24	Radiofocus guidewire (termou) J tip hydrophilic polymer length 150-160 cm, 0.018", 0.032", 0.038"
25	PTCA predilatation monorail balloon (semi complaint). Hypotube shaft design, low entry profile (0.017") and sequential tip for lesion accessibility and SF guiding catheter compatibility. Diameter (in mm):- 1.5, 2.0, 2.5, 2.75, 3, 3.5, 4.0. Length:- <10mm to 30mm. USFDA approved / CE / DCGI approved
26	High Pressure noncomplaint balloon with high RBP(20ATM or more) smooth, rounded distal tip and no edge. Overdilatation at higher pressure, with leart balloon overhang at the edges will be preferred. Diameter:- (mm) - 2,2.5,2.75,3, 3.25, 3.5, 3.75, 4, 4.5. Length:- (mm)- <8mm to 20mm. USFDA approved / CE / DCGI approved
27	Steerable PTCA floppy tip wire with extra support 0.014" USFDA approved / CE / DCGI approved
28	Steerable PTCA Wire with hydrophilic coating, 0.014" floppy tip with extrasupport 0.014". USFDA approved / CE / DCGI approved
29	Radial closure device comprising of compression pad with anatomic softwnst support pad
30	Microcatheters over the wire system with end hole catheters. Int diameter - 1.7 to 2F, Shaft length - 130 to 170cm. USFDA approved / CE / DCGI approved
31	Bipolar temporary lead with introducer sheath (Adult 6, 7 F) USFDA approved / CE / DCGI approved

Group C (BMV)

SI.No.	Name of articles Specification
32	Mitral valvuloplasty double lumen PTMC balloon with vent tube and hole in outer layer of balloon different sizes. USFDA approved / CE / DCGI approved
	a.) with accessories
	b.) without accessories.
33	PTMC double lumen balloon with no hole in balloon wall different sites. USFDA approved / CE / DCGI approved
	a.) with accessories
	b.) without accessories.
34	Mullin sheath
35	Brokenbrough Needle

Group D (Coronary Stents)

Size of coronary stent :- All available sizes, Diameter - <2mm to 4.5mm, length - 8mm to 60mm.

SI.No.	Name of articles Specification
36	Bare metal Stents of various sizes. USFDA approved / CE / DCGI approved
37	Sirolimus Coated Drug eluting stents. USFDA approved / CE / DCGI approved
	(a) Stainless steel base
	(b) Cobalt Chromium base
	(c) Platinum Chromium base.
38	Paclitaxel Coated Drug eluting stents. USFDA approved / CE / DCGI approved
	(a) Stainless steel base
	(b) Cobalt Chromium base
	(c) Platinum Chromium base.
39	Everolimus Coated Drug eluting stents. USFDA approved / CE / DCGI approved
	(a) Stainless steel base
	(b) Cobalt Chromium base
	(c) Platinum Chromium base.
40	Zotarolimus Coated Drug Eluting stents USFDA approved / CE / DCGI approved
	(a) Stainless steel base

	(b) Cobalt Chromium base
	(c) Platinum Chromium base.
41	Sirolimus Coated Drug eluting stent with biodegradable polymer. USFDA approved / CE / DCGI approved
	(a) Stainless steel base
	(b) Cobalt Chromium base
42	Biolimus A9 coated drug eluting stent with biodegradable polymer. USFDA approved / CE / DCGI approved
	(a) Stainless steel base
	(b) Cobalt Chromium base
	(c) Platinum Chromium base.
43	Coronary stent graft with low profile (<1.5 mm), Diameter - 2.5 - 4 mm, length- upto 30mm or more
44	Tacrolimus & Newer limus drug eluting coronary stents. USFDA approved / CE / DCGI approved
45	Drug eluting Coronary stents - Polymer free & Bioabsorbable. USFDA approved / CE / DCGI approved

Group E (Closure Device)

SI.No.	Name of articles Specification
46	ASD Closure device with delivery system - USFDA approved / CE / DCGI approved. Approved for pediatric & adult size. Device must be made up of biologically inert material, self-centring, detachable device with delivery cable available in all approved sizes.
47	PDA Closure device with delivery system - USFDA approved / CE / DCGI approved. Approved for pediatric & adult size. Device must be made up of biologically inert material, self centring, detachable device with delivery cable in all approved sizes.

Group F (Pacemakers/ ICD / CRT)

SI.No.	Name of articles Specification
48	Pacemaker VVI / AAI, FDA Approved
	Advanced digital multi-programmable pacemaker with following features
	> Single chamber pacemaker
	> Digital signal processing
	> Digital high sampling rates of P or R wave.
	> Automated ventricular rate stabilization during AF.
	Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting
	> Algorithm to minimize ventricular pacing will be preferred
	(a) With 7F compatible passive fixation tined leads or screw in lead & lead introducer.
	(b) Pulse generator only
	(c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only
49	Pacemaker VVIR / AAIR, FDA Approved
	Advanced digital multi-programmable pacemaker with following features
	> Single chamber pacemaker
	> Digital signal processing
	> Digital high sampling rates of P or R wave.
	> Automated ventricular rate stabilization during AF.
	Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting
	> Algorithm to minimize ventricular pacing will be preferred
	(a) With 7f compatible passive fixation tined leads or screw in lead & lead introducer.

	(b) Pulse generator only
	(c) 7F compatible passive fixation tined lead or screw inlead & lead introducer only
50	Pacemaker VDD , FDA Approved
	Pace Advanced digital multi-programmable pacemaker with following features -
	> Single and dual chamber pacemaker
	> Digital signal processing
	> Digital high sampling rates of P and R wave.
	> Automated ventricular rate stabilization during AF.
	> Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting
	> Algorithm to minimize ventricular pacing will be preferred
	(a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer.
	(b) Pulse generator only
	(c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only
51	Pacemaker DDD , FDA Approved
	Advanced digital multi-programmable pacemaker with following features
	>Single and dual chamber pacemaker
	> Digital signal processing
	> Digital high sampling rates of P and R wave.
	> Automated ventricular rate stabilization during AF.
	> Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting
	> Algorithm to minimize ventricular pacing will be preferred
	(a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer.
	(b) Pulse generator only
	(c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only
52	Pacemaker DDDR , FDA Approved
	Advanced digital multi-programmable pacemaker with following features -
	>Single and dual chamber pacemaker
	>Digital signal processing
	>Digital high sampling rates of P and R wave.
	>Automated ventricular rate stabilization during AF.
	>Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting
	>Algorithm to minimize ventricular pacing will be preferred
	(a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer.
	(b) Pulse generator only
	(c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only
53	Pacemaker DDDR / MRI COMPATIBLE with passive fixation steroid tipped tined leads or screw in leads with advanced features, FDA Approved
54	Pacemaker VVI / MRI COMPATIBLE , FDA APPROVED
55	Pacemaker VVIR / MRI COMPATIBLE, FDA APPROVED
56	Pacemaker VDD / MRI COMPATIBLE, FDA APPROVED
57	ICD SINGLE CHAMBER, FDA APPROVED
	* ICD should be small and physiological
	* Algorithm to eliminate over-sensing of R wave, T wave, fractionated QRS and other extraneous signals
	* Morphology bases SVT discrimination algorithm
	* ATP during charging
	* Wireless Telemetry

	* Encourage intrinsic conduction
	* More than 30 minutes of stored EGM
	* Device with all leads, FDA Approved
	* Device without leads, FDA Approved
58	Permanent pacing lead (ventricular/Atrialendocardial bipolar, passive fixation with tines), steroid eluting , IS - 1 header, FDA Approved
59	Permanent pacing lead (Ventricular / Atrial endocardial bipolar, active fixation with screws), steroid eluting, IS - 1 header, FDA Approved
60	Permanent defibrillation lead, bipolar endocardial steroid eluting active and passive fixation lead, FDA Approved
61	ICD SINGLE CHAMBER / MRI COMPATIBLE, FDA Approved
62	ICD DOUBLE CHAMBER , FDA Approved
	* ICD should be small and physiological
	* Algorithm to eliminate over - sensing of R Wave, T Wave, fractionated QRS and Other extraneous signals
	* Morphology bases SVT discrimination algorithm
	* ATP during charging
	* Wireless Telemetry
	* Encourage intrinsic conduction
	* More than 30 minutes of stored EGM.
	* Device with all leads, FDA Approved
	* Device without leads, FDA Approved
63	ICD DOUBLE CHAMBER / MRI COMPATIBLE , FDA Approved
	* ICD should be small and physiological
	* Algorithm to eliminate over - sensing of R Wave, T Wave, fractionated QRS and Other extraneous signals
	* Morphology bases SVT discrimination algorithm
	* ATP during charging
	* Wireless Telemetry
	* Encourage intrinsic conduction
	* More than 30 minutes of stored EGM.
	* Device with all leads, FDA Approved
	* Device without leads, FDA Approved
64	BIVENTRICULAR PACING CRT - P, FDA Approved
	* Device with all leads (Including LV leads), FDA Approved
	* Device without leads, FDA Approved
65	BIVENTRICULAR PACING CRT - D, COMBO, FDA Approved
	* Device with all leads (Including LV leads), FDA Approved
	* Device without leads, FDA Approved

ACCESSORIES/CONSUMABLES/IMPLANTS REQUIRED IN ORTHOPAEDICS DEPARTMENT

GROUP - A : BONE PLATES - LOCKING		
S.No.	Name of articles Specification	
1	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITHOUT LATERAL EXTENSION- RIGHT SIDE	
	a.	6 HOLES
	b.	7 HOLES
	c.	8 HOLES
2	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITHOUT LATERAL EXTENSION- LEFT SIDE	
	a.	6 HOLES
	b.	7 HOLES
	c.	8 HOLES
3	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITH LATERAL EXTENSION-RIGHT SIDE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
4	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITH LATERAL EXTENSION- LEFT SIDE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
5	3.5 MM LCP CLAVICLE HOOK PLATE- RIGHT SIDE	
	a.	4 HOLES 12MM DEPTH
	b.	4 HOLES 15MM DEPTH
	c.	4 HOLES 18MM DEPTH
	d.	5 HOLES 12MM DEPTH
	e.	5 HOLES 15MM DEPTH
	f.	5 HOLES 18MM DEPTH
	g.	6 HOLES 12MM DEPTH
	h.	6 HOLES 15MM DEPTH
	i.	6 HOLES 18MM DEPTH
	j.	7 HOLES 12MM DEPTH
	k.	7 HOLES 15MM DEPTH
	l.	7 HOLES 18MM DEPTH
6	3.5 MM LCP CLAVICLE HOOK PLATE- LEFT SIDE	
	a.	4 HOLES 12MM DEPTH
	b.	4 HOLES 15MM DEPTH
	c.	4 HOLES 18MM DEPTH
	d.	5 HOLES 12MM DEPTH
	e.	5 HOLES 15MM DEPTH

	f.	5 HOLES 18MM DEPTH
	g.	6 HOLES 12MM DEPTH
	h.	6 HOLES 15MM DEPTH
	i.	6 HOLES 18MM DEPTH
	j.	7 HOLES 12MM DEPTH
	k.	7 HOLES 15MM DEPTH
	l.	7 HOLES 18MM DEPTH
7	3.5 MM LCP SMALL PLATE	
	a.	5 HOLES
	b.	6 HOLES
	c.	7 HOLES
	d.	8 HOLES
	e.	9 HOLES
	f.	10 HOLES
	g.	11 HOLES
	h.	12 HOLES
	i.	14 HOLES
8	3.5 MM LCP PERIARTICULAR PROXIMAL HUMERUS PLATE - RIGHT SIDE	
	a.	2 HOLES
	b.	4 HOLES
	c.	6 HOLES
	d.	8 HOLES
	e.	10 HOLES
	f.	12 HOLES
	g.	14 HOLES
9	3.5 MM LCP PERIARTICULAR PROXIMAL HUMERUS PLATE - LEFT SIDE	
	a.	2 HOLES
	b.	4 HOLES
	c.	6 HOLES
	d.	8 HOLES
	e.	10 HOLES
	f.	12 HOLES
	g.	14 HOLES
10	3.5 MM LONG PHILOS PLATE	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	11 HOLES
	k.	12 HOLES
	l.	13 HOLES
11	3.5 MM LONG SHORT PHILOS PLATE	
	a.	3 HOLES

	b.	5 HOLES
12	3.5 MM LCP RECONSTRUCTION PLATE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	12 HOLES
	i.	14 HOLES
	j.	16 HOLES
	k.	18 HOLES
	l.	20 HOLES
	m.	22 HOLES
13	3.5/ 5 MM LCP METAPHYSEAL PLATE	
	a.	5+3 HOLES
	b.	5+4 HOLES
	c.	5+5 HOLES
	d.	5+6 HOLES
	e.	5+7 HOLES
	f.	5+ 8 HOLES
	g.	5+9 HOLES
	h.	5 +11 HOLES
	i.	5+13 HOLES
14	3.5 MM OLECRANON PLATE RIGHT	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
15	3.5 MM OLECRANON PLATE - LEFT	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
16	3.5 MM LCP MEDIAL DISTAL HUMERUS PLATE - RIGHT SIDE	
	a.	3 HOLES
	b.	5 HOLES
	c.	7 HOLES
	d.	9 HOLES
	e.	14 HOLES
17	3.5 MM LCP MEDIAL DISTAL HUMERUS PLATE - LEFT SIDE	
	a.	3 HOLES
	b.	5 HOLES
	c.	7 HOLES

	d.	9 HOLES
	e.	14 HOLES
18	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITH LATERAL SUPPORT- RIGHT SIDE	
	a.	3 HOLES
	b.	5 HOLES
	c.	7 HOLES
	d.	9 HOLES
	e.	14 HOLES
19	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITH LATERAL SUPPORT- LEFT SIDE	
	a.	3 HOLES
	b.	5 HOLES
	c.	7 HOLES
	d.	9 HOLES
	e.	14 HOLES
20	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITHOUT LATERAL SUPPORT- RIGHT SIDE	
	a.	3 HOLES
	b.	5 HOLES
	c.	7 HOLES
	d.	9 HOLES
	e.	14 HOLES
21	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITHOUT LATERAL SUPPORT- LEFT SIDE	
	a.	3 HOLES
	b.	5 HOLES
	c.	7 HOLES
	d.	9 HOLES
	e.	14 HOLES
22	3.5 MM LCP EXTRA- ARTICULAR DISTAL HUMERUS PLATE- RIGHT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
23	3.5 MM LCP EXTRA- ARTICULAR DISTAL HUMERUS PLATE- LEFT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
24	2.4 MM /2.7 MM VA- TWO COLUMN VOLAR DISTAL RADIUS PLATE	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES

25	3.5 MM LCP T-PLATE RIGHT ANGLE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
26	3.5 MM LCP T-PLATE OBLIQUE ANGLE - RIGHT SIDE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
27	3.5 MM LCP T-PLATE OBLIQUE ANGLE - LEFT SIDE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
28	2.4 MM LCP DISTAL RADIUS PLATE STRAIGHT- DORSAL	
	a.	5 HOLES
	b.	6 HOLES
29	2.4 MM LCP DISTAL RADIUS PLATE - RIGHT SIDE DORSAL	
	a.	2 HEAD HOLES, 3 SHAFT HOLES
	b.	2 HEAD HOLES , 4 SHAFT HOLES
30	2.4 MM LCP DISTAL RADIUS PLATE - LEFT SIDE DORSAL	
	a.	2 HEAD HOLES, 3 SHAFT HOLES
	b.	2 HEAD HOLES , 4 SHAFT HOLES
31	2.4 MM LCP L DISTAL RADIUS PLATE - RIGHT SIDE DORSAL	
	a.	3 HEAD HOLES, 3 SHAFT HOLES
	b.	3 HEAD HOLES , 4 SHAFT HOLES
32	2.4 MM LCP L DISTAL RADIUS PLATE - LEFT SIDE DORSAL	
	a.	3 HEAD HOLES, 3 SHAFT HOLES
	b.	3 HEAD HOLES , 4 SHAFT HOLES
33	2.4 MM LCP DISTAL RADIUS PLATE OBLIQUE- RIGHT SIDE DORSAL	
	a.	3 HEAD HOLES, 3 SHAFT HOLES
	b.	3 HEAD HOLES , 4 SHAFT HOLES
34	2.4 MM LCP DISTAL RADIUS PLATE OBLIQUE- LEFT SIDE DORSAL	
	a.	3 HEAD HOLES, 3 SHAFT HOLES
	b.	3 HEAD HOLES , 4 SHAFT HOLES
35	2.4 MM LCP T DISTAL RADIUS PLATE - DORSAL	
	a.	3 HEAD HOLES, 3 SHAFT HOLES
	b.	3 HEAD HOLES , 4 SHAFT HOLES
36	2.4 MM LCP DISTAL RADIUS PLATE - RIGHT SIDE VOLAR	

	a.	5 HEAD HOLES, 3 SHAFT HOLES
	b.	5 HEAD HOLES , 5 SHAFT HOLES
37	2.4 MM LCP DISTAL RADIUS PLATE - LEFT SIDE VOLAR	
	a.	5 HEAD HOLES, 3 SHAFT HOLES
	b.	5 HEAD HOLES , 5 SHAFT HOLES
38	2.4 MM LCP BUTTRESS PLATE- RIGHT SIDE - VOLAR	
	a.	5 HEAD HOLES , 3 SHAFT HOLES
39	2.4 MM LCP BUTTRESS PLATE- LEFT SIDE - VOLAR	
40	5.0 MM LCP DISTAL FEMUR PLATE- LEFT SIDE	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES
	f.	15 HOLES
41	5.0 MM LCP PROXIMAL FEMUR PLATE (TROCHANTRIC PLATE)	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES
42	5.0 MM LCP NARROW PLATE	
	a.	5 HOLES
	b.	6 HOLES
	c.	7 HOLES
	d.	8 HOLES
	e.	9 HOLES
	f.	10 HOLES
	g.	11 HOLES
	h.	12 HOLES
	i.	14 HOLES
	j.	16 HOLES
43	5.0 MM LCP T- BUTTRESS PLATE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	12 HOLES
44	5.0 MM LCP L- BUTTRESS PLATE- RIGHT SIDE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES

	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	12 HOLES
45	5.0 MM LCP L- BUTTRESS PLATE- LEFT SIDE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	12 HOLES
46	3.5 MM LCP LOW BEND MEDIAL DISTAL TIBIA PLATE- RIGHT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
47	3.5 MM LCP LOW BEND MEDIAL DISTAL TIBIA PLATE- LEFT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
48	3.5 MM LCP LOW MEDIAL DISTAL TIBIA PLATE- RIGHT SIDE (WITH TAB)	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
49	3.5 MM LCP LOW MEDIAL DISTAL TIBIA PLATE- LEFT SIDE (WITH TAB)	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
50	5.0 MM LCP PROXIMAL LATERAL TIBIA PLATE RIGHT SIDE (HOCKEY)	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES

	f.	15 HOLES
51	5.0 MM LCP PROXIMAL LATERAL TIBIA PLATE LEFT SIDE (HOCKEY)	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES
	f.	15 HOLES
52	5.0 MM LCP RECONSTRUCTION PLATE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	12 HOLES
	i.	14 HOLES
	j.	16 HOLES
53	5.0 MM LCP T- PLATE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
54	3.5 MM LCP CLOVERLEAF PLATE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
55	3.5 MM LCP LATERAL DISTAL FIBULA PLATE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	9 HOLES
	g.	10 HOLES

	h.	11 HOLES
56	3.5 MM LCP PROXIMAL TIBIA PLATE (RAFT)- RIGHT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
	g.	16 HOLES
57	3.5 MM LCP PROXIMAL TIBIA PLATE (RAFT)- LEFT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
	g.	16 HOLES
58	3.5 MM LCP ANTEROLATERAL DISTAL TIBIA PLATE - RIGHT SIDE	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES
	f.	15 HOLES
	g.	17 HOLES
59	3.5 MM LCP ANTEROLATERAL DISTAL TIBIA PLATE - LEFT SIDE	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES
	f.	15 HOLES
	g.	17 HOLES
60	3.5 MM LCP MEDIAL PROXIMAL TIBIA PLATE - RIGHT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES
	f.	14 HOLES
	g.	16 HOLES
61	3.5 MM LCP MEDIAL PROXIMAL TIBIA PLATE - LEFT SIDE	
	a.	4 HOLES
	b.	6 HOLES
	c.	8 HOLES
	d.	10 HOLES
	e.	12 HOLES

	f.	14 HOLES
	g.	16 HOLES
62	3.5 MM LCP CALCANEAL PLATE- RIGHT SIDE	
	a.	64 MM
	b.	69 MM
	c.	76 MM
	d.	81 MM
63	3.5 MM LCP CALCANEAL PLATE- LEFT SIDE	
	a.	64 MM
	b.	69 MM
	c.	76 MM
	d.	81 MM
GROUP B - BONE PLATES - DCP		
Sl. No.	Name of articles Specification	
64	2.7 MM DCP PLATE	
	a.	2 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	11 HOLES
	j.	12 HOLES
65	3.5 MM DCP SMALL	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	12 HOLES
	i.	14 HOLES
	j.	16 HOLES
66	4.5 MM DCP NARROW	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
	j.	13 HOLES

	k.	14 HOLES
	l.	15 HOLES
	m.	16 HOLES
	n.	18 HOLES
67	4.5 MM DCP BROAD	
	a.	6 HOLES
	b.	7 HOLES
	c.	8 HOLES
	d.	9 HOLES
	e.	10 HOLES
	f.	11 HOLES
	g.	12 HOLES
	h.	13 HOLES
	i.	14 HOLES
	j.	15 HOLES
	k.	16 HOLES
	l.	18 HOLES
	m.	20 HOLES
68	3.5 MM LC-DCP SMALL	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
	j.	13 HOLES
	k.	14 HOLES
	l.	15 HOLES
	m.	16 HOLES
69	4.5 MM LC-DCP NARROW	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
	j.	13 HOLES
	k.	14 HOLES
	l.	15 HOLES
	m.	16 HOLES
	n.	18 HOLES
70	4.5 MM LC-DCP BROAD	

	a.	5 HOLES
	b.	6 HOLES
	c.	7 HOLES
	d.	8 HOLES
	e.	9 HOLES
	f.	10 HOLES
	g.	11 HOLES
	h.	12 HOLES
	i.	13 HOLES
	j.	14 HOLES
	k.	15 HOLES
	l.	16 HOLES
71	3.5 MM 1/3 TUBULAR PLATE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
72	4.5 MM SEMI TUBULAR PLATE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
73	3.5 MM STRAIGHT RECONSTRUCTION PLATE- DYNAMIC HOLES	
	a.	5 HOLES
	b.	6 HOLES
	c.	7 HOLES
	d.	8 HOLES
	e.	9 HOLES
	f.	10 HOLES
	g.	11 HOLES
	h.	12 HOLES
	i.	13 HOLES
	j.	14 HOLES
	k.	16 HOLES
74	4.5 MM STRAIGHT RECONSTRUCTION PLATE- DYNAMIC HOLES	
	a.	5 HOLES
	b.	6 HOLES
	c.	7 HOLES

	d.	8 HOLES
	e.	9 HOLES
	f.	10 HOLES
	g.	11 HOLES
	h.	12 HOLES
	i.	13 HOLES
	j.	14 HOLES
75	3.5 MM STRAIGHT RECONSTRUCTION PLATE- ROUND HOLES (THICKNESS 1.6 MM)	
	a.	5 HOLES
	b.	6 HOLES
	c.	7 HOLES
	d.	8 HOLES
	e.	9 HOLES
	f.	10 HOLES
	g.	11 HOLES
	h.	12 HOLES
	i.	13 HOLES
	j.	14 HOLES
	k.	16 HOLES
	l.	18 HOLES
	m.	20 HOLES
	n.	22 HOLES
	o.	24 HOLES
76	4.5 MM STRAIGHT RECONSTRUCTION PLATE- ROUND HOLES (THICKNESS 1.6 MM)	
	a.	5 HOLES
	b.	6 HOLES
	c.	7 HOLES
	d.	8 HOLES
	e.	9 HOLES
	f.	10 HOLES
	g.	11 HOLES
	h.	12 HOLES
	i.	13 HOLES
	j.	14 HOLES
	k.	16 HOLES
	l.	18 HOLES
	m.	20 HOLES
	n.	22 HOLES
	o.	24 HOLES
77	3.5 MM SMALL PLATE RIGHT ANGLE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES

78	3.5 MM SMALL T-PLATE OBLIQUE ANGLE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
79	4.5 MM T- PLATE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
80	4.5 MM T- BUTTRESS PLATE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
81	4.5 MM L-BUTTRESS PLATE -RIGHT	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
82	4.5 MM L-BUTTRESS PLATE -LEFT	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES

83	4.5 MM LATERAL TIBIAL BUTTRESS PLATE DCP HOLES (HOCKEY)- RIGHT	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES
84	4.5 MM LATERAL TIBIAL BUTTRESS PLATE DCP HOLES (HOCKEY)- LEFT	
	a.	5 HOLES
	b.	7 HOLES
	c.	9 HOLES
	d.	11 HOLES
	e.	13 HOLES
85	3.5 MM CLOVERLEAF PLATE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
86	3.5 MM SPOON PLATE	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
87	3.5 MM Y RECONSTRUCTION PLATE	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
88	125° DHS PLATE LONG BARREL DYNAMIC HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
89	130° DHS PLATE LONG BARREL DYNAMIC HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES

	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
90	135° DHS PLATE LONG BARREL DYNAMIC HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
	m.	18 HOLES
	n.	20 HOLES
91	140° DHS PLATE LONG BARREL DYNAMIC HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
92	145° DHS PLATE LONG BARREL DYNAMIC HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES

93	150° DHS PLATE LONG BARREL DYNAMIC HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
94	125° DHS PLATE SHORT BARREL DYNAMIC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	l.	12 HOLES
95	130° DHS PLATE SHORT BARREL DYNAMIC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	l.	12 HOLES
96	135° DHS PLATE SHORT BARREL DYNAMIC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	l.	12 HOLES
97	140° DHS PLATE SHORT BARREL DYNAMIC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES

	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
98	145° DHS PLATE SHORT BARREL DYNAMIC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
99	150° DHS PLATE SHORT BARREL DYNAMIC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
100	125° DHS PLATE LONG BARREL ROUND HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
101	130° DHS PLATE LONG BARREL ROUND HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES

	k.	14 HOLES
102	135° DHS PLATE LONG BARREL ROUND HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
	m.	18 HOLES
	n.	20 HOLES
103	140° DHS PLATE LONG BARREL ROUND HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
104	145° DHS PLATE LONG BARREL ROUND HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
105	150° DHS PLATE LONG BARREL ROUND HOLES	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES

	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	l.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
106	125° DHS PLATE SHORT BARREL ROUND HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
107	130° DHS PLATE SHORT BARREL ROUND HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
108	135° DHS PLATE SHORT BARREL ROUND HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
109	140° DHS PLATE SHORT BARREL ROUND HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES

110	145° DHS PLATE SHORT BARREL ROUND HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
111	150° DHS PLATE SHORT BARREL ROUND HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
112	95° DCS PLATE DYNAMIC HOLES	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
	j.	14 HOLES
	k.	16 HOLES
	l.	18 HOLES
113	95° DCS PLATE ROUND HOLES	
	a.	4 HOLES
	b.	5 HOLES
	c.	6 HOLES
	d.	7 HOLES
	e.	8 HOLES
	f.	9 HOLES
	g.	10 HOLES
	h.	11 HOLES
	i.	12 HOLES
	j.	14 HOLES
	k.	16 HOLES
	l.	18 HOLES
114	95° DCS CONDYLAR BLADE PLATE	
	a.	5 HOLES - 50 MM

	b.	5 HOLES - 60 MM
	c.	5 HOLES - 70 MM
	d.	5 HOLES - 80 MM
	e.	7 HOLES - 50 MM
	f.	7 HOLES - 60 MM
	g.	7 HOLES - 70 MM
	h.	7 HOLES - 80 MM
	i.	9 HOLES - 50 MM
	j.	9 HOLES - 60 MM
	k.	9 HOLES - 70 MM
	l.	9 HOLES - 80 MM
	m.	12 HOLES - 50 MM
	n.	12 HOLES - 60 MM
	o.	12 HOLES - 70 MM
	p.	12 HOLES - 80 MM
115	130° LCP DHS PLATE LONG BARREL DC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
116	135° LCP DHS PLATE LONG BARREL DC HOLES	
	a.	3 HOLES
	b.	4 HOLES
	c.	5 HOLES
	d.	6 HOLES
	e.	7 HOLES
	f.	8 HOLES
	g.	9 HOLES
	h.	10 HOLES
	i.	12 HOLES
GROUP - C : BONE SCREWS - LCP & DCP		
Sl. No.	Name of articles Specification	
117	2.7 MM CORTICAL SCREW- SELF TAPPING	
	a.	8 MM
	b.	10 MM
	c.	12 MM
	d.	14 MM
	e.	16 MM
	f.	18 MM
	g.	20 MM
	h.	22 MM
	i.	24 MM

	j.	26 MM
	k.	28 MM
	l.	30 MM
	m.	32 MM
	n.	34 MM
	o.	36 MM
	p.	38 MM
	q.	40 MM
118	3.5 MM CORTICAL SCREW- 20 TPI- SELF	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	32 MM
	m.	34 MM
	n.	36 MM
	o.	38 MM
	p.	40 MM
	q.	42 MM
	r.	44 MM
	s.	46 MM
	t.	48 MM
	u.	50 MM
	v.	52 MM
	w.	54 MM
	x.	56 MM
	y.	58 MM
	z.	60 MM
	aa.	62 MM
	bb.	64 MM
	cc.	66 MM
	dd.	68 MM
	ee.	70 MM
119	4.5 MM CORTICAL SCREW- 14 TPI- SELF TAPPING	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM

	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	32 MM
	m.	34 MM
	n.	36 MM
	o.	38 MM
	p.	40 MM
	q.	42 MM
	r.	44 MM
	s.	46 MM
	t.	48 MM
	u.	50 MM
	v.	52 MM
	w.	54 MM
	x.	56 MM
	y.	58 MM
	z.	60 MM
	aa.	62 MM
	bb.	64 MM
	cc.	66 MM
	dd.	68 MM
	ee.	70 MM
120	4.5 MM MALLEOLAR SCREW- SELF TAPPING	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
	g.	55 MM
	h.	60 MM
	i.	65 MM
	j.	70 MM
	k.	75 MM
	l.	80 MM
	m.	85 MM
121	3.5 MM CANCELLOUS SCREW- PARTIAL THREADED	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM

	j.	28 MM
	k.	30 MM
	l.	35 MM
	m.	40 MM
	n.	45 MM
	o.	50 MM
	p.	55 MM
	q.	60 MM
	r.	65 MM
	s.	70 MM
122	3.5 MM CANCELLOUS SCREW- FULL THREADED	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	35 MM
	m.	40 MM
	n.	45 MM
	o.	50 MM
	p.	55 MM
	q.	60 MM
	r.	65 MM
	s.	70 MM
123	4.0 MM CANCELLOUS SCREW- PARTIAL THREADED	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	35 MM
	m.	40 MM
	n.	45 MM
	o.	50 MM
	p.	55 MM
	q.	60 MM

	r.	65 MM
	s.	70 MM
124	4.0 MM CANCELLOUS SCREW- FULL THREADED	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	35 MM
	m.	40 MM
	n.	45 MM
	Oo.	50 MM
	p.	55 MM
	q.	60 MM
	r.	65 MM
	s.	70 MM
125	6.5 MM CANCELLOUS SCREW- 16MM THREADED	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
	g.	55 MM
	h.	60 MM
	i.	65 MM
	j.	70 MM
	k.	75 MM
	l.	80 MM
	m.	85 MM
	n.	90 MM
	o.	95 MM
	p.	100 MM
	q.	105 MM
	r.	110 MM
126	6.5 MM CANCELLOUS SCREW- 32MM THREADED	
	a.	40 MM
	b.	45 MM
	c.	50 MM
	d.	55 MM
	e.	60 MM
	f.	65 MM

	g.	70 MM
	h.	75 MM
	i.	80 MM
	j.	85 MM
	k.	90 MM
	l.	95 MM
	m.	100 MM
	n.	105 MM
	o.	110 MM
127	6.5 MM CANCELLOUS SCREW- FULLY THREADED	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
	g.	55 MM
	h.	60 MM
	i.	65 MM
	j.	70 MM
	k.	75 MM
	l.	80 MM
	m.	85 MM
	n.	90 MM
	o.	95 MM
	p.	100 MM
	q.	105 MM
	r.	110 MM
128	4.0 MM CANNULATED CANCELLOUS SCREW PARTIALLY THREADED	
	a.	10 MM
	b.	15 MM
	c.	20 MM
	d.	25 MM
	e.	30 MM
	f.	35 MM
	g.	40 MM
	h.	45 MM
	i.	50 MM
	j.	55 MM
	k.	60 MM
	l.	65 MM
	m.	70 MM
129	4.0 MM CANNULATED CANCELLOUS SCREW FULLY THREADED	
	a.	10 MM
	b.	15 MM
	c.	20 MM
	d.	25 MM
	e.	30 MM

	f.	35 MM
	g.	40 MM
	h.	45 MM
	i.	50 MM
	j.	55 MM
	k.	60 MM
	l.	65 MM
	m.	70 MM
130	6.5 MM LARGE CANNULATED CANCELLOUS SCREW 16 MM THREADED	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
	g.	55 MM
	h.	60 MM
	i.	65 MM
	j.	70 MM
	k.	75 MM
	l.	80 MM
	m.	85 MM
	n.	90 MM
	o.	95 MM
	p.	100 MM
	q.	105 MM
	r.	110 MM
131	6.5 MM LARGE CANNULATED CANCELLOUS SCREW-32 MM THREADED	
	a.	40 MM
	b.	45 MM
	c.	50 MM
	d.	55 MM
	e.	60 MM
	f.	65 MM
	g.	70 MM
	h.	75 MM
	i.	80 MM
	j.	85 MM
	k.	90 MM
	l.	95 MM
	m.	100 MM
	n.	105 MM
	o.	110 MM
132	6.5 MM LARGE CANNULATED CANCELLOUS SCREW-FULLY THREADED	
	a.	30 MM
	b.	35 MM
	c.	40 MM
	d.	45 MM
	e.	50 MM

	f.	55 MM
	g.	60 MM
	h.	65 MM
	i.	70 MM
	j.	75 MM
	k.	80 MM
	l.	85 MM
	m.	90 MM
	n.	95 MM
	o.	100 MM
	p.	105 MM
	q.	110 MM
	r.	115 MM
133	12.5 MM DHS SCREW WITH COMPRESSION SCREW	
	a.	50 MM
	b.	55 MM
	c.	60 MM
	d.	65 MM
	e.	70 MM
	f.	75 MM
	g.	80 MM
	h.	85 MM
	i.	90 MM
	j.	95 MM
	k.	100 MM
	l.	105 MM
	m.	110 MM
134	3.5 MM HERBERT SCREW (HEAD LESS)	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
135	WASHERS	
	a.	13.0/6.5 MM Spiked Washer for 6.5MM Cancellous Screw
	b.	13.0/6.5 MM Washer for 6.5MM Cancellous Screw
	c.	7.0/4.0 MM Washer for 4.0 MM Cancellous Screw
	d.	7.0/4.0 MM Spiked Washer for 4.0 MM Cancellous Screw
	e.	10.0/4.5 MM Washer for Malleor Screw
136	2.4 MM LCP SCREW	
	a.	8 MM
	b.	10 MM

	c.	12 MM
	d.	14 MM
	e.	16 MM
	f.	18 MM
	g.	20 MM
	h.	22 MM
	i.	24 MM
	j.	26 MM
	k.	28 MM
	l.	30 MM
	m.	32 MM
	n.	34 MM
	o.	36 MM
	p.	38 MM
	q.	40 MM
137	2.7 MM LCP SCREW	
	a.	8 MM
	b.	10 MM
	c.	12 MM
	d.	14 MM
	e.	16 MM
	f.	18 MM
	g.	20 MM
	h.	22 MM
	i.	24 MM
	j.	26 MM
	k.	28 MM
	l.	30 MM
	m.	32 MM
	n.	34 MM
	o.	36 MM
	p.	38 MM
	q.	40 MM
138	3.5 MM LCP SCREW	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	32 MM
	m.	34 MM

	n.	36 MM
	o.	38 MM
	p.	40 MM
	q.	42 MM
	r.	44 MM
	s.	46 MM
	t.	48 MM
	u.	50 MM
	v.	52 MM
	w.	54 MM
	x.	56 MM
	y.	58 MM
	z.	60 MM
	aa.	65 MM
	bb.	70 MM
139	5.0 MM LCP SCREW	
	a.	14 MM
	b.	16 MM
	c.	18 MM
	d.	20 MM
	e.	22 MM
	f.	24 MM
	g.	26 MM
	h.	28 MM
	i.	30 MM
	j.	32 MM
	k.	34 MM
	l.	36 MM
	m.	38 MM
	n.	40 MM
	o.	42 MM
	p.	44 MM
	q.	46 MM
	r.	48 MM
	s.	50 MM
	t.	52 MM
	u.	54 MM
	v.	56 MM
	w.	58 MM
	x.	60 MM
	y.	65 MM
	z.	70 MM
	aa.	75 MM
	bb.	80 MM
	cc.	85 MM
	dd.	90 MM
140	4.0 MM LCP CANCELLOUS SCREW PARTIALLY THREADED	
	a.	10 MM

	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	35 MM
	m.	40 MM
	n.	45 MM
	o.	50 MM
	p.	55 MM
	q.	60 MM
	r.	65 MM
	s.	70 MM
141	4.0 MM LCP CANCELLOUS SCREW FULLY THREADED	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
	l.	35 MM
	m.	40 MM
	n.	45 MM
	o.	50 MM
	p.	55 MM
	q.	60 MM
	r.	65 MM
	s.	70 MM
142	5.0 MM LCP CANCELLOUS SCREW 32 MM THREADED	
	a.	40 MM
	b.	45 MM
	c.	50 MM
	d.	55 MM
	e.	60 MM
	f.	65 MM
	g.	70 MM
	h.	75 MM

	i.	80 MM
	j.	85 MM
	k.	90 MM
143	5.0 MM LCP CANCELLOUS SCREW FULLY THREADED	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
	g.	60 MM
	h.	65 MM
	i.	70 MM
	j.	75 MM
	k.	80 MM
	l.	85 MM
	m.	90 MM
144	6.5 MM LCP CANCELLOUS SCREW 16 MM THREADED	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
	g.	60 MM
	h.	65 MM
	i.	70 MM
	j.	75 MM
	k.	80 MM
	l.	85 MM
	m.	90 MM
	n.	95 MM
	o.	100 MM
145	6.5 MM LCP CANCELLOUS SCREW 32 MM THREADED	
	a.	40 MM
	b.	45 MM
	c.	50 MM
	d.	60 MM
	e.	65 MM
	f.	70 MM
	g.	75 MM
	h.	80 MM
	i.	85 MM
	j.	90 MM

GROUP - D : NAILS-INTRAMEDUALLY

Sl. No.	Name of articles Specification	
146	Ø 6.5 MM HUMERUS NAIL- CANNULATED	
	a.	180 MM
	b.	200 MM
	c.	220 MM
	d.	240 MM
	e.	260 MM
	f.	280 MM
	g.	300 MM
147	Ø 7.0 MM HUMERUS NAIL- CANNULATED	
	a.	180 MM
	b.	200 MM
	c.	220 MM
	d.	240 MM
	e.	260 MM
	f.	280 MM
	g.	300 MM
148	Ø 7.5 MM HUMERUS NAIL- CANNULATED	
	a.	180 MM
	b.	200 MM
	c.	220 MM
	d.	240 MM
	e.	260 MM
	f.	280 MM
	g.	300 MM
149	Ø 8.0 MM TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM
	f.	380 MM
150	Ø 9.0 MM TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM
	f.	380 MM
151	Ø 10.0 MM TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM

	f.	380 MM
152	Ø 11.0 MM TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM
	f.	380 MM
153	Ø 8.0 MM EXPERT TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM
	f.	380 MM
154	Ø 9.0 MM EXPERT TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM
	f.	380 MM
155	Ø 10.0 MM EXPERT TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM
	f.	380 MM
156	Ø 11.0 MM EXPERT TIBIA NAIL- CANNULATED	
	a.	280 MM
	b.	300 MM
	c.	320 MM
	d.	340 MM
	e.	360 MM
	f.	380 MM
157	Ø 9.0 MM FEMUR NAIL- CANNULATED	
	a.	320 MM
	b.	340 MM
	c.	360 MM
	d.	380 MM
	e.	400 MM
	f.	420 MM
	g.	440 MM
158	Ø 10.0 MM FEMUR NAIL- CANNULATED	
	a.	320 MM
	b.	340 MM
	c.	360 MM

	d	380 MM
	e	400 MM
	f.	420 MM
	g.	440 MM
159	Ø 11.0 MM FEMUR NAIL- CANNULATED	
	a.	320 MM
	b.	340 MM
	c.	360 MM
	d	380 MM
	e	400 MM
	f.	420 MM
	g.	440 MM
160	Ø 12.0 MM FEMUR NAIL- CANNULATED	
	a.	320 MM
	b.	340 MM
	c.	360 MM
	d	380 MM
	e	400 MM
	f.	420 MM
	g.	440 MM
161	130° SHORT PROXIMAL FEMORAL NAIL	
	a.	Ø 9.0 MM x 250 MM
	b.	Ø 10.0 MM x 250 MM
	c.	Ø 11.0 MM x 250 MM
	d	Ø 12.0 MM x 250 MM
162	135° SHORT PROXIMAL FEMORAL NAIL	
	a.	Ø 9.0 MM x 250 MM
	b.	Ø 10.0 MM x 250 MM
	c.	Ø 11.0 MM x 250 MM
	d	Ø 12.0 MM x 250 MM
163	130° TROCHANTERIC FEMUR NAIL	
	a.	Ø 9.0 MM x 250 MM
	b.	Ø 10.0 MM x 250 MM
	c.	Ø 11.0 MM x 250 MM
	d	Ø 12.0 MM x 250 MM
164	135° TROCHANTERIC FEMUR NAIL	
	a.	Ø 9.0 MM x 180 MM
	b.	Ø 10.0 MM x 180 MM
	c.	Ø 11.0 MM x 180 MM
	d	Ø 12.0 MM x 180 MM
165	130° - Ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d	400 MM
	e	420 MM
	f.	440 MM
166	130° - Ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	

	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
167	130° - Ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
168	130° - Ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
169	130° - Ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
170	130° - Ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
171	135° - Ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
172	135° - Ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM

173	135° - Ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
174	135° - Ø 12.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
175	135° - Ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
176	135° - Ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
177	135° - Ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
178	135° - Ø 12.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	
	a.	340 MM
	b.	360 MM
	c.	380 MM
	d.	400 MM
	e.	420 MM
	f.	440 MM
179	Ø 9.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	
	a.	150 MM
	b.	200 MM
	c.	250 MM
	d.	300 MM
180	Ø 10.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	

	a.	150 MM
	b.	200 MM
	c.	250 MM
	d.	300 MM
181	Ø 11.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	
	a.	150 MM
	b.	200 MM
	c.	250 MM
	d.	300 MM
182	Ø 12.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	
	a.	150 MM
	b.	200 MM
	c.	250 MM
	d.	300 MM
183	Ø 2.0 MM ENDER'S NAIL	
	a.	200 MM
	b.	210 MM
	c.	220 MM
	d.	230 MM
	e.	240 MM
	f.	250 MM
	g.	260 MM
	h.	270 MM
	i.	280 MM
	j.	290 MM
	k.	300 MM
184	Ø 2.5 MM ENDER'S NAIL	
	a.	200 MM
	b.	210 MM
	c.	220 MM
	d.	230 MM
	e.	240 MM
	f.	250 MM
	g.	260 MM
	h.	270 MM
	i.	280 MM
	j.	290 MM
	k.	300 MM
185	Ø 3.0 MM ENDER'S NAIL	
	a.	Ø 3.0 MM X 210 MM
	b.	Ø 3.0 MM X 220 MM
	c.	Ø 3.0 MM X 230 MM
	d.	Ø 3.0 MM X 240 MM
	e.	Ø 3.0 MM X 250 MM
	f.	Ø 3.0 MM X 260 MM
	g.	Ø 3.0 MM X 270 MM
	h.	Ø 3.0 MM X 280 MM
	i.	Ø 3.0 MM X 290 MM

	j.	Ø 3.0 MM X 300 MM
186	Ø 3.5 MM ENDER'S NAIL	
	a.	Ø 3.5 MM X 210 MM
	b.	Ø 3.5 MM X 220 MM
	c.	Ø 3.5 MM X 230 MM
	d.	Ø 3.5 MM X 240 MM
	e.	Ø 3.5 MM X 250 MM
	f.	Ø 3.5 MM X 260 MM
	g.	Ø 3.5 MM X 270 MM
	h.	Ø 3.5 MM X 280 MM
	i.	Ø 3.5 MM X 290 MM
	j.	Ø 3.5 MM X 300 MM
187	Ø 4.0MM ENDER'S NAIL	
	a.	Ø 4.0 MM X 210 MM
	b.	Ø 4.0 MM X 220 MM
	c.	Ø 4.0 MM X 230 MM
	d.	Ø 4.0 MM X 240 MM
	e.	Ø 4.0 MM X 250 MM
	f.	Ø 4.0 MM X 260 MM
	g.	Ø 4.0 MM X 270 MM
	h.	Ø 4.0 MM X 280 MM
	i.	Ø 4.0 MM X 290 MM
	j.	Ø 4.0 MM X 300 MM
	k.	Ø 4.0 MM X 310 MM
	l.	Ø 4.0 MM X 320 MM
	m.	Ø 4.0 MM X 330 MM
	n.	Ø 4.0 MM X 340 MM
	o.	Ø 4.0 MM X 350 MM
	p.	Ø 4.0 MM X 360 MM
	q.	Ø 4.0 MM X 370 MM
	r.	Ø 4.0 MM X 380 MM
	s.	Ø 4.0 MM X 390 MM
	t.	Ø 4.0 MM X 400 MM
188	Ø 4.5 MM ENDER'S NAIL	
	a.	Ø 4.5 MM X 210 MM
	b.	Ø 4.5 MM X 220 MM
	c.	Ø 4.5 MM X 230 MM
	d.	Ø 4.5 MM X 240 MM
	e.	Ø 4.5 MM X 250 MM
	f.	Ø 4.5 MM X 260 MM
	g.	Ø 4.5 MM X 270 MM
	h.	Ø 4.5 MM X 280 MM
	i.	Ø 4.5 MM X 290 MM
	j.	Ø 4.5 MM X 300 MM
	k.	Ø 4.5 MM X 310 MM
	l.	Ø 4.5 MM X 320 MM
	m.	Ø 4.5 MM X 330 MM
	n.	Ø 4.5 MM X 340 MM

	o.	ø 4.5 MM X 350 MM
	p.	ø 4.5 MM X 360 MM
	q.	ø 4.5 MM X 370 MM
	r.	ø 4.5 MM X 380 MM
	s.	ø 4.5 MM X 390 MM
	t.	ø 4.5 MM X 400 MM
189	TITANIUM ELASTIC NAIL- TENS	
	a.	2.0 MM X 440 MM
	b.	2.5 MM X 440 MM
	c.	3.0 MM X 440 MM
	d.	3.5 MM X 440 MM
	e.	4.0 MM X 440 MM
	f.	4.5 MM X 440 MM
190	ø 7.0 MM K-NAIL	
	a.	ø 7.0 MM X 320 MM
	b.	ø 7.0 MM X 340 MM
	c.	ø 7.0 MM X 360 MM
	d.	ø 7.0 MM X 380 MM
	e.	ø 7.0 MM X 400 MM
	f.	ø 7.0 MM X 420 MM
	g.	ø 7.0 MM X 440 MM
191	ø 8.0 MM K-NAIL	
	a.	ø 8.0 MM X 320 MM
	b.	ø 8.0 MM X 340 MM
	c.	ø 8.0 MM X 360 MM
	d.	ø 8.0 MM X 380 MM
	e.	ø 8.0 MM X 400 MM
	f.	ø 8.0 MM X 420 MM
	g.	ø 8.0 MM X 440 MM
192	ø 9.0 MM K-NAIL	
	a.	ø 9.0 MM X 320 MM
	b.	ø 9.0 MM X 340 MM
	c.	ø 9.0 MM X 360 MM
	d.	ø 9.0 MM X 380 MM
	e.	ø 9.0 MM X 400 MM
	f.	ø 9.0 MM X 420 MM
	g.	ø 9.0 MM X 440 MM
193	ø 10.0 MM K-NAIL	
	a.	ø 10.0 MM X 320 MM
	b.	ø 10.0 MM X 340 MM
	c.	ø 10.0 MM X 360 MM
	d.	ø 10.0 MM X 380 MM
	e.	ø 10.0 MM X 400 MM
	f.	ø 10.0 MM X 420 MM
	g.	ø 10.0 MM X 440 MM
194	ø 11.0 MM K-NAIL	
	a.	ø 11.0 MM X 320 MM
	b.	ø 11.0 MM X 340 MM

	c.	Ø 11.0 MM X 360 MM
	d.	Ø 11.0 MM X 380 MM
	e.	Ø 11.0 MM X 400 MM
	f.	Ø 11.0 MM X 420 MM
	g.	Ø 11.0 MM X 440 MM
195	Ø 12.0 MM K-NAIL	
	a.	Ø 12.0 MM X 320 MM
	b.	Ø 12.0 MM X 340 MM
	c.	Ø 12.0 MM X 360 MM
	d.	Ø 12.0 MM X 380 MM
	e.	Ø 12.0 MM X 400 MM
	f.	Ø 12.0 MM X 420 MM
	g.	Ø 12.0 MM X 440 MM
196	END CAP- TIBIA /FEMUR/ PFN/SUPRA	
	a.	0.0 MM
	b.	5.0 MM
	c.	10.0 MM
	d.	15.0 MM
197	Ø 3.0 MM INTERLOCKING BOLT, FOR HUMERUS NAIL	
	a.	14 MM
	b.	16 MM
	c.	18 MM
	d.	20 MM
	e.	22 MM
	f.	24 MM
	g.	26 MM
	h.	28 MM
	i.	30 MM
	j.	32 MM
	k.	34 MM
	l.	36 MM
	m.	38 MM
	n.	40 MM
198	3.9 MM INTERLOCKING BOLT	
	a.	24 MM
	b.	26 MM
	c.	28 MM
	d.	30 MM
	e.	32 MM
	f.	34 MM
	g.	36 MM
	h.	38 MM
	i.	40 MM
	j.	42 MM
	k.	44 MM
	l.	46 MM
	m.	48 MM
	n.	50 MM

	o.	52 MM
	P.	54 MM
	q.	56 MM
	r.	58 MM
	s.	60 MM
199	4.9 MM INTERLOCKING BOLT	
	a.	24 MM
	b.	26 MM
	c.	28 MM
	d.	30 MM
	e.	32 MM
	f.	34 MM
	g.	36 MM
	h.	38 MM
	i.	40 MM
	j.	42 MM
	k.	44 MM
	l.	46 MM
	m.	48 MM
	n.	50 MM
	o.	52 MM
	P.	54 MM
	q.	56 MM
	r.	58 MM
	s.	60 MM
	t.	62 MM
	u.	64 MM
	v.	66 MM
	w.	68 MM
	x.	70 MM
	Y.	72 MM
	z.	74 MM
	aa.	76 MM
	bb.	78 MM
	cc.	80 MM
200	6.4 MM HIP PIN (FOR PFN NAIL)	
	a.	40 MM
	b.	45 MM
	c.	50 MM
	d.	55 MM
	e.	60 MM
	f.	65 MM
	g.	70 MM
	h.	75 MM
	i.	80 MM
	j.	85 MM
	k.	90 MM
	l.	95 MM

	m.	100 MM
	n.	105 MM
	o.	110 MM
201	MM FEMORAL NECK SCREW (FOR PFN NAIL)	
	a.	40 MM
	b.	45 MM
	c.	50 MM
	d.	55 MM
	e.	60 MM
	f.	65 MM
	g.	70 MM
	h.	75 MM
	i.	80 MM
	j.	85 MM
	k.	90 MM
	l.	95 MM
	m.	100 MM
	n.	105 MM
	o.	110 MM
202	6.4 MM SOLID INTERLOCKING BOLT (FOR SUPRACONDYLAR)	
	a.	40 MM
	b.	45 MM
	c.	50 MM
	d.	55 MM
	e.	60 MM
	f.	65 MM
	g.	70 MM
	h.	75 MM
	i.	80 MM
	j.	85 MM
	k.	90 MM
	l.	95 MM
	m.	100 MM
	n.	105 MM
	o.	110 MM
203	4.0 MM INTERLOCKING BOLT PARTIAL THREAD (FOR HUMERUS NAIL)	
	a.	20 MM
	b.	25 MM
	c.	30 MM
	d.	35 MM
	e.	40 MM
	f.	45 MM
	g.	50 MM
204	Ø 2.0 MM SQUARE NAIL FOR ULNA	
	a.	Ø 2.0 MM X 200 MM
	b.	Ø 2.0 MM X 220 MM
	c.	Ø 2.0 MM X 240 MM
	d.	Ø 2.0 MM X 260 MM

	e.	ø 2.0 MM X 280 MM
	f.	ø 2.0 MM X 300 MM
205	ø 2.5 MM SQUARE NAIL FOR ULNA	
	a.	ø 2.5 MM X 200 MM
	b.	ø 2.5 MM X 220 MM
	c.	ø 2.5 MM X 240 MM
	d.	ø 2.5 MM X 260 MM
	e.	ø 2.5 MM X 280 MM
	f.	ø 2.5 MM X 300 MM
206	ø 3.0 MM SQUARE NAIL FOR ULNA	
	a.	ø 3.0 MM X 200 MM
	b.	ø 3.0 MM X 220 MM
	c.	ø 3.0 MM X 240 MM
	d.	ø 3.0 MM X 260 MM
	e.	ø 3.0 MM X 280 MM
	f.	ø 3.0 MM X 300 MM
207	ø 3.5MM SQUARE NAIL FOR ULNA	
	a.	ø 3.5MM X 200 MM
	b.	ø 3.5 MM X 220 MM
	c.	ø 3.5 MM X 240 MM
	d.	ø 3.5 MM X 260 MM
	e.	ø 3.5 MM X 280 MM
	f.	ø 3.5 MM X 300 MM
208	ø 2.0 MM SQUARE NAIL FOR RADIUS	
	a.	ø 2.0 MM X 200 MM
	b.	ø 2.0 MM X 220 MM
	c.	ø 2.0 MM X 240 MM
	d.	ø 2.0 MM X 260 MM
	e.	ø 2.0 MM X 280 MM
	f.	ø 2.0 MM X 300 MM
209	ø 2.5 MM SQUARE NAIL FOR RADIUS	
	a.	ø 2.5 MM X 200 MM
	b.	ø 2.5 MM X 220 MM
	c.	ø 2.5 MM X 240 MM
	d.	ø 2.5 MM X 260 MM
	e.	ø 2.5 MM X 280 MM
	f.	ø 2.5 MM X 300 MM
210	ø 3.0 MM SQUARE NAIL FOR RADIUS	
	a.	ø 3.0 MM X 200 MM
	b.	ø 3.0 MM X 220 MM
	c.	ø 3.0 MM X 240 MM
	d.	ø 3.0 MM X 260 MM
	e.	ø 3.0 MM X 280 MM
	f.	ø 3.0 MM X 300 MM
211	ø 3.5 MM SQUARE NAIL FOR RADIUS	
	a.	ø 3.5MM X 200 MM
	b.	ø 3.5 MM X 220 MM
	c.	ø 3.5 MM X 240 MM

	d.	∅ 3.5 MM X 260 MM
	e.	∅ 3.5 MM X 280 MM
	f.	∅ 3.5 MM X 300 MM
212	∅ 2.0 MM RUSH NAIL	
	a.	∅ 2.0 MM X 200 MM
	b.	∅ 2.0 MM X 220 MM
	c.	∅ 2.0 MM X 240 MM
	d.	∅ 2.0 MM X 260 MM
	e.	∅ 2.0 MM X 280 MM
	f.	∅ 2.0 MM X 300 MM
213	∅ 2.5 MM RUSH NAIL	
	a.	∅ 2.5 MM X 200 MM
	b.	∅ 2.5 MM X 220 MM
	c.	∅ 2.5 MM X 240 MM
	d.	∅ 2.5 MM X 260 MM
	e.	∅ 2.5 MM X 280 MM
	f.	∅ 2.5 MM X 300 MM
214	∅ 3.0 MM RUSH NAIL	
	a.	∅ 3.0 MM X 200 MM
	b.	∅ 3.0 MM X 220 MM
	c.	∅ 3.0 MM X 240 MM
	d.	∅ 3.0 MM X 260 MM
	e.	∅ 3.0 MM X 280 MM
	f.	∅ 3.0 MM X 300 MM
215	∅ 3.5 MM RUSH NAIL	
	a.	∅ 3.5MM X 200 MM
	b.	∅ 3.5 MM X 220 MM
	c.	∅ 3.5 MM X 240 MM
	d.	∅ 3.5 MM X 260 MM
	e.	∅ 3.5 MM X 280 MM
	f.	∅ 3.5 MM X 300 MM
216	∅ 4.0 MM RUSH NAIL	
	a.	∅ 4.0 MM X 200 MM
	b.	∅ 4.0 MM X 220 MM
	c.	∅ 4.0 MM X 240 MM
	d.	∅ 4.0 MM X 260 MM
	e.	∅ 4.0 MM X 280 MM
	f.	∅ 4.0 MM X 300 MM
GROUP - E : PELVIC IMPLANTS		
Sl. No.	Name of articles Specification	
217	3.5 MM PELVIC RECON PLATE LOW PROFILE STRAIGHT	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES

	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
	m.	18 HOLES
	n.	20 HOLES
218	3.5 MM PELVIC RECON PLATE 88° - CURVED	
	a.	6 HOLES
	b.	8 HOLES
	c.	10 HOLES
	d.	12 HOLES
	e.	14 HOLES
	f.	16 HOLES
219	3.5 MM PELVIC RECON PLATE 108° - CURVED	
	a.	6 HOLES
	b.	8 HOLES
	c.	10 HOLES
	d.	12 HOLES
	e.	14 HOLES
	f.	16 HOLES
220	3.5 MM LCP PELVIC RECON PLATE - STRAIGHT	
	a.	2 HOLES
	b.	3 HOLES
	c.	4 HOLES
	d.	5 HOLES
	e.	6 HOLES
	f.	7 HOLES
	g.	8 HOLES
	h.	9 HOLES
	i.	10 HOLES
	j.	12 HOLES
	k.	14 HOLES
	l.	16 HOLES
	m.	18 HOLES
221	3.5 MM SPRING PLATE	
	a.	1 HOLE - L- 19.5 MM
	b.	1 HOLE - L- 31.5 MM
	c.	1 HOLE - L- 43.5 MM
222	3.5 MM PELVIC J PLATE- RIGHT	
	a.	10 HOLES
	b.	12 HOLES
	c.	14 HOLES
	d.	16 HOLES
223	3.5 MM PELVIC J PLATE- LEFT	
	a.	10 HOLES

	b.	12 HOLES
	c.	14 HOLES
	d.	16 HOLES
GROUP - F : MAXILLOFACIAL IMPLANTS		
Sl. No.	Name of articles Specification	
224	1.5 MM STRAIGHT PLATE WITH STEM/BAR/GAP-0.6 MM THICKNESS	
	a.	2 H
	b.	4 H
	c.	6 H
225	2.0 MM STRAIGHT PLATE RECON WITH STEM/BAR/GAP- 1 MM THICKNESS	
	a.	2 H
	b.	4 H
	c.	6 H
226	1.5 MM STRAIGHT PLATE CONTINUES RECON -0.6 MM THICKNESS	
	a.	2 H
	b.	4 H
	c.	6 H
	d	18 H
227	2.0 MM STRAIGHT PLATE CONTINUES RECON -1 MM THICKNESS	
	a.	2 H
	b.	4 H
	c.	6 H
	d	18 H
228	1.5 MM T-PLATE RECON- 0.6 MM THICKNES	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
	b.	3 HEAD HOLES+ 3 SHAFT HOLES
229	2.0 MM T-PLATE RECON- 1.0 MM THICKNES	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
	b.	3 HEAD HOLES+ 3 SHAFT HOLES
230	1.5 MM T-OBLIQUE PLATE RECON WITH GAP - 0.6 MM THICKNES	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
231	2.0 MM T-OBLIQUE PLATE RECON WITH GAP - 1.0 MM THICKNES	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
232	1.5 MM DOUBLE T- PLATE RECON - 0.6 MM THICKNES	
	a.	8 H
233	2.0 MM DOUBLE T- PLATE RECON - 1.0 MM THICKNES	
	a.	8 H
234	1.5 MM DOUBLE SQUARE PLATE RECON - 0.6 MM THICKNES	
	a.	6 H
235	2.0MM DOUBLE SQUARE PLATE RECON - 1.0 MM THICKNES	
	a.	6 H
236	1.5 MM DOUBLE Y-PLATE RECON WITH STEM/BAR/GAP-0.6 MM THICKNESS	
	a.	6H
237	2.0 MM DOUBLE Y-PLATE RECON WITH STEM/BAR/GAP-1.0 MM THICKNESS	

	a.	6H
238	1.5 MM L-PLATE RECON -0.6 MM THICKNESS-RIGHT SIDE	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
	b.	3 HEAD HOLES+ 3 SHAFT HOLES
239	1.5 MM L-PLATE RECON -0.6 MM THICKNESS-LEFT SIDE	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
	b.	3 HEAD HOLES+ 3 SHAFT HOLES
240	2.0 MM L-PLATE RECON -1.0 MM THICKNESS-RIGHT SIDE	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
	b.	3 HEAD HOLES+ 3 SHAFT HOLES
241	2.0 MM L-PLATE RECON -1.0 MM THICKNESS-LEFT SIDE	
	a.	3 HEAD HOLES+ 2 SHAFT HOLES
	b.	3 HEAD HOLES+ 3 SHAFT HOLES
242	1.5 MM L-OBLIQUE PLATE RECON - 0.6 THICKNESS RIGHT SIDE- 120°	
	a.	2 HEAD HOLES +3 SHAFT HOLES
243	1.5 MM L-OBLIQUE PLATE RECON - 0.6 THICKNESS LEFT SIDE- 120°	
	a.	2 HEAD HOLES +3 SHAFT HOLES
244	2.0 MM L-OBLIQUE PLATE RECON - 1.0 THICKNESS RIGHT SIDE- 120°	
	a.	2 HEAD HOLES +3 SHAFT HOLES
245	2.0 MM L-OBLIQUE PLATE RECON - 1.0 THICKNESS LEFT SIDE- 120°	
	a.	2 HEAD HOLES +3 SHAFT HOLES
246	1.5 MM SQUARE PLATE RECON -0.6 MM THICKNESS	
	a.	4 H
247	2.0 MM SQUARE PLATE RECON -1.0 MM THICKNESS	
	a.	4 H
248	1.5 MM X- PLATE RECON-0.6MM THICKNESS	
	a.	2 HEAD HOLES + 2 SHAFT HOLES
	b.	4 HEAD HOLES + 4 SHAFT HOLES
249	2.0 MM X- PLATE RECON-1.0 MM THICKNESS	
	a.	2 HEAD HOLES + 2 SHAFT HOLES
	b.	4 HEAD HOLES + 4 SHAFT HOLES
250	1.5 MM Y-PLATE RECON	
	a.	SMALL
	b.	BIG
251	2.0 MM Y-PLATE RECON	
	a.	SMALL
	b.	BIG
252	1.5 MM ORBITAL PLATE RECON	
	a.	4H (2+2)
	b.	6H (3+3)
	c.	7H (4+3)
253	2.0 MM ORBITAL PLATE RECON CONTINUES	
	a.	8H
254	1.5 MM MAXILLOFACIAL SCREWS (SELF- TAPPING) HEAD CROSS SLOT	
	a.	5 MM
	b.	6 MM

	c.	7 MM
	d.	8 MM
	e.	9 MM
	f.	10 MM
	g.	11 MM
	h.	12 MM
	i.	13 MM
	j.	14 MM
	k.	15 MM
	l.	16 MM
255	2.0 MM MAXILLOFACIAL SCREWS (SELF- TAPPING) HEAD CROSS SLOT	
	a.	5 MM
	b.	6 MM
	c.	7 MM
	d.	8 MM
	e.	9 MM
	f.	10 MM
	g.	11 MM
	h.	12 MM
	i.	13 MM
	j.	14 MM
	k.	15 MM
	l.	16 MM
	m.	17 MM
	n.	18 MM
	o.	19 MM
	p.	20 MM
	q.	21 MM
	r.	22 MM
	s.	23 MM
	t.	24 MM
	u.	25 MM
	v.	26 MM
	w.	27 MM
	x.	28 MM
	y.	29 MM
	z.	30 MM
	aa.	31 MM
	bb.	32 MM
	cc.	33 MM
	dd.	34 MM
GROUP - G : SPINAL IMPLANTS		
Sl. No.	Name of articles Specification	
256	4.5 MM MONOAXIAL SCREW	
	a.	25 MM
	b.	30 MM
	c.	35 MM

	d.	40 MM
	e.	45 MM
	f.	50 MM
257	5.5 MM MONOAXIAL SCREW	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
258	6.5 MM MONOAXIAL SCREW	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
259	4.5 MM POLYAXIAL SCREW	
	a.	25 MM
	b.	30 MM
	c.	35 MM
	d.	40 MM
	e.	45 MM
	f.	50 MM
260	5.5 MM POLYAXIAL SCREW	
	a.	30 MM
	b.	35 MM
	c.	40 MM
	d.	45 MM
	e.	50 MM
261	6.5 MM POLYAXIAL SCREW	
	a.	30 MM
	b.	35 MM
	c.	40 MM
	d.	45 MM
	e.	50 MM
262	5.5 MM REDUCTION POLYAXIAL SCREW	
	a.	30 MM
	b.	35 MM
	c.	40 MM
	d.	45 MM
	e.	50 MM
263	6.5 MM REDUCTION POLYAXIAL SCREW	
	a.	30 MM
	b.	35 MM
	c.	40 MM
	d.	45 MM

	e.	50 MM
264	3.5 MM LATERAL MASS SCREW (POSTERIOR CRVICAL POLY)	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
265	4.5 MM LATERAL MASS SCREW (POSTERIOR CERVICAL POLY)	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
	g.	22 MM
	h.	24 MM
	i.	26 MM
	j.	28 MM
	k.	30 MM
266	CERVICAL PLATE	
	a.	22.5 MM
	b.	25.0 MM
	c.	27.5 MM
	d.	30.0 MM
	e.	32.5 MM
	f.	35.0 MM
	g.	37.5 MM
	h.	40.0 MM
	i.	42.5 MM
	j.	45.0 MM
	k.	47.5 MM
	l.	50.0 MM
	m.	55.0 MM
	n.	60.0 MM
	o.	65.0 MM
	p.	70.0 MM
267	3.5 MM CERVICAL PLATE	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM

	f.	20 MM
268	4.0 MM CERVICAL PLATE	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
269	CERVICAL PLATE WITH INBUILT CAGE	
	a.	5.0 MM
	b.	6.0 MM
	c.	7.0 MM
	d.	8.0 MM
270	3.5 MM CERVICAL PLATE WITH INBUILT CAGE SCREW	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
271	3.8MM CERVICAL PLATE WITH INBUILT CAGE SCREW	
	a.	10 MM
	b.	12 MM
	c.	14 MM
	d.	16 MM
	e.	18 MM
	f.	20 MM
272	3.5 MM SPINAL ROD FOR LATERAL MASS	
	a.	40 MM
	b.	50 MM
	c.	60 MM
	d.	70 MM
	e.	80 MM
	f.	90 MM
	g.	100 MM
	h.	110 MM
	i.	120 MM
	j.	130 MM
	k.	140 MM
	l.	150 MM
	m.	160 MM
	n.	170 MM
	o.	180 MM
	p.	190 MM
	q.	200 MM
	r.	250 MM
273	5.5 MM SPINAL ROD FOR DORSOLUMBER	

	a.	40 MM
	b.	50 MM
	c.	60 MM
	d.	70 MM
	e.	80 MM
	f.	90 MM
	g.	100 MM
	h.	110 MM
	i.	120 MM
	j.	130 MM
	k.	140 MM
	l.	150 MM
	m.	160 MM
	n.	170 MM
	o.	180 MM
	p.	190 MM
	q.	200 MM
	r.	210MM
	s.	220 MM
	t.	230 MM
	u.	240 MM
	v.	250 MM
	w.	260 MM
	x.	270 MM
	y.	280 MM
	z.	290 MM
	aa.	300 MM
	bb.	350 MM
	cc.	400 MM
	dd.	500 MM
274	10 Ø MM ECO CAGE	
	a.	10 X 10 MM
	b.	10 X15 MM
	c.	10 X 20 MM
	d.	10 X 25 MM
	e.	10X 30 MM
	f.	10 X 35 MM
	g.	10 X 40 MM
	h.	10 X 45 MM
	i.	10 X 50 MM
275	12 MM Ø ECO CAGE	
	a.	12 X 10 MM
	b.	12 X15 MM
	c.	12 X 20 MM
	d.	12 X 25 MM
	e.	12 X 30 MM
	f.	12 X 35 MM
	g.	12 X 40 MM

	h.	12 X 45 MM
	i.	12 X 50 MM
276	14 MM Ø ECO CAGE	
	a.	14 MM X 10 MM
	b.	14 MM X 15 MM
	c.	14 MM X 20 MM
	d.	14 MM X 25 MM
	e.	14 MM X 30 MM
	f.	14 MM X 35 MM
	g.	14 MM X 40 MM
	h.	14 MM X 45 MM
	i.	14 MM X 50 MM
277	16 MM Ø ECO CAGE	
	a.	16 MM X 10 MM
	b.	16 MM X 15 MM
	c.	16 MM X 20 MM
	d.	16 MM X 25 MM
	e.	16 MM X 30 MM
	f.	16 MM X 35 MM
	g.	16 MM X 40 MM
	h.	16 MM X 45 MM
	i.	16 MM X 50 MM
278	18 MM Ø ECO CAGE	
	a.	18 MM X 10 MM
	b.	18 MM X 15 MM
	c.	18 MM X 20 MM
	d.	18 MM X 25 MM
	e.	18 MM X 30 MM
	f.	18 MM X 35 MM
	g.	18 MM X 40 MM
	h.	18 MM X 45 MM
	i.	18 MM X 50 MM
279	12 MM Ø EXPANDABLE CAGE	
	a.	12 MM, 20X25
	b.	12 MM, 25X35
	c.	12 MM, 35X55
	d.	12 MM, 55X77
280	14 MM Ø EXPANDABLE CAGE	
	a.	14 MM, 20X25
	b.	14 MM, 25X35
	c.	14 MM, 35X55
	d.	14 MM, 55X77
281	16 MM Ø EXPANDABLE CAGE	
	a.	16 MM, 20X25
	b.	16 MM, 25X35
	c.	16 MM, 35X55
	d.	16 MM, 55X77

282	18 MM Ø EXPANDABLE CAGE
	a. 18 MM, 20X25
	b. 18 MM, 25X35
	c. 18 MM, 35X55
	d. 18 MM, 55X77
283	4° HEIGHT- TLIF CAGE
	a. 4° - 7 MM X25 MM
	b. 4° - 8 MM X 25 MM
	c. 4° - 9 MM x 25 MM
	d. 4° - 10 MM X 25 MM
	e. 4° - 11 MM X 25 MM
284	8° HEIGHT- TLIF CAGE
	a. 8° - 7 MM X25 MM
	b. 8° - 8 MM X 25 MM
	c. 8° - 9 MM x 25 MM
	d. 8° - 10 MM X 25 MM
	e. 8° - 11 MM X 25 MM
285	11° HEIGHT- TLIF CAGE
	a. 11° - 7 MM X25 MM
	b. 11° - 8 MM X 25 MM
	c. 11° - 9 MM x 25 MM
	d. 11° - 10 MM X 25 MM
	e. 11° - 11 MM X 25 MM
286	0° - PLIF CAGE
	a. 0° - 7 MM DIA
	b. 0° - 8 MM DIA
	c. 0° - 9 MM DIA
	d. 0° -10 MM DIA
	e. 0°- 11 MM DIA
	f. 0°- 12 MM DIA
	g. 0° - 13 MM DIA
	h. 0°- 14 MM DIA
287	4° - PLIF CAGE
	a. 4° - 7 MM DIA
	b. 4° - 8 MM DIA
	c. 4° - 9 MM DIA
	d. 4° -10 MM DIA
	e. 4°- 11 MM DIA
	f. 4°- 12 MM DIA
	g. 4° - 13 MM DIA
	h. 4°- 14 MM DIA
288	ROD TO ROD CLAMP
	a. ROD TO ROD CLAMP- AXIAL
	b. ROD TO ROD CLAMP- PARALLEL
289	CERVICAL PLATE STABLISATION P[IN
	a. CERVICAL PLATE STABLISATION PIN
290	TRANSVERS CONNECT OR Ø 5.5 MM

	a.	TRANSVERS CONNECTOR 5.5 MM
291	CERVICAL SPINE OFF SET	
	a.	CERVICAL SPINE OFF SET
292	CERVICAL ROD CONNECTOR	
	a.	CERVICAL ROD CONNECTOR
293	HALF PIN 5.0 MM	
	a.	150 MM
GROUP - H : PROSTHESIS		
Sl. No.	Name of articles Specification	
294	BIPOLAR PROTHESIS FENESTRATED- NEW TYPE- STERLISED	
	a.	37 MM
	b.	39 MM
	c.	41 MM
	d.	43 MM
	e.	45 MM
	f.	47 MM
	g.	49 MM
	h.	51 MM
	i.	53 MM
	j.	55 MM
295	BIPOLAR PROTHESIS - NON FENESTRATED- NEW TYPE- STERLISED	
	a.	37 MM
	b.	39 MM
	c.	41 MM
	d.	43 MM
	e.	45 MM
	f.	47 MM
	g.	49 MM
	h.	51 MM
	i.	53 MM
	j.	55 MM
296	A.M. HIP PROSTHESIS STERLISED	
	a.	37 MM
	b.	38 MM
	c.	39 MM
	d.	40 MM
	e.	41 MM
	f.	42 MM
	g.	43 MM
	h.	44 MM
	i.	45 MM
	j.	46 MM
	k.	47 MM
	l.	48 MM
	m.	49 MM
	n.	50 MM

	o.	51 MM
	p.	52 MM
	q.	53 MM
	r.	54 MM
	s.	55 MM
297	A.M. HIP PROsthESIS - NON- STERILISED	
	a.	37 MM
	b.	38 MM
	c.	39 MM
	d.	40 MM
	e.	41 MM
	f.	42 MM
	g.	43 MM
	h.	44 MM
	i.	45 MM
	j.	46 MM
	k.	47 MM
	l.	48 MM
	m.	49 MM
	n.	50 MM
	o.	51 MM
	p.	52 MM
	q.	53 MM
	r.	54 MM
	s.	55 MM
298	MODULAR BIPOLAR CUP	
	a.	37 MM- SMALL
	b.	37 MM- MEDIUM
	c.	37 MM- LARGE
	d.	39 MM- SMALL
	e.	39 MM- MEDIUM
	f.	39 MM- LARGE
	g.	41 MM- SMALL
	h.	41 MM- MEDIUM
	i.	41 MM- LARGE
	j.	43 MM- SMALL
	k.	43 MM- MEDIUM
	l.	43 MM- LARGE
	m.	45 MM- SMALL
	n.	45 MM- MEDIUM
	o.	45 MM- LARGE
	p.	47 MM- SMALL
	q.	47 MM- MEDIUM
	r.	47 MM- LARGE
	s.	49 MM- SMALL
	t.	49 MM- MEDIUM
	u.	49 MM- LARGE
	v.	51 MM- SMALL

	w.	51 MM- MEDIUM
	x.	51 MM- LARGE
	y.	53 MM- SMALL
	z.	53 MM- MEDIUM
	aa.	53 MM- LARGE
	bb.	54 MM- SMALL
	cc.	54 MM- MEDIUM
	dd.	54 MM- LARGE
	ee.	55 MM- SMALL
	ff.	55 MM- MEDIUM
	gg.	55 MM- LARGE
299	MODULAR BIPOLAR STEM	
	a.	SMALL
	b.	MEDIUM
	c.	LARGE
300	THOMPSON HIP PROSTHESIS STERLISED	
	a.	37 MM
	b.	38 MM
	c.	39 MM
	d.	40 MM
	e.	41 MM
	f.	42 MM
	g.	43 MM
	h.	44 MM
	i.	45 MM
	j.	46 MM
	k.	47 MM
	l.	48 MM
	m.	49 MM
	n.	50 MM
	o.	51 MM
	p.	52 MM
	q.	53 MM
	r.	54 MM
	s.	55 MM
301	THOMPSON HIP PROSTHESIS NON STERLISED	
	a.	37 MM
	b.	38 MM
	c.	39 MM
	d.	40 MM
	e.	41 MM
	f.	42 MM
	g.	43 MM
	h.	44 MM
	i.	45 MM
	j.	46 MM
	k.	47 MM
	l.	48 MM

	m.	49 MM
	n.	50 MM
	o.	51 MM
	p.	52 MM
	q.	53 MM
	r.	54 MM
	s.	55 MM
302	ACL SCREW Ø 7.0 MM	
	a.	20
	b.	25
	c.	30
	d.	35
	e.	40
303	ACL SCREW Ø 8.0 MM	
	a.	20
	b.	25
	c.	30
	d.	35
	e.	40
304	ACL SCREW Ø 9.0 MM	
	a.	20
	b.	25
	c.	30
	d.	35
	e.	40
305	ACL SCREW Ø 10.0 MM	
	a.	20
	b.	25
	c.	30
	d.	35
	e.	40
306	ACL	
	a.	ACL ENDO BUTTON
	b.	ACL DISC WASHER
GROUP - I : EXTERNAL FIXATORS		
Sl. No.	Name of articles Specification	
307	RAIL FOR RAIL FIXATOR	
	a.	240 MM- LONG
	b.	300 MM- LONG
	c.	400 MM-LONG
308	DYNAMIC EXTERNAL FIXATOR	
	a.	DYNAMIC EXTERNAL FIXATOR- SMALL
	b.	DYNAMIC EXTERNAL FIXATOR - MEDIUM
	c.	DYNAMIC EXTERNAL FIXATOR- LARGE
	d.	DYNAMIC WRIST FIXATOR
	e.	DYNAMIC EXTERNAL FIXATOR MEDIUM WITH SELF ADJUSTING CLAMP
	f.	DYNAMIC LINEAR FIXATOR

	g.	DYNAMIC EXTERNAL FIXATOR FOR DISTAL RADIUS
309	PEDIATRIC RAIL FIXATOR	
	a.	150 MM- LONG
	b.	200 MM- LONG
	c.	250 MM-LONG
310	CLAMP FOR RAIL FIXATORS	
	a.	CENTRAL CLAMP FOR RAIL FIXATOR
	b.	END CLAMP FOR RAIL FIXATOR
	c.	GRADUATED SWIVEL CLAMP
	d.	SWIVEL CLAMP FOR RAIL FIXATOR
	e.	BALL AND SOCKET CLAMP STANDARD FOR RAIL FIXATOR
	f.	T- BALL AND SOCKET CLAMP FOR RAIL FIXATOR
	g.	DYNA RING FOR RAIL FIXATOR
	h.	T CLAMP FOR RAIL FIXATOR
	i.	SANDWICH PLATE
	j.	ELBOW CLAMP
	k.	METAPHYSEAL CLAMP FOR RAIL FIATOR
311	CLAMP PEDIATRIC	
	a.	PEDIATRIC CENTRAL CLAMP FOR RAIL FIXATOR
	b.	PEDIATRIC END CLAMP FOR RAIL FIXATOR
	c.	PEDIATRIC SWIVEL CLAMP FOR RAIL FIXATOR
312	CLAMP GENERAL	
	a.	OPEN CLAMP (DX.)
	b.	CONNECTING CLAMP (DX.)
	c.	TWIN ADJUSTABLE CLAMP
	d.	TUBE TO TUBE CLAMP
	e.	TRANSVERSE CLAMP
	f.	CLAMOP FOR FOREARM 2.5 MM x4.0 MM
	g.	CLAMP FOR FOREARM 3.5 MM x4.0 MM
	h.	CONNECTING CLAMP 4.0 MM x4.0 MM
313	PIN CLAMPS	
	a.	SINGLE PIN CLAMP (DX.)
	b.	DOUBLE PIN CLAMP (DX.)
314	CD UNIT	
	a.	CD UNIT 40 MM
	b.	CD UNIT 80 MM
315	TUBULAR ROD (8 MM)	
	a.	100 MM
	b.	150 MM
	c.	200 MM
	d.	250 MM
	e.	300 MM
	f.	350 MM
	g.	400 MM
	h.	450 MM
316	TUBULAR ROD (11 MM)	
	a.	100 MM

	b.	150 MM
	c.	200 MM
	d.	250 MM
	e.	300 MM
	f.	350 MM
	g.	400 MM
	h.	450 MM
	i.	500 MM
317	CONNECTING ROD ϕ 4.0 MM	
	a.	75 MM
	b.	100 MM
	c.	125 MM
	d.	150 MM
	e.	200 MM
	f.	225 MM
	g.	250 MM
	h.	300 MM
319	THREADED ROD ϕ 6.0 MM	
	a.	40 MM
	b.	50 MM
	c.	60 MM
	d.	70 MM
	e.	80 MM
	f.	90 MM
	g.	100 MM
	h.	110MM
	i.	120 MM
	j.	130 MM
	k.	140 MM
	l.	150 MM
	m.	200 MM
	n.	250 MM
	o.	300 MM
	p.	350 MM
	q.	400 MM
320	LOTTED THREADED ROD ϕ 6.0 MM	
	a.	40 MM
	b.	60 MM
	c.	80 MM
	d.	100 MM
321	HALF RING	
	a.	80 MM
	b.	100 MM
	c.	120 MM
	d.	140 MM
	e.	160 MM
	f.	180 MM
	g.	200 MM

	h.	220 MM
322	5/8 RING	
	a.	140 MM
	b.	160 MM
	c.	180 MM
	d.	200 MM
	e.	220 MM
323	WIRE FIXATION BOLT	
	a.	WIRE FIXATION BOLT- CANNULATED
	b.	WIRE FIXATION BOLT- SLOTTED
324	WIRE TENSIONERS	
	a.	WIRE TENSIONERS- MECHANICAL
	b.	WIRE TENSIONERS- DYNAMOMETRIC (DYNAMOMETE)
325	WRENCHOQUBE- MALE	
	a.	1 HOLES
	b.	2 HOLES
	c.	3 HOLES
	d.	4 HOLES
326	WRENCHOQUBE- FEMALE	
	a.	1 HOLES
	b.	2 HOLES
	c.	3 HOLES
	d.	4 HOLES
327	RING CONNECTING BOLT	
	a.	15 MM
	b.	20 MM
328	ALLEN KEY FOR RAIL FIXATOR	
	a.	5.0 MM
	b.	6.0 MM
329	SPANNERS	
	a.	8 MM
	b.	11 MM
	c.	UNIVERSAL BOX SPANNER
330	NUT	
	a.	11 MM NUT
	b.	SQUARE NUT
331	WASHERS FOR FIXATORS	
	a.	SLOTTED WASHER
	b.	SPACING WASHER
	c.	CONICAL WASHER- COUPLE
332	TRIPPLE TROCAR WITH HANDLE	
	a.	50 MM
	b.	100 MM
333	GENERAL FIXATOR ITEMS	
	a.	SOCKET WRENCH- 11 MM
	b.	COMPRESSION/ DISTRACTION DEVICE LARGE

GROUP - J : PINS & WIRES

Sl. No.	Name of articles Specification	
334	3.5 MM MOORE \SPIN WITH 2 NUTS	
	a.	45 MM
	b.	50 MM
	c.	55 MM
	d.	60 MM
	e.	65 MM
	f.	70 MM
	g.	75 MM
	h.	80 MM
	i.	85 MM
	j.	90 MM
	k.	100 MM
	l.	105 MM
	m.	110 MM
	n.	115 MM
	o.	120 MM
	p.	125 MM
	q.	130 MM
	r.	135 MM
	s.	140 MM
	t.	145 MM
	u.	150 MM
335	3.0 MM KNOWLES PIN	
	a.	100 MM
	b.	105 MM
	c.	110 MM
	d.	115 MM
	e.	120 MM
	f.	125 MM
	g.	130 MM
	h.	135 MM
	i.	140 MM
	j.	145 MM
336	4.0 MM KNOWLES PIN	
	a.	95 MM
	b.	100 MM
	c.	105 MM
	d.	110 MM
	e.	115 MM
	f.	120 MM
	g.	125 MM
	h.	130 MM
	i.	135 MM
	k.	140 MM

	l.	145 MM
	m.	150 MM
	n.	155 MM
	o.	160 MM
	p.	165 MM
	q.	170 MM
	r.	175 MM
	s.	180 MM
337	4.5 MM SCHANZ PIN	
	a.	14 TH x 100 MM
338	3.5 MM SCHANZ PIN	
	a.	16TH X 125 MM
	b.	16 TH X 150 MM
	c.	16 TH X175 MM
	d.	16 TH X 200 MM
	e.	18 TH X 175 MM
	f.	32 TH X 150 MM
	g.	32 TH X 175 MM
	h.	32 TH X 200 MM
	i.	32 TH X 225 MM
	k.	40 TH X 225 MM
339	3.5 MM X 4.0 MM SHAFT SCHANZ PIN	
	a.	18 TH X 175 MM
	b.	25 TH X 125 MM
	c.	32 TH X 150 MM
340	3.5 MM X 4.5 MM SHAFT SCHANZ PIN	
	a.	32 TH X 125 MM
	b.	32 TH X 150 MM
341	4.0 MM SCHANZ PIN	
	a.	40 TH X 175 MM
342	4.5 MM SCHANZ PIN	
	a.	18 TH X 150 MM
	b.	18 TH X 175 MM
	c.	18 TH X 200 MM
	d.	18 TH X 225 MM
	e.	25 TH X 125 MM
	f.	25 TH X 150 MM
	g.	25 TH X 175 MM
	h.	25 TH X 200 MM
	i.	25 TH X 225 MM
	j.	25 TH X250 MM
	k.	32 TH X 150 MM
	l.	32 TH X 175 MM
	m.	32 TH X 200 MM
	n.	32 TH X 225 MM
	o.	40TH X 175 MM
	p.	40 TH X 200 MM

	q.	40 TH X 225 MM
343	5.0 MM SCHANZ PIN	
	a.	16 TH X 175 MM
	b.	18 TH X 150 MM
	c.	18 TH X 175 MM
	d.	18 TH X 200 MM
	e.	25 TH X 150 MM
	f.	25 TH X 175 MM
	g.	25 TH X 200 MM
	h.	32 TH X 150 MM
	i.	32 TH X 175 MM
	j.	32 TH X 200 MM
	k.	32 TH X 225 MM
	l.	50 TH X 100 MM
	m.	50 TH X 125 MM
	n.	50 TH X 150 MM
	o.	50 TH X 175 MM
	p.	50 TH X 200 MM
	q.	50 TH X 225 MM
344	6.0 MM SCHANZ PIN	
	a.	32 TH X 150 MM
	b.	32 TH X 175 MM
	c.	32 TH X 200 MM
	d.	32 TH X 225 MM
	e.	50 TH X 125 MM
	f.	50 TH X 150 MM
	g.	50 TH X 175 MM
	h.	50 TH X 200 MM
	i.	50 TH X 225 MM
345	4.0 MM TAPERED SCHANZ PIN	
	a.	18 TH X 50 MM
	b.	20TH X 60MM
	c.	20TH X 70 MM
	d.	20TH X 80 MM
	e.	20TH X 100 MM
346	4.5 MM TAPERED SCHANZ PIN	
	a.	20 TH X 100 MM
	b.	30 TH X 100 MM
	c.	30 TH X 120 MM
	d.	40 TH X 120 MM
	e.	40 TH X 150 MM
	f.	40 TH X 170 MM
347	6.0 MM TAPERED SCHANZ PIN	
	a.	30 TH X 130 MM
	b.	30 TH X 150 MM
	c.	40 TH X 130 MM
	d.	40 TH X 150 MM
	e.	40 TH X 170 MM

	f.	40 TH X 200 MM
	g.	50 TH X 130MM
	h.	50 TH X 150 MM
	i.	50 TH X 170 MM
	j.	50 TH X 200 MM
	k.	50 TH X 225 MM
	l.	50 TH X 250MM
	m.	50 TH X 170MM
	n.	50 TH X 200MM
348	SCHANZ PIN SELF DRILLING AND SELF TAPPING	
	a.	40 TH X 150 MM
	b.	75 TH X 195 MM
	c.	75 TH X 200 MM
349	SCHANZ PIN (STERLISED)	
	a.	16 TH X 150 MM (STERLISED)
	b.	18TH X 200 MM (STERLISED)
	c.	25 TH X 200 MM (STERLISED)
350	6.5 MM CANCELLOUS SCHANZ PIN	
	a.	16 TH X 225 MM
	b.	32 TH X 225 MM
351	CANCELLOUS SCHANZ PIN WITH THREADED END WITH 2 NUTS 6.5 MM	
	a.	L-150 MM
352	3.0 MM STEINMANN PIN	
	a.	150 MM
	b.	175 MM
	c.	200 MM
	d.	225 MM
353	3.0 MM STEINMANN PIN	
	a.	125 MM
	b.	150 MM
	c.	175 MM
	d.	200 MM
	e.	225 MM
	f.	250 MM
354	4.0 MM STEINMANN PIN	
	a.	150 MM
	b.	175 MM
	c.	200 MM
	d.	225 MM
	e.	250 MM
355	4.5 MM STEINMANN PIN	
	a.	150 MM
	b.	175 MM
	c.	200 MM
	d.	225 MM
	e.	250 MM
356	5.0 MM STEINMANN PIN	

	a.	150 MM
	b.	175 MM
	c.	200 MM
	d.	225 MM
357	4.5 MM STEINMANN PIN (STERLISED)	
	a.	225 MM (STERLISED)
356	DANHAM PIN	
	a.	4.5 MM x 225 MM
	b.	5.0 MM X 225 MM
357	DANHAM PIN (STERILIZED)	
	a.	4.5 MM x 225 MM
358	0.6 MM K.WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
359	0.8 MM K. WIRE	
	a.	L 075 MM
	b.	L 100 MM
	c.	L 150 MM
360	1.0 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L-300 MM
361	1.2 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L-300 MM
362	1.4 MM K.WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L-300 MM
	f.	L 310 MM
363	1.5 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L-300 MM
	f.	L-350 MM
	g.	L-400 MM

364	1.6 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L-300 MM
	f.	L-310 MM
365	1.7 MM K. WIRE	
	a.	L 150 MM
366	1.8 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 175 MM
	d.	L 200 MM
	e.	L 250 MM
	f.	L-300 MM
	g.	L 310 MM
367	2.0 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 175 MM
	d.	L 200 MM
	e.	L-225 MM
	f.	L 250 MM
	g.	L 300 MM
	h.	L 310 MM
	i.	L 400 MM
368	2.5 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L-300 MM
	f.	L 400 MM
	g.	L 450 MM
369	3.0 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L-300 MM
	f.	L 310 MM
	g.	L 450 MM
370	3.5 MM K. WIRE	
	a.	L 100 MM
	b.	L 150 MM
	c.	L 200 MM

	d.	L 250 MM
	e.	L-300 MM
371	4.0 MM K. WIRE	
	a.	L 150 MM
	b.	L 200 MM
	c.	L 250 MM
	d.	L 300 MM
	e.	L-350 MM
372	5.0 MM K. WIRE	
	a.	L-300 MM
373	K. WIRE (STERILIZED)	
	a.	1.0 MM - L 150 MM (STERILIZED)
	b.	1.2 MM - L 150 MM (STERILIZED)
	c.	1.5 MM - L 150 MM (STERILIZED)
	d.	1.8 MM - L 150 MM (STERILIZED)
	e.	2.0 MM - L 150 MM (STERILIZED)
	f.	2.5 MM - L 150 MM (STERILIZED)
	g.	3.0 MM - L 150 MM (STERILIZED)
374	1.2 MM DOUBLE ENDED- THREADED K. WIRE	
	a.	L-300 MM
375	1.4 MM DOUBLE ENDED- THREADED K. WIRE	
	a.	L 250 MM
376	1.5 MM DOUBLE ENDED- THREADED K. WIRE	
	a.	L 150 MM
	b.	L 180 MM
	c.	L 200 MM
	d.	L 250MM
	e.	L-300 MM
377	2.0 MM DOUBLE ENDED- THREADED K. WIRE	
	a.	L 150 MM
	b.	L 200 MM
	c.	L 250 MM
378	2.5 MM DOUBLE ENDED- THREADED K. WIRE	
	a.	L-100 MM
	b.	L 150 MM
	c.	L 200 MM
	d.	L 250 MM
	e.	L 300 MM
	e.	L-400 MM
379	3.0 MM DOUBLE ENDED- THREADED K. WIRE	
	a.	L 150 MM
	b.	L 200 MM
	c.	L 250 MM
	d.	L 300 MM
	e.	L-350 MM
380	3.5 MM DOUBLE ENDED- THREADED K. WIRE	
	a.	L 300 MM

381	S.S WIRE (SUTURE)	
	a.	16 SWG
	b.	18 SWG
	c.	20 SWG
	d.	22 SWG
	e.	24 SWG
	f.	26 SWG
	g.	28 SWG
	h.	30 SWG
382	COVENTRY STAPLES	
	a.	SMALL (5 MM STEP)
	b.	MEDIUM (10 MM STEP)
	c.	LARGE (15 MM STEP)
383	ILLIZAROV WIRE (BAYNOT & TROCAR POINT)	
	a.	1.5 (BAYNOT & TROCAR POINT) x 12 MM
	b.	1.5 (BAYNOT & TROCAR POINT) x 16 MM
	c.	1.8 (BAYNOT & TROCAR POINT) x 16 MM
384	OLIVE WIRE (BAYNOT POINT)	
	a.	1.5 (BAYNOT POINT)x 16 "
	b.	1.8 (BAYNOT POINT)x 16 "
GROUP - K		
Sl. No.	Name of articles Specification	
385	UNCEMENTED THR SYSTEM	
	* Fully Hydroxyapatite coated stem	
	* Most optimum level coating 155 microns	
	* Proximal Horizontal macrostructure	
	* Distal Macrostructure	
	* 12/14 Articuleze Mini Taper	
	* Neck Shaft Angle - 130° to 135°	
	* Neck length : 38.5 mm/ Offset: 38-43 mm	
	* Stem Length: 115-165 mm	
	* Femoral head Metallurgy- CoCr (Cobalt Chromium Molybdenum)	
	* Cancellous screw diameter 6.5 mm	
	* Metallurgy- Ti6Al4V (Forged Titanium Aluminium Vanadium Alloy)	
	* Fully threaded self tapping cancellous screw	
	* Moderate crosslinked polythelene acetabular liner	
	* Metallurgy : Moderately Cross linked - 5 Mrad (GUR 402 grade UHMWPE)	
	* Dome poly thickness 6-10 mm with 180 degree femoral head coverage	
	* Gamma Irradiated Vaccum packed	
	* Available with neutral and +4 mm lateralised option	
	* Aceptabular cup Metallurgy: Ti6Al4V	
	* Aceptabular cup dome geometry is 165 degree sub hemisphere shape	
	* Cup Porocoat porous coating -250 microns	
	* Pore diameter- coating thickness 0.8 mm	
	* Locking -ring mechanism	
386	Cemented THR System	
	* Stem Metallurgy- orton 90	

	* Tripple Tapered polished stem
	* Stem Offset 26-42 mm
	* Stem neck length : 25.5-32.1 mm & distal stem tip diameter 5.8 mm
	* Leg length range 26-29 mm
	* 9/10 & 12/14 taper
	* proximal M/L width range : 24.8- 29.7 mm
	* A/P width :10.3 -13 mm
	* Femoral head Mettallurgy - Orton 90
	* Ogee flanged polythylene acetabular cup 4 MRAD poly with long posterior wall
	* Radiographic Positioning ring 15 degree angle bore option
	* Void Centraliser Mettallurgy- PMMA (Sizes : 10 , 12, 14, 16 mm)
	* Hardinge cement restrictor thickness- 8, 8.5, 9, 11.5 mm
387	Cemented Bipolar System
	* Modular two part system metal cup with poly liner
	* Sizing range 39-65 mm
	* Compatable with 22.225 and 28 mm head
	* Easy conversion to total hip without distrubing femoral componeny
	* Dedicated modular endo heads
	* Available to use both Uncemented and cemented hip system
	* Design to Accurate fit for wide range of patient
	* Locking ring locks the poly liner into metal cup
	* Stem Metallurgy- Orton 90
	* Tripple Tapered polished stem
	* Stem offset 26-42 mm
	* Stem neck length : 25.5-32.1 mm & distal stem tip diameter 5.8 mm
	* Leg length range 26-29 mm
	* 9/10 & 12/14 taper
	* proximal M/L width range : 24.8- 29.7 mm
	* A/P width :10.3 -13 mm
	* Femoral head Mettallurgy - Orton 90
	* Hardinge cement restrictor thickness- 8, 8.5, 9, 11.5 mm
388	Uncemented Bipolar system
	* Modular two part system metal cup with poly liner
	* Sizing range 39-65 mm
	* Compatable with 22.225 and 28 mm head
	* Easy conversion to total hip without distrubing femoral componeny
	* Dedicated modular endo heads
	* Available to use both Uncemented and cemented hip system
	* Design to Accurate fit for wide range of patient
	* Locking ring locks the poly liner into metal cup
	* Fully Hydroxyapatite coated stem
	* Most optimal level coating 155 microns
	* Proximal Horizontal macrostructure
	* Distal Macrostructure
	* 12/14 Articuleze Mini Taper
	* Neck Shaft Angle -135 degree
	* Neck Length: 38.5 mm/offset:38-43 mm
	* Stem length : 115-165 mm

389	<p>* Femoral head Metaallurgy- Co Cr (Cobalt Chromium Molybdenum)</p> <p>Bone cement:</p> <p>* High viscosity cement</p> <p>* Longer working time and comparably short setting time</p> <p>* Contains Methyl Methacrylate/ Methyl acrylate copolymer blend</p> <p>* Sterilised using as the radiopaque agent</p> <p>* Zentamycin loaded</p>
390	<p>TKR System:</p> <p>* Femoral component Metaallurgy- Co Cr (Cobalt Chromium Molybdenum)</p> <p>* Femur should have a deep sulcus (trochlear) groove ratio of 1.0" to 0.3" radii with 7 degree Q angle to mechanical axis</p> <p>* Femur should have J-curve articulation with multi radius design</p> <p>* Femoral component inner box dimension- 17.8 mm</p> <p>* Femoral component A/P dimension 57-69 mm</p> <p>* Femoral component M/L dimension 53-73 mm</p> <p>* Femoral component lift off height 20.3 mm</p> <p>* Femoral component posterior thickness 8 mm & distal thickness 9mm</p> <p>* 7 degree deep conforming trochlear groove</p> <p>* Tibial component Metallurgy Ti6Al4V (Forged Titanium Vanadium Alloy)</p> <p>* Anatomical 3 degree slope on keel</p> <p>* Spirallock threads in the distal aspect of keel accepts various dia & length of Tibial stem</p> <p>* Peripheral locking Rim Present</p> <p>* Thickness of tibial Platform -2mm</p> <p>* Tibial component M/L dimension 61 -83 mm and A/P dimension 41-55 mm</p> <p>* Keel height 38-43 mm A/P dimension of keel 21-24 mm and M/L dimension 37-43 mm</p> <p>* Poly Insert metallurgy-mild cross linked 5 MRAD (Gur 402 grade UHMPE)</p> <p>* Spine width 16.3 mm</p> <p>* Spine Height- 19mm</p> <p>* Insert Thickness 8, 10, 12.5, 15, 17.5 mm</p> <p>* Minimum Effective poly- 6mm</p> <p>* M/L dimension 58-83 mm & A/p dimension 38-55 mm</p> <p>* Peripheral anterior double locking</p> <p>* Dome patella Metallurgy - calcium stearate free UHMWPE</p> <p>* Three peg patella</p> <p>* Patella Thickness 8, 8.5 , 9 & 11.5 mm</p>
391	<p>Hemi Shoulder system</p> <p>* Available in proximally Porocoat®</p> <p>* porous -coated and non -coated humeral stems</p> <p>* Trial and implants height markings assist in re- establishing anatomical height</p> <p>* A reduced proximal body helps preserve bone stock for tuberosity attachment</p> <p>* Anterior fin with hole provides the proper anatomical location for tuberosity fixation</p> <p>* Modular humeral heads provide more anatomical options than fixed head system</p> <p>* A medial fin hole provides additional fixation opportunities</p> <p>* Low profile femoral head</p> <p>* Increase articular surface area by 25-33 percent</p> <p>* Modular head coming into 5 diameter and 3 different heights (diameter 40,44,48,52, 56 mm & height 15 , 18 , 21 mm)</p>

392	Total shoulder system
	* Available in proximally Porocoat®
	* porous -coated and non -coated humeral stems
	* Trial and implants height markings assist in re- establishing anatomical height
	* A reduced proximal body helps preserve bone stock for tuberosity attachment
	* Anterior fin with hole provides the proper anatomical location for tuberosity fixation
	* Modular humeral heads with maximized articular surface area
	* Reverse Morse taper locking mechanism provides maximum surgical exposure
	* Modular humeral heads provide more anatomical options than fixed head system
	* A medial fin hole provides additional fixation opportunities
	* Peg & keel system glenoid to give more rotational stability
	* 3 types of glenoid anchor peg, keeled and 5 pegged glenoid
	* Glenoid made off UHMWPE
393	Elbow System:
	* Hinge Prothesis
	* Made off Stailless stell type of metal
	* Both the edges should be narrow to reduce pain
	Shoulder Instrument system;
394	Humeral stem instrument set:
	* Single reaming and broach technique
	* Manual and power both reaming option needed
	* Anterotation fin
	* Height and rotation adjustable zig
395	Humeral Head instrument set:
	* Diameter should 40, 44, 48, 52, and 56 & height should be 15, 18 & 21 mm
	* Different color coading for different sizes head which gives you maximum anatomic coverage
396	Glenoid instrument sets:
	* All 3 peg, keeled and anchor peg option should be available
	* Diameter should 40, 44, 48, 52, and 56 & height should be 15, 18 & 21 mm
397	Total instrument set for TKR system:
397a.	Instrument set for Tibial component:
	* Tibial zig should have option 0 degree, 3 degree & 5 degree inbuilt slope
	* +/-2 mm cutting option be there within the zig itself
	* External tibial zig should have medio/ lateral sliding option to correct the varus/ valgus deformity & anterior sliding option to correct the posterior additional slope
397b.	Instrument set for Femoral component:
	* Femoral zig should have options of posterior referencing and anterior referencing
	* All cuts in one zig except notch cut
	* saw capture should be there within the zig itself to protect the extra bone cut
	* Varus/ valgus deformity correction option should be there within the zig itself
397c.	Instrument set for Tibial Insert component
	* High performance instrumnets to support anterior- posterior transition to match flexion to extension gap
	* Different colour coding for each insert trial
	* Sizes should be 8/10/12.5/15 & 17.5 in each sizes from 1.5-5

397d.	Instrument set for basic and common TKR system
	* High performance instruments designed to minimally invasive procedure (MIS)
397e.	Instrument set for patellar component:
	* Sizes should be 32/35/38 & 41
	* saw capture should be there within the zig itself to protect the extra bone cut within cutting zig itself
	* 3 peg patella cutting zig needed
398	Total instrument set for THR system:
398a	Instrument set for Uncemented stem component
	* Downwards cutting broaches
	* single broach technique
	* 45 degree neck cutting option
	* 12/14 taper
398b	Instrument set for Uncemented cup component
	* Sub hemispherical cup trials 165 degree dome
	* Liner trial; lock in option within the shell
	* Anteversion and abduction angle reference guide
	* Compatible with 28 & 32mm head
398c	Instrument set for cemented stem component
	* Diamond cutting broaches
	* Wide range of each sizes straight reamer
	* 12/14 taper
399d	Instrument set for cemented cup component
	* Compatible with 28 mm diameter head
	* Wide range of acetabulum reamer
	* Compatible with 28 mm diameter head
399e	Instrument set for acetabulum reamer:
	* Clock wise cutting edge
	* Subhemispherical shape
	* Available in both option manual and power reaming
399f	Instrument set for Bipolar:
	* Available in 22 & 28 Diameter
	* Size range 39-65 mm
	* Design to accurate fit for wide range of patient
400a	Battery Reamer/drill (handpiece) set:
	* Fully Cannulated with 4.0 mm diameter
	* Drilling Speed from 0-930 rpm
	* Reaming Speed from 0-340 rpm
	* Power 195 watt
	* Torque Up to 15 Nm
	* Weight including Batteries 1565 g
	* Clockwise/ counter- clockwise operation
	* Operating voltage 14.8 V
	* Typical Charging Time of less than 60 min
400b	Battery Oscillator (Handpiece) set:
	* variable frequency of 0 to 12,000 osc/min.
	* Saw Blade deflection 4.5 °
	* Keyless fixation of Saw Blades

	* Saw Blade should fixation in 45 ° increments i.e total 8 positions
	* Weight including Batteries 1685 g
	* Operating Volatge 14.8 V
	* Typical Charging time of less than 60 min
	* Saw Blade for TJR Surgery Length 81 to 116 mm, Usable L 60 to 95 mm, Width 12.5 to 25 mm, Thickness 0.89 to 1.47 mm
	* Saw Blade for General Traumatology Length 46 to 90 mm, Usable Length 25 to 69 mm, Width 10 to 50 mm, Thickness 0.4 to 1.2 mm
400c	Batteries/ casing/ Charger set:
	* No memory effect (special charging process eliminates memory effect)
	*Long battery -lifetime (> 1000 charging cycles)
	* Non- sterile batteries
	* Quick Re-availability (because no washing/ sterilization is necessary)
	* No loss of battery capacity due to sterilization
	* Safe and easy handling in the opertaion theatre
	* Standard battery : 14.8V, 1.5 Ah, Li-Ion
	* Holds the 14.8 V battery to establish connection with the handpiece
	*Helps to ensure aseptic transfer of batteries with the help of sterile cover
	* With locking mechanism to prevent the battery from falling
	* Made up of PEEK (Polyetheretherketone)
	* fully Autoclavable
	* Should have 4 charging bays
	* Should be capable of charging NiCd, NiMh and Lithium Ion batteries
	* Should display the charging status of the batteries
	* Should have option of Refreshing batteries
	* Keeps inserted batteries constantly fully loaded
400d	Drill Chuck with Key / Hudson quick coupling/ Quick coupling for kirschner wires set:
	* 3.2 mm Cannulated with key
	* Operating capacity from 0.5 to 7.3 mm diameter
	* Maximum Speed: 930 rpm
	*Torque 6 Nm
	* 4.0 mm Cannulation
	* Maximum Speed: 340 rpm
	* torque 15 Nm
	* For dia 1.5 to 4.0 mm wires
	* Maximum Speed: 930 rpm
400e	Reciprocating Saw system
	* variable frequency of 0 to 14,000 osc/min.
	* Weight Including Batteries 1675 g
	* Stroke 4 mm
	* Operating voltage 14.8 V
	*Typical Charging time of less than 60 min
	* Click in Saw Blade fixation
	* Saw Blade for Reciprocating saw Length 55 to 80 mm, Cutting Thickness 0.85 to 1.1mm, Width 10 to 12 mm

ई-निविदा की तकनीकी भाग

BOQ for Participating the bid for quoting make and model offered by the bidders as technical bid.

Sl. No.	Item Description	Offered Make/Brand	Model/Size etc.
1	2	3	4
1	<u>CONSUMABLES/ACCESSORIES REQUIRED IN ANGIOGRAPHY/ANGIOPLASTY IN CARDIOLOGY DEPARTMENT GROUP A</u>		
1.01	Adult Introducer sheath with hemostaic valve & Puncture needle. Size:6F, 7F USFDA approved		
1.02	Radial artery cannulation kit comprising of arterial sheath, Puncture needle 21G, Guide wire of 0.018"/0.021" and 50 cm long straight tip Size : 5F,6F,7F. USFDA approved		
1.03	Manifold two port knobs to trun right when open		
1.04	Pressure line : 100-150cm 4-6mm compatible with manifold and three way ports		
1.05	Leur lock syringe for angiography (for mulltiple high pressure contrast injection in single patient) 5cm, 10cc		
1.06	Angiography guidewires - A.) 0.035" PTFE coated J tip length (a) 140-160 cm (b) 250-260 cm and B.) 0.032" PTFE coated J tip length a.) 140-160cm USFDA approved		
1.07	Right Coronary angiography diagnostic catheter's :- 100 cm or longer for femoral approach and various curves of 3, 3.5, 4.0 & 5. USFDA approved		
1.08	Left coronary angiography diagnostic catheters : 100 cm or longer for femoral approach and various curves of 3, 3.5, 4.0 & 5. USFDA approved		
1.09	Pigtail catheter's :- straight and angled 145-155 high flow light radius with 6-12 side holes, 5F, 6F, 7F USFDA approved		
1.1	Coronary angiography diagnostic catheters for radial approach: 65 cm or longer and various curves 3, 3.5, 4, 5 USFDA approved		
2	Group B		
2.01	PTCA Guiding Catheters :- It should be large Lumen, stainless steel braided, inner layer coated with PIFE. It should have soft tip with radiopaque marker band at tip for femoral and radial route. 6F & 7F with curves (3,3.5,4,5) USFDA approved / CE / DCGI approved		
2.02	PTCA Guiding Catheters - Judkin left , USFDA approved / CE / DCGI approved		
2.03	PTCA Guiding Catheters -Judkin right , USFDA approved / CE / DCGI approved		

2.04	PTCA Guiding Catheters - AL1, AL2, AR-1, AR-2, (Amplate Left & Right) , USFDA approved / CE / DCGI approved		
2.05	PTCA Guiding Catheters - Extraback up left , USFDA approved / CE / DCGI approved		
2.06	PTCA Guiding Catheters - Extraback up right , USFDA approved / CE / DCGI approved		
2.07	PTCA Guiding Catheters - XB, Voda Left, Voda Right , USFDA approved / CE / DCGI approved		
2.08	Radial Guiding Catheter - EBU for left, ECR for right , USFDA approved / CE / DCGI approved		
2.09	Angiographic guide wire - Extra shift coated J tip , length (a) 140-160cm (b) 250-260cm USFDA approved / CE / DCGI approved		
2.1	Inflation device with manometer 0-30 ATM & luminescent dial face. Easy to operate with ergonomic design. High strength syringe to maintain high pressure setting without pressure loss and immediate pressure release USFDA approved / CE / DCGI approved		
2.11	PTCA insertion needle & torque device accepting 0.014", 0.018" guide wire.		
2.12	Y Connector for PTCA - rotating hemostatic valve with spring type push & release mechanism. It should bleed back control valve and without formation of micro/macro air bubbles inside it during procedures.		
2.13	Non spring Screw type Y connector for PTCA		
2.14	Radiofocus guidewire (termou) J tip hydrophilic polymer length 150-160 cm, 0.018", 0.032", 0.038"		
2.15	PTCA predilatation monorail balloon (semi complaint). Hypotube shaft design, low entry profile (0.017") and sequential tip for lesion accessibility and SF guiding catheter compatibility. Diameter (in mm):- 1.5, 2.0, 2.5, 2.75, 3, 3.5, 4.0. Length:- <10mm to 30mm. USFDA approved / CE / DCGI approved		
2.16	High Pressure noncomplaint balloon with high RBP(20ATM or more) smooth, rounded distal tip and no edge. Overdilatation at higher pressure, with leart balloon overhang at the edges will be preferred. Diameter:- (mm) - 2,2.5,2.75,3, 3.25, 3.5, 3.75, 4, 4.5. Length:- (mm)- <8mm to 20mm. USFDA approved / CE / DCGI approved		
2.17	Steerable PTCA floppy tip wire with extra support 0.014" USFDA approved / CE / DCGI approved		
2.18	Steerable PTCA Wire with hydrophilic coating, 0.014" floppy tip with extrasupport 0.014". USFDA approved / CE / DCGI approved		
2.19	Radial closure device comprising of compression pad with anatomic softwnst support pad		
2.2	Microcatheters over the wire system with end hole catheters. Int diameter - 1.7 to 2F, Shaft length - 130 to 170cm. USFDA approved / CE / DCGI approved		
2.21	Bipolar temporary lead with introducer sheath (Adult 6, 7 F) USFDA approved / CE / DCGI approved		

3	Group C (BMV)		
3.01	Mitral valvuloplasty double lumen PTMC balloon with vent tube and hole in outer layer of balloon different sizes. USFDA approved / CE / DCGI approved a.) with accessories		
3.02	b.) without accessories.		
3.03	PTMC double lumen balloon with no hole in balloon wall different sites. USFDA approved / CE / DCGI approved a.) with accessories		
3.04	b.) without accessories.		
3.05	Mullin sheath		
3.06	Brokenbrough Needle		
4	Group D (Coronary Stents) Size of coronary stent :- All available sizes, Diameter - <2mm to 4.5mm, length - 8mm to 60mm.		
4.01	Bare metal Stents of various sizes. USFDA approved / CE / DCGI approved		
4.02	Sirolimus Coated Drug eluting stents. USFDA approved / CE / DCGI approved (a) Stainless steel base		
4.03	(b) Cobalt Chromium base		
4.04	(c) Platinum Chromium base.		
4.05	Paclitaxel Coated Drug eluting stents. USFDA approved / CE / DCGI approved (a) Stainless steel base		
4.06	(b) Cobalt Chromium base		
4.07	(c) Platinum Chromium base.		
4.08	Everolimus Coated Drug eluting stents. USFDA approved / CE / DCGI approved (a) Stainless steel base		
4.09	(b) Cobalt Chromium base		
4.1	(c) Platinum Chromium base.		
4.11	Zotarolimus Coated Drug Eluting stents USFDA approved / CE / DCGI approved (a) Stainless steel base		
4.12	(b) Cobalt Chromium base		
4.13	(c) Platinum Chromium base.		

4.14	Sirolimus Coated Drug eluting stent with biodegradable polymer. USFDA approved / CE / DCGI approved (a) Stainless steel base		
4.15	(b) Cobalt Chromium base		
4.16	(c) Platinum Chromium base.		
4.17	Coronary stent graft with low profile (<1.5 mm), Diameter - 2.5 - 4 mm, length- upto 30mm or more		
4.18	Tacrolimus & Newer limus drug eluting coronary stents. USFDA approved / CE / DCGI approved		
4.19	Drug eluting Coronary stents - Polymer free & Bioabsorbable. USFDA approved / CE / DCGI approved		
5	Group E (Closure Device)		
5.01	ASD Closure device with delivery system - USFDA approved / CE / DCGI approved. Approved for pediatric & adult size. Device must be made up of biologically inert material, self-centring, detachable device with delivery cable available in all approved sizes.		
5.02	PDA Closure device with delivery system - USFDA approved / CE / DCGI approved. Approved for pediatric & adult size. Device must be made up of biologically inert material, self centring, detachable device with delivery cable in all approved sizes.		
6	Group F (Pacemakers/ ICD / CRT)		
6.01	Pacemaker VVI / AAI, FDA Approved Advanced digital multi-programmable pacemaker with following features > Single chamber pacemaker > Digital signal processing > Digital high sampling rates of P or R wave. > Automated ventricular rate stabilization during AF. Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting > Algorithm to minimize ventricular pacing will be preferred (a) With 7F compatible passive fixation tined leads or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only		

<p>6.02</p>	<p>Pacemaker VVIR / AAIR, FDA Approved Advanced digital multi-programmable pacemaker with following features > Single chamber pacemaker > Digital signal processing > Digital high sampling rates of P or R wave. > Automated ventricular rate stabilization during AF. Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting > Algorithm to minimize ventricular pacing will be preferred (a) With 7f compatible passive fixation tined leads or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw inlead & lead introducer only</p>		
<p>6.03</p>	<p>Pacemaker VDD , FDA Approved Pace Advanced digital multi-programmable pacemaker with following features - > Single and dual chamber pacemaker > Digital signal processing > Digital high sampling rates of P and R wave. > Automated ventricular rate stabilization during AF. > Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting > Algorithm to minimize ventricular pacing will be preferred (a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only</p>		
<p>6.04</p>	<p>Pacemaker DDD , FDA Approved Advanced digital multi-programmable pacemaker with following features >Single and dual chamber pacemaker > Digital signal processing > Digital high sampling rates of P and R wave. > Automated ventricular rate stabilization during AF. > Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting > Algorithm to minimize ventricular pacing will be preferred (a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only</p>		

6.05	<p>Pacemaker DDDR , FDA Approved</p> <p>Advanced digital multi-programmable pacemaker with following features -</p> <ul style="list-style-type: none"> >Single and dual chamber pacemaker >Digital signal processing >Digital high sampling rates of P and R wave. >Automated ventricular rate stabilization during AF. >Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting >Algorithm to minimize ventricular pacing will be preferred <p>(a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer.</p> <p>(b) Pulse generator only</p> <p>(c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only</p>		
6.06	Pacemaker DDDR / MRI COMPATIBLE with passive fixation steroid tipped tined leads or screw in leads with advanced features, FDA Approved		
6.07	Pacemaker VVI / MRI COMPATIBLE , FDA APPROVED		
6.08	Pacemaker VVIR / MRI COMPATIBLE, FDA APPROVED		
6.09	Pacemaker VDD / MRI COMPATIBLE, FDA APPROVED		
6.1	<p>ICD SINGLE CHAMBER, FDA APPROVED</p> <ul style="list-style-type: none"> * ICD should be small and physiological * Algorithm to eliminate over-sensing of R wave, T wave, fractionated QRS and other extraneous signals * Morphology bases SVT discrimination algorithm * ATP during charging * Wireless Telemetry * Encourage intrinsic conduction * More than 30 minutes of stored EGM * Device with all leads, FDA Approved * Device without leads, FDA Approved 		
6.11	Permanent pacing lead (ventricular/Atrialendocardial bipolar, passive fixation with tines), steroid elutng , IS - 1 header, FDA Approved		
6.12	Permanent pacing lead (Ventricular / Atrial endocardial bipolar, active fixation with screws), steroid eluting, IS - 1 header, FDA Approved		
6.13	Permanent defibrillation lead, bipolar endocardial steroid eluting active and passive fixation lead, FDA Approved		
6.14	ICD SINGLE CHAMBER / MRI COMPATIBLE, FDA Approved		

6.15	<p>ICD DOUBLE CHAMBER , FDA Approved</p> <ul style="list-style-type: none"> * ICD should be samll and physiological * Algorithm to eliminate over - sensing of R Wave, T Wave, fractionated QRS and Other extraneous signals * Morphology bases SVT discrimination algorithm * ATP during charging * Wireless Telemetry * Encourage intrinsic conduction * More than 30 minutes of stored EGM. <ul style="list-style-type: none"> * Device with all leads, FDA Approved * Device without leads, FDA Approved 		
6.16	<p>ICD DOUBLE CHAMBER / MRI COMPATIABLE , FDA Approved</p> <ul style="list-style-type: none"> * ICD should be small and physiological * Algorithm to eliminate over - sensing of R Wave, T Wave, fractionated QRS and Other extraneous signals * Morphology bases SVT discrimination algorithm * ATP during charging * Wireless Telemetry * Encourage intrinsic conduction * More than 30 minutes of stored EGM. <ul style="list-style-type: none"> * Device with all leads, FDA Approved * Device without leads, FDA Approved 		
6.17	<p>BIVENTRICULAR PACING CRT - P, FDA Approved</p> <ul style="list-style-type: none"> * Device with all leads (Including LV leads), FDA Approved * Device without leads, FDA Approved 		
6.18	<p>BIVENTRICULAR PACING CRT - D, COMBO, FDA Approved</p> <ul style="list-style-type: none"> * Device with all leads (Including LV leads), FDA Approved * Device without leads, FDA Approved 		
7	ACCESSORIES/CONSUMABLES/IMPLANTS REQUIRED IN ORTHOPAEDICS DEPARTMENT		
8	GROUP - A : BONE PLATES - LOCKING		
9	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITHOUT LATERAL EXTENSION- RIGHT SIDE		
9.01	6 HOLES		
9.02	7 HOLES		
9.03	8 HOLES		
10	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITHOUT LATERAL EXTENSION- LEFT SIDE		
10.01	6 HOLES		

10.02	7 HOLES		
10.03	8 HOLES		
11	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITH LATERAL EXTENSION-RIGHT SIDE		
11.01	3 HOLES		
11.02	4 HOLES		
11.03	5 HOLES		
11.04	6 HOLES		
11.05	7 HOLES		
11.06	8 HOLES		
12	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITH LATERAL EXTENSION- LEFT SIDE		
12.01	3 HOLES		
12.02	4 HOLES		
12.03	5 HOLES		
12.04	6 HOLES		
12.05	7 HOLES		
12.06	8 HOLES		
13	3.5 MM LCP CLAVICLE HOOK PLATE- RIGHT SIDE		
13.01	4 HOLES 12MM DEPTH		
13.02	4 HOLES 15MM DEPTH		
13.03	4 HOLES 18MM DEPTH		
13.04	5 HOLES 12MM DEPTH		
13.05	5 HOLES 15MM DEPTH		
13.06	5 HOLES 18MM DEPTH		
13.07	6 HOLES 12MM DEPTH		
13.08	6 HOLES 15MM DEPTH		
13.09	6 HOLES 18MM DEPTH		
13.1	7 HOLES 12MM DEPTH		
13.11	7 HOLES 15MM DEPTH		
13.12	7 HOLES 18MM DEPTH		
14	3.5 MM LCP CLAVICLE HOOK PLATE- LEFT SIDE		
14.01	4 HOLES 12MM DEPTH		
14.02	4 HOLES 15MM DEPTH		
14.03	4 HOLES 18MM DEPTH		
14.04	5 HOLES 12MM DEPTH		
14.05	5 HOLES 15MM DEPTH		
14.06	5 HOLES 18MM DEPTH		
14.07	6 HOLES 12MM DEPTH		

14.08	6 HOLES 15MM DEPTH		
14.09	6 HOLES 18MM DEPTH		
14.1	7 HOLES 12MM DEPTH		
14.11	7 HOLES 15MM DEPTH		
14.12	7 HOLES 18MM DEPTH		
15	3.5 MM LCP SMALL PLATE		
15.01	5 HOLES		
15.02	6 HOLES		
15.03	7 HOLES		
15.04	8 HOLES		
15.05	9 HOLES		
15.06	10 HOLES		
15.07	11 HOLES		
15.08	12 HOLES		
15.09	14 HOLES		
16	3.5 MM LCP PERIARTICULAR PROXIMAL HUMERUS PLATE - RIGHT SIDE		
16.01	2 HOLES		
16.02	4 HOLES		
16.03	6 HOLES		
16.04	8 HOLES		
16.05	10 HOLES		
16.06	12 HOLES		
16.07	14 HOLES		
17	3.5 MM LCP PERIARTICULAR PROXIMAL HUMERUS PLATE - LEFT SIDE		
17.01	2 HOLES		
17.02	4 HOLES		
17.03	6 HOLES		
17.04	8 HOLES		
17.05	10 HOLES		
17.06	12 HOLES		
17.07	14 HOLES		
18	3.5 MM LONG PHILOS PLATE		
18.01	2 HOLES		
18.02	3 HOLES		
18.03	4 HOLES		
18.04	5 HOLES		
18.05	6 HOLES		

18.06	7 HOLES		
18.07	8 HOLES		
18.08	9 HOLES		
18.09	10 HOLES		
18.1	11 HOLES		
18.11	12 HOLES		
18.12	13 HOLES		
19	3.5 MM LONG SHORT PHILOS PLATE		
19.01	3 HOLES		
19.02	5 HOLES		
20	3.5 MM LCP RECONSTRUTION PLATE		
20.01	4 HOLES		
20.02	5 HOLES		
20.03	6 HOLES		
20.04	7 HOLES		
20.05	8 HOLES		
20.06	9 HOLES		
20.07	10 HOLES		
20.08	12 HOLES		
20.09	14 HOLES		
20.1	16 HOLES		
20.11	18 HOLES		
20.12	20 HOLES		
20.13	22 HOLES		
21	3.5/ 5 MM LCP METAPHYSEAL PLATE		
21.01	5+3 HOLES		
21.02	5+4 HOLES		
21.03	5+5 HOLES		
21.04	5+6 HOLES		
21.05	5+7 HOLES		
21.06	5+ 8 HOLES		
21.07	5+9 HOLES		
21.08	5 +11 HOLES		
21.09	5+13 HOLES		
22	3.5 MM OLECRANON PLATE RIGHT		
22.01	4 HOLES		
22.02	6 HOLES		
22.03	8 HOLES		
22.04	10 HOLES		

22.05	12 HOLES		
23	3.5 MM OLECRANON PLATE - LEFT		
23.01	4 HOLES		
23.02	6 HOLES		
23.03	8 HOLES		
23.04	10 HOLES		
23.05	12 HOLES		
24	3.5 MM LCP MEDIAL DISTAL HUMERUS PLATE - RIGHT SIDE		
24.01	3 HOLES		
24.02	5 HOLES		
24.03	7 HOLES		
24.04	9 HOLES		
24.05	14 HOLES		
25	3.5 MM LCP MEDIAL DISTAL HUMERUS PLATE - LEFT SIDE		
25.01	3 HOLES		
25.02	5 HOLES		
25.03	7 HOLES		
25.04	9 HOLES		
25.05	14 HOLES		
26	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITH LATERAL SUPPORT- RIGHT SIDE		
26.01	3 HOLES		
26.02	5 HOLES		
26.03	7 HOLES		
26.04	9 HOLES		
26.05	14 HOLES		
27	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITH LATERAL SUPPORT- LEFT SIDE		
27.01	3 HOLES		
27.02	5 HOLES		
27.03	7 HOLES		
27.04	9 HOLES		
27.05	14 HOLES		
28	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITHOUT LATERAL SUPPORT- RIGHT SIDE		
28.01	3 HOLES		
28.02	5 HOLES		
28.03	7 HOLES		
28.04	9 HOLES		

28.05	14 HOLES		
29	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITHOUT LATERAL SUPPORT- LEFT SIDE		
29.01	3 HOLES		
29.02	5 HOLES		
29.03	7 HOLES		
29.04	9 HOLES		
29.05	14 HOLES		
30	3.5 MM LCP EXTRA- ARTICULAR DISTAL HUMERUS PLATE- RIGHT SIDE		
30.01	4 HOLES		
30.02	6 HOLES		
30.03	8 HOLES		
30.04	10 HOLES		
30.05	12 HOLES		
30.06	14 HOLES		
31	3.5 MM LCP EXTRA- ARTICULAR DISTAL HUMERUS PLATE- LEFT SIDE		
31.01	4 HOLES		
31.02	6 HOLES		
31.03	8 HOLES		
31.04	10 HOLES		
31.05	12 HOLES		
31.06	14 HOLES		
32	2.4 MM /2.7 MM VA- TWO COLUMN VOLAR DISTAL RADIUS PLATE		
32.01	2 HOLES		
32.02	3 HOLES		
32.03	4 HOLES		
32.04	5 HOLES		
33	3.5 MM LCP T-PLATE RIGHT ANGLE		
33.01	3 HOLES		
33.02	4 HOLES		
33.03	5 HOLES		
33.04	6 HOLES		
33.05	7 HOLES		
33.06	8 HOLES		
34	3.5 MM LCP T-PLATE OBLIQUE ANGLE - RIGHT SIDE		
34.01	3 HOLES		
34.02	4 HOLES		
34.03	5 HOLES		

34.04	6 HOLES		
34.05	7 HOLES		
34.06	8 HOLES		
35	3.5 MM LCP T-PLATE OBLIQUE ANGLE - LEFT SIDE		
35.01	3 HOLES		
35.02	4 HOLES		
35.03	5 HOLES		
35.04	6 HOLES		
35.05	7 HOLES		
35.06	8 HOLES		
36	2.4 MM LCP DISTAL RADIUS PLATE STRAIGHT- DORSAL		
36.01	5 HOLES		
36.02	6 HOLES		
37	2.4 MM LCP DISTAL RADIUS PLATE - RIGHT SIDE DORSAL		
37.01	2 HEAD HOLES, 3 SHAFT HOLES		
37.02	2 HEAD HOLES , 4 SHAFT HOLES		
38	2.4 MM LCP DISTAL RADIUS PLATE - LEFT SIDE DORSAL		
38.01	2 HEAD HOLES, 3 SHAFT HOLES		
38.02	2 HEAD HOLES , 4 SHAFT HOLES		
39	2.4 MM LCP L DISTAL RADIUS PLATE - RIGHT SIDE DORSAL		
39.01	3 HEAD HOLES, 3 SHAFT HOLES		
39.02	3 HEAD HOLES , 4 SHAFT HOLES		
40	2.4 MM LCP L DISTAL RADIUS PLATE - LEFT SIDE DORSAL		
40.01	3 HEAD HOLES, 3 SHAFT HOLES		
40.02	3 HEAD HOLES , 4 SHAFT HOLES		
41	2.4 MM LCP DISTAL RADIUS PLATE OBLIQUE- RIGHT SIDE DORSAL		
41.01	3 HEAD HOLES, 3 SHAFT HOLES		
41.02	3 HEAD HOLES , 4 SHAFT HOLES		
42	2.4 MM LCP DISTAL RADIUS PLATE OBLIQUE- LEFT SIDE DORSAL		
42.01	3 HEAD HOLES, 3 SHAFT HOLES		
42.02	3 HEAD HOLES , 4 SHAFT HOLES		
43	2.4 MM LCP T DISTAL RADIUS PLATE - DORSAL		
43.01	3 HEAD HOLES, 3 SHAFT HOLES		
43.02	3 HEAD HOLES , 4 SHAFT HOLES		
44	2.4 MM LCP DISTAL RADIUS PLATE - RIGHT SIDE VOLAR		
44.01	5 HEAD HOLES, 3 SHAFT HOLES		

44.02	5 HEAD HOLES , 5 SHAFT HOLES		
45	2.4 MM LCP DISTAL RADIUS PLATE - LEFT SIDE VOLAR		
45.01	5 HEAD HOLES, 3 SHAFT HOLES		
45.02	5 HEAD HOLES , 5 SHAFT HOLES		
46	2.4 MM LCP BUTTRESS PLATE- RIGHT SIDE - VOLAR		
46.01	5 HEAD HOLES , 3 SHAFT HOLES		
47	2.4 MM LCP BUTTRESS PLATE- LEFT SIDE - VOLAR		
48	5.0 MM LCP DISTAL FEMUR PLATE- LEFT SIDE		
48.01	5 HOLES		
48.02	7 HOLES		
48.03	9 HOLES		
48.04	11 HOLES		
48.05	13 HOLES		
48.06	15 HOLES		
49	5.0 MM LCP PROXIMAL FEMUR PLATE (TROCHANTRIC PLATE)		
49.01	5 HOLES		
49.02	7 HOLES		
49.03	9 HOLES		
49.04	11 HOLES		
49.05	13 HOLES		
50	5.0 MM LCP NARROW PLATE		
50.01	5 HOLES		
50.02	6 HOLES		
50.03	7 HOLES		
50.04	8 HOLES		
50.05	9 HOLES		
50.06	10 HOLES		
50.07	11 HOLES		
50.08	12 HOLES		
50.09	14 HOLES		
50.1	16 HOLES		
51	5.0 MM LCP T- BUTTRESS PLATE		
51.01	4 HOLES		
51.02	5 HOLES		
51.03	6 HOLES		
51.04	7 HOLES		
51.05	8 HOLES		
51.06	9 HOLES		

51.07	10 HOLES		
51.08	12 HOLES		
52	5.0 MM LCP L- BUTTRESS PLATE- RIGHT SIDE		
52.01	4 HOLES		
52.02	5 HOLES		
52.03	6 HOLES		
52.04	7 HOLES		
52.05	8 HOLES		
52.06	9 HOLES		
52.07	10 HOLES		
52.08	12 HOLES		
53	5.0 MM LCP L- BUTTRESS PLATE- LEFT SIDE		
53.01	4 HOLES		
53.02	5 HOLES		
53.03	6 HOLES		
53.04	7 HOLES		
53.05	8 HOLES		
53.06	9 HOLES		
53.07	10 HOLES		
53.08	12 HOLES		
54	3.5 MM LCP LOW BEND MEDIAL DISTAL TIBIA PLATE- RIGHT SIDE		
54.01	4 HOLES		
54.02	6 HOLES		
54.03	8 HOLES		
54.04	10 HOLES		
54.05	12 HOLES		
54.06	14 HOLES		
55	3.5 MM LCP LOW BEND MEDIAL DISTAL TIBIA PLATE- LEFT SIDE		
55.01	4 HOLES		
55.02	6 HOLES		
55.03	8 HOLES		
55.04	10 HOLES		
55.05	12 HOLES		
55.06	14 HOLES		
56	3.5 MM LCP LOW MEDIAL DISTAL TIBIA PLATE- RIGHT SIDE (WITH TAB)		
56.01	4 HOLES		
56.02	6 HOLES		
56.03	8 HOLES		

56.04	10 HOLES		
56.05	12 HOLES		
56.06	14 HOLES		
57	3.5 MM LCP LOW MEDIAL DISTAL TIBIA PLATE- LEFT SIDE (WITH TAB)		
57.01	4 HOLES		
57.02	6 HOLES		
57.03	8 HOLES		
57.04	10 HOLES		
57.05	12 HOLES		
57.06	14 HOLES		
58	5.0 MM LCP PROXIMAL LATERAL TIBIA PLATE RIGHT SIDE (HOCKEY)		
58.01	5 HOLES		
58.02	7 HOLES		
58.03	9 HOLES		
58.04	11 HOLES		
58.05	13 HOLES		
58.06	15 HOLES		
59	5.0 MM LCP PROXIMAL LATERAL TIBIA PLATE LEFT SIDE (HOCKEY)		
59.01	5 HOLES		
59.02	7 HOLES		
59.03	9 HOLES		
59.04	11 HOLES		
59.05	13 HOLES		
59.06	15 HOLES		
60	5.0 MM LCP RECONSTRUCTION PLATE		
60.01	4 HOLES		
60.02	5 HOLES		
60.03	6 HOLES		
60.04	7 HOLES		
60.05	8 HOLES		
60.06	9 HOLES		
60.07	10 HOLES		
60.08	12 HOLES		
60.09	14 HOLES		
60.1	16 HOLES		
62	5.0 MM LCP T- PLATE		
62.01	3 HOLES		
62.02	4 HOLES		

62.03	5 HOLES		
62.04	6 HOLES		
62.05	7 HOLES		
62.06	8 HOLES		
62.07	9 HOLES		
62.08	10 HOLES		
62.09	12 HOLES		
63	3.5 MM LCP CLOVERLEAF PLATE		
63.01	3 HOLES		
63.02	4 HOLES		
63.03	5 HOLES		
63.04	6 HOLES		
63.05	7 HOLES		
63.06	8 HOLES		
63.07	9 HOLES		
63.08	10 HOLES		
63.09	12 HOLES		
64	3.5 MM LCP LATERAL DISTAL FIBULA PLATE		
64.01	3 HOLES		
64.02	4 HOLES		
64.03	5 HOLES		
64.04	6 HOLES		
64.05	7 HOLES		
64.06	9 HOLES		
64.07	10 HOLES		
64.08	11 HOLES		
65	3.5 MM LCP PROXIMAL TIBIA PLATE (RAFT)- RIGHT SIDE		
65.01	4 HOLES		
65.02	6 HOLES		
65.03	8 HOLES		
65.04	10 HOLES		
65.05	12 HOLES		
65.06	14 HOLES		
65.07	16 HOLES		
66	3.5 MM LCP PROXIMAL TIBIA PLATE (RAFT)- LEFT SIDE		
66.01	4 HOLES		
66.02	6 HOLES		
66.03	8 HOLES		

66.04	10 HOLES		
66.05	12 HOLES		
66.06	14 HOLES		
66.07	16 HOLES		
67	3.5 MM LCP ANTEROLATERAL DISTAL TIBIA PLATE - RIGHT SIDE		
67.01	5 HOLES		
67.02	7 HOLES		
67.03	9 HOLES		
67.04	11 HOLES		
67.05	13 HOLES		
67.06	15 HOLES		
67.07	17 HOLES		
68	3.5 MM LCP ANTEROLATERAL DISTAL TIBIA PLATE - LEFT SIDE		
68.01	5 HOLES		
68.02	7 HOLES		
68.03	9 HOLES		
68.04	11 HOLES		
68.05	13 HOLES		
68.06	15 HOLES		
68.07	17 HOLES		
69	3.5 MM LCP MEDIAL PROXIMAL TIBIA PLATE - RIGHT SIDE		
69.01	4 HOLES		
69.02	6 HOLES		
69.03	8 HOLES		
69.04	10 HOLES		
69.05	12 HOLES		
69.06	14 HOLES		
69.07	16 HOLES		
70	3.5 MM LCP MEDIAL PROXIMAL TIBIA PLATE - LEFT SIDE		
70.01	4 HOLES		
70.02	6 HOLES		
70.03	8 HOLES		
70.04	10 HOLES		
70.05	12 HOLES		
70.06	14 HOLES		
70.07	16 HOLES		
71	3.5 MM LCP CALCANEAL PLATE- RIGHT SIDE		
71.01	64 MM		

71.02	69 MM		
71.03	76 MM		
71.04	81 MM		
72	3.5 MM LCP CALCANEAL PLATE- LEFT SIDE		
72.01	64 MM		
72.02	69 MM		
72.03	76 MM		
72.04	81 MM		
73	GROUP B - BONE PLATES - DCP		
74	2.7 MM DCP PLATE		
74.01	2 HOLES		
74.02	4 HOLES		
74.03	5 HOLES		
74.04	6 HOLES		
74.05	7 HOLES		
74.06	8 HOLES		
74.07	9 HOLES		
74.08	10 HOLES		
74.09	11 HOLES		
74.1	12 HOLES		
75	3.5 MM DCP SMALL		
75.01	4 HOLES		
75.02	5 HOLES		
75.03	6 HOLES		
75.04	7 HOLES		
75.05	8 HOLES		
75.06	9 HOLES		
75.07	10 HOLES		
75.08	12 HOLES		
75.09	14 HOLES		
75.1	16 HOLES		
76	4.5 MM DCP NARROW		
76.01	4 HOLES		
76.02	5 HOLES		
76.03	6 HOLES		
76.04	7 HOLES		
76.05	8 HOLES		
76.06	9 HOLES		
76.07	10 HOLES		

76.08	11 HOLES		
76.09	12 HOLES		
76.1	13 HOLES		
76.11	14 HOLES		
76.12	15 HOLES		
76.13	16 HOLES		
76.14	18 HOLES		
77	4.5 MM DCP BROAD		
77.01	6 HOLES		
77.02	7 HOLES		
77.03	8 HOLES		
77.04	9 HOLES		
77.05	10 HOLES		
77.06	11 HOLES		
77.07	12 HOLES		
77.08	13 HOLES		
77.09	14 HOLES		
77.1	15 HOLES		
77.11	16 HOLES		
77.12	18 HOLES		
77.13	20 HOLES		
78	3.5 MM LC-DCP SMALL		
78.01	4 HOLES		
78.02	5 HOLES		
78.03	6 HOLES		
78.04	7 HOLES		
78.05	8 HOLES		
78.06	9 HOLES		
78.07	10 HOLES		
78.08	11 HOLES		
78.09	12 HOLES		
78.1	13 HOLES		
78.11	14 HOLES		
78.12	15 HOLES		
78.13	16 HOLES		
79	4.5 MM LC-DCP NARROW		
79.01	4 HOLES		
79.02	5 HOLES		
79.03	6 HOLES		

79.04	7 HOLES		
79.05	8 HOLES		
79.06	9 HOLES		
79.07	10 HOLES		
79.08	11 HOLES		
79.09	12 HOLES		
79.1	13 HOLES		
79.11	14 HOLES		
79.12	15 HOLES		
79.13	16 HOLES		
79.14	18 HOLES		
80	4.5 MM LC-DCP BROAD		
80.01	5 HOLES		
80.02	6 HOLES		
80.03	7 HOLES		
80.04	8 HOLES		
80.05	9 HOLES		
80.06	10 HOLES		
80.07	11 HOLES		
80.08	12 HOLES		
80.09	13 HOLES		
80.1	14 HOLES		
80.11	15 HOLES		
80.12	16 HOLES		
81	3.5 MM 1/3 TUBULAR PLATE		
81.01	3 HOLES		
81.02	4 HOLES		
81.03	5 HOLES		
81.04	6 HOLES		
81.05	7 HOLES		
81.06	8 HOLES		
81.07	9 HOLES		
81.08	10 HOLES		
81.09	12 HOLES		
82	4.5 MM SEMI TUBULAR PLATE		
82.01	3 HOLES		
82.02	4 HOLES		
82.03	5 HOLES		
82.04	6 HOLES		

82.05	7 HOLES		
82.06	8 HOLES		
82.07	9 HOLES		
82.08	10 HOLES		
82.09	12 HOLES		
83	3.5 MM STRAIGHT RECONSTRUCTION PLATE- DYNAMIC HOLES		
83.01	5 HOLES		
83.02	6 HOLES		
83.03	7 HOLES		
83.04	8 HOLES		
83.05	9 HOLES		
83.06	10 HOLES		
83.07	11 HOLES		
83.08	12 HOLES		
83.09	13 HOLES		
83.1	14 HOLES		
83.11	16 HOLES		
84	4.5 MM STRAIGHT RECONSTRUCTION PLATE- DYNAMIC HOLES		
84.01	5 HOLES		
84.02	6 HOLES		
84.03	7 HOLES		
84.04	8 HOLES		
84.05	9 HOLES		
84.06	10 HOLES		
84.07	11 HOLES		
84.08	12 HOLES		
84.09	13 HOLES		
84.1	14 HOLES		
85	3.5 MM STRAIGHT RECONSTRUCTION PLATE- ROUND HOLES (THICKNESS 1.6 MM)		
85.01	5 HOLES		
85.02	6 HOLES		
85.03	7 HOLES		
85.04	8 HOLES		
85.05	9 HOLES		
85.06	10 HOLES		
85.07	11 HOLES		
85.08	12 HOLES		
85.09	13 HOLES		

85.1	14 HOLES		
85.11	16 HOLES		
85.12	18 HOLES		
85.13	20 HOLES		
85.14	22 HOLES		
85.15	24 HOLES		
86	4.5 MM STRAIGHT RECONSTRUCTION PLATE- ROUND HOLES (THICKNESS 1.6 MM)		
86.01	5 HOLES		
86.02	6 HOLES		
86.03	7 HOLES		
86.04	8 HOLES		
86.05	9 HOLES		
86.06	10 HOLES		
86.07	11 HOLES		
86.08	12 HOLES		
86.09	13 HOLES		
86.1	14 HOLES		
86.11	16 HOLES		
86.12	18 HOLES		
86.13	20 HOLES		
86.14	22 HOLES		
86.15	24 HOLES		
87	3.5 MM SMALL PLATE RIGHT ANGLE		
87.01	3 HOLES		
87.02	4 HOLES		
87.03	5 HOLES		
87.04	6 HOLES		
87.05	7 HOLES		
87.06	8 HOLES		
88	3.5 MM SMALL T-PLATE OBLIQUE ANGLE		
88.01	3 HOLES		
88.02	4 HOLES		
88.03	5 HOLES		
88.04	6 HOLES		
88.05	7 HOLES		
88.06	8 HOLES		
89	4.5 MM T- PLATE		
89.01	4 HOLES		
89.02	5 HOLES		

89.03	6 HOLES		
89.04	7 HOLES		
89.05	8 HOLES		
89.06	9 HOLES		
89.07	10 HOLES		
89.08	11 HOLES		
89.09	12 HOLES		
90	4.5 MM T- BUTTRESS PLATE		
90.01	4 HOLES		
90.02	5 HOLES		
90.03	6 HOLES		
90.04	7 HOLES		
90.05	8 HOLES		
90.06	9 HOLES		
90.07	10 HOLES		
90.08	11 HOLES		
90.09	12 HOLES		
91	4.5 MM L-BUTTRESS PLATE -RIGHT		
91.01	4 HOLES		
91.02	5 HOLES		
91.03	6 HOLES		
91.04	7 HOLES		
91.05	8 HOLES		
91.06	9 HOLES		
91.07	10 HOLES		
91.08	11 HOLES		
91.09	12 HOLES		
92	4.5 MM L-BUTTRESS PLATE -LEFT		
92.01	4 HOLES		
92.02	5 HOLES		
92.03	6 HOLES		
92.04	7 HOLES		
92.05	8 HOLES		
92.06	9 HOLES		
92.07	10 HOLES		
92.08	11 HOLES		
92.09	12 HOLES		
93	4.5 MM LATERAL TIBIAL BUTTRESS PLATE DCP HOLES (HOCKEY)- RIGHT		
93.01	5 HOLES		

93.02	7 HOLES		
93.03	9 HOLES		
93.04	11 HOLES		
93.05	13 HOLES		
94	4.5 MM LATERAL TIBIAL BUTTRESS PLATE DCP HOLES (HOCKEY)- LEFT		
94.01	5 HOLES		
94.02	7 HOLES		
94.03	9 HOLES		
94.04	11 HOLES		
94.05	13 HOLES		
95	3.5 MM CLOVERLEAF PLATE		
95.01	3 HOLES		
95.02	4 HOLES		
95.03	5 HOLES		
95.04	6 HOLES		
95.05	7 HOLES		
95.06	8 HOLES		
95.07	9 HOLES		
95.08	10 HOLES		
96	3.5 MM SPOON PLATE		
96.01	4 HOLES		
96.02	5 HOLES		
96.03	6 HOLES		
97	3.5 MM Y RECONSTRUCTION PLATE		
97.01	3 HOLES		
97.02	4 HOLES		
97.03	5 HOLES		
97.04	6 HOLES		
97.05	7 HOLES		
98	125° DHS PLATE LONG BARREL DYNAMIC HOLES		
98.01	2 HOLES		
98.02	3 HOLES		
98.03	4 HOLES		
98.04	5 HOLES		
98.05	6 HOLES		
98.06	7 HOLES		
98.07	8 HOLES		
98.08	9 HOLES		
98.09	10 HOLES		

98.1	12 HOLES		
98.11	14 HOLES		
99	130° DHS PLATE LONG BARREL DYNAMIC HOLES		
99.01	2 HOLES		
99.02	3 HOLES		
99.03	4 HOLES		
99.04	5 HOLES		
99.05	6 HOLES		
99.06	7 HOLES		
99.07	8 HOLES		
99.08	9 HOLES		
99.09	10 HOLES		
99.1	12 HOLES		
99.11	14 HOLES		
100	135° DHS PLATE LONG BARREL DYNAMIC HOLES		
100.01	2 HOLES		
100.02	3 HOLES		
100.03	4 HOLES		
100.04	5 HOLES		
100.05	6 HOLES		
100.06	7 HOLES		
100.07	8 HOLES		
100.08	9 HOLES		
100.09	10 HOLES		
100.1	12 HOLES		
100.11	14 HOLES		
100.12	16 HOLES		
100.13	18 HOLES		
100.14	20 HOLES		
101	140° DHS PLATE LONG BARREL DYNAMIC HOLES		
101.01	2 HOLES		
101.02	3 HOLES		
101.03	4 HOLES		
101.04	5 HOLES		
101.05	6 HOLES		
101.06	7 HOLES		
101.07	8 HOLES		
101.08	9 HOLES		
101.09	10 HOLES		

101.1	12 HOLES		
101.11	14 HOLES		
101.12	16 HOLES		
102	145° DHS PLATE LONG BARREL DYNAMIC HOLES		
102.01	2 HOLES		
102.02	3 HOLES		
102.03	4 HOLES		
102.04	5 HOLES		
102.05	6 HOLES		
102.06	7 HOLES		
102.07	8 HOLES		
102.08	9 HOLES		
102.09	10 HOLES		
102.1	12 HOLES		
102.11	14 HOLES		
102.12	16 HOLES		
103	150° DHS PLATE LONG BARREL DYNAMIC HOLES		
103.01	2 HOLES		
103.02	3 HOLES		
103.03	4 HOLES		
103.04	5 HOLES		
103.05	6 HOLES		
103.06	7 HOLES		
103.07	8 HOLES		
103.08	9 HOLES		
103.09	10 HOLES		
103.1	12 HOLES		
103.11	14 HOLES		
103.12	16 HOLES		
104	125° DHS PLATE SHORT BARREL DYNAMIC HOLES		
104.01	3 HOLES		
104.02	4 HOLES		
104.03	5 HOLES		
104.04	6 HOLES		
104.05	7 HOLES		
104.06	8 HOLES		
104.07	9 HOLES		
104.08	10 HOLES		
104.09	12 HOLES		

105	130° DHS PLATE SHORT BARREL DYNAMIC HOLES		
105.01	3 HOLES		
105.02	4 HOLES		
105.03	5 HOLES		
105.04	6 HOLES		
105.05	7 HOLES		
105.06	8 HOLES		
105.07	9 HOLES		
105.08	10 HOLES		
105.09	12 HOLES		
106	135° DHS PLATE SHORT BARREL DYNAMIC HOLES		
106.01	3 HOLES		
106.02	4 HOLES		
106.03	5 HOLES		
106.04	6 HOLES		
106.05	7 HOLES		
106.06	8 HOLES		
106.07	9 HOLES		
106.08	10 HOLES		
106.09	12 HOLES		
107	140° DHS PLATE SHORT BARREL DYNAMIC HOLES		
107.01	3 HOLES		
107.02	4 HOLES		
107.03	5 HOLES		
107.04	6 HOLES		
107.05	7 HOLES		
107.06	8 HOLES		
107.07	9 HOLES		
107.08	10 HOLES		
107.09	12 HOLES		
108	145° DHS PLATE SHORT BARREL DYNAMIC HOLES		
108.01	3 HOLES		
108.02	4 HOLES		
108.03	5 HOLES		
108.04	6 HOLES		
108.05	7 HOLES		
108.06	8 HOLES		
108.07	9 HOLES		
108.08	10 HOLES		

108.09	12 HOLES		
109	150° DHS PLATE SHORT BARREL DYNAMIC HOLES		
109.01	3 HOLES		
109.02	4 HOLES		
109.03	5 HOLES		
109.04	6 HOLES		
109.05	7 HOLES		
109.06	8 HOLES		
109.07	9 HOLES		
109.08	10 HOLES		
109.09	12 HOLES		
110	125° DHS PLATE LONG BARREL ROUND HOLES		
110.01	2 HOLES		
110.02	3 HOLES		
110.03	4 HOLES		
110.04	5 HOLES		
110.05	6 HOLES		
110.06	7 HOLES		
110.07	8 HOLES		
110.08	9 HOLES		
110.09	10 HOLES		
110.1	12 HOLES		
110.11	14 HOLES		
111	130° DHS PLATE LONG BARREL ROUND HOLES		
111.01	2 HOLES		
111.02	3 HOLES		
111.03	4 HOLES		
111.04	5 HOLES		
111.05	6 HOLES		
111.06	7 HOLES		
111.07	8 HOLES		
111.08	9 HOLES		
111.09	10 HOLES		
111.1	12 HOLES		
111.11	14 HOLES		
112	135° DHS PLATE LONG BARREL ROUND HOLES		
112.01	2 HOLES		
112.02	3 HOLES		
112.03	4 HOLES		

112.04	5 HOLES		
112.05	6 HOLES		
112.06	7 HOLES		
112.07	8 HOLES		
112.08	9 HOLES		
112.09	10 HOLES		
112.1	12 HOLES		
112.11	14 HOLES		
112.12	16 HOLES		
112.13	18 HOLES		
112.14	20 HOLES		
113	140° DHS PLATE LONG BARREL ROUND HOLES		
113.01	2 HOLES		
113.02	3 HOLES		
113.03	4 HOLES		
113.04	5 HOLES		
113.05	6 HOLES		
113.06	7 HOLES		
113.07	8 HOLES		
113.08	9 HOLES		
113.09	10 HOLES		
113.1	12 HOLES		
113.11	14 HOLES		
113.12	16 HOLES		
114	145° DHS PLATE LONG BARREL ROUND HOLES		
114.01	2 HOLES		
114.02	3 HOLES		
114.03	4 HOLES		
114.04	5 HOLES		
114.05	6 HOLES		
114.06	7 HOLES		
114.07	8 HOLES		
114.08	9 HOLES		
114.09	10 HOLES		
114.1	12 HOLES		
114.11	14 HOLES		
114.12	16 HOLES		
115	150° DHS PLATE LONG BARREL ROUND HOLES		
115.01	2 HOLES		

115.02	3 HOLES		
115.03	4 HOLES		
115.04	5 HOLES		
115.05	6 HOLES		
115.06	7 HOLES		
115.07	8 HOLES		
115.08	9 HOLES		
115.09	10 HOLES		
115.1	12 HOLES		
115.11	14 HOLES		
115.12	16 HOLES		
116	125° DHS PLATE SHORT BARREL ROUND HOLES		
116.01	3 HOLES		
116.02	4 HOLES		
116.03	5 HOLES		
116.04	6 HOLES		
116.05	7 HOLES		
116.06	8 HOLES		
116.07	9 HOLES		
116.08	10 HOLES		
116.09	12 HOLES		
117	130° DHS PLATE SHORT BARREL ROUND HOLES		
117.01	3 HOLES		
117.02	4 HOLES		
117.03	5 HOLES		
117.04	6 HOLES		
117.05	7 HOLES		
117.06	8 HOLES		
117.07	9 HOLES		
117.08	10 HOLES		
117.09	12 HOLES		
118	135° DHS PLATE SHORT BARREL ROUND HOLES		
118.01	3 HOLES		
118.02	4 HOLES		
118.03	5 HOLES		
118.04	6 HOLES		
118.05	7 HOLES		
118.06	8 HOLES		
118.07	9 HOLES		

118.08	10 HOLES		
118.09	12 HOLES		
119	140° DHS PLATE SHORT BARREL ROUND HOLES		
119.01	3 HOLES		
119.02	4 HOLES		
119.03	5 HOLES		
119.04	6 HOLES		
119.05	7 HOLES		
119.06	8 HOLES		
119.07	9 HOLES		
119.08	10 HOLES		
119.09	12 HOLES		
120	145° DHS PLATE SHORT BARREL ROUND HOLES		
120.01	3 HOLES		
120.02	4 HOLES		
120.03	5 HOLES		
120.04	6 HOLES		
120.05	7 HOLES		
120.06	8 HOLES		
120.07	9 HOLES		
120.08	10 HOLES		
120.09	12 HOLES		
121	150° DHS PLATE SHORT BARREL ROUND HOLES		
121.01	3 HOLES		
121.02	4 HOLES		
121.03	5 HOLES		
121.04	6 HOLES		
121.05	7 HOLES		
121.06	8 HOLES		
121.07	9 HOLES		
121.08	10 HOLES		
121.09	12 HOLES		
122	95° DCS PLATE DYNAMIC HOLES		
122.01	4 HOLES		
122.02	5 HOLES		
122.03	6 HOLES		
122.04	7 HOLES		
122.05	8 HOLES		
122.06	9 HOLES		

122.07	10 HOLES		
122.08	11 HOLES		
122.09	12 HOLES		
122.1	14 HOLES		
122.11	16 HOLES		
122.12	18 HOLES		
123	95° DCS PLATE ROUND HOLES		
123.01	4 HOLES		
123.02	5 HOLES		
123.03	6 HOLES		
123.04	7 HOLES		
123.05	8 HOLES		
123.06	9 HOLES		
123.07	10 HOLES		
123.08	11 HOLES		
123.09	12 HOLES		
123.1	14 HOLES		
123.11	16 HOLES		
123.12	18 HOLES		
124	95° DCS CONDYLAR BLADE PLATE		
124.01	5 HOLES - 50 MM		
124.02	5 HOLES - 60 MM		
124.03	5 HOLES - 70 MM		
124.04	5 HOLES - 80 MM		
124.05	7 HOLES - 50 MM		
124.06	7 HOLES - 60 MM		
124.07	7 HOLES - 70 MM		
124.08	7 HOLES - 80 MM		
124.09	9 HOLES - 50 MM		
124.1	9 HOLES - 60 MM		
124.11	9 HOLES - 70 MM		
124.12	9 HOLES - 80 MM		
124.13	12 HOLES - 50 MM		
124.14	12 HOLES - 60 MM		
124.15	12 HOLES - 70 MM		
124.16	12 HOLES - 80 MM		
125	130° LCP DHS PLATE LONG BARREL DC HOLES		
125.01	3 HOLES		
125.02	4 HOLES		

125.03	5 HOLES		
125.04	6 HOLES		
125.05	7 HOLES		
125.06	8 HOLES		
125.07	9 HOLES		
125.08	10 HOLES		
125.09	12 HOLES		
126	135° LCP DHS PLATE LONG BARREL DC HOLES		
126.01	3 HOLES		
126.02	4 HOLES		
126.03	5 HOLES		
126.04	6 HOLES		
126.05	7 HOLES		
126.06	8 HOLES		
126.07	9 HOLES		
126.08	10 HOLES		
126.09	12 HOLES		
127	GROUP - C : BONE SCREWS - LCP & DCP		
128	2.7 MM CORTICAL SCREW- SELF TAPPING		
128.01	8 MM		
128.02	10 MM		
128.03	12 MM		
128.04	14 MM		
128.05	16 MM		
128.06	18 MM		
128.07	20 MM		
128.08	22 MM		
128.09	24 MM		
128.1	26 MM		
128.11	28 MM		
128.12	30 MM		
128.13	32 MM		
128.14	34 MM		
128.15	36 MM		
128.16	38 MM		
128.17	40 MM		
129	3.5 MM CORTICAL SCREW- 20 TPI- SELF		
129.01	10 MM		
129.02	12 MM		

129.03	14 MM		
129.04	16 MM		
129.05	18 MM		
129.06	20 MM		
129.07	22 MM		
129.08	24 MM		
129.09	26 MM		
129.1	28 MM		
129.11	30 MM		
129.12	32 MM		
129.13	34 MM		
129.14	36 MM		
129.15	38 MM		
129.16	40 MM		
129.17	42 MM		
129.18	44 MM		
129.19	46 MM		
129.2	48 MM		
129.21	50 MM		
129.22	52 MM		
129.23	54 MM		
129.24	56 MM		
129.25	58 MM		
129.26	60 MM		
129.27	62 MM		
129.28	64 MM		
129.29	66 MM		
129.3	68 MM		
129.31	70 MM		
130	4.5 MM CORTICAL SCREW- 14 TPI- SELF TAPPING		
130.01	10 MM		
130.02	12 MM		
130.03	14 MM		
130.04	16 MM		
130.05	18 MM		
130.06	20 MM		
130.07	22 MM		
130.08	24 MM		
130.09	26 MM		

130.1	28 MM		
130.11	30 MM		
130.12	32 MM		
130.13	34 MM		
130.14	36 MM		
130.15	38 MM		
130.16	40 MM		
130.17	42 MM		
130.18	44 MM		
130.19	46 MM		
130.2	48 MM		
130.21	50 MM		
130.22	52 MM		
130.23	54 MM		
130.24	56 MM		
130.25	58 MM		
130.26	60 MM		
130.27	62 MM		
130.28	64 MM		
130.29	66 MM		
130.3	68 MM		
130.31	70 MM		
131	4.5 MM MALLEOLAR SCREW- SELF TAPPING		
131.01	25 MM		
131.02	30 MM		
131.03	35 MM		
131.04	40 MM		
131.05	45 MM		
131.06	50 MM		
131.07	55 MM		
131.08	60 MM		
131.09	65 MM		
131.1	70 MM		
131.11	75 MM		
131.12	80 MM		
131.13	85 MM		
132	3.5 MM CANCELLOUS SCREW- PARTIAL THREADED		
132.01	10 MM		
132.02	12 MM		

132.03	14 MM		
132.04	16 MM		
132.05	18 MM		
132.06	20 MM		
132.07	22 MM		
132.08	24 MM		
132.09	26 MM		
132.1	28 MM		
132.11	30 MM		
132.12	35 MM		
132.13	40 MM		
132.14	45 MM		
132.15	50 MM		
132.16	55 MM		
132.17	60 MM		
132.18	65 MM		
132.19	70 MM		
133	3.5 MM CANCELLOUS SCREW- FULL THREADED		
133.01	10 MM		
133.02	12 MM		
133.03	14 MM		
133.04	16 MM		
133.05	18 MM		
133.06	20 MM		
133.07	22 MM		
133.08	24 MM		
133.09	26 MM		
133.1	28 MM		
133.11	30 MM		
133.12	35 MM		
133.13	40 MM		
133.14	45 MM		
133.15	50 MM		
133.16	55 MM		
133.17	60 MM		
133.18	65 MM		
133.19	70 MM		
134	4.0 MM CANCELLOUS SCREW- PARTIAL THREADED		
134.01	10 MM		

134.02	12 MM		
134.03	14 MM		
134.04	16 MM		
134.05	18 MM		
134.06	20 MM		
134.07	22 MM		
134.08	24 MM		
134.09	26 MM		
134.1	28 MM		
134.11	30 MM		
134.12	35 MM		
134.13	40 MM		
134.14	45 MM		
134.15	50 MM		
134.16	55 MM		
134.17	60 MM		
134.18	65 MM		
134.19	70 MM		
135	4.0 MM CANCELLOUS SCREW- FULL THREADED		
135.01	10 MM		
135.02	12 MM		
135.03	14 MM		
135.04	16 MM		
135.05	18 MM		
135.06	20 MM		
135.07	22 MM		
135.08	24 MM		
135.09	26 MM		
135.1	28 MM		
135.11	30 MM		
135.12	35 MM		
135.13	40 MM		
135.14	45 MM		
135.15	50 MM		
135.16	55 MM		
135.17	60 MM		
135.18	65 MM		
135.19	70 MM		
136	6.5 MM CANCELLOUS SCREW- 16MM THREADED		

136.01	25 MM		
136.02	30 MM		
136.03	35 MM		
136.04	40 MM		
136.05	45 MM		
136.06	50 MM		
136.07	55 MM		
136.08	60 MM		
136.09	65 MM		
136.1	70 MM		
136.11	75 MM		
136.12	80 MM		
136.13	85 MM		
136.14	90 MM		
136.15	95 MM		
136.16	100 MM		
136.17	105 MM		
136.18	110 MM		
137	6.5 MM CANCELLOUS SCREW- 32MM THREADED		
137.01	40 MM		
137.02	45 MM		
137.03	50 MM		
137.04	55 MM		
137.05	60 MM		
137.06	65 MM		
137.07	70 MM		
137.08	75 MM		
137.09	80 MM		
137.1	85 MM		
137.11	90 MM		
137.12	95 MM		
137.13	100 MM		
137.14	105 MM		
137.15	110 MM		
138	6.5 MM CANCELLOUS SCREW- FULLY THREADED		
138.01	25 MM		
138.02	30 MM		
138.03	35 MM		

138.04	40 MM		
138.05	45 MM		
138.06	50 MM		
138.07	55 MM		
138.08	60 MM		
138.09	65 MM		
138.1	70 MM		
138.11	75 MM		
138.12	80 MM		
138.13	85 MM		
138.14	90 MM		
138.15	95 MM		
138.16	100 MM		
138.17	105 MM		
138.18	110 MM		
139	4.0 MM CANNULATED CANCELLOUS SCREW PARTIALLY THREADED		
139.01	10 MM		
139.02	15 MM		
139.03	20 MM		
139.04	25 MM		
139.05	30 MM		
139.06	35 MM		
139.07	40 MM		
139.08	45 MM		
139.09	50 MM		
139.1	55 MM		
139.11	60 MM		
139.12	65 MM		
139.13	70 MM		
140	4.0 MM CANNULATED CANCELLOUS SCREW FULLY THREADED		
140.01	10 MM		
140.02	15 MM		
140.03	20 MM		
140.04	25 MM		
140.05	30 MM		
140.06	35 MM		
140.07	40 MM		
140.08	45 MM		

140.09	50 MM		
140.1	55 MM		
140.11	60 MM		
140.12	65 MM		
140.13	70 MM		
141	6.5 MM LARGE CANNULATED CANCELLOUS SCREW 16 MM THREADED		
141.01	25 MM		
141.02	30 MM		
141.03	35 MM		
141.04	40 MM		
141.05	45 MM		
141.06	50 MM		
141.07	55 MM		
141.08	60 MM		
141.09	65 MM		
141.1	70 MM		
141.11	75 MM		
141.12	80 MM		
141.13	85 MM		
141.14	90 MM		
141.15	95 MM		
141.16	100 MM		
141.17	105 MM		
141.18	110 MM		
142	6.5 MM LARGE CANNULATED CANCELLOUS SCREW-32 MM THREADED		
142.01	40 MM		
142.02	45 MM		
142.03	50 MM		
142.04	55 MM		
142.05	60 MM		
142.06	65 MM		
142.07	70 MM		
142.08	75 MM		
142.09	80 MM		
142.1	85 MM		
142.11	90 MM		
142.12	95 MM		
142.13	100 MM		
142.14	105 MM		

142.15	110 MM		
143	6.5 MM LARGE CANNULATED CANCELLOUS SCREW-FULLY THREADED		
143.01	30 MM		
143.02	35 MM		
143.03	40 MM		
143.04	45 MM		
143.05	50 MM		
143.06	55 MM		
143.07	60 MM		
143.08	65 MM		
143.09	70 MM		
143.1	75 MM		
143.11	80 MM		
143.12	85 MM		
143.13	90 MM		
143.14	95 MM		
143.15	100 MM		
143.16	105 MM		
143.17	110 MM		
143.18	115 MM		
144	12.5 MM DHS SCREW WITH COMPRESSION SCREW		
144.01	50 MM		
144.02	55 MM		
144.03	60 MM		
144.04	65 MM		
144.05	70 MM		
144.06	75 MM		
144.07	80 MM		
144.08	85 MM		
144.09	90 MM		
144.1	95 MM		
144.11	100 MM		
144.12	105 MM		
144.13	110 MM		
145	3.5 MM HERBERT SCREW (HEAD LESS)		
145.01	10 MM		
145.02	12 MM		
145.03	14 MM		

145.04	16 MM		
145.05	18 MM		
145.06	20 MM		
145.07	22 MM		
145.08	24 MM		
145.09	26 MM		
145.1	28 MM		
145.11	30 MM		
146	WASHERS		
146.01	13.0/6.5 MM Spiked Washer for 6.5MM Cancellous Screw		
146.02	13.0/6.5 MM Washer for 6.5MM Cancellous Screw		
146.03	7.0/4.0 MM Washer for 4.0 MM Cancellous Screw		
146.04	7.0/4.0 MM Spiked Washer for 4.0 MM Cancellous Screw		
146.05	10.0/4.5 MM Washer for Malleor Screw		
147	2.4 MM LCP SCREW		
147.01	8 MM		
147.02	10 MM		
147.03	12 MM		
147.04	14 MM		
147.05	16 MM		
147.06	18 MM		
147.07	20 MM		
147.08	22 MM		
147.09	24 MM		
147.1	26 MM		
147.11	28 MM		
147.12	30 MM		
147.13	32 MM		
147.14	34 MM		
147.15	36 MM		
147.16	38 MM		
147.17	40 MM		
148	2.7 MM LCP SCREW		
148.01	8 MM		
148.02	10 MM		
148.03	12 MM		
148.04	14 MM		
148.05	16 MM		
148.06	18 MM		

148.07	20 MM		
148.08	22 MM		
148.09	24 MM		
148.1	26 MM		
148.11	28 MM		
148.12	30 MM		
148.13	32 MM		
148.14	34 MM		
148.15	36 MM		
148.16	38 MM		
148.17	40 MM		
149	3.5 MM LCP SCREW		
149.01	10 MM		
149.02	12 MM		
149.03	14 MM		
149.04	16 MM		
149.05	18 MM		
149.06	20 MM		
149.07	22 MM		
149.08	24 MM		
149.09	26 MM		
149.1	28 MM		
149.11	30 MM		
149.12	32 MM		
149.13	34 MM		
149.14	36 MM		
149.15	38 MM		
149.16	40 MM		
149.17	42 MM		
149.18	44 MM		
149.19	46 MM		
149.2	48 MM		
149.21	50 MM		
149.22	52 MM		
149.23	54 MM		
149.24	56 MM		
149.25	58 MM		
149.26	60 MM		
149.27	65 MM		

149.28	70 MM		
150	5.0 MM LCP SCREW		
150.01	14 MM		
150.02	16 MM		
150.03	18 MM		
150.04	20 MM		
150.05	22 MM		
150.06	24 MM		
150.07	26 MM		
150.08	28 MM		
150.09	30 MM		
150.1	32 MM		
150.11	34 MM		
150.12	36 MM		
150.13	38 MM		
150.14	40 MM		
150.15	42 MM		
150.16	44 MM		
150.17	46 MM		
150.18	48 MM		
150.19	50 MM		
150.2	52 MM		
150.21	54 MM		
150.22	56 MM		
150.23	58 MM		
150.24	60 MM		
150.25	65 MM		
150.26	70 MM		
150.27	75 MM		
150.28	80 MM		
150.29	85 MM		
150.3	90 MM		
151	4.0 MM LCP CANCELLOUS SCREW PARTIALLY THREADED		
151.01	10 MM		
151.02	12 MM		
151.03	14 MM		
151.04	16 MM		
151.05	18 MM		
151.06	20 MM		

151.07	22 MM		
151.08	24 MM		
151.09	26 MM		
151.1	28 MM		
151.11	30 MM		
151.12	35 MM		
151.13	40 MM		
151.14	45 MM		
151.15	50 MM		
151.16	55 MM		
151.17	60 MM		
151.18	65 MM		
151.19	70 MM		
152	4.0 MM LCP CANCELLOUS SCREW FULLY THREADED		
152.01	10 MM		
152.02	12 MM		
152.03	14 MM		
152.04	16 MM		
152.05	18 MM		
152.06	20 MM		
152.07	22 MM		
152.08	24 MM		
152.09	26 MM		
152.1	28 MM		
152.11	30 MM		
152.12	35 MM		
152.13	40 MM		
152.14	45 MM		
152.15	50 MM		
152.16	55 MM		
152.17	60 MM		
152.18	65 MM		
152.19	70 MM		
153	5.0 MM LCP CANCELLOUS SCREW 32 MM THREADED		
153.01	40 MM		
153.02	45 MM		
153.03	50 MM		
153.04	55 MM		
153.05	60 MM		

153.06	65 MM		
153.07	70 MM		
153.08	75 MM		
153.09	80 MM		
153.1	85 MM		
153.11	90 MM		
154	5.0 MM LCP CANCELLOUS SCREW FULLY THREADED		
154.01	25 MM		
154.02	30 MM		
154.03	35 MM		
154.04	40 MM		
154.05	45 MM		
154.06	50 MM		
154.07	60 MM		
154.08	65 MM		
154.09	70 MM		
154.1	75 MM		
154.11	80 MM		
154.12	85 MM		
154.13	90 MM		
155	6.5 MM LCP CANCELLOUS SCREW 16 MM THREADED		
155.01	25 MM		
155.02	30 MM		
155.03	35 MM		
155.04	40 MM		
155.05	45 MM		
155.06	50 MM		
155.07	60 MM		
155.08	65 MM		
155.09	70 MM		
155.1	75 MM		
155.11	80 MM		
155.12	85 MM		
155.13	90 MM		
155.14	95 MM		
155.15	100 MM		
156	6.5 MM LCP CANCELLOUS SCREW 32 MM THREADED		
156.01	40 MM		

156.02	45 MM		
156.03	50 MM		
156.04	60 MM		
156.05	65 MM		
156.06	70 MM		
156.07	75 MM		
156.08	80 MM		
156.09	85 MM		
156.1	90 MM		
157	GROUP - D : NAILS-INTRAMEDUALLY		
158	Ø 6.5 MM HUMERUS NAIL- CANNULATED		
158.01	180 MM		
158.02	200 MM		
158.03	220 MM		
158.04	240 MM		
158.05	260 MM		
158.06	280 MM		
158.07	300 MM		
159	Ø 7.0 MM HUMERUS NAIL- CANNULATED		
159.01	180 MM		
159.02	200 MM		
159.03	220 MM		
159.04	240 MM		
159.05	260 MM		
159.06	280 MM		
159.07	300 MM		
160	Ø 7.5 MM HUMERUS NAIL- CANNULATED		
160.01	180 MM		
160.02	200 MM		
160.03	220 MM		
160.04	240 MM		
160.05	260 MM		
160.06	280 MM		
160.07	300 MM		
161	Ø 8.0 MM TIBIA NAIL- CANNULATED		
161.01	280 MM		
161.02	300 MM		
161.03	320 MM		
161.04	340 MM		

161.05	360 MM		
161.06	380 MM		
162	Ø 9.0 MM TIBIA NAIL- CANNULATED		
162.01	280 MM		
162.02	300 MM		
162.03	320 MM		
162.04	340 MM		
162.05	360 MM		
162.06	380 MM		
163	Ø 10.0 MM TIBIA NAIL- CANNULATED		
163.01	280 MM		
163.02	300 MM		
163.03	320 MM		
163.04	340 MM		
163.05	360 MM		
163.06	380 MM		
164	Ø 11.0 MM TIBIA NAIL- CANNULATED		
164.01	280 MM		
164.02	300 MM		
164.03	320 MM		
164.04	340 MM		
164.05	360 MM		
164.06	380 MM		
165	Ø 8.0 MM EXPERT TIBIA NAIL- CANNULATED		
165.01	280 MM		
165.02	300 MM		
165.03	320 MM		
165.04	340 MM		
165.05	360 MM		
165.06	380 MM		
166	Ø 9.0 MM EXPERT TIBIA NAIL- CANNULATED		
166.01	280MM		
166.02	300 MM		
166.03	320 MM		
166.04	340 MM		
166.05	360 MM		
166.06	380 MM		
167	Ø 10.0 MM EXPERT TIBIA NAIL- CANNULATED		

167.01	280 MM		
167.02	300 MM		
167.03	320 MM		
167.04	340 MM		
167.05	360 MM		
167.06	380 MM		
168	Ø 11.0 MM EXPERT TIBIA NAIL- CANNULATED		
168.01	280 MM		
168.02	300 MM		
168.03	320 MM		
168.04	340 MM		
168.05	360 MM		
168.06	380 MM		
169	Ø 9.0 MM FEMUR NAIL- CANNULATED		
169.01	320 MM		
169.02	340 MM		
169.03	360 MM		
169.04	380 MM		
169.05	400 MM		
169.06	420 MM		
169.07	440 MM		
170	Ø 10.0 MM FEMUR NAIL- CANNULATED		
170.01	320 MM		
170.02	340 MM		
170.03	360 MM		
170.04	380 MM		
170.05	400 MM		
170.06	420 MM		
170.07	440 MM		
171	Ø 11.0 MM FEMUR NAIL- CANNULATED		
171.01	320 MM		
171.02	340 MM		
171.03	360 MM		
171.04	380 MM		
171.05	400 MM		
171.06	420 MM		
171.07	440 MM		
172	Ø 12.0 MM FEMUR NAIL- CANNULATED		
172.01	320 MM		

172.02	340 MM		
172.03	360 MM		
172.04	380 MM		
172.05	400 MM		
172.06	420 MM		
172.07	440 MM		
173	130° SHORT PROXIMAL FEMORAL NAIL		
173.01	ø 9.0 MM x 250 MM		
173.02	ø 10.0 MM x 250 MM		
173.03	ø 11.0 MM x 250 MM		
173.04	ø 12.0 MM x 250 MM		
174	135° SHORT PROXIMAL FEMORAL NAIL		
174.01	ø 9.0 MM x 250 MM		
174.02	ø 10.0 MM x 250 MM		
174.03	ø 11.0 MM x 250 MM		
174.04	ø 12.0 MM x 250 MM		
175	130° TROCHANTERIC FEMUR NAIL		
175.01	ø 9.0 MM x 250 MM		
175.02	ø 10.0 MM x 250 MM		
175.03	ø 11.0 MM x 250 MM		
175.04	ø 12.0 MM x 250 MM		
176	135° TROCHANTERIC FEMUR NAIL		
176.01	ø 9.0 MM x 180 MM		
176.02	ø 10.0 MM x 180 MM		
176.03	ø 11.0 MM x 180 MM		
176.04	ø 12.0 MM x 180 MM		
177	130° - ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT		
177.01	340 MM		
177.02	360 MM		
177.03	380 MM		
177.04	400 MM		
177.05	420 MM		
177.06	440 MM		
178	130° - ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT		
178.01	340 MM		
178.02	360 MM		
178.03	380 MM		
178.04	400 MM		

178.05	420 MM		
178.06	440 MM		
179	130° - ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT		
179.01	340 MM		
179.02	360 MM		
179.03	380 MM		
179.04	400 MM		
179.05	420 MM		
179.06	440 MM		
180	130° - ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT		
180.01	340 MM		
180.02	360 MM		
180.03	380 MM		
180.04	400 MM		
180.05	420 MM		
180.06	440 MM		
181	130° - ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT		
181.01	340 MM		
181.02	360 MM		
181.03	380 MM		
181.04	400 MM		
181.05	420 MM		
181.06	440 MM		
182	130° - ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT		
182.01	340 MM		
182.02	360 MM		
182.03	380 MM		
182.04	400 MM		
182.05	420 MM		
182.06	440 MM		
183	135° - ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT		
183.01	340 MM		
183.02	360 MM		
183.03	380 MM		
183.04	400 MM		
183.05	420 MM		
183.06	440 MM		

184	135° - ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT		
184.01	340 MM		
184.02	360 MM		
184.03	380 MM		
184.04	400 MM		
184.05	420 MM		
184.06	440 MM		
185	135° - ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT		
185.01	340 MM		
185.02	360 MM		
185.03	380 MM		
185.04	400 MM		
185.05	420 MM		
185.06	440 MM		
186	135° - ø 12.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT		
186.01	340 MM		
186.02	360 MM		
186.03	380 MM		
186.04	400 MM		
186.05	420 MM		
186.06	440 MM		
187	135° - ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT		
187.01	340 MM		
187.02	360 MM		
187.03	380 MM		
187.04	400 MM		
187.05	420 MM		
187.06	440 MM		
188	135° - ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT		
188.01	340 MM		
188.02	360 MM		
188.03	380 MM		
188.04	400 MM		
188.05	420 MM		
188.06	440 MM		
189	135° - ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT		
189.01	340 MM		

189.02	360 MM		
189.03	380 MM		
189.04	400 MM		
189.05	420 MM		
189.06	440 MM		
190	135° - ø 12.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT		
190.01	340 MM		
190.02	360 MM		
190.03	380 MM		
190.04	400 MM		
190.05	420 MM		
190.06	440 MM		
191	ø 9.0 MM SUPRACODYLAR DISTAL FEMUR NAIL		
191.01	150 MM		
191.02	200 MM		
191.03	250 MM		
191.04	300 MM		
192	ø 10.0 MM SUPRACODYLAR DISTAL FEMUR NAIL		
192.01	150 MM		
192.02	200 MM		
192.03	250 MM		
192.04	300 MM		
193	ø 11.0 MM SUPRACODYLAR DISTAL FEMUR NAIL		
193.01	150 MM		
193.02	200 MM		
193.03	250 MM		
193.04	300 MM		
194	ø 12.0 MM SUPRACODYLAR DISTAL FEMUR NAIL		
194.01	150 MM		
194.02	200 MM		
194.03	250 MM		
194.04	300 MM		
195	ø 2.0 MM ENDER'S NAIL		
195.01	200 MM		
195.02	210 MM		
195.03	220 MM		
195.04	230 MM		
195.05	240 MM		

195.06	250 MM		
195.07	260 MM		
195.08	270 MM		
195.09	280 MM		
195.1	290 MM		
195.11	300 MM		
196	Ø 2.5 MM ENDER'S NAIL		
196.01	200 MM		
196.02	210 MM		
196.03	220 MM		
196.04	230 MM		
196.05	240 MM		
196.06	250 MM		
196.07	260 MM		
196.08	270 MM		
196.09	280 MM		
196.1	290 MM		
196.11	300 MM		
197	Ø 3.0 MM ENDER'S NAIL		
197.01	Ø 3.0 MM X 210 MM		
197.02	Ø 3.0 MM X 220 MM		
197.03	Ø 3.0 MM X 230 MM		
197.04	Ø 3.0 MM X 240 MM		
197.05	Ø 3.0 MM X 250 MM		
197.06	Ø 3.0 MM X 260 MM		
197.07	Ø 3.0 MM X 270 MM		
197.08	Ø 3.0 MM X 280 MM		
197.09	Ø 3.0 MM X 290 MM		
197.1	Ø 3.0 MM X 300 MM		
198	Ø 3.5 MM ENDER'S NAIL		
198.01	Ø 3.5 MM X 210 MM		
198.02	Ø 3.5 MM X 220 MM		
198.03	Ø 3.5 MM X 230 MM		
198.04	Ø 3.5 MM X 240 MM		
198.05	Ø 3.5 MM X 250 MM		
198.06	Ø 3.5 MM X 260 MM		
198.07	Ø 3.5 MM X 270 MM		
198.08	Ø 3.5 MM X 280 MM		
198.09	Ø 3.5 MM X 290 MM		

198.1	ø 3.5 MM X 300 MM		
199	ø 4.0MM ENDER'S NAIL		
199.01	ø 4.0 MM X 210 MM		
199.02	ø 4.0 MM X 220 MM		
199.03	ø 4.0 MM X 230 MM		
199.04	ø 4.0 MM X 240 MM		
199.05	ø 4.0 MM X 250 MM		
199.06	ø 4.0 MM X 260 MM		
199.07	ø 4.0 MM X 270 MM		
199.08	ø 4.0 MM X 280 MM		
199.09	ø 4.0 MM X 290 MM		
199.1	ø 4.0 MM X 300 MM		
199.11	ø 4.0 MM X 310 MM		
199.12	ø 4.0 MM X 320 MM		
199.13	ø 4.0 MM X 330 MM		
199.14	ø 4.0 MM X 340 MM		
199.15	ø 4.0 MM X 350 MM		
199.16	ø 4.0 MM X 360 MM		
199.17	ø 4.0 MM X 370 MM		
199.18	ø 4.0 MM X 380 MM		
199.19	ø 4.0 MM X 390 MM		
199.2	ø 4.0 MM X 400 MM		
200	ø 4.5 MM ENDER'S NAIL		
200.01	ø 4.5 MM X 210 MM		
200.02	ø 4.5 MM X 220 MM		
200.03	ø 4.5 MM X 230 MM		
200.04	ø 4.5 MM X 240 MM		
200.05	ø 4.5 MM X 250 MM		
200.06	ø 4.5 MM X 260 MM		
200.07	ø 4.5 MM X 270 MM		
200.08	ø 4.5 MM X 280 MM		
200.09	ø 4.5 MM X 290 MM		
200.1	ø 4.5 MM X 300 MM		
200.11	ø 4.5 MM X 310 MM		
200.12	ø 4.5 MM X 320 MM		
200.13	ø 4.5 MM X 330 MM		
200.14	ø 4.5 MM X 340 MM		
200.15	ø 4.5 MM X 350 MM		
200.16	ø 4.5 MM X 360 MM		

200.17	ø 4.5 MM X 370 MM		
200.18	ø 4.5 MM X 380 MM		
200.19	ø 4.5 MM X 390 MM		
200.2	ø 4.5 MM X 400 MM		
201	TITANIUM ELASTIC NAIL- TENS		
201.01	2.0 MM X 440 MM		
201.02	2.5 MM X 440 MM		
201.03	3.0 MM X 440 MM		
201.04	3.5 MM X 440 MM		
201.05	4.0 MM X 440 MM		
201.06	4.5 MM X 440 MM		
202	ø 7.0 MM K-NAIL		
202.01	ø 7.0 MM X 320 MM		
202.02	ø 7.0 MM X 340 MM		
202.03	ø 7.0 MM X 360 MM		
202.04	ø 7.0 MM X 380 MM		
202.05	ø 7.0 MM X 400 MM		
202.06	ø 7.0 MM X 420 MM		
202.07	ø 7.0 MM X 440 MM		
203	ø 8.0 MM K-NAIL		
203.01	ø 8.0 MM X 320 MM		
203.02	ø 8.0 MM X 340 MM		
203.03	ø 8.0 MM X 360 MM		
203.04	ø 8.0 MM X 380 MM		
203.05	ø 8.0 MM X 400 MM		
203.06	ø 8.0 MM X 420 MM		
203.07	ø 8.0 MM X 440 MM		
204	ø 9.0 MM K-NAIL		
204.01	ø 9.0 MM X 320 MM		
204.02	ø 9.0 MM X 340 MM		
204.03	ø 9.0 MM X 360 MM		
204.04	ø 9.0 MM X 380 MM		
204.05	ø 9.0 MM X 400 MM		
204.06	ø 9.0 MM X 420 MM		
204.07	ø 9.0 MM X 440 MM		
205	ø 10.0 MM K-NAIL		
205.01	ø 10.0 MM X 320 MM		
205.02	ø 10.0 MM X 340 MM		
205.03	ø 10.0 MM X 360 MM		

205.04	ø 10.0 MM X 380 MM		
205.05	ø 10.0 MM X 400 MM		
205.06	ø 10.0 MM X 420 MM		
205.07	ø 10.0 MM X 440 MM		
206	ø 11.0 MM K-NAIL		
206.01	ø 11.0 MM X 320 MM		
206.02	ø 11.0 MM X 340 MM		
206.03	ø 11.0 MM X 360 MM		
206.04	ø 11.0 MM X 380 MM		
206.05	ø 11.0 MM X 400 MM		
206.06	ø 11.0 MM X 420 MM		
206.07	ø 11.0 MM X 440 MM		
207	ø 12.0 MM K-NAIL		
207.01	ø 12.0 MM X 320 MM		
207.02	ø 12.0 MM X 340 MM		
207.03	ø 12.0 MM X 360 MM		
207.04	ø 12.0 MM X 380 MM		
207.05	ø 12.0 MM X 400 MM		
207.06	ø 12.0 MM X 420 MM		
207.07	ø 12.0 MM X 440 MM		
208	END CAP- TIBIA /FEMUR/ PFN/SUPRA		
208.01	0.0 MM		
208.02	5.0 MM		
208.03	10.0 MM		
208.04	15.0 MM		
209	ø 3.0 MM INTERLOCKING BOLT, FOR HUMERUS NAIL		
209.01	14 MM		
209.02	16 MM		
209.03	18 MM		
209.04	20 MM		
209.05	22 MM		
209.06	24 MM		
209.07	26 MM		
209.08	28 MM		
209.09	30 MM		
209.1	32 MM		
209.11	34 MM		
209.12	36 MM		
209.13	38 MM		

209.14	40 MM		
210	3.9 MM INTERLOCKING BOLT		
210.01	24 MM		
210.02	26 MM		
210.03	28 MM		
210.04	30 MM		
210.05	32 MM		
210.06	34 MM		
210.07	36 MM		
210.08	38 MM		
210.09	40 MM		
210.1	42 MM		
210.11	44 MM		
210.12	46 MM		
210.13	48 MM		
210.14	50 MM		
210.15	52 MM		
210.16	54 MM		
210.17	56 MM		
210.18	58 MM		
210.19	60 MM		
211	4.9 MM INTERLOCKING BOLT		
211.01	24 MM		
211.02	26 MM		
211.03	28 MM		
211.04	30 MM		
211.05	32 MM		
211.06	34 MM		
211.07	36 MM		
211.08	38 MM		
211.09	40 MM		
211.1	42 MM		
211.11	44 MM		
211.12	46 MM		
211.13	48 MM		
211.14	50 MM		
211.15	52 MM		
211.16	54 MM		
211.17	56 MM		

211.18	58 MM		
211.19	60 MM		
211.2	62 MM		
211.21	64 MM		
211.22	66 MM		
211.23	68 MM		
211.24	70 MM		
211.25	72 MM		
211.26	74 MM		
211.27	76 MM		
211.28	78 MM		
211.29	80 MM		
212	6.4 MM HIP PIN (FOR PFN NAIL)		
212.01	40 MM		
212.02	45 MM		
212.03	50 MM		
212.04	55 MM		
212.05	60 MM		
212.06	65 MM		
212.07	70 MM		
212.08	75 MM		
212.09	80 MM		
212.1	85 MM		
212.11	90 MM		
212.12	95 MM		
212.13	100 MM		
212.14	105 MM		
212.15	110 MM		
213	MM FEMORAL NECK SCREW (FOR PFN NAIL)		
213.01	40 MM		
213.02	45 MM		
213.03	50 MM		
213.04	55 MM		
213.05	60 MM		
213.06	65 MM		
213.07	70 MM		
213.08	75 MM		
213.09	80 MM		
213.1	85 MM		

213.11	90 MM		
213.12	95 MM		
213.13	100 MM		
213.14	105 MM		
213.15	110 MM		
214	6.4 MM SOLID INTERLOCKING BOLT (FOR SUPRACONDYLAR)		
214.01	40 MM		
214.02	45 MM		
214.03	50 MM		
214.04	55 MM		
214.05	60 MM		
214.06	65 MM		
214.07	70 MM		
214.08	75 MM		
214.09	80 MM		
214.1	85 MM		
214.11	90 MM		
214.12	95 MM		
214.13	100 MM		
214.14	105 MM		
214.15	110 MM		
215	4.0 MM INTERLOCKING BOLT PARTIAL THREAD (FOR HUMERUS NAIL)		
215.01	20 MM		
215.02	25 MM		
215.03	30 MM		
215.04	35 MM		
215.05	40 MM		
215.06	45 MM		
215.07	50 MM		
216	Ø 2.0 MM SQUARE NAIL FOR ULNA		
216.01	Ø 2.0 MM X 200 MM		
216.02	Ø 2.0 MM X 220 MM		
216.03	Ø 2.0 MM X 240 MM		
216.04	Ø 2.0 MM X 260 MM		
216.05	Ø 2.0 MM X 280 MM		
216.06	Ø 2.0 MM X 300 MM		
217	Ø 2.5 MM SQUARE NAIL FOR ULNA		
217.01	Ø 2.5 MM X 200 MM		

217.02	ø 2.5 MM X 220 MM		
217.03	ø 2.5 MM X 240 MM		
217.04	ø 2.5 MM X 260 MM		
217.05	ø 2.5 MM X 280 MM		
217.06	ø 2.5 MM X 300 MM		
218	ø 3.0 MM SQUARE NAIL FOR ULNA		
218.01	ø 3.0 MM X 200 MM		
218.02	ø 3.0 MM X 220 MM		
218.03	ø 3.0 MM X 240 MM		
218.04	ø 3.0 MM X 260 MM		
218.05	ø 3.0 MM X 280 MM		
218.06	ø 3.0 MM X 300 MM		
219	ø 3.5MM SQUARE NAIL FOR ULNA		
219.01	ø 3.5MM X 200 MM		
219.02	ø 3.5 MM X 220 MM		
219.03	ø 3.5 MM X 240 MM		
219.04	ø 3.5 MM X 260 MM		
219.05	ø 3.5 MM X 280 MM		
219.06	ø 3.5 MM X 300 MM		
220	ø 2.0 MM SQUARE NAIL FOR RADIUS		
220.01	ø 2.0 MM X 200 MM		
220.02	ø 2.0 MM X 220 MM		
220.03	ø 2.0 MM X 240 MM		
220.04	ø 2.0 MM X 260 MM		
220.05	ø 2.0 MM X 280 MM		
220.06	ø 2.0 MM X 300 MM		
221	ø 2.5 MM SQUARE NAIL FOR RADIUS		
221.01	ø 2.5 MM X 200 MM		
221.02	ø 2.5 MM X 220 MM		
221.03	ø 2.5 MM X 240 MM		
221.04	ø 2.5 MM X 260 MM		
221.05	ø 2.5 MM X 280 MM		
221.06	ø 2.5 MM X 300 MM		
222	ø 3.0 MM SQUARE NAIL FOR RADIUS		
222.01	ø 3.0 MM X 200 MM		
222.02	ø 3.0 MM X 220 MM		
222.03	ø 3.0 MM X 240 MM		
222.04	ø 3.0 MM X 260 MM		
222.05	ø 3.0 MM X 280 MM		

222.06	ø 3.0 MM X 300 MM		
223	ø 3.5 MM SQUARE NAIL FOR RADIUS		
223.01	ø 3.5MM X 200 MM		
223.02	ø 3.5 MM X 220 MM		
223.03	ø 3.5 MM X 240 MM		
223.04	ø 3.5 MM X 260 MM		
223.05	ø 3.5 MM X 280 MM		
223.06	ø 3.5 MM X 300 MM		
224	ø 2.0 MM RUSH NAIL		
224.01	ø 2.0 MM X 200 MM		
224.02	ø 2.0 MM X 220 MM		
224.03	ø 2.0 MM X 240 MM		
224.04	ø 2.0 MM X 260 MM		
224.05	ø 2.0 MM X 280 MM		
224.06	ø 2.0 MM X 300 MM		
225	ø 2.5 MM RUSH NAIL		
225.01	ø 2.5 MM X 200 MM		
225.02	ø 2.5 MM X 220 MM		
225.03	ø 2.5 MM X 240 MM		
225.04	ø 2.5 MM X 260 MM		
225.05	ø 2.5 MM X 280 MM		
225.06	ø 2.5 MM X 300 MM		
226	ø 3.0 MM RUSH NAIL		
226.01	ø 3.0 MM X 200 MM		
226.02	ø 3.0 MM X 220 MM		
226.03	ø 3.0 MM X 240 MM		
226.04	ø 3.0 MM X 260 MM		
226.05	ø 3.0 MM X 280 MM		
226.06	ø 3.0 MM X 300 MM		
227	ø 3.5 MM RUSH NAIL		
227.01	ø 3.5MM X 200 MM		
227.02	ø 3.5 MM X 220 MM		
227.03	ø 3.5 MM X 240 MM		
227.04	ø 3.5 MM X 260 MM		
227.05	ø 3.5 MM X 280 MM		
227.06	ø 3.5 MM X 300 MM		
228	ø 4.0 MM RUSH NAIL		
228.01	ø 4.0 MM X 200 MM		
228.02	ø 4.0 MM X 220 MM		

228.03	ø 4.0 MM X 240 MM		
228.04	ø 4.0 MM X 260 MM		
228.05	ø 4.0 MM X 280 MM		
228.06	ø 4.0 MM X 300 MM		
229	GROUP - E : PELVIC IMPLANTS		
230	3.5 MM PELVIC RECON PLATE LOW PROFILE STRAIGHT		
230.01	2 HOLES		
230.02	3 HOLES		
230.03	4 HOLES		
230.04	5 HOLES		
230.05	6 HOLES		
230.06	7 HOLES		
230.07	8 HOLES		
230.08	9 HOLES		
230.09	10 HOLES		
230.1	12 HOLES		
230.11	14 HOLES		
230.12	16 HOLES		
230.13	18 HOLES		
230.14	20 HOLES		
231	3.5 MM PELVIC RECON PLATE 88° - CURVED		
231.01	6 HOLES		
231.02	8 HOLES		
231.03	10 HOLES		
231.04	12 HOLES		
231.05	14 HOLES		
231.06	16 HOLES		
232	3.5 MM PELVIC RECON PLATE 108° - CURVED		
232.01	6 HOLES		
232.02	8 HOLES		
232.03	10 HOLES		
232.04	12 HOLES		
232.05	14 HOLES		
232.06	16 HOLES		
233	3.5 MM LCP PELVIC RECON PLATE - STRAIGHT		
233.01	2 HOLES		
233.02	3 HOLES		
233.03	4 HOLES		
233.04	5 HOLES		

233.05	6 HOLES		
233.06	7 HOLES		
233.07	8 HOLES		
233.08	9 HOLES		
233.09	10 HOLES		
233.1	12 HOLES		
233.11	14 HOLES		
233.12	16 HOLES		
233.13	18 HOLES		
234	3.5 MM SPRING PLATE		
234.01	1 HOLE - L- 19.5 MM		
234.02	1 HOLE - L- 31.5 MM		
234.03	1 HOLE - L- 43.5 MM		
235	3.5 MM PELVIC J PLATE- RIGHT		
235.01	10 HOLES		
235.02	12 HOLES		
235.03	14 HOLES		
235.04	16 HOLES		
236	3.5 MM PELVIC J PLATE- LEFT		
236.01	10 HOLES		
236.02	12 HOLES		
236.03	14 HOLES		
236.04	16 HOLES		
237	GROUP - F : MAXILLOFACIAL IMPLANTS		
238	1.5 MM STRAIGHT PLATE WITH STEM/BAR/GAP-0.6 MM THICKNESS		
238.01	2 H		
238.02	4 H		
238.03	6 H		
239	2.0 MM STRAIGHT PLATE RECON WITH STEM/BAR/GAP- 1 MM THICKNESS		
239.01	2 H		
239.02	4 H		
239.03	6 H		
240	1.5 MM STRAIGHT PLATE CONTINUES RECON -0.6 MM THICKNESS		
240.01	2 H		
240.02	4 H		
240.03	6 H		
240.04	18 H		
241	2.0 MM STRAIGHT PLATE CONTINUES RECON -1 MM THICKNESS		

241.01	2 H		
241.02	4 H		
241.03	6 H		
241.04	18 H		
242	1.5 MM T-PLATE RECON- 0.6 MM THICKNES		
242.01	3 HEAD HOLES+ 2 SHAFT HOLES		
242.02	3 HEAD HOLES+ 3 SHAFT HOLES		
243	2.0 MM T-PLATE RECON- 1.0 MM THICKNES		
243.01	3 HEAD HOLES+ 2 SHAFT HOLES		
243.02	3 HEAD HOLES+ 3 SHAFT HOLES		
244	1.5 MM T-OBLIQUE PLATE RECON WITH GAP - 0.6 MM THICKNES		
244.01	3 HEAD HOLES+ 2 SHAFT HOLES		
245	2.0 MM T-OBLIQUE PLATE RECON WITH GAP - 1.0 MM THICKNES		
245.01	3 HEAD HOLES+ 2 SHAFT HOLES		
246	1.5 MM DOUBLE T- PLATE RECON - 0.6 MM THICKNES		
246.01	8 H		
247	2.0 MM DOUBLE T- PLATE RECON - 1.0 MM THICKNES		
247.01	8 H		
248	1.5 MM DOUBLE SQUARE PLATE RECON - 0.6 MM THICKNES		
248.01	6 H		
249	2.0MM DOUBLE SQUARE PLATE RECON - 1.0 MM THICKNES		
249.01	6 H		
250	1.5 MM DOUBLE Y-PLATE RECON WITH STEM/BAR/GAP-0.6 MM THICKNESS		
250.01	6H		
251	2.0 MM DOUBLE Y-PLATE RECON WITH STEM/BAR/GAP-1.0 MM THICKNESS		
251.01	6H		
252	1.5 MM L-PLATE RECON -0.6 MM THICKNESS- RIGHT SIDE		
252.01	3 HEAD HOLES+ 2 SHAFT HOLES		
252.02	3 HEAD HOLES+ 3 SHAFT HOLES		
253	1.5 MM L-PLATE RECON -0.6 MM THICKNESS- LEFT SIDE		
253.01	3 HEAD HOLES+ 2 SHAFT HOLES		
253.02	3 HEAD HOLES+ 3 SHAFT HOLES		
254	2.0 MM L-PLATE RECON -1.0 MM THICKNESS- RIGHT SIDE		
254.01	3 HEAD HOLES+ 2 SHAFT HOLES		
254.02	3 HEAD HOLES+ 3 SHAFT HOLES		
255	2.0 MM L-PLATE RECON -1.0 MM THICKNESS- LEFT SIDE		

255.01	3 HEAD HOLES+ 2 SHAFT HOLES		
255.02	3 HEAD HOLES+ 3 SHAFT HOLES		
256	1.5 MM L-OBLIQUE PLATE RECON - 0.6 THICKNESS RIGHT SIDE- 120°		
256.01	2 HEAD HOLES +3 SHAFT HOLES		
257	1.5 MM L-OBLIQUE PLATE RECON - 0.6 THICKNESS LEFT SIDE- 120°		
257.01	2 HEAD HOLES +3 SHAFT HOLES		
258	2.0 MM L-OBLIQUE PLATE RECON - 1.0 THICKNESS RIGHT SIDE- 120°		
258.01	2 HEAD HOLES +3 SHAFT HOLES		
259	2.0 MM L-OBLIQUE PLATE RECON - 1.0 THICKNESS LEFT SIDE- 120°		
259.01	2 HEAD HOLES +3 SHAFT HOLES		
260	1.5 MM SQUARE PLATE RECON -0.6 MM THICKNESS		
260.01	4 H		
261	2.0 MM SQUARE PLATE RECON -1.0 MM THICKNESS		
261.01	4 H		
262	1.5 MM X- PLATE RECON-0.6MM THICKNESS		
262.01	2 HEAD HOLES + 2 SHAFT HOLES		
262.02	4 HEAD HOLES + 4 SHAFT HOLES		
263	2.0 MM X- PLATE RECON-1.0 MM THICKNESS		
263.01	2 HEAD HOLES + 2 SHAFT HOLES		
263.02	4 HEAD HOLES + 4 SHAFT HOLES		
264	1.5 MM Y-PLATE RECON		
264.01	SMALL		
264.02	BIG		
265	2.0 MM Y-PLATE RECON		
265.01	SMALL		
265.02	BIG		
266	1.5 MM ORBITAL PLATE RECON		
266.01	4H (2+2)		
266.02	6H (3+3)		
266.03	7H (4+3)		
267	2.0 MM ORBITAL PLATE RECON CONTINUES		
267.01	8H		
268	1.5 MM MAXILLOFACIAL SCREWS (SELF-TAPPING) HEAD CROSS SLOT		
268.01	5 MM		
268.02	6 MM		
268.03	7 MM		
268.04	8 MM		

268.05	9 MM		
268.06	10 MM		
268.07	11 MM		
268.08	12 MM		
268.09	13 MM		
268.1	14 MM		
268.11	15 MM		
268.12	16 MM		
269	2.0 MM MAXILLOFACIAL SCREWS (SELF-TAPPING) HEAD CROSS SLOT		
269.01	5 MM		
269.02	6 MM		
269.03	7 MM		
269.04	8 MM		
269.05	9 MM		
269.06	10 MM		
269.07	11 MM		
269.08	12 MM		
269.09	13 MM		
269.1	14 MM		
269.11	15 MM		
269.12	16 MM		
269.13	17 MM		
269.14	18 MM		
269.15	19 MM		
269.16	20 MM		
269.17	21 MM		
269.18	22 MM		
269.19	23 MM		
269.2	24 MM		
269.21	25 MM		
269.22	26 MM		
269.23	27 MM		
269.24	28 MM		
269.25	29 MM		
269.26	30 MM		
269.27	31 MM		
269.28	32 MM		
269.29	33 MM		
269.3	34 MM		

270	GROUP - G : SPINAL IMPLANTS		
271	4.5 MM MONOAXIAL SCREW		
271.01	25 MM		
271.02	30 MM		
271.03	35 MM		
271.04	40 MM		
271.05	45 MM		
271.06	50 MM		
272	5.5 MM MONOAXIAL SCREW		
272.01	25 MM		
272.02	30 MM		
272.03	35 MM		
272.04	40 MM		
272.05	45 MM		
272.06	50 MM		
273	6.5 MM MONOAXIAL SCREW		
273.01	25 MM		
273.02	30 MM		
273.03	35 MM		
273.04	40 MM		
273.05	45 MM		
273.06	50 MM		
274	4.5 MM POLYAXIAL SCREW		
274.01	25 MM		
274.02	30 MM		
274.03	35 MM		
274.04	40 MM		
274.05	45 MM		
274.06	50 MM		
275	5.5 MM POLYAXIAL SCREW		
275.01	30 MM		
275.02	35 MM		
275.03	40 MM		
275.04	45 MM		
275.05	50 MM		
276	6.5 MM POLYAXIAL SCREW		
276.01	30 MM		
276.02	35 MM		
276.03	40 MM		

276.04	45 MM		
276.05	50 MM		
277	5.5 MM REDUCTION POLYAXIAL SCREW		
277.01	30 MM		
277.02	35 MM		
277.03	40 MM		
277.04	45 MM		
277.05	50 MM		
278	6.5 MM REDUCTION POLYAXIAL SCREW		
278.01	30 MM		
278.02	35 MM		
278.03	40 MM		
278.04	45 MM		
278.05	50 MM		
279	3.5 MM LATERAL MASS SCREW (POSTERIOR CRVICAL POLY)		
279.01	10 MM		
279.02	12 MM		
279.03	14 MM		
279.04	16 MM		
279.05	18 MM		
279.06	20 MM		
279.07	22 MM		
279.08	24 MM		
279.09	26 MM		
279.1	28 MM		
279.11	30 MM		
280	4.5 MM LATERAL MASS SCREW (POSTERIOR CERVICAL POLY)		
280.01	10 MM		
280.02	12 MM		
280.03	14 MM		
280.04	16 MM		
280.05	18 MM		
280.06	20 MM		
280.07	22 MM		
280.08	24 MM		
280.09	26 MM		
280.1	28 MM		
280.11	30 MM		

281	CERVICAL PLATE		
281.01	22.5 MM		
281.02	25.0 MM		
281.03	27.5 MM		
281.04	30.0 MM		
281.05	32.5 MM		
281.06	35.0 MM		
281.07	37.5 MM		
281.08	40.0 MM		
281.09	42.5 MM		
281.1	45.0 MM		
281.11	47.5 MM		
281.12	50.0 MM		
281.13	55.0 MM		
281.14	60.0 MM		
281.15	65.0 MM		
281.16	70.0 MM		
282	3.5 MM CERVICAL PLATE		
282.01	10 MM		
282.02	12 MM		
282.03	14 MM		
282.04	16 MM		
282.05	18 MM		
282.06	20 MM		
283	4.0 MM CERVICAL PLATE		
283.01	10 MM		
283.02	12 MM		
283.03	14 MM		
283.04	16 MM		
283.05	18 MM		
283.06	20 MM		
284	CERVICAL PLATE WITH INBUILT CAGE		
284.01	5.0 MM		
284.02	6.0 MM		
284.03	7.0 MM		
284.04	8.0 MM		
285	3.5 MM CERVICAL PLATE WITH INBUILT CAGE SCREW		
285.01	10 MM		
285.02	12 MM		

285.03	14 MM		
285.04	16 MM		
285.05	18 MM		
285.06	20 MM		
286	3.8MM CERVICAL PLATE WITH INBUILT CAGE SCREW		
286.01	10 MM		
286.02	12 MM		
286.03	14 MM		
286.04	16 MM		
286.05	18 MM		
286.06	20 MM		
287	3.5 MM SPINAL ROD FOR LATERAL MASS		
287.01	40 MM		
287.02	50 MM		
287.03	60 MM		
287.04	70 MM		
287.05	80 MM		
287.06	90 MM		
287.07	100 MM		
287.08	110 MM		
287.09	120 MM		
287.1	130 MM		
287.11	140 MM		
287.12	150 MM		
287.13	160 MM		
287.14	170 MM		
287.15	180 MM		
287.16	190 MM		
287.17	200 MM		
287.18	250 MM		
288	5.5 MM SPINAL ROD FOR DORSOLUMBER		
288.01	40 MM		
288.02	50 MM		
288.03	60 MM		
288.04	70 MM		
288.05	80 MM		
288.06	90 MM		
288.07	100 MM		
288.08	110 MM		

288.09	120 MM		
288.1	130 MM		
288.11	140 MM		
288.12	150 MM		
288.13	160 MM		
288.14	170 MM		
288.15	180 MM		
288.16	190 MM		
288.17	200 MM		
288.18	210MM		
288.19	220 MM		
288.2	230 MM		
288.21	240 MM		
288.22	250MM		
288.23	260 MM		
288.24	270 MM		
288.25	280 MM		
288.26	290 MM		
288.27	300 MM		
288.28	350 MM		
288.29	400 MM		
288.3	500 MM		
289	10 ϕ MM ECO CAGE		
289.01	10 X 10 MM		
289.02	10 X15 MM		
289.03	10 X 20 MM		
289.04	10 X 25 MM		
289.05	10X 30 MM		
289.06	10 X 35 MM		
289.07	10 X 40 MM		
289.08	10 X 45 MM		
289.09	10 X 50 MM		
290	12 MM ϕ ECO CAGE		
290.01	12 X 10 MM		
290.02	12 X15 MM		
290.03	12 X 20 MM		
290.04	12 X 25 MM		
290.05	12 X 30 MM		
290.06	12 X 35 MM		

290.07	12 X 40 MM		
290.08	12 X 45 MM		
290.09	12 X 50 MM		
291	14 MM ø ECO CAGE		
291.01	14 MM X 10 MM		
291.02	14 MM X15 MM		
291.03	14 MM X 20 MM		
291.04	14 MM X 25 MM		
291.05	14 MM X 30 MM		
291.06	14 MM X 35 MM		
291.07	14 MM X 40 MM		
291.08	14 MMX 45 MM		
291.09	14 MMX 50 MM		
292	16 MM ø ECO CAGE		
292.01	16 MM X 10 MM		
292.02	16 MM X15 MM		
292.03	16 MM X 20 MM		
292.04	16 MM X 25 MM		
292.05	16 MM X 30 MM		
292.06	16 MM X 35 MM		
292.07	16 MM X 40 MM		
292.08	16 MMX 45 MM		
292.09	16 MMX 50 MM		
293	18 MMø ECO CAGE		
293.01	18 MM X 10 MM		
293.02	18 MM X15 MM		
293.03	18 MM X 20 MM		
293.04	18 MM X 25 MM		
293.05	18 MM X 30 MM		
293.06	18 MM X 35 MM		
293.07	18 MM X 40 MM		
293.08	18 MMX 45 MM		
293.09	18 MMX 50 MM		
294	12 MM ø EXPANDABLE CAGE		
294.01	12 MM, 20X25		
294.02	12 MM, 25X35		
294.03	12 MM, 35X55		
294.04	12 MM, 55X77		
295	14 MM ø EXPANDABLE CAGE		

295.01	14 MM, 20X25		
295.02	14 MM, 25X35		
295.03	14 MM, 35X55		
295.04	14 MM, 55X77		
296	16 MM \emptyset EXPANDABLE CAGE		
296.01	16 MM, 20X25		
296.02	16 MM, 25X35		
296.03	16 MM, 35X55		
296.04	16 MM, 55X77		
297	18 MM \emptyset EXPANDABLE CAGE		
297.01	18 MM, 20X25		
297.02	18 MM, 25X35		
297.03	18 MM, 35X55		
297.04	18 MM, 55X77		
298	4° HEIGHT- TLIF CAGE		
298.01	4° - 7 MM X25 MM		
298.02	4°- 8 MM X 25 MM		
298.03	4°- 9 MM x 25 MM		
298.04	4°- 10 MM X 25 MM		
298.05	4°- 11 MM X 25 MM		
299	8° HEIGHT- TLIF CAGE		
299.01	8° - 7 MM X25 MM		
299.02	8°- 8 MM X 25 MM		
299.03	8°- 9 MM x 25 MM		
299.04	8°- 10 MM X 25 MM		
299.05	8°- 11 MM X 25 MM		
300	11° HEIGHT- TLIF CAGE		
300.01	11° - 7 MM X25 MM		
300.02	11°- 8 MM X 25 MM		
300.03	11°- 9 MM x 25 MM		
300.04	11°- 10 MM X 25 MM		
300.05	11°- 11 MM X 25 MM		
301	0° - PLIF CAGE		
301.01	0° - 7 MM DIA		
301.02	0° - 8 MM DIA		
301.03	0° - 9 MM DIA		
301.04	0° -10 MM DIA		
301.05	0°- 11 MM DIA		
301.06	0°- 12 MM DIA		

301.07	0° - 13 MM DIA		
301.08	0° - 14 MM DIA		
302	4° - PLIF CAGE		
302.01	4° - 7 MM DIA		
302.02	4° - 8 MM DIA		
302.03	4° - 9 MM DIA		
302.04	4° - 10 MM DIA		
302.05	4° - 11 MM DIA		
302.06	4° - 12 MM DIA		
302.07	4° - 13 MM DIA		
302.08	4° - 14 MM DIA		
303	ROD TO ROD CLAMP		
303.01	ROD TO ROD CLAMP- AXIAL		
303.02	ROD TO ROD CLAMP- PARALLEL		
304	CERVICAL PLATE STABILISATION PIN		
304.01	CERVICAL PLATE STABILISATION PIN		
305	TRANSVERS CONNECTOR Ø 5.5 MM		
305.01	TRANSVERS CONNECTOR 5.5 MM		
306	CERVICAL SPINE OFF SET		
306.01	CERVICAL SPINE OFF SET		
307	CERVICAL ROD CONNECTOR		
307.01	CERVICAL ROD CONNECTOR		
308	HALF PIN 5.0 MM		
308.01	150 MM		
309	GROUP - H : PROSTHESIS		
310	BIPOLAR PROTHESIS FENESTRATED- NEW TYPE- STERILISED		
310.01	37 MM		
310.02	39 MM		
310.03	41 MM		
310.04	43 MM		
310.05	45 MM		
310.06	47 MM		
310.07	49 MM		
310.08	51 MM		
310.09	53 MM		
310.1	55 MM		
311	BIPOLAR PROTHESIS - NON FENESTRATED- NEW TYPE- STERILISED		
311.01	37 MM		

311.02	39 MM		
311.03	41 MM		
311.04	43 MM		
311.05	45 MM		
311.06	47 MM		
311.07	49 MM		
311.08	51 MM		
311.09	53 MM		
311.1	55 MM		
312	A.M. HIP PROSTHESIS STERLISED		
312.01	37 MM		
312.02	38 MM		
312.03	39 MM		
312.04	40 MM		
312.05	41 MM		
312.06	42 MM		
312.07	43 MM		
312.08	44 MM		
312.09	45 MM		
312.1	46 MM		
312.11	47 MM		
312.12	48 MM		
312.13	49 MM		
312.14	50 MM		
312.15	51 MM		
312.16	52 MM		
312.17	53 MM		
312.18	54 MM		
312.19	55 MM		
313	A.M. HIP PROSTHESIS - NON- STERLISED		
313.01	37 MM		
313.02	38 MM		
313.03	39 MM		
313.04	40 MM		
313.05	41 MM		
313.06	42 MM		
313.07	43 MM		
313.08	44 MM		
313.09	45 MM		

313.1	46 MM		
313.11	47 MM		
313.12	48 MM		
313.13	49 MM		
313.14	50 MM		
313.15	51 MM		
313.16	52 MM		
313.17	53 MM		
313.18	54 MM		
313.19	55 MM		
314	MODULAR BIPOLAR CUP		
314.01	37 MM- SMALL		
314.02	37 MM- MEDIUM		
314.03	37 MM- LARGE		
314.04	39 MM- SMALL		
314.05	39 MM- MEDIUM		
314.06	39 MM- LARGE		
314.07	41 MM- SMALL		
314.08	41 MM- MEDIUM		
314.09	41 MM- LARGE		
314.1	43 MM- SMALL		
314.11	43 MM- MEDIUM		
314.12	43 MM- LARGE		
314.13	45 MM- SMALL		
314.14	45 MM- MEDIUM		
314.15	45 MM- LARGE		
314.16	47 MM- SMALL		
314.17	47 MM- MEDIUM		
314.18	47 MM- LARGE		
314.19	49 MM- SMALL		
314.2	49 MM- MEDIUM		
314.21	49 MM- LARGE		
314.22	51 MM- SMALL		
314.23	51 MM- MEDIUM		
314.24	51 MM- LARGE		
314.25	53 MM- SMALL		
314.26	53 MM- MEDIUM		
314.27	53 MM- LARGE		
314.28	54 MM- SMALL		

314.29	54 MM- MEDIUM		
314.3	54 MM- LARGE		
314.31	55 MM- SMALL		
314.32	55 MM- MEDIUM		
314.33	55 MM- LARGE		
315	MODULAR BIPOLAR STEM		
315.01	SMALL		
315.02	MEDIUM		
315.03	LARGE		
316	THOMPSON HIP PROSTHESIS STERLISED		
316.01	37 MM		
316.02	38 MM		
316.03	39 MM		
316.04	40 MM		
316.05	41 MM		
316.06	42 MM		
316.07	43 MM		
316.08	44 MM		
316.09	45 MM		
316.1	46 MM		
316.11	47 MM		
316.12	48 MM		
316.13	49 MM		
316.14	50 MM		
316.15	51 MM		
316.16	52 MM		
316.17	53 MM		
316.18	54 MM		
316.19	55 MM		
317	THOMPSON HIP PROSTHESIS NON STERLISED		
317.01	37 MM		
317.02	38 MM		
317.03	39 MM		
317.04	40 MM		
317.05	41 MM		
317.06	42 MM		
317.07	43 MM		
317.08	44 MM		
317.09	45 MM		

317.1	46 MM		
317.11	47 MM		
317.12	48 MM		
317.13	49 MM		
317.14	50 MM		
317.15	51 MM		
317.16	52 MM		
317.17	53 MM		
317.18	54 MM		
317.19	55 MM		
318	ACL SCREW ϕ 7.0 MM		
318.01	20		
318.02	25		
318.03	30		
318.04	35		
318.05	40		
319	ACL SCREW ϕ 8.0 MM		
319.01	20		
319.02	25		
319.03	30		
319.04	35		
319.05	40		
320	ACL SCREW ϕ 9.0 MM		
320.01	20		
320.02	25		
320.03	30		
320.04	35		
320.05	40		
321	ACL SCREW ϕ 10.0 MM		
321.01	20		
321.02	25		
321.03	30		
321.04	35		
321.05	40		
322	ACL		
322.01	ACL ENDO BUTTON		
322.02	ACL DISC WASHER		
323	GROUP - I : EXTERNAL FIXATORS		
324	RAIL FOR RAIL FIXATOR		

324.01	240 MM- LONG		
324.02	300 MM- LONG		
324.03	400 MM-LONG		
325	DYNAMIC EXTERNAL FIXATOR		
325.01	DYNAMIC EXTERNAL FIXATOR- SMALL		
325.02	DYNAMIC EXTERNAL FIXATOR - MEDIUM		
325.03	DYNAMIC EXTERNAL FIXATOR- LARGE		
325.04	DYNAMIC WRIST FIXATOR		
325.05	DYNAMIC EXTERNAL FIXATOR MEDIUM WITH SELF ADJUSTING CLAMP		
325.06	DYNAMIC LINEAR FIXATOR		
325.07	DYNAMIC EXTERNAL FIXATOR FOR DISTAL RADIUS		
326	PEDIATRIC RAIL FIXATOR		
326.01	150 MM- LONG		
326.02	200 MM- LONG		
326.03	250 MM-LONG		
327	CLAMP FOR RAIL FIXATORS		
327.01	CENTRAL CLAMP FOR RAIL FIXATOR		
327.02	END CLAMP FOR RAIL FIXATOR		
327.03	GRADUATED SWIVEL CLAMP		
327.04	SWIVEL CLAMP FOR RAIL FIXATOR		
327.05	BALL AND SOCKET CLAMP STANDARD FOR RAIL FIXATOR		
327.06	T- BALL AND SOCKET CLAMP FOR RAIL FIXATOR		
327.07	DYNA RING FOR RAIL FIXATOR		
327.08	T CLAMP FOR RAIL FIXATOR		
327.09	SANDWICH PLATE		
327.1	ELBOW CLAMP		
327.11	METAPHYSEAL CLAMP FOR RAIL FIATOR		
328	CLAMP PEDIATRIC		
328.01	PEDIATRIC CENTRAL CLAMP FOR RAIL FIXATOR		
328.02	PEDIATRIC END CLAMP FOR RAIL FIXATOR		
328.03	PEDIATRIC SWIVEL CLAMP FOR RAIL FIXATOR		
329	CLAMP GENERAL		
329.01	OPEN CLAMP (DX.)		
329.02	CONNECTING CLAMP (DX.)		
329.03	TWIN ADJUSTABLE CLAMP		
329.04	TUBE TO TUBE CLAMP		
329.05	TRANSVERSE CLAMP		

329.06	CLAMOP FOR FOREARM 2.5 MM x4.0 MM		
329.07	CLAMP FOR FOREARM 3.5 MM x4.0 MM		
329.08	CONNECTING CLAMP 4.0 MM x4.0 MM		
330	PIN CLAMPS		
330.01	SINGLE PIN CLAMP (DX.)		
330.02	DOUBLE PIN CLAMP (DX.)		
331	CD UNIT		
331.01	CD UNIT 40 MM		
331.02	CD UNIT 80 MM		
332	TUBULAR ROD (8 MM)		
332.01	100 MM		
332.02	150 MM		
332.03	200 MM		
332.04	250 MM		
332.05	300 MM		
332.06	350 MM		
332.07	400 MM		
332.08	450 MM		
333	TUBULAR ROD (11 MM)		
333.01	100 MM		
333.02	150 MM		
333.03	200 MM		
333.04	250 MM		
333.05	300 MM		
333.06	350 MM		
333.07	400 MM		
333.08	450 MM		
333.09	500 MM		
334	CONNECTING ROD ϕ 4.0 MM		
334.01	75 MM		
334.02	100 MM		
334.03	125 MM		
334.04	150 MM		
334.05	200 MM		
334.06	225 MM		
334.07	250 MM		
334.08	300 MM		
335	THREADED ROD ϕ 6.0 MM		
335.01	40 MM		

335.02	50 MM		
335.03	60 MM		
335.04	70 MM		
335.05	80 MM		
335.06	90 MM		
335.07	100 MM		
335.08	110MM		
335.09	120 MM		
335.1	130 MM		
335.11	140 MM		
335.12	150 MM		
335.13	200 MM		
335.14	250 MM		
335.15	300 MM		
335.16	350 MM		
335.17	400 MM		
336	LOTTED THREADED ROD ϕ 6.0 MM		
336.01	40 MM		
336.02	60 MM		
336.03	80 MM		
336.04	100 MM		
337	HALF RING		
337.01	80 MM		
337.02	100 MM		
337.03	120 MM		
337.04	140 MM		
337.05	160 MM		
337.06	180 MM		
337.07	200 MM		
337.08	220 MM		
338	5/8 RING		
338.01	140 MM		
338.02	160 MM		
338.03	180 MM		
338.04	200 MM		
338.05	220 MM		
339	WIRE FIXATION BOLT		
339.01	WIRE FIXATION BOLT- CANNULATED		
339.02	WIRE FIXATION BOLT- SLOTTED		

340	WIRE TENSIONERS		
340.01	WIRE TENSIONERS- MECHANICAL		
340.02	WIRE TENSIONERS- DYNAMOMETRIC (DYNAMOMETE)		
341	WRENCHOQUBE- MALE		
341.01	1 HOLES		
341.02	2 HOLES		
341.03	3 HOLES		
341.04	4 HOLES		
342	WRENCHOQUBE- FEMALE		
342.01	1 HOLES		
342.02	2 HOLES		
342.03	3 HOLES		
342.04	4 HOLES		
343	RING CONNECTING BOLT		
343.01	15 MM		
343.02	20 MM		
344	ALLEN KEY FOR RAIL FIXATOR		
344.01	5.0 MM		
344.02	6.0 MM		
345	SPANNERS		
345.01	8 MM		
345.02	11 MM		
345.03	UNIVERSAL BOX SPANNER		
346	NUT		
346.01	11 MM NUT		
346.02	SQUARE NUT		
347	WASHERS FOR FIXATORS		
347.01	SLOTTED WASHER		
347.02	SPACING WASHER		
347.03	CONICAL WASHER- COUPLE		
348	TRIPPLE TROCAR WITH HANDLE		
348.01	50 MM		
348.02	100 MM		
349	GENERAL FIXATOR ITEMS		
349.01	SOCKET WRENCH- 11 MM		
349.02	COMPRESSION/ DISTRACTION DEVICE LARGE		
349.03	SCHANZ SCREW INTRODUCER		
350	GROUP - J : PINS & WIRES		

351	3.5 MM MOORE \SPIN WITH 2 NUTS		
351.01	45 MM		
351.02	50 MM		
351.03	55 MM		
351.04	60 MM		
351.05	65 MM		
351.06	70 MM		
351.07	75 MM		
351.08	80 MM		
351.09	85 MM		
351.1	90 MM		
351.11	100 MM		
351.12	105 MM		
351.13	110 MM		
351.14	115 MM		
351.15	120 MM		
351.16	125 MM		
351.17	130 MM		
351.18	135 MM		
351.19	140 MM		
351.2	145 MM		
351.21	150 MM		
352	3.0 MM KNOWLES PIN		
352.01	100 MM		
352.02	105 MM		
352.03	110 MM		
352.04	115 MM		
352.05	120 MM		
352.06	125 MM		
352.07	130 MM		
352.08	135 MM		
352.09	140 MM		
352.1	145 MM		
353	4.0 MM KNOWLES PIN		
353.01	95 MM		
353.02	100 MM		
353.03	105 MM		
353.04	110 MM		
353.05	115 MM		

353.06	120 MM		
353.07	125 MM		
353.08	130 MM		
353.09	135 MM		
353.1	140 MM		
353.11	145 MM		
353.12	150 MM		
353.13	155 MM		
353.14	160 MM		
353.15	165 MM		
353.16	170 MM		
353.17	175 MM		
353.18	180 MM		
354	4.5 MM SCHANZ PIN		
354.01	14 TH x 100 MM		
355	3.5 MM SCHANZ PIN		
355.01	16TH X 125 MM		
355.02	16 TH X 150 MM		
355.03	16 TH X175 MM		
355.04	16 TH X 200 MM		
355.05	18 TH X 175 MM		
355.06	32 TH X 150 MM		
355.07	32 TH X 175 MM		
355.08	32 TH X 200 MM		
355.09	32 TH X 225 MM		
355.1	40 TH X 225 MM		
356	3.5 MM X 4.0 MM SHAFT SCHANZ PIN		
356.01	18 TH X 175 MM		
356.02	25 TH X 125 MM		
356.03	32 TH X 150 MM		
357	3.5 MM X 4.5 MM SHAFT SCHANZ PIN		
357.01	32 TH X 125 MM		
357.02	32 TH X 150 MM		
358	4.0 MM SCHANZ PIN		
358.01	40 TH X 175 MM		
359	4.5 MM SCHANZ PIN		
359.01	18 TH X 150 MM		
359.02	18 TH X 175 MM		
359.03	18 TH X 200 MM		

359.04	18 TH X 225 MM		
359.05	25 TH X 125 MM		
359.06	25 TH X 150 MM		
359.07	25 TH X 175 MM		
359.08	25 TH X 200 MM		
359.09	25 TH X 225 MM		
359.1	25 TH X 250 MM		
359.11	32 TH X 150 MM		
359.12	32 TH X 175 MM		
359.13	32 TH X 200 MM		
359.14	32 TH X 225 MM		
359.15	40 TH X 175 MM		
359.16	40 TH X 200 MM		
359.17	40 TH X 225 MM		
360	5.0 MM SCHANZ PIN		
360.01	16 TH X 175 MM		
360.02	18 TH X 150 MM		
360.03	18 TH X 175 MM		
360.04	18 TH X 200 MM		
360.05	25 TH X 150 MM		
360.06	25 TH X 175 MM		
360.07	25 TH X 200 MM		
360.08	32 TH X 150 MM		
360.09	32 TH X 175 MM		
360.1	32 TH X 200 MM		
360.11	32 TH X 225 MM		
360.12	50 TH X 100 MM		
360.13	50 TH X 125 MM		
360.14	50 TH X 150 MM		
360.15	50 TH X 175 MM		
360.16	50 TH X 200 MM		
360.17	50 TH X 225 MM		
361	6.0 MM SCHANZ PIN		
361.01	32 TH X 150 MM		
361.02	32 TH X 175 MM		
361.03	32 TH X 200 MM		
361.04	32 TH X 225 MM		
361.05	50 TH X 125 MM		
361.06	50 TH X 150 MM		

361.07	50 TH X 175 MM		
361.08	50 TH X 200 MM		
361.09	50 TH X 225 MM		
362	4.0 MM TAPERED SCHANZ PIN		
362.01	18 TH X 50 MM		
362.02	20TH X 60MM		
362.03	20TH X 70 MM		
362.04	20TH X 80 MM		
362.05	20TH X 100 MM		
363	4.5 MM TAPERED SCHANZ PIN		
363.01	20 TH X 100 MM		
363.02	30 TH X 100 MM		
363.03	30 TH X 120 MM		
363.04	40 TH X 120 MM		
363.05	40 TH X 150 MM		
363.06	40 TH X 170 MM		
364	6.0 MM TAPERED SCHANZ PIN		
364.01	30 TH X 130 MM		
364.02	30 TH X 150 MM		
364.03	40 TH X 130 MM		
364.04	40 TH X 150 MM		
364.05	40 TH X 170 MM		
364.06	40 TH X 200 MM		
364.07	50 TH X 130MM		
364.08	50 TH X 150 MM		
364.09	50 TH X 170 MM		
364.1	50 TH X 200 MM		
364.11	50 TH X 225 MM		
364.12	50 TH X 250MM		
364.13	50 TH X 170MM		
364.14	50 TH X 200MM		
365	SCHANZ PIN SELF DRILLING AND SELF TAPPING		
365.01	40 TH X 150 MM		
365.02	75 TH X 195 MM		
365.03	75 TH X 200 MM		
366	SCHANZ PIN (STERLISED)		
366.01	16 TH X 150 MM (STERLISED)		
366.02	18TH X 200 MM (STERLISED)		
366.03	25 TH X 200 MM (STERLISED)		

367	6.5 MM CANCELLOUS SCHANZ PIN		
367.01	16 TH X 225 MM		
367.02	32 TH X 225 MM		
368	CANCELLOUS SCHANZ PIN WITH THREADED END WITH 2 NUTS 6.5 MM		
368.01	L-150 MM		
369	3.0 MM STEINMANN PIN		
369.01	150 MM		
369.02	175 MM		
369.03	200 MM		
369.04	225 MM		
370	3.0 MM STEINMANN PIN		
370.01	125 MM		
370.02	150 MM		
370.03	175 MM		
370.04	200 MM		
370.05	225 MM		
370.06	250 MM		
371	4.0 MM STEINMANN PIN		
371.01	150 MM		
371.02	175 MM		
371.03	200 MM		
371.04	225 MM		
371.05	250 MM		
372	4.5 MM STEINMANN PIN		
372.01	150 MM		
372.02	175 MM		
372.03	200 MM		
372.04	225 MM		
372.05	250 MM		
373	5.0 MM STEINMANN PIN		
373.01	150 MM		
373.02	175 MM		
373.03	200 MM		
373.04	225 MM		
374	4.5 MM STEINMANN PIN (STERLISED)		
374.01	225 MM (STERLISED)		
375	DANHAM PIN		
375.01	4.5 MM x 225 MM		
375.02	5.0 MM X 225 MM		

376	DANHAM PIN (STERILIZED)		
376.01	4.5 MM x 225 MM		
377	0.6 MM K.WIRE		
377.01	L 100 MM		
377.02	L 150 MM		
377.03	L 200 MM		
377.04	L 250 MM		
378	0.8 MM K. WIRE		
378.01	L 075 MM		
378.02	L 100 MM		
378.03	L 150 MM		
379	1.0 MM K. WIRE		
379.01	L 100 MM		
379.02	L 150 MM		
379.03	L 200 MM		
379.04	L 250 MM		
379.05	L-300 MM		
380	1.2 MM K. WIRE		
380.01	L 100 MM		
380.02	L 150 MM		
380.03	L 200 MM		
380.04	L 250 MM		
380.05	L-300 MM		
381	1.4 MM K.WIRE		
381.01	L 100 MM		
381.02	L 150 MM		
381.03	L 200 MM		
381.04	L 250 MM		
381.05	L-300 MM		
381.06	L 310 MM		
382	1.5 MM K. WIRE		
382.01	L 100 MM		
382.02	L 150 MM		
382.03	L 200 MM		
382.04	L 250 MM		
382.05	L-300 MM		
382.06	L-350 MM		
382.07	L-400 MM		
383	1.6 MM K. WIRE		

383.01	L 100 MM		
383.02	L 150 MM		
383.03	L 200 MM		
383.04	L 250 MM		
383.05	L-300 MM		
383.06	L-310 MM		
384	1.7 MM K. WIRE		
384.01	L 150 MM		
385	1.8 MM K. WIRE		
385.01	L 100 MM		
385.02	L 150 MM		
385.03	L 175 MM		
385.04	L 200 MM		
385.05	L 250 MM		
385.06	L-300 MM		
385.07	L 310 MM		
386	2.0 MM K. WIRE		
386.01	L 100 MM		
386.02	L 150 MM		
386.03	L 175 MM		
386.04	L 200 MM		
386.05	L-225 MM		
386.06	L 250 MM		
386.07	L 300 MM		
386.08	L 310 MM		
386.09	L 400 MM		
387	2.5 MM K. WIRE		
387.01	L 100 MM		
387.02	L 150 MM		
387.03	L 200 MM		
387.04	L 250 MM		
387.05	L-300 MM		
387.06	L 400 MM		
387.07	L 450 MM		
388	3.0 MM K. WIRE		
388.01	L 100 MM		
388.02	L 150 MM		
388.03	L 200 MM		
388.04	L 250 MM		

388.05	L-300 MM		
388.06	L 310 MM		
388.07	L 450 MM		
389	3.5 MM K. WIRE		
389.01	L 100 MM		
389.02	L 150 MM		
389.03	L 200 MM		
389.04	L 250 MM		
389.05	L-300 MM		
390	4.0 MM K. WIRE		
390.01	L 150 MM		
390.02	L 200 MM		
390.03	L 250 MM		
390.04	L 300 MM		
390.05	L-350 MM		
391	5.0 MM K. WIRE		
391.01	L-300 MM		
392	K. WIRE (STERILIZED)		
392.01	1.0 MM - L 150 MM (STERILIZED)		
392.02	1.2 MM - L 150 MM (STERILIZED)		
392.03	1.5 MM - L 150 MM (STERILIZED)		
392.04	1.8 MM - L 150 MM (STERILIZED)		
392.05	2.0 MM - L 150 MM (STERILIZED)		
392.06	2.5 MM - L 150 MM (STERILIZED)		
392.07	3.0 MM - L 150 MM (STERILIZED)		
393	1.2 MM DOUBLE ENDED- THREADED K. WIRE		
393.01	L-300 MM		
394	1.4 MM DOUBLE ENDED- THREADED K. WIRE		
394.01	L 250 MM		
395	1.5 MM DOUBLE ENDED- THREADED K. WIRE		
395.01	L 150 MM		
395.02	L 180 MM		
395.03	L 200 MM		
395.04	L 250MM		
395.05	L-300 MM		
396	2.0 MM DOUBLE ENDED- THREADED K. WIRE		
396.01	L 150 MM		
396.02	L 200 MM		
396.03	L 250 MM		

397	2.5 MM DOUBLE ENDED- THREADED K. WIRE		
397.01	L-100 MM		
397.02	L 150 MM		
397.03	L 200 MM		
397.04	L 250 MM		
397.05	L 300 MM		
397.06	L-400 MM		
398	3.0 MM DOUBLE ENDED- THREADED K. WIRE		
398.01	L 150 MM		
398.02	L 200 MM		
398.03	L 250 MM		
398.04	L 300 MM		
398.05	L-350 MM		
399	3.5 MM DOUBLE ENDED- THREADED K. WIRE		
399.01	L 300 MM		
400	S.S WIRE (SUTURE)		
400.01	16 SWG		
400.02	18 SWG		
400.03	20 SWG		
400.04	22 SWG		
400.05	24 SWG		
400.06	26 SWG		
400.07	28 SWG		
400.08	30 SWG		
401	COVENTRY STAPLES		
401.01	SMALL (5 MM STEP)		
401.02	MEDIUM (10 MM STEP)		
401.03	LARGE (15 MM STEP)		
402	ILLIZAROV WIRE (BAYNOT & TROCAR POINT)		
402.01	1.5 (BAYNOT & TROCAR POINT) x 12 MM		
402.02	1.5 (BAYNOT & TROCAR POINT) x 16 MM		
402.03	1.8 (BAYNOT & TROCAR POINT) x 16 MM		
403	OLIVE WIRE (BAYNOT POINT)		
403.01	1.5 (BAYNOT POINT)x 16 "		
403.02	1.8 (BAYNOT POINT)x 16 "		
404	GROUP - K		

405	<p>UNCEMENTED THR SYSTEM</p> <ul style="list-style-type: none"> * Fully Hydroxyapatite coated stem * Most optimum level coating 155 microns * Proximal Horizontal macrostructure * Distal Macrostructure * 12/14 Articuleze Mini Taper * Neck Shaft Angle - 130° to 135° * Neck length : 38.5 mm/ Offset: 38-43 mm * Stem Length: 115-165 mm * Femoral head Metallurgy- CoCr (Cobalt Cromium Molybdenum) * Cancellous screw diameter 6.5 mm * Metallurgy- Ti6Al4V (Forged Titanium Aluminium Vanadium Alloy) * Fully threaded self tapping cancellous screw * Moderate crosslinked polythelene acetabular liner * Metallurgy : Moderately Cross linked - 5 Mrad (GUR 402 grade UHMWPE) * Dome poly thickness 6-10 mm with 180 degree femoral head coverage * Gamma Irradiated Vaccum packed * Available with neutral and +4 mm lateralised option * Aceptabular cup Metallurgy: Ti6Al4V * Aceptabular cup dome geometry is 165 degree sub hemisphere shape * Cup Porocoat porous coating -250 microns * Pore diameter- coating thickness 0.8 mm * Locking -ring mechanism 		
406	<p>Cemented THR System</p> <ul style="list-style-type: none"> * Stem Metallurgy- orton 90 * Tripple Tapered polished stem * Stem Offset 26-42 mm * Stem neck length : 25.5-32.1 mm & distal stem tip diameter 5.8 mm * Leg length range 26-29 mm * 9/10 & 12/14 taper * proximal M/L width range : 24.8- 29.7 mm * A/P width :10.3 -13 mm * Femoral head Metallurgy - Orton 90 * Ogee flanged polythylene acetabular cup 4 MRAD poly with long posterior wall * Radiographic Postitioning ring 15 degree angle bore option * Void Centraliser Metallurgy- PMMA (Sizes : 10 , 12, 14, 16 mm) * Hardinge cement restrictor thickness- 8, 8.5, 9, 11.5 mm 		

407	<p>Cemented Bipolar System</p> <ul style="list-style-type: none"> * Modular two part system metal cup with poly liner * Sizing range 39-65 mm * Compatible with 22.225 and 28 mm head * Easy conversion to total hip without disturbing femoral component * Dedicated modular endo heads * Available to use both Uncemented and cemented hip system * Design to Accurate fit for wide range of patient * Locking ring locks the poly liner into metal cup * Stem Metallurgy- Orton 90 * Triple Tapered polished stem * Stem offset 26-42 mm * Stem neck length : 25.5-32.1 mm & distal stem tip diameter 5.8 mm * Leg length range 26-29 mm * 9/10 & 12/14 taper * proximal M/L width range : 24.8- 29.7 mm * A/P width : 10.3 -13 mm * Femoral head Metallurgy - Orton 90 * Hardinge cement restrictor thickness- 8, 8.5, 9, 11.5 mm 		
408	<p>Uncemented Bipolar system</p> <ul style="list-style-type: none"> * Modular two part system metal cup with poly liner * Sizing range 39-65 mm * Compatible with 22.225 and 28 mm head * Easy conversion to total hip without disturbing femoral component * Dedicated modular endo heads * Available to use both Uncemented and cemented hip system * Design to Accurate fit for wide range of patient * Locking ring locks the poly liner into metal cup * Fully Hydroxyapatite coated stem * Most optimal level coating 155 microns * Proximal Horizontal macrostructure * Distal Macrostructure * 12/14 Articulate Mini Taper * Neck Shaft Angle -135 degree * Neck Length: 38.5 mm/offset:38-43 mm * Stem length : 115-165 mm * Femoral head Metallurgy- Co Cr (Cobalt Chromium Molybdenum) 		

409	<p>Bone cement:</p> <ul style="list-style-type: none"> * High viscosity cement * Longer working time and comparably short setting time * Contains Methyl Methacrylate/ Methyl acrylate copolymer blend * Sterilised using as the radipaque agent * Zentamycin loaded 		
410	<p>TKR System:</p> <ul style="list-style-type: none"> * Femoral component Metaallurgy- Co Cr (Cobalt Cromium Molybdenum) * Femur should have a deep sulcus (trochlear) groove ratio of 1.0" to 0.3" radii with 7 degree Q angle to mechanical axis * Femur should have J-curve articulation with multi radius design * Femoral component inner box dimension- 17.8 mm * Femoral component A/P dimension 57-69 mm * Femoral component M/L dimension 53-73 mm * Femoral component lift off height 20.3 mm * Femoral component posterior thickness 8 mm & distal thickness 9mm * 7 degree deep conforming trochlear groove * Tibial component Metallurgy Ti6Al4V (Forged Titanium Vanadium Alloy) * Anatomical 3 degree slope on keel * Spirallock threads in the distal aspect of keel accepts various dia & length of Tibial stem * Peripheral locking Rim Present * Thickness of tibial Platform -2mm * Tibial component M/L dimension 61 -83 mm and A/P dimension 41-55 mm * Keel height 38-43 mm A/P dimension of keel 21-24 mm and M/L dimension 37-43 mm * Poly Insert metallurgy-mild cross linked 5 MRAD (Gur 402 grade UHMPE) * Spine width 16.3 mm * Spine Height- 19mm * Insert Thickness 8, 10, 12.5, 15, 17.5 mm * Minimum Effective poly- 6mm * M/L dimension 58-83 mm & A/p dimension 38-55 mm * Peripheral anterior double locking * Dome patella Metallurgy - calcium stearate free UHMWPE * Three peg patella * Patella Thickness 8, 8.5 , 9 & 11.5 mm 		

411	<p>Hemi Shoulder system</p> <ul style="list-style-type: none"> * Available in proximally Porocoat® * porous -coated and non -coated humeral stems * Trial and implants height markings assist in re-establishing anatomical height * A reduced proximal body helps preserve bone stock for tuberosity attachment * Anterior fin with hole provides the proper anatomical location for tuberosity fixation * Modular humeral heads provide more anatomical options than fixed head system * A medial fin hole provides additional fixation opportunities * Low profile femoral head * Increase articular surface area by 25-33 percent * Modular head coming into 5 diameter and 3 different heights (diameter 40,44,48,52, 56 mm & height 15 , 18 , 21 mm) 		
412	<p>Total shoulder system</p> <ul style="list-style-type: none"> * Available in proximally Porocoat® * porous -coated and non -coated humeral stems * Trial and implants height markings assist in re-establishing anatomical height * A reduced proximal body helps preserve bone stock for tuberosity attachment * Anterior fin with hole provides the proper anatomical location for tuberosity fixation * Modular humeral heads with maximized articular surface area * Reverse Morse taper locking mechanism provides maximum surgical exposure * Modular humeral heads provide more anatomical options than fixed head system * A medial fin hole provides additional fixation opportunities * Peg & keel system glenoid to give more rotational stability * 3 types of glenoid anchor peg, keeled and 5 pegged glenoid * Glenoid made off UHMWPE 		
413	<p>Elbow System:</p> <ul style="list-style-type: none"> * Hinge Prothesis * Made off Stailless stell type of metal * Both the edges should be narrow to reduce pain 		
414	Shoulder Instrument system;		
414.01	<p>Humeral stem instrument set:</p> <ul style="list-style-type: none"> * Single reaming and broach technique * Manual and power both reaming option needed * Anterotation fin * Height and rotation adjustable zig 		

414.02	<p>Humeral Head instrument set:</p> <ul style="list-style-type: none"> * Diameter should 40, 44, 48, 52, and 56 & height should be 15, 18 & 21 mm * Different color coading for different sizes head which gives you maximum anatomic coverage 		
414.03	<p>Glenoid instrument sets:</p> <ul style="list-style-type: none"> * All 3 peg, keeled and anchor peg option should be available * Diameter should 40, 44, 48, 52, and 56 & height should be 15, 18 & 21 mm 		
415	Total instrument set for TKR system:		
415.01	<p>Instrument set for Tibial component:</p> <ul style="list-style-type: none"> * Tibial zig should have option 0 degree, 3 degree & 5 degree inbuilt slope * +/-2 mm cutting option be there within the zig itself * External tibial zig should have medio/ lateral sliding option to correct the varus/ valgus deformity & anterior sliding option to correct the posterior additional slope 		
415.02	<p>Instrument set for Femoral component:</p> <ul style="list-style-type: none"> * Femoral zig should have options of posterrior referencing and anterior referencing * All cuts in one zig except notch cut * saw capture should be there within the zig itself to protect the extra bone cut * Varus/ valgus deformity correction option should be there within the zig itself 		
415.03	<p>Instrument set for Tibial Insert component</p> <ul style="list-style-type: none"> * High performance instrumnets to support anterior- posterior transition to match flexion to extension gap * Different colour coding for each insert trial * Sizes should be 8/10/12.5/15 & 17.5 in each sizes from 1.5-5 		
415.04	<p>Instrument set for basic and common TKR system</p> <ul style="list-style-type: none"> * High performance instruments designed to minimally invasisve procedure (MIS) 		
415.05	<p>Instrument set for patellar component:</p> <ul style="list-style-type: none"> * Sizes should be 32/35/38 & 41 * saw capture should be there within the zig itself to protect the extra bone cut within cutting zig itself * 3 peg pattla cutting zig needed 		
416	Total instrument set for THR system:		

416.01	Instrument set for Uncemented stem component <ul style="list-style-type: none"> * Downwards cutting broaches * single broach technique * 45 degree neck cutting option * 12/14 taper 		
416.02	Instrument set for Uncemented cup component <ul style="list-style-type: none"> * Sub hemispherical cup trials 165 degree dome * Liner trial; lock in option within the shell * Anteversion and abduction angle reference guide * Compatible with 28 & 32mm head 		
416.03	Instrument set for cemented stem component <ul style="list-style-type: none"> * Diamond cutting broaches * Wide range of each sizes straight reamer * 12/14 taper 		
416.04	Instrument set for cemented cup component <ul style="list-style-type: none"> * Compatible with 28 mm diameter head * Wide range of acetabulum reamer * Compatible with 28 mm diameter head 		
416.05	Instrument set for acetabulum reamer: <ul style="list-style-type: none"> * Clock wise cutting edge * Subhemispherical shape * Available in both option manual and power reaming 		
416.06	Instrument set for Bipolar: <ul style="list-style-type: none"> * Available in 22 & 28 Diameter * Size range 39-65 mm * Design to accurate fit for wide range of patient 		
416.07	Battery Reamer/drill (handpiece) set: <ul style="list-style-type: none"> * Fully Cannulated with 4.0 mm diameter * Drilling Speed from 0-930 rpm * Reaming Speed from 0-340 rpm * Power 195 watt * Torque Up to 15 Nm * Weight including Batteries 1565 g * Clockwise/ counter- clockwise operation * Operating voltage 14.8 V * Typical Charging Time of less than 60 min 		

416.08	<p>Battery Oscillator (Handpiece) set:</p> <ul style="list-style-type: none"> * variable frequency of 0 to 12,000 osc/min. * Saw Blade deflection 4.5 ° * Keyless fixation of Saw Blades * Saw Blade should fixation in 45 ° increments i.e total 8 positions * Weight including Batteries 1685 g * Operating Voltage 14.8 V * Typical Charging time of less than 60 min * Saw Blade for TJR Surgery Length 81 to 116 mm, Usable L 60 to 95 mm, Width 12.5 to 25 mm, Thickness 0.89 to 1.47 mm * Saw Blade for General Traumatology Length 46 to 90 mm, Usable Length 25 to 69 mm, Width 10 to 50 mm, Thickness 0.4 to 1.2 mm 		
416.09	<p>Batteries/ casing/ Charger set:</p> <ul style="list-style-type: none"> * No memory effect (special charging process eliminates memory effect) * Long battery -lifetime (> 1000 charging cycles) * Non- sterile batteries * Quick Re-availability (because no washing/sterilization is necessary) * No loss of battery capacity due to sterilization * Safe and easy handling in the operation theatre * Standard battery : 14.8V, 1.5 Ah, Li-Ion * Holds the 14.8 V battery to establish connection with the handpiece * Helps to ensure aseptic transfer of batteries with the help of sterile cover * With locking mechanism to prevent the battery from falling * Made up of PEEK (Polyetheretherketone) * fully Autoclavable * Should have 4 charging bays * Should be capable of charging NiCd, NiMH and Lithium Ion batteries * Should display the charging status of the batteries * Should have option of Refreshing batteries * Keeps inserted batteries constantly fully loaded 		

416.1	Drill Chuck with Key / Hudson quick coupling/ Quick coupling for kirschner wires set: * 3.2 mm Cannulated with key * Operating capacity from 0.5 to 7.3 mm diameter * Maximum Speed: 930 rpm * Torque 6 Nm * 4.0 mm Cannulation * Maximum Speed: 340 rpm * torque 15 Nm * For dia 1.5 to 4.0 mm wires * Maximum Speed: 930 rpm		
416.11	Reciprocating Saw system * variable frequency of 0 to 14,000 osc/min. * Weight Including Batteries 1675 g * Stroke 4 mm * Operating voltage 14.8 V * Typical Charging time of less than 60 min * Click in Saw Blade fixation * Saw Blade for Reciprocating saw Length 55 to 80 mm, Cutting Thickness 0.85 to 1.1mm, Width 10 to 12 mm		

निविदादाता ई-निविदा के तकनीकी भाग में निम्नलिखित कागजात स्कैन (Scan) करके अपलोड करेंगे तथा उसकी हार्ड कॉपी, आवेदन शुल्क की राशि का बैंक ड्राफ्ट की मूल प्रति, अग्रधन राशि का बैंक ड्राफ्ट की मूल प्रति, शपथ पत्र की मूल प्रति, कैटलॉग की मूल प्रति, प्राधिकार की पत्र मूल प्रति मुहरबंद टंकित निविदा सीलबंद लिफाफे में सिर्फ स्पीड पोस्ट/निबंधित डाक द्वारा निर्धारित तिथि तक अधोहस्ताक्षरी के कार्यालय में भेजना अनिवार्य है। साधारण डाक / प्राइवेट कूरियर / हाथों-हाथ प्राप्त निविदा पर विचार नहीं किया जायेगा तथा वे स्वतः रद्द हो जायेंगे।

(क) झारखण्ड राज्य के लघु-उद्योग एवं भारत सरकार के प्रतिष्ठानों को छोड़कर अन्य निविदादाता अग्रधन राशि रुपये 50,000/- (Rupees Fifty Thousand) मात्र का बैंक ड्राफ्ट की मूल प्रति संलग्न करेंगे।

(ख) (i) वाणिज्य कर विभाग द्वारा May 2017 तक का निर्गत अधतन स्वच्छता प्रमाण पत्र की छायाप्रति।

अथवा

अगर निविदा दाता / फर्म का कार्यालय झारखण्ड राज्य में निबंधित नहीं है तो उन निविदादाताओं को नोटरी पब्लिक का शपथ पत्र देना होगा की झारखण्ड सरकार का बिक्री कर (Jharkhand VAT) भुगतान करने के पश्चात ही सामग्रियों की आपूर्ति करेंगे तथा बिक्री कर में राहत इत्यादि के लिए निविदा आमंत्रित करने वाले विभाग से किसी प्रकार के अभिलेखों की मांग नहीं करेंगे।

(ii.) वास्तु एवं सेवा कर अधिनियम 2017 (जी0एस0टी0-2017) के अंतर्गत झारखण्ड में निबंधित होना आवश्यक है। सम्बंधित प्रमाण पत्र प्रस्तुत किया जाये।

(ग) सभी निविदादाताओं को नोटरी पब्लिक के माध्यम से शपथ पत्र देना अनिवार्य होगा जिसमें अंकित होना चाहिए की :-

- हमारा फर्म / कंपनी किसी सरकारी अथवा अर्द्ध सरकारी उपकर्म की काली सूचि में नहीं है तथा पूर्व में भी दोषी नहीं पाया गया है।
- रिम्स को आपूर्ति किये जाने वाले सभी सामग्रियों के लेबुल पर Supply for RIMS, Ranchi / Not for Sale / for Govt. Supply Only अंकित होना अनिवार्य है।

(घ) निविदादाता का अद्यतन ड्रग लाइसेंस। अगर निविदादाता स्वयं निर्माता है तो MFG License अथवा अगर निविदादाता किसी निर्माता द्वारा प्राधिकृत फर्म है, तो मूल निर्माता द्वारा निविदादाता / फर्म के नाम निर्गत प्राधिकार पत्र की मूल प्रति जो इस निविदा के लिए निर्गत हो। प्राधिकार पत्र निदेशक, रिम्स, राँची के नाम से निर्देशित होना अनिवार्य है तथा निर्माता को प्राधिकार पत्र में यह प्रमाण पत्र देना होगा की उनकी फर्म काली सूचि में नहीं है।

- (ड) प्राधिकार पत्र के साथ प्राधिकृत करने वाले कंपनी / फर्म / व्यक्ति का चार्टर्ड अकाउंटेंट द्वारा अंकेक्षित प्रमाण पत्र जिसमें कंपनी/फर्म/व्यक्ति का वार्षिक टर्न ओवर कम से कम डेढ़ करोड़ रुपये सालाना हो साथ ही साथ प्राधिकार पत्र निर्गत करने वाले पदाधिकारी का पूरा नाम, पदनाम, एवं मोबाइल नंबर देना अनिवार्य है। जैसे निविदादाता, जो झारखण्ड सरकार के उद्योग विभाग द्वारा एस 0 एस 0 आई 0 का प्रमाण पत्र के अंतर्गत झारखण्ड में ही सामग्री का निर्माण करते हैं, को वार्षिक टर्न ओवर की राशि में छूट प्रदान करने की शक्ति क्रय समिति को निहित रहेगी जो झारखण्ड सरकार की उद्योग नीति के अनुसार होगा।
- (च) निविदादाता फर्म का आयकर प्रमाण पत्र एवं पैन नंबर की छायाप्रति। अगर निविदादाता पार्टनरशिप फर्म अथवा कंपनी हो तो फर्म के नाम से ही आयकर पैन नंबर मान्य होगा। अगर निविदादाता फर्म एक ओनरशिप फर्म है तो वैसी परिस्थिति में ही फर्म के मालिक का पैन नंबर मान्य होगा। अतः सभी निविदादाता अपने पैन नंबर की छायाप्रति में इस बात का स्पष्ट उल्लेख करेंगे की फर्म प्रोपराइटरशिप (Proprietorship) है अथवा पार्टनरशिप (Partnership) फर्म है। साथ ही अंतिम तीन वर्षों का आयकर रिटर्न की छायाप्रतियों को भी अपलोड करना है।
- (छ) निविदादाता फर्म द्वारा निविदित कार्डियोलॉजी (Cardiology) सामग्री एवं ऑर्थोपैडिक इम्प्लांट (Orthopaedic Implants) का न्यूनतम दो वर्षों अथवा अधिकतम अवधी से अच्छे गुणवत्ता पूर्ण सामग्री निर्माण करने से सम्बंधित प्रमाण-पत्र।
- (ज) निविदादाताओं का विगत तीन वित्तीय वर्षों का अर्थात (2013-2014 , 2014-2015 , एवं 2015 - 2016) में औसतन कंपनी एवं निर्माता के लिए न्यूनतम आठ करोड़ रुपयों (Rupees Eight Crores) का प्रतिवर्ष टर्नओवर या तीन वर्षों में कुल चौबीस करोड़ रुपये (Rupees Twenty Four Crores Only) का टर्न ओवर होना अनिवार्य है ; तथा प्राधिकृत आपूर्ति करता के लिए प्रत्येक वर्ष कम से कम एक करोड़ रूपया अथवा तीन वर्षों में कम से कम तीन करोड़ रुपये का टर्न ओवर होना अनिवार्य है, जो चार्टर अकाउंटेंट द्वारा अभिप्रमाणित एवं चार्टर अकाउंटेंट द्वारा अंकेक्षित होना चाहिए जिसकी छायाप्रति अपलोड होना अनिवार्य है। जैसे निविदादाता जो झारखण्ड राज्य के उद्योग विभाग द्वारा एस०एस०आई० का प्रमाण पत्र के अंतर्गत झारखण्ड में ही सामग्रियों का निर्माण करते हैं, को वार्षिक टर्न ओवर की राशि में छूट प्रदान करने की शक्ति क्रय समिति को निहित रहेगी जो झारखण्ड सरकार की उद्योग नीति के अनुसार होगा।
- (झ) निविदादाता अपने निविदा में संलग्न सभी पृष्ठों पर पृष्ठ सं० निश्चित रूप से अंकित करेंगे तथा अपने पैड पर प्रमाण पत्र देंगे जिसमें जिसमें अंकित होगा कि " हमारे द्वारा प्रेषित निविदा के तकनीकी भाग में कुल पृष्ठ संलग्न हैं। एवं निविदा के साथ मांगी गयी सभी प्रमाण पत्र पृष्ठ सं० पर अंकित है। जिसे Index पर लिखना अनिवार्य है।

निविदा की अन्य शर्तें

- 1.) आपूर्तिकर्ता jharkhandtenders.gov.in में अपने Digital Signature (DSC)के साथ रजिस्टर्ड हों।
- 2.) निविदा संबंधित सभी कागजात स्कैन (Scan) करके तकनीकी भाग को तकनीकी कवर एवं मूल्य भाग को मूल्य कवर में jharkhandtenders.gov.in में अपलोड (Upload) करें
- 3.) समर्पित निविदा के प्रत्येक पृष्ठ पर मुहर के साथ स्वअभिप्रमाणित होना अनिवार्य है।
- 4.) निविदित सामग्री कि आपूर्ति कि तिथि को औसतन Expiry Period उक्त सामग्री में वास्तविक Expiry Period से एक वर्ष छः माह से कम अवधि वाली सामग्री मान्य नहीं होगा।
- 5.) टूटे - फूटे Soiled , लीकेज वाले सामग्रियों को स्वीकार नहीं किया जाएगा।
- 6.) यदि किसी निविदादाता कंपनी अथवा फर्म द्वारा इस निविदा के लिए किसी खास व्यक्ति को प्राधिकृत किया जाता है अथवा पावर ऑफ़ अटॉर्नी दिया जाता है तो उस कंपनी अथवा फर्म द्वारा निर्गत प्राधिकार पत्र कि मूलप्रति अथवा पावर ऑफ़ अटॉर्नी कि सर्टिफाइड प्रति लगाना अनिवार्य होगा।
- 7.) क्रय समिति द्वारा अनुमोदित दर न्यूनतम एक वर्ष अथवा क्रय समिति के अनुमोदन के आलोक आगामी निविदा के दरों का अनुमोदन होने तक मान्य होगा।
- 8.) कार्डियोलॉजी (Cardiology) सामग्री एवं ऑर्थोपैडिक इम्प्लांट (Orthopedic Implants) के लिए समर्पित निविदा के लिफाफे पर स्पष्ट रूप से निविदा सूचना सं० एवं दिनांक अंकित होना अनिवार्य होगा।
- 9.) निविदित मूल्य से किसी भी परिस्थिति में Drug Price Control Order का उलंघन नहीं होना चाहिए।
- 10.) किसी भी परिस्थिति में निविदा अथवा क्रय आदेश का हस्तांतरण मान्य नहीं होगा।

- 11.) निविदादाता / निर्माता / आपूर्तिकर्ता एजेंसी का कार्यालय झारखण्ड राज्य में होना अनिवार्य है।
- 12.) सामग्रियों की आपूर्ति के लिए अलग से कोई भाड़ा देय नहीं होगा।
- 13.) जैसे निविदादाता जिसका वर्ष 2017 - 2018 में दरों का अनुमोदन होने के पश्चात् कार्डियोलॉजी (Cardiology) सामग्री एवं ऑर्थोपैडिक इम्प्लांट (Orthopedic Implants) की आपूर्ति समय सीमा के अंदर नहीं करने पर संबंधित निविदादाता के अग्रधन की राशि वापस नहीं की जायेगी अथवा संबंधित आपूर्तिकर्ता के सामग्री के विपत्र से अंतर की राशि का समायोजन करने के लिए संस्थान स्वतंत्र है। आपूर्ति आदेश निर्गत होने के पश्चात् अधिकतम 30 दिनों के अंतर्गत आपूर्ति रिस्स भण्डार में करना अनिवार्य होगा।
- 14.) इस निविदा से संबंधित सभी प्रकार के निपटारे का न्यायिक क्षेत्र रांची होगा।
- 15.) निविदादाता द्वारा प्रेषित निविदा में उपरोक्त किसी भी निविदा शर्त के अपूर्ण रहने की स्थिति में अथवा आवश्यक प्रमाण पत्र निविदा में अपलोड नहीं रहने पर उक्त निविदादाता की निविदा स्वतः रद्द मानी जायेगी।
- 16.) निविदा समर्पण एवं निष्पादन हेतु निर्धारित अंतिम तिथि को सरकारी अवकाश घोषित होने पर अवकाश के ठीक अगले दिन उसी समय एवं स्थल पर निविदा संबंधी कार्य निष्पादन होंगे एवं इसके लिए अलग से किसी प्रकार की सूचना प्रकाशित नहीं की जायेगी।
- 17.) अधोहस्ताक्षरी को किसी एक निविदा या सभी निविदाओं को आंशिक रूप से अथवा पूर्णतः, बिना कारण बताए अस्वीकृत अथवा रद्द करने का अधिकार सुरक्षित होगा।
- 18.) निविदादाताओं द्वारा निविदा से संबंधित सूचना या जो बिंदु अस्पष्ट हो उसके सम्बन्ध में पूर्ण जानकारी अधोहस्ताक्षरी कार्यालय के सूचना पत्र पर तथा / अथवा अधोहस्ताक्षरी के कार्यालय से किसी भी कार्य दिवस को कार्यालय में स्वयं अथवा अपने प्रतिनिधि के माध्यम से आकर देखें / प्राप्त की जा सकती है एवं jharkhandtenders.gov.in में भी देखा जा सकता है। विभाग Corrigendum (शुद्धि पत्र) के द्वारा केवल jharkhandtenders.gov.in पर ही स्पष्टीकरण / शुद्धिकरण कर सकते हैं। अतः आपूर्तिकर्ता समय-समय पर वेबसाइट jharkhandtenders.gov.in को देखते रहें। आपूर्तिकर्ता से किसी सूचना नहीं देखे जाने की जिम्मेवारी विभाग की नहीं होगी।
- 19.) For Orthopedic implants : After technical specification evaluation the price bids of all the technically qualified bidders will be opened and all the bidders have to accept the lowest price (L-1) quoted for the particular item / items under the tender (i.e. if bidder 'A' has qualified L-1 price for any of the implants then all the technically qualified bidders "B", "C", "D" etc. have to accept or negotiate for supply of that very item or items on the lowest quoted price so as to meet the complete implant set for one patient from one (single) manufacturer for safe treatment point of view

PRICE BID BOQ

Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	4	5	13	53	55
1	<u>CONSUMABLES/ACCESSORIES REQUIRED IN ANGIOGRAPHY/ANGIOPLASTY IN CARDIOLOGY DEPARTMENT GROUP A</u>					
1.01	Adult Introducer sheath with hemostaic valve & Puncture needle. Size:6F, 7F USFDA approved	1.000	each		0.00	INR Zero Only
1.02	Radial artery cannulation kit comprising of arterial sheath, Puncture needle 21G, Guide wire of 0.018"/0.021" and 50 cm long straight tip Size : 5F,6F,7F. USFDA approved	1.000	each		0.00	INR Zero Only
1.03	Manifold two port knobs to trun right when open	1.000	each		0.00	INR Zero Only
1.04	Pressure line : 100-150cm 4-6mm compatible with manifold and three way ports	1.000	each		0.00	INR Zero Only
1.05	Leur lock syringe for angiography (for multiple high pressure contrast injection in single patient) 5cm, 10cc	1.000	each		0.00	INR Zero Only
1.06	Angiography guidewires - A.) 0.035" PTFE coated J tip length (a) 140-160 cm (b) 250-260 cm and B.) 0.032" PTFE coated J tip length a.) 140-160cm USFDA approved	1.000	each		0.00	INR Zero Only
1.07	Right Coronary angiography diagnostic catheter's :- 100 cm or longer for femoral approach and various curves of 3, 3.5, 4.0 & 5. USFDA approved	1.000	each		0.00	INR Zero Only
1.08	Left coronary angiography diagnostic catheters : 100 cm or longer for femoral approach and various curves of 3, 3.5, 4.0 & 5. USFDA approved	1.000	each		0.00	INR Zero Only

1.09	Pigtail catheter's :- straight and angled 145-155 high flow light radius with 6-12 side holes, 5F, 6F, 7F USFDA approved	1.000	each		0.00	INR Zero Only
1.1	Coronary angiography diagnostic catheters for radial approach: 65 cm or longer and various curves 3, 3.5, 4, 5 USFDA approved	1.000	each		0.00	INR Zero Only
2	Group B					
2.01	PTCA Guiding Catheters :- It should be large Lumen, stainless steel braided, inner layer coated with PIFE. It should have soft tip with radiopaque marker band at tip for femoral and radial route. 6F & 7F with curves (3,3.5,4,5) USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.02	PTCA Guiding Catheters - Judkin left , USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.03	PTCA Guiding Catheters -Judkin right , USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.04	PTCA Guiding Catheters - AL1, AL2, AR-1, AR-2, (Amplate Left & Right) , USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.05	PTCA Guiding Catheters - Extraback up left , USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.06	PTCA Guiding Catheters - Extraback up right , USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.07	PTCA Guiding Catheters - XB, Voda Left, Voda Right , USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.08	Radial Guiding Catheter - EBU for left, ECR for right , USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.09	Angiographhic guide wire - Extra shift coated J tip , length (a) 140-160cm (b) 250-260cm USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only

2.1	Inflation device with manometer 0-30 ATM & luminescent dial face. Easy to operate with ergonomic design. High strength syringe to maintain high pressure setting without pressure loss and immediate pressure release USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.11	PTCA insertion needle & torque device accepting 0.014", 0.018" guide wire.	1.000	each		0.00	INR Zero Only
2.12	Y Connector for PTCA - rotating hemostatic valve with spring type push & release mechanism. It should bleed back control valve and without formation of micro/macro air bubbles inside it during procedures.	1.000	each		0.00	INR Zero Only
2.13	Non spring Screw type Y connector for PTCA	1.000	each		0.00	INR Zero Only
2.14	Radiofocus guidewire (termou) J tip hydrophilic polymer length 150-160 cm, 0.018", 0.032", 0.038"	1.000	each		0.00	INR Zero Only
2.15	PTCA predilatation monorail balloon (semi complaint). Hypotube shaft design, low entry profile (0.017") and sequential tip for lesion accessibility and SF guiding catheter compatibility. Diameter (in mm):- 1.5, 2.0, 2.5, 2.75, 3, 3.5, 4.0. Length:- <10mm to 30mm. USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.16	High Pressure noncomplaint balloon with high RBP(20ATM or more) smooth, rounded distal tip and no edge. Overdilatation at higher pressure, with leart balloon overhang at the edges will be preferred. Diameter:- (mm) - 2,2.5,2.75,3, 3.25, 3.5, 3.75, 4, 4.5. Length:- (mm)- <8mm to 20mm. USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.17	Steerable PTCA floppy tip wire with extra support 0.014" USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.18	Steerable PTCA Wire with hydrophilic coating, 0.014" floppy tip with extrasupport 0.014". USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only

2.19	Radial closure device comprising of compression pad with anatomic softwst support pad	1.000	each		0.00	INR Zero Only
2.2	Microcatheters over the wire system with end hole catheters. Int diameter - 1.7 to 2F, Shaft length - 130 to 170cm. USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
2.21	Bipolar temporary lead with introducer sheath (Adult 6, 7 F) USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
3	Group C (BMV)					
3.01	Mitral valvuloplasty double lumen PTMC balloon with vent tube and hole in outer layer of balloon different sizes. USFDA approved / CE / DCGI approved a.) with accessories	1.000	each		0.00	INR Zero Only
3.02	b.) without accessories.	1.000	each		0.00	INR Zero Only
3.03	PTMC double lumen balloon with no hole in balloon wall different sites. USFDA approved / CE / DCGI approved a.) with accessories	1.000	each		0.00	INR Zero Only
3.04	b.) without accessories.	1.000	each		0.00	INR Zero Only
3.05	Mullin sheath	1.000	each		0.00	INR Zero Only
3.06	Brokenbrough Needle	1.000	each		0.00	INR Zero Only
4	Group D (Coronary Stents) Size of coronary stent :- All available sizes, Diameter - <2mm to 4.5mm, length - 8mm to 60mm.					
4.01	Bare metal Stents of various sizes. USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only

4.02	Sirolimus Coated Drug eluting stents. USFDA approved / CE / DCGI approved (a) Stainless steel base	1.000	each		0.00	INR Zero Only
4.03	(b) Cobalt Chromium base	1.000	each		0.00	INR Zero Only
4.04	(c) Platinum Chromium base.	1.000	each		0.00	INR Zero Only
4.05	Paclitaxel Coated Drug eluting stents. USFDA approved / CE / DCGI approved (a) Stainless steel base	1.000	each		0.00	INR Zero Only
4.06	(b) Cobalt Chromium base	1.000	each		0.00	INR Zero Only
4.07	(c) Platinum Chromium base.	1.000	each		0.00	INR Zero Only
4.08	Everolimus Coated Drug eluting stents. USFDA approved / CE / DCGI approved (a) Stainless steel base	1.000	each		0.00	INR Zero Only
4.09	(b) Cobalt Chromium base	1.000	each		0.00	INR Zero Only
4.1	(c) Platinum Chromium base.	1.000	each		0.00	INR Zero Only
4.11	Zotarolimus Coated Drug Eluting stents USFDA approved / CE / DCGI approved (a) Stainless steel base	1.000	each		0.00	INR Zero Only
4.12	(b) Cobalt Chromium base	1.000	each		0.00	INR Zero Only
4.13	(c) Platinum Chromium base.	1.000	each		0.00	INR Zero Only

4.14	Sirolimus Coated Drug eluting stent with biodegradable polymer. USFDA approved / CE / DCGI approved (a) Stainless steel base	1.000	each		0.00	INR Zero Only
4.15	(b) Cobalt Chromium base	1.000	each		0.00	INR Zero Only
4.16	(c) Platinum Chromium base.	1.000	each		0.00	INR Zero Only
4.17	Coronary stent graft with low profile (<1.5 mm), Diameter - 2.5 - 4 mm, length- upto 30mm or more	1.000	each		0.00	INR Zero Only
4.18	Tacrolimus & Newer limus drug eluting coronary stents. USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
4.19	Drug eluting Coronary stents - Polymer free & Bioabsorbable. USFDA approved / CE / DCGI approved	1.000	each		0.00	INR Zero Only
5	Group E (Closure Device)					
5.01	ASD Closure device with delivery system - USFDA approved / CE / DCGI approved. Approved for pediatric & adult size. Device must be made up of biologically inert material, self-centring, detachable device with delivery cable available in all approved sizes.	1.000	each		0.00	INR Zero Only
5.02	PDA Closure device with delivery system - USFDA approved / CE / DCGI approved. Approved for pediatric & adult size. Device must be made up of biologically inert material, self centring, detachable device with delivery cable in all approved sizes.	1.000	each		0.00	INR Zero Only
6	Group F (Pacemakers/ ICD / CRT)					

6.01	<p>Pacemaker VVI / AAI, FDA Approved Advanced digital multi-programmable pacemaker with following features</p> <ul style="list-style-type: none"> > Single chamber pacemaker > Digital signal processing > Digital high sampling rates of P or R wave. > Automated ventricular rate stabilization during AF. <p>Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting</p> <ul style="list-style-type: none"> > Algorithm to minimize ventricular pacing will be preferred <p>(a) With 7F compatible passive fixation tined leads or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only</p>	1.000	each		0.00	INR Zero Only
------	--	-------	------	--	-------------	---------------

6.02	<p>Pacemaker VVIR / AAIR, FDA Approved Advanced digital multi-programmable pacemaker with following features</p> <ul style="list-style-type: none"> > Single chamber pacemaker > Digital signal processing > Digital high sampling rates of P or R wave. > Automated ventricular rate stabilization during AF. <p>Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting</p> <ul style="list-style-type: none"> > Algorithm to minimize ventricular pacing will be preferred <p>(a) With 7f compatible passive fixation tined leads or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw inlead & lead introducer only</p>	1.000	each		0.00	INR Zero Only
------	--	-------	------	--	-------------	---------------

6.03	<p>Pacemaker VDD , FDA Approved Pace Advanced digital multi-programmable pacemaker with following features -</p> <ul style="list-style-type: none"> > Single and dual chamber pacemaker > Digital signal processing > Digital high sampling rates of P and R wave. > Automated ventricular rate stabilization during AF. > Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting > Algorithm to minimize ventricular pacing will be preferred <p>(a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only</p>	1.000	each		0.00	INR Zero Only
------	--	-------	------	--	-------------	---------------

6.04	<p>Pacemaker DDD , FDA Approved Advanced digital multi-programmable pacemaker with following features</p> <ul style="list-style-type: none"> >Single and dual chamber pacemaker > Digital signal processing > Digital high sampling rates of P and R wave. > Automated ventricular rate stabilization during AF. > Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting > Algorithm to minimize ventricular pacing will be preferred <p>(a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only</p>	1.000	each		0.00	INR Zero Only
------	--	-------	------	--	-------------	---------------

6.05	<p>Pacemaker DDDR , FDA Approved Advanced digital multi-programmable pacemaker with following features - >Single and dual chamber pacemaker >Digital signal processing >Digital high sampling rates of P and R wave. >Automated ventricular rate stabilization during AF. >Quick single window patient data and pacemaker data for advanced diagnostic and troubleshooting >Algorithm to minimize ventricular pacing will be preferred (a) With 7f compatible passive fixation tined lead or screw in lead & lead introducer. (b) Pulse generator only (c) 7F compatible passive fixation tined lead or screw in lead & lead introducer only</p>	1.000	each		0.00	INR Zero Only
6.06	Pacemaker DDDR / MRI COMPATIBLE with passive fixation steroid tipped tined leads or screw in leads with advanced features, FDA Approved	1.000	each		0.00	INR Zero Only
6.07	Pacemaker VVI / MRI COMPATIBLE , FDA APPROVED	1.000	each		0.00	INR Zero Only
6.08	Pacemaker VVIR / MRI COMPATIBLE, FDA APPROVED	1.000	each		0.00	INR Zero Only
6.09	Pacemaker VDD / MRI COMPATIBLE, FDA APPROVED	1.000	each		0.00	INR Zero Only

6.1	ICD SINGLE CHAMBER, FDA APPROVED * ICD should be small and physiological * Algorithm to eliminate over-sensing of R wave, T wave, fractionated QRS and other extraneous signals * Morphology bases SVT discrimination algorithm * ATP during charging * Wireless Telemetry * Encourage intrinsic conduction * More than 30 minutes of stored EGM * Device with all leads, FDA Approved * Device without leads, FDA Approved	1.000	each		0.00	INR Zero Only
6.11	Permanent pacing lead (ventricular/Atrialendocardial bipolar, passive fixation with tines), steroid elutng , IS - 1 header, FDA Approved	1.000	each		0.00	INR Zero Only
6.12	Permanent pacing lead (Ventricular / Atrial endocardial bipolar, active fixation with screws), steroid eluting, IS - 1 header, FDA Approved	1.000	each		0.00	INR Zero Only
6.13	Permanent defibrillation lead, bipolar endocardial steroid eluting active and passive fixation lead, FDA Approved	1.000	each		0.00	INR Zero Only
6.14	ICD SINGLE CHAMBER / MRI COMPATIBLE, FDA Approved	1.000	each		0.00	INR Zero Only

6.15	<p>ICD DOUBLE CHAMBER , FDA Approved</p> <ul style="list-style-type: none"> * ICD should be samll and physiological * Algorithm to eliminate over - sensing of R Wave, T Wave, fractionated QRS and Other extraneous signals * Morphology bases SVT discrimination algorithm * ATP during charging * Wireless Telemetry * Encourage intrinsic conduction * More than 30 minutes of stored EGM. <ul style="list-style-type: none"> * Device with all leads, FDA Approved * Device without leads, FDA Approved 	1.000	each		0.00	INR Zero Only
6.16	<p>ICD DOUBLE CHAMBER / MRI COMPATIABLE , FDA Approved</p> <ul style="list-style-type: none"> * ICD should be small and physiological * Algorithm to eliminate over - sensing of R Wave, T Wave, fractionated QRS and Other extraneous signals * Morphology bases SVT discrimination algorithm * ATP during charging * Wireless Telemetry * Encourage intrinsic conduction * More than 30 minutes of stored EGM. <ul style="list-style-type: none"> * Device with all leads, FDA Approved * Device without leads, FDA Approved 	1.000	each		0.00	INR Zero Only
6.17	<p>BIVENTRICULAR PACING CRT - P, FDA Approved</p> <ul style="list-style-type: none"> * Device with all leads (Including LV leads), FDA Approved * Device without leads, FDA Approved 	1.000	each		0.00	INR Zero Only

6.18	BIVENTRICULAR PACING CRT - D, COMBO, FDA Approved * Device with all leads (Including LV leads), FDA Approved * Device without leads, FDA Approved	1.000	each		0.00	INR Zero Only
7	ACCESSORIES/CONSUMABLES/IMPLANTS REQUIRED IN ORTHOPAEDICS DEPARTMENT					
8	GROUP - A : BONE PLATES - LOCKING					
9	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITHOUT LATERAL EXTENSION- RIGHT SIDE	0.000	each		0.00	INR Zero Only
9.01	6 HOLES	1.000	each		0.00	INR Zero Only
9.02	7 HOLES	1.000	each		0.00	INR Zero Only
9.03	8 HOLES	1.000	each		0.00	INR Zero Only
10	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITHOUT LATERAL EXTENSION- LEFT SIDE	0.000	each		0.00	INR Zero Only
10.01	6 HOLES	1.000	each		0.00	INR Zero Only
10.02	7 HOLES	1.000	each		0.00	INR Zero Only
10.03	8 HOLES	1.000	each		0.00	INR Zero Only
11	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITH LATERAL EXTENSION-RIGHT SIDE	0.000	each		0.00	INR Zero Only
11.01	3 HOLES	1.000	each		0.00	INR Zero Only
11.02	4 HOLES	1.000	each		0.00	INR Zero Only
11.03	5 HOLES	1.000	each		0.00	INR Zero Only

11.04	6 HOLES	1.000	each		0.00	INR Zero Only
11.05	7 HOLES	1.000	each		0.00	INR Zero Only
11.06	8 HOLES	1.000	each		0.00	INR Zero Only
12	3.5 MM LCP SUPERIOR ANTERIOR CLAVICLE PLATE WITH LATERAL EXTENSION- LEFT SIDE	0.000	each		0.00	INR Zero Only
12.01	3 HOLES	1.000	each		0.00	INR Zero Only
12.02	4 HOLES	1.000	each		0.00	INR Zero Only
12.03	5 HOLES	1.000	each		0.00	INR Zero Only
12.04	6 HOLES	1.000	each		0.00	INR Zero Only
12.05	7 HOLES	1.000	each		0.00	INR Zero Only
12.06	8 HOLES	1.000	each		0.00	INR Zero Only
13	3.5 MM LCP CLAVICLE HOOK PLATE- RIGHT SIDE	0.000	each		0.00	INR Zero Only
13.01	4 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
13.02	4 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only
13.03	4 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
13.04	5 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
13.05	5 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only
13.06	5 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
13.07	6 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
13.08	6 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only
13.09	6 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
13.1	7 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
13.11	7 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only

13.12	7 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
14	3.5 MM LCP CLAVICLE HOOK PLATE- LEFT SIDE	0.000	each		0.00	INR Zero Only
14.01	4 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
14.02	4 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only
14.03	4 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
14.04	5 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
14.05	5 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only
14.06	5 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
14.07	6 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
14.08	6 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only
14.09	6 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
14.1	7 HOLES 12MM DEPTH	1.000	each		0.00	INR Zero Only
14.11	7 HOLES 15MM DEPTH	1.000	each		0.00	INR Zero Only
14.12	7 HOLES 18MM DEPTH	1.000	each		0.00	INR Zero Only
15	3.5 MM LCP SMALL PLATE	0.000	each		0.00	INR Zero Only
15.01	5 HOLES	1.000	each		0.00	INR Zero Only
15.02	6 HOLES	1.000	each		0.00	INR Zero Only
15.03	7 HOLES	1.000	each		0.00	INR Zero Only
15.04	8 HOLES	1.000	each		0.00	INR Zero Only
15.05	9 HOLES	1.000	each		0.00	INR Zero Only
15.06	10 HOLES	1.000	each		0.00	INR Zero Only
15.07	11 HOLES	1.000	each		0.00	INR Zero Only
15.08	12 HOLES	1.000	each		0.00	INR Zero Only

15.09	14 HOLES	1.000	each		0.00	INR Zero Only
16	3.5 MM LCP PERIARTICULAR PROXIMAL HUMERUS PLATE - RIGHT SIDE	0.000	each		0.00	INR Zero Only
16.01	2 HOLES	1.000	each		0.00	INR Zero Only
16.02	4 HOLES	1.000	each		0.00	INR Zero Only
16.03	6 HOLES	1.000	each		0.00	INR Zero Only
16.04	8 HOLES	1.000	each		0.00	INR Zero Only
16.05	10 HOLES	1.000	each		0.00	INR Zero Only
16.06	12 HOLES	1.000	each		0.00	INR Zero Only
16.07	14 HOLES	1.000	each		0.00	INR Zero Only
17	3.5 MM LCP PERIARTICULAR PROXIMAL HUMERUS PLATE - LEFT SIDE	0.000	each		0.00	INR Zero Only
17.01	2 HOLES	1.000	each		0.00	INR Zero Only
17.02	4 HOLES	1.000	each		0.00	INR Zero Only
17.03	6 HOLES	1.000	each		0.00	INR Zero Only
17.04	8 HOLES	1.000	each		0.00	INR Zero Only
17.05	10 HOLES	1.000	each		0.00	INR Zero Only
17.06	12 HOLES	1.000	each		0.00	INR Zero Only
17.07	14 HOLES	1.000	each		0.00	INR Zero Only
18	3.5 MM LONG PHILOS PLATE	0.000	each		0.00	INR Zero Only
18.01	2 HOLES	1.000	each		0.00	INR Zero Only
18.02	3 HOLES	1.000	each		0.00	INR Zero Only
18.03	4 HOLES	1.000	each		0.00	INR Zero Only

18.04	5 HOLES	1.000	each		0.00	INR Zero Only
18.05	6 HOLES	1.000	each		0.00	INR Zero Only
18.06	7 HOLES	1.000	each		0.00	INR Zero Only
18.07	8 HOLES	1.000	each		0.00	INR Zero Only
18.08	9 HOLES	1.000	each		0.00	INR Zero Only
18.09	10 HOLES	1.000	each		0.00	INR Zero Only
18.1	11 HOLES	1.000	each		0.00	INR Zero Only
18.11	12 HOLES	1.000	each		0.00	INR Zero Only
18.12	13 HOLES	1.000	each		0.00	INR Zero Only
19	3.5 MM LONG SHORT PHILOS PLATE	0.000	each		0.00	INR Zero Only
19.01	3 HOLES	1.000	each		0.00	INR Zero Only
19.02	5 HOLES	1.000	each		0.00	INR Zero Only
20	3.5 MM LCP RECONSTRUCTION PLATE	0.000	each		0.00	INR Zero Only
20.01	4 HOLES	1.000	each		0.00	INR Zero Only
20.02	5 HOLES	1.000	each		0.00	INR Zero Only
20.03	6 HOLES	1.000	each		0.00	INR Zero Only
20.04	7 HOLES	1.000	each		0.00	INR Zero Only
20.05	8 HOLES	1.000	each		0.00	INR Zero Only
20.06	9 HOLES	1.000	each		0.00	INR Zero Only
20.07	10 HOLES	1.000	each		0.00	INR Zero Only
20.08	12 HOLES	1.000	each		0.00	INR Zero Only
20.09	14 HOLES	1.000	each		0.00	INR Zero Only
20.1	16 HOLES	1.000	each		0.00	INR Zero Only

20.11	18 HOLES	1.000	each		0.00	INR Zero Only
20.12	20 HOLES	1.000	each		0.00	INR Zero Only
20.13	22 HOLES	1.000	each		0.00	INR Zero Only
21	3.5/ 5 MM LCP METAPHYSEAL PLATE	0.000	each		0.00	INR Zero Only
21.01	5+3 HOLES	1.000	each		0.00	INR Zero Only
21.02	5+4 HOLES	1.000	each		0.00	INR Zero Only
21.03	5+5 HOLES	1.000	each		0.00	INR Zero Only
21.04	5+6 HOLES	1.000	each		0.00	INR Zero Only
21.05	5+7 HOLES	1.000	each		0.00	INR Zero Only
21.06	5+ 8 HOLES	1.000	each		0.00	INR Zero Only
21.07	5+9 HOLES	1.000	each		0.00	INR Zero Only
21.08	5 +11 HOLES	1.000	each		0.00	INR Zero Only
21.09	5+13 HOLES	1.000	each		0.00	INR Zero Only
22	3.5 MM OLECRANON PLATE RIGHT	0.000	each		0.00	INR Zero Only
22.01	4 HOLES	1.000	each		0.00	INR Zero Only
22.02	6 HOLES	1.000	each		0.00	INR Zero Only
22.03	8 HOLES	1.000	each		0.00	INR Zero Only
22.04	10 HOLES	1.000	each		0.00	INR Zero Only
22.05	12 HOLES	1.000	each		0.00	INR Zero Only
23	3.5 MM OLECRANON PLATE - LEFT	0.000	each		0.00	INR Zero Only
23.01	4 HOLES	1.000	each		0.00	INR Zero Only
23.02	6 HOLES	1.000	each		0.00	INR Zero Only
23.03	8 HOLES	1.000	each		0.00	INR Zero Only

23.04	10 HOLES	1.000	each		0.00	INR Zero Only
23.05	12 HOLES	1.000	each		0.00	INR Zero Only
24	3.5 MM LCP MEDIAL DISTAL HUMERUS PLATE - RIGHT SIDE	0.000	each		0.00	INR Zero Only
24.01	3 HOLES	1.000	each		0.00	INR Zero Only
24.02	5 HOLES	1.000	each		0.00	INR Zero Only
24.03	7 HOLES	1.000	each		0.00	INR Zero Only
24.04	9 HOLES	1.000	each		0.00	INR Zero Only
24.05	14 HOLES	1.000	each		0.00	INR Zero Only
25	3.5 MM LCP MEDIAL DISTAL HUMERUS PLATE - LEFT SIDE	0.000	each		0.00	INR Zero Only
25.01	3 HOLES	1.000	each		0.00	INR Zero Only
25.02	5 HOLES	1.000	each		0.00	INR Zero Only
25.03	7 HOLES	1.000	each		0.00	INR Zero Only
25.04	9 HOLES	1.000	each		0.00	INR Zero Only
25.05	14 HOLES	1.000	each		0.00	INR Zero Only
26	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITH LATERAL SUPPORT- RIGHT SIDE	0.000	each		0.00	INR Zero Only
26.01	3 HOLES	1.000	each		0.00	INR Zero Only
26.02	5 HOLES	1.000	each		0.00	INR Zero Only
26.03	7 HOLES	1.000	each		0.00	INR Zero Only
26.04	9 HOLES	1.000	each		0.00	INR Zero Only
26.05	14 HOLES	1.000	each		0.00	INR Zero Only
27	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITH LATERAL SUPPORT- LEFT SIDE	0.000	each		0.00	INR Zero Only
27.01	3 HOLES	1.000	each		0.00	INR Zero Only

27.02	5 HOLES	1.000	each		0.00	INR Zero Only
27.03	7 HOLES	1.000	each		0.00	INR Zero Only
27.04	9 HOLES	1.000	each		0.00	INR Zero Only
27.05	14 HOLES	1.000	each		0.00	INR Zero Only
28	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITHOUT LATERAL SUPPORT- RIGHT SIDE	0.000	each		0.00	INR Zero Only
28.01	3 HOLES	1.000	each		0.00	INR Zero Only
28.02	5 HOLES	1.000	each		0.00	INR Zero Only
28.03	7 HOLES	1.000	each		0.00	INR Zero Only
28.04	9 HOLES	1.000	each		0.00	INR Zero Only
28.05	14 HOLES	1.000	each		0.00	INR Zero Only
29	3.5 MM LCP POSTEROLATERAL DISTAL HUMERUS PLATE WITHOUT LATERAL SUPPORT- LEFT SIDE	0.000	each		0.00	INR Zero Only
29.01	3 HOLES	1.000	each		0.00	INR Zero Only
29.02	5 HOLES	1.000	each		0.00	INR Zero Only
29.03	7 HOLES	1.000	each		0.00	INR Zero Only
29.04	9 HOLES	1.000	each		0.00	INR Zero Only
29.05	14 HOLES	1.000	each		0.00	INR Zero Only
30	3.5 MM LCP EXTRA- ARTICULAR DISTAL HUMERUS PLATE- RIGHT SIDE	0.000	each		0.00	INR Zero Only
30.01	4 HOLES	1.000	each		0.00	INR Zero Only
30.02	6 HOLES	1.000	each		0.00	INR Zero Only
30.03	8 HOLES	1.000	each		0.00	INR Zero Only
30.04	10 HOLES	1.000	each		0.00	INR Zero Only
30.05	12 HOLES	1.000	each		0.00	INR Zero Only

30.06	14 HOLES	1.000	each		0.00	INR Zero Only
31	3.5 MM LCP EXTRA- ARTICULAR DISTAL HUMERUS PLATE- LEFT SIDE	0.000	each		0.00	INR Zero Only
31.01	4 HOLES	1.000	each		0.00	INR Zero Only
31.02	6 HOLES	1.000	each		0.00	INR Zero Only
31.03	8 HOLES	1.000	each		0.00	INR Zero Only
31.04	10 HOLES	1.000	each		0.00	INR Zero Only
31.05	12 HOLES	1.000	each		0.00	INR Zero Only
31.06	14 HOLES	1.000	each		0.00	INR Zero Only
32	2.4 MM /2.7 MM VA- TWO COLUMN VOLAR DISTAL RADIUS PLATE	0.000	each		0.00	INR Zero Only
32.01	2 HOLES	1.000	each		0.00	INR Zero Only
32.02	3 HOLES	1.000	each		0.00	INR Zero Only
32.03	4 HOLES	1.000	each		0.00	INR Zero Only
32.04	5 HOLES	1.000	each		0.00	INR Zero Only
33	3.5 MM LCP T-PLATE RIGHT ANGLE	0.000	each		0.00	INR Zero Only
33.01	3 HOLES	1.000	each		0.00	INR Zero Only
33.02	4 HOLES	1.000	each		0.00	INR Zero Only
33.03	5 HOLES	1.000	each		0.00	INR Zero Only
33.04	6 HOLES	1.000	each		0.00	INR Zero Only
33.05	7 HOLES	1.000	each		0.00	INR Zero Only
33.06	8 HOLES	1.000	each		0.00	INR Zero Only
34	3.5 MM LCP T-PLATE OBLIQUE ANGLE - RIGHT SIDE	0.000	each		0.00	INR Zero Only
34.01	3 HOLES	1.000	each		0.00	INR Zero Only
34.02	4 HOLES	1.000	each		0.00	INR Zero Only

34.03	5 HOLES	1.000	each		0.00	INR Zero Only
34.04	6 HOLES	1.000	each		0.00	INR Zero Only
34.05	7 HOLES	1.000	each		0.00	INR Zero Only
34.06	8 HOLES	1.000	each		0.00	INR Zero Only
35	3.5 MM LCP T-PLATE OBLIQUE ANGLE - LEFT SIDE	0.000	each		0.00	INR Zero Only
35.01	3 HOLES	1.000	each		0.00	INR Zero Only
35.02	4 HOLES	1.000	each		0.00	INR Zero Only
35.03	5 HOLES	1.000	each		0.00	INR Zero Only
35.04	6 HOLES	1.000	each		0.00	INR Zero Only
35.05	7 HOLES	1.000	each		0.00	INR Zero Only
35.06	8 HOLES	1.000	each		0.00	INR Zero Only
36	2.4 MM LCP DISTAL RADIUS PLATE STRAIGHT- DORSAL	0.000	each		0.00	INR Zero Only
36.01	5 HOLES	1.000	each		0.00	INR Zero Only
36.02	6 HOLES	1.000	each		0.00	INR Zero Only
37	2.4 MM LCP DISTAL RADIUS PLATE - RIGHT SIDE DORSAL	0.000	each		0.00	INR Zero Only
37.01	2 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
37.02	2 HEAD HOLES , 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
38	2.4 MM LCP DISTAL RADIUS PLATE - LEFT SIDE DORSAL	0.000	each		0.00	INR Zero Only
38.01	2 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
38.02	2 HEAD HOLES , 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
39	2.4 MM LCP L DISTAL RADIUS PLATE - RIGHT SIDE DORSAL	0.000	each		0.00	INR Zero Only
39.01	3 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only

39.02	3 HEAD HOLES , 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
40	2.4 MM LCP L DISTAL RADIUS PLATE - LEFT SIDE DORSAL	0.000	each		0.00	INR Zero Only
40.01	3 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
40.02	3 HEAD HOLES , 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
41	2.4 MM LCP DISTAL RADIUS PLATE OBLIQUE- RIGHT SIDE DORSAL	0.000	each		0.00	INR Zero Only
41.01	3 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
41.02	3 HEAD HOLES , 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
42	2.4 MM LCP DISTAL RADIUS PLATE OBLIQUE- LEFT SIDE DORSAL	0.000	each		0.00	INR Zero Only
42.01	3 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
42.02	3 HEAD HOLES , 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
43	2.4 MM LCP T DISTAL RADIUS PLATE - DORSAL	0.000	each		0.00	INR Zero Only
43.01	3 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
43.02	3 HEAD HOLES , 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
44	2.4 MM LCP DISTAL RADIUS PLATE - RIGHT SIDE VOLAR	0.000	each		0.00	INR Zero Only
44.01	5 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
44.02	5 HEAD HOLES , 5 SHAFT HOLES	1.000	each		0.00	INR Zero Only
45	2.4 MM LCP DISTAL RADIUS PLATE - LEFT SIDE VOLAR	0.000	each		0.00	INR Zero Only
45.01	5 HEAD HOLES, 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
45.02	5 HEAD HOLES , 5 SHAFT HOLES	1.000	each		0.00	INR Zero Only
46	2.4 MM LCP BUTTRESS PLATE- RIGHT SIDE - VOLAR	0.000	each		0.00	INR Zero Only
46.01	5 HEAD HOLES , 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
47	2.4 MM LCP BUTTRESS PLATE- LEFT SIDE - VOLAR	1.000	each		0.00	INR Zero Only

48	5.0 MM LCP DISTAL FEMUR PLATE- LEFT SIDE	0.000	each		0.00	INR Zero Only
48.01	5 HOLES	1.000	each		0.00	INR Zero Only
48.02	7 HOLES	1.000	each		0.00	INR Zero Only
48.03	9 HOLES	1.000	each		0.00	INR Zero Only
48.04	11 HOLES	1.000	each		0.00	INR Zero Only
48.05	13 HOLES	1.000	each		0.00	INR Zero Only
48.06	15 HOLES	1.000	each		0.00	INR Zero Only
49	5.0 MM LCP PROXIMAL FEMUR PLATE (TROCHANTRIC PLATE)	0.000	each		0.00	INR Zero Only
49.01	5 HOLES	1.000	each		0.00	INR Zero Only
49.02	7 HOLES	1.000	each		0.00	INR Zero Only
49.03	9 HOLES	1.000	each		0.00	INR Zero Only
49.04	11 HOLES	1.000	each		0.00	INR Zero Only
49.05	13 HOLES	1.000	each		0.00	INR Zero Only
50	5.0 MM LCP NARROW PLATE	0.000	each		0.00	INR Zero Only
50.01	5 HOLES	1.000	each		0.00	INR Zero Only
50.02	6 HOLES	1.000	each		0.00	INR Zero Only
50.03	7 HOLES	1.000	each		0.00	INR Zero Only
50.04	8 HOLES	1.000	each		0.00	INR Zero Only
50.05	9 HOLES	1.000	each		0.00	INR Zero Only
50.06	10 HOLES	1.000	each		0.00	INR Zero Only
50.07	11 HOLES	1.000	each		0.00	INR Zero Only
50.08	12 HOLES	1.000	each		0.00	INR Zero Only
50.09	14 HOLES	1.000	each		0.00	INR Zero Only

50.1	16 HOLES	1.000	each		0.00	INR Zero Only
51	5.0 MM LCP T- BUTTRESS PLATE	0.000	each		0.00	INR Zero Only
51.01	4 HOLES	1.000	each		0.00	INR Zero Only
51.02	5 HOLES	1.000	each		0.00	INR Zero Only
51.03	6 HOLES	1.000	each		0.00	INR Zero Only
51.04	7 HOLES	1.000	each		0.00	INR Zero Only
51.05	8 HOLES	1.000	each		0.00	INR Zero Only
51.06	9 HOLES	1.000	each		0.00	INR Zero Only
51.07	10 HOLES	1.000	each		0.00	INR Zero Only
51.08	12 HOLES	1.000	each		0.00	INR Zero Only
52	5.0 MM LCP L- BUTTRESS PLATE- RIGHT SIDE	0.000	each		0.00	INR Zero Only
52.01	4 HOLES	1.000	each		0.00	INR Zero Only
52.02	5 HOLES	1.000	each		0.00	INR Zero Only
52.03	6 HOLES	1.000	each		0.00	INR Zero Only
52.04	7 HOLES	1.000	each		0.00	INR Zero Only
52.05	8 HOLES	1.000	each		0.00	INR Zero Only
52.06	9 HOLES	1.000	each		0.00	INR Zero Only
52.07	10 HOLES	1.000	each		0.00	INR Zero Only
52.08	12 HOLES	1.000	each		0.00	INR Zero Only
53	5.0 MM LCP L- BUTTRESS PLATE- LEFT SIDE	0.000	each		0.00	INR Zero Only
53.01	4 HOLES	1.000	each		0.00	INR Zero Only
53.02	5 HOLES	1.000	each		0.00	INR Zero Only
53.03	6 HOLES	1.000	each		0.00	INR Zero Only

53.04	7 HOLES	1.000	each		0.00	INR Zero Only
53.05	8 HOLES	1.000	each		0.00	INR Zero Only
53.06	9 HOLES	1.000	each		0.00	INR Zero Only
53.07	10 HOLES	1.000	each		0.00	INR Zero Only
53.08	12 HOLES	1.000	each		0.00	INR Zero Only
54	3.5 MM LCP LOW BEND MEDIAL DISTAL TIBIA PLATE- RIGHT SIDE	0.000	each		0.00	INR Zero Only
54.01	4 HOLES	1.000	each		0.00	INR Zero Only
54.02	6 HOLES	1.000	each		0.00	INR Zero Only
54.03	8 HOLES	1.000	each		0.00	INR Zero Only
54.04	10 HOLES	1.000	each		0.00	INR Zero Only
54.05	12 HOLES	1.000	each		0.00	INR Zero Only
54.06	14 HOLES	1.000	each		0.00	INR Zero Only
55	3.5 MM LCP LOW BEND MEDIAL DISTAL TIBIA PLATE- LEFT SIDE	0.000	each		0.00	INR Zero Only
55.01	4 HOLES	1.000	each		0.00	INR Zero Only
55.02	6 HOLES	1.000	each		0.00	INR Zero Only
55.03	8 HOLES	1.000	each		0.00	INR Zero Only
55.04	10 HOLES	1.000	each		0.00	INR Zero Only
55.05	12 HOLES	1.000	each		0.00	INR Zero Only
55.06	14 HOLES	1.000	each		0.00	INR Zero Only
56	3.5 MM LCP LOW MEDIAL DISTAL TIBIA PLATE- RIGHT SIDE (WITH TAB)	0.000	each		0.00	INR Zero Only
56.01	4 HOLES	1.000	each		0.00	INR Zero Only
56.02	6 HOLES	1.000	each		0.00	INR Zero Only

56.03	8 HOLES	1.000	each		0.00	INR Zero Only
56.04	10 HOLES	1.000	each		0.00	INR Zero Only
56.05	12 HOLES	1.000	each		0.00	INR Zero Only
56.06	14 HOLES	1.000	each		0.00	INR Zero Only
57	3.5 MM LCP LOW MEDIAL DISTAL TIBIA PLATE- LEFT SIDE (WITH TAB)	0.000	each		0.00	INR Zero Only
57.01	4 HOLES	1.000	each		0.00	INR Zero Only
57.02	6 HOLES	1.000	each		0.00	INR Zero Only
57.03	8 HOLES	1.000	each		0.00	INR Zero Only
57.04	10 HOLES	1.000	each		0.00	INR Zero Only
57.05	12 HOLES	1.000	each		0.00	INR Zero Only
57.06	14 HOLES	1.000	each		0.00	INR Zero Only
58	5.0 MM LCP PROXIMAL LATERAL TIBIA PLATE RIGHT SIDE (HOCKEY)	0.000	each		0.00	INR Zero Only
58.01	5 HOLES	1.000	each		0.00	INR Zero Only
58.02	7 HOLES	1.000	each		0.00	INR Zero Only
58.03	9 HOLES	1.000	each		0.00	INR Zero Only
58.04	11 HOLES	1.000	each		0.00	INR Zero Only
58.05	13 HOLES	1.000	each		0.00	INR Zero Only
58.06	15 HOLES	1.000	each		0.00	INR Zero Only
59	5.0 MM LCP PROXIMAL LATERAL TIBIA PLATE LEFT SIDE (HOCKEY)	0.000	each		0.00	INR Zero Only
59.01	5 HOLES	1.000	each		0.00	INR Zero Only
59.02	7 HOLES	1.000	each		0.00	INR Zero Only
59.03	9 HOLES	1.000	each		0.00	INR Zero Only

59.04	11 HOLES	1.000	each		0.00	INR Zero Only
59.05	13 HOLES	1.000	each		0.00	INR Zero Only
59.06	15 HOLES	1.000	each		0.00	INR Zero Only
60	5.0 MM LCP RECONSTRUCTION PLATE	0.000	each		0.00	INR Zero Only
60.01	4 HOLES	1.000	each		0.00	INR Zero Only
60.02	5 HOLES	1.000	each		0.00	INR Zero Only
60.03	6 HOLES	1.000	each		0.00	INR Zero Only
60.04	7 HOLES	1.000	each		0.00	INR Zero Only
60.05	8 HOLES	1.000	each		0.00	INR Zero Only
60.06	9 HOLES	1.000	each		0.00	INR Zero Only
60.07	10 HOLES	1.000	each		0.00	INR Zero Only
60.08	12 HOLES	1.000	each		0.00	INR Zero Only
60.09	14 HOLES	1.000	each		0.00	INR Zero Only
60.1	16 HOLES	1.000	each		0.00	INR Zero Only
62	5.0 MM LCP T- PLATE	0.000	each		0.00	INR Zero Only
62.01	3 HOLES	1.000	each		0.00	INR Zero Only
62.02	4 HOLES	1.000	each		0.00	INR Zero Only
62.03	5 HOLES	1.000	each		0.00	INR Zero Only
62.04	6 HOLES	1.000	each		0.00	INR Zero Only
62.05	7 HOLES	1.000	each		0.00	INR Zero Only
62.06	8 HOLES	1.000	each		0.00	INR Zero Only
62.07	9 HOLES	1.000	each		0.00	INR Zero Only
62.08	10 HOLES	1.000	each		0.00	INR Zero Only

62.09	12 HOLES	1.000	each		0.00	INR Zero Only
63	3.5 MM LCP CLOVERLEAF PLATE	0.000	each		0.00	INR Zero Only
63.01	3 HOLES	1.000	each		0.00	INR Zero Only
63.02	4 HOLES	1.000	each		0.00	INR Zero Only
63.03	5 HOLES	1.000	each		0.00	INR Zero Only
63.04	6 HOLES	1.000	each		0.00	INR Zero Only
63.05	7 HOLES	1.000	each		0.00	INR Zero Only
63.06	8 HOLES	1.000	each		0.00	INR Zero Only
63.07	9 HOLES	1.000	each		0.00	INR Zero Only
63.08	10 HOLES	1.000	each		0.00	INR Zero Only
63.09	12 HOLES	1.000	each		0.00	INR Zero Only
64	3.5 MM LCP LATERAL DISTAL FIBULA PLATE	0.000	each		0.00	INR Zero Only
64.01	3 HOLES	1.000	each		0.00	INR Zero Only
64.02	4 HOLES	1.000	each		0.00	INR Zero Only
64.03	5 HOLES	1.000	each		0.00	INR Zero Only
64.04	6 HOLES	1.000	each		0.00	INR Zero Only
64.05	7 HOLES	1.000	each		0.00	INR Zero Only
64.06	9 HOLES	1.000	each		0.00	INR Zero Only
64.07	10 HOLES	1.000	each		0.00	INR Zero Only
64.08	11 HOLES	1.000	each		0.00	INR Zero Only
65	3.5 MM LCP PROXIMAL TIBIA PLATE (RAFT)- RIGHT SIDE	0.000	each		0.00	INR Zero Only
65.01	4 HOLES	1.000	each		0.00	INR Zero Only
65.02	6 HOLES	1.000	each		0.00	INR Zero Only

65.03	8 HOLES	1.000	each		0.00	INR Zero Only
65.04	10 HOLES	1.000	each		0.00	INR Zero Only
65.05	12 HOLES	1.000	each		0.00	INR Zero Only
65.06	14 HOLES	1.000	each		0.00	INR Zero Only
65.07	16 HOLES	1.000	each		0.00	INR Zero Only
66	3.5 MM LCP PROXIMAL TIBIA PLATE (RAFT)- LEFT SIDE	0.000	each		0.00	INR Zero Only
66.01	4 HOLES	1.000	each		0.00	INR Zero Only
66.02	6 HOLES	1.000	each		0.00	INR Zero Only
66.03	8 HOLES	1.000	each		0.00	INR Zero Only
66.04	10 HOLES	1.000	each		0.00	INR Zero Only
66.05	12 HOLES	1.000	each		0.00	INR Zero Only
66.06	14 HOLES	1.000	each		0.00	INR Zero Only
66.07	16 HOLES	1.000	each		0.00	INR Zero Only
67	3.5 MM LCP ANTEROLATERAL DISTAL TIBIA PLATE - RIGHT SIDE	0.000	each		0.00	INR Zero Only
67.01	5 HOLES	1.000	each		0.00	INR Zero Only
67.02	7 HOLES	1.000	each		0.00	INR Zero Only
67.03	9 HOLES	1.000	each		0.00	INR Zero Only
67.04	11 HOLES	1.000	each		0.00	INR Zero Only
67.05	13 HOLES	1.000	each		0.00	INR Zero Only
67.06	15 HOLES	1.000	each		0.00	INR Zero Only
67.07	17 HOLES	1.000	each		0.00	INR Zero Only
68	3.5 MM LCP ANTEROLATERAL DISTAL TIBIA PLATE - LEFT SIDE	0.000	each		0.00	INR Zero Only
68.01	5 HOLES	1.000	each		0.00	INR Zero Only

68.02	7 HOLES	1.000	each		0.00	INR Zero Only
68.03	9 HOLES	1.000	each		0.00	INR Zero Only
68.04	11 HOLES	1.000	each		0.00	INR Zero Only
68.05	13 HOLES	1.000	each		0.00	INR Zero Only
68.06	15 HOLES	1.000	each		0.00	INR Zero Only
68.07	17 HOLES	1.000	each		0.00	INR Zero Only
69	3.5 MM LCP MEDIAL PROXIMAL TIBIA PLATE - RIGHT SIDE	0.000	each		0.00	INR Zero Only
69.01	4 HOLES	1.000	each		0.00	INR Zero Only
69.02	6 HOLES	1.000	each		0.00	INR Zero Only
69.03	8 HOLES	1.000	each		0.00	INR Zero Only
69.04	10 HOLES	1.000	each		0.00	INR Zero Only
69.05	12 HOLES	1.000	each		0.00	INR Zero Only
69.06	14 HOLES	1.000	each		0.00	INR Zero Only
69.07	16 HOLES	1.000	each		0.00	INR Zero Only
70	3.5 MM LCP MEDIAL PROXIMAL TIBIA PLATE - LEFT SIDE	0.000	each		0.00	INR Zero Only
70.01	4 HOLES	1.000	each		0.00	INR Zero Only
70.02	6 HOLES	1.000	each		0.00	INR Zero Only
70.03	8 HOLES	1.000	each		0.00	INR Zero Only
70.04	10 HOLES	1.000	each		0.00	INR Zero Only
70.05	12 HOLES	1.000	each		0.00	INR Zero Only
70.06	14 HOLES	1.000	each		0.00	INR Zero Only
70.07	16 HOLES	1.000	each		0.00	INR Zero Only
71	3.5 MM LCP CALCANEAL PLATE- RIGHT SIDE	0.000	each		0.00	INR Zero Only

71.01	64 MM	1.000	each		0.00	INR Zero Only
71.02	69 MM	1.000	each		0.00	INR Zero Only
71.03	76 MM	1.000	each		0.00	INR Zero Only
71.04	81 MM	1.000	each		0.00	INR Zero Only
72	3.5 MM LCP CALCANEAL PLATE- LEFT SIDE	0.000	each		0.00	INR Zero Only
72.01	64 MM	1.000	each		0.00	INR Zero Only
72.02	69 MM	1.000	each		0.00	INR Zero Only
72.03	76 MM	1.000	each		0.00	INR Zero Only
72.04	81 MM	1.000	each		0.00	INR Zero Only
73	GROUP B - BONE PLATES - DCP					
74	2.7 MM DCP PLATE	0.000	each		0.00	INR Zero Only
74.01	2 HOLES	1.000	each		0.00	INR Zero Only
74.02	4 HOLES	1.000	each		0.00	INR Zero Only
74.03	5 HOLES	1.000	each		0.00	INR Zero Only
74.04	6 HOLES	1.000	each		0.00	INR Zero Only
74.05	7 HOLES	1.000	each		0.00	INR Zero Only
74.06	8 HOLES	1.000	each		0.00	INR Zero Only
74.07	9 HOLES	1.000	each		0.00	INR Zero Only
74.08	10 HOLES	1.000	each		0.00	INR Zero Only
74.09	11 HOLES	1.000	each		0.00	INR Zero Only
74.1	12 HOLES	1.000	each		0.00	INR Zero Only
75	3.5 MM DCP SMALL	0.000	each		0.00	INR Zero Only
75.01	4 HOLES	1.000	each		0.00	INR Zero Only

75.02	5 HOLES	1.000	each		0.00	INR Zero Only
75.03	6 HOLES	1.000	each		0.00	INR Zero Only
75.04	7 HOLES	1.000	each		0.00	INR Zero Only
75.05	8 HOLES	1.000	each		0.00	INR Zero Only
75.06	9 HOLES	1.000	each		0.00	INR Zero Only
75.07	10 HOLES	1.000	each		0.00	INR Zero Only
75.08	12 HOLES	1.000	each		0.00	INR Zero Only
75.09	14 HOLES	1.000	each		0.00	INR Zero Only
75.1	16 HOLES	1.000	each		0.00	INR Zero Only
76	4.5 MM DCP NARROW	0.000	each		0.00	INR Zero Only
76.01	4 HOLES	1.000	each		0.00	INR Zero Only
76.02	5 HOLES	1.000	each		0.00	INR Zero Only
76.03	6 HOLES	1.000	each		0.00	INR Zero Only
76.04	7 HOLES	1.000	each		0.00	INR Zero Only
76.05	8 HOLES	1.000	each		0.00	INR Zero Only
76.06	9 HOLES	1.000	each		0.00	INR Zero Only
76.07	10 HOLES	1.000	each		0.00	INR Zero Only
76.08	11 HOLES	1.000	each		0.00	INR Zero Only
76.09	12 HOLES	1.000	each		0.00	INR Zero Only
76.1	13 HOLES	1.000	each		0.00	INR Zero Only
76.11	14 HOLES	1.000	each		0.00	INR Zero Only
76.12	15 HOLES	1.000	each		0.00	INR Zero Only
76.13	16 HOLES	1.000	each		0.00	INR Zero Only

76.14	18 HOLES	1.000	each		0.00	INR Zero Only
77	4.5 MM DCP BROAD	0.000	each		0.00	INR Zero Only
77.01	6 HOLES	1.000	each		0.00	INR Zero Only
77.02	7 HOLES	1.000	each		0.00	INR Zero Only
77.03	8 HOLES	1.000	each		0.00	INR Zero Only
77.04	9 HOLES	1.000	each		0.00	INR Zero Only
77.05	10 HOLES	1.000	each		0.00	INR Zero Only
77.06	11 HOLES	1.000	each		0.00	INR Zero Only
77.07	12 HOLES	1.000	each		0.00	INR Zero Only
77.08	13 HOLES	1.000	each		0.00	INR Zero Only
77.09	14 HOLES	1.000	each		0.00	INR Zero Only
77.1	15 HOLES	1.000	each		0.00	INR Zero Only
77.11	16 HOLES	1.000	each		0.00	INR Zero Only
77.12	18 HOLES	1.000	each		0.00	INR Zero Only
77.13	20 HOLES	1.000	each		0.00	INR Zero Only
78	3.5 MM LC-DCP SMALL	0.000	each		0.00	INR Zero Only
78.01	4 HOLES	1.000	each		0.00	INR Zero Only
78.02	5 HOLES	1.000	each		0.00	INR Zero Only
78.03	6 HOLES	1.000	each		0.00	INR Zero Only
78.04	7 HOLES	1.000	each		0.00	INR Zero Only
78.05	8 HOLES	1.000	each		0.00	INR Zero Only
78.06	9 HOLES	1.000	each		0.00	INR Zero Only
78.07	10 HOLES	1.000	each		0.00	INR Zero Only

78.08	11 HOLES	1.000	each		0.00	INR Zero Only
78.09	12 HOLES	1.000	each		0.00	INR Zero Only
78.1	13 HOLES	1.000	each		0.00	INR Zero Only
78.11	14 HOLES	1.000	each		0.00	INR Zero Only
78.12	15 HOLES	1.000	each		0.00	INR Zero Only
78.13	16 HOLES	1.000	each		0.00	INR Zero Only
79	4.5 MM LC-DCP NARROW	0.000	each		0.00	INR Zero Only
79.01	4 HOLES	1.000	each		0.00	INR Zero Only
79.02	5 HOLES	1.000	each		0.00	INR Zero Only
79.03	6 HOLES	1.000	each		0.00	INR Zero Only
79.04	7 HOLES	1.000	each		0.00	INR Zero Only
79.05	8 HOLES	1.000	each		0.00	INR Zero Only
79.06	9 HOLES	1.000	each		0.00	INR Zero Only
79.07	10 HOLES	1.000	each		0.00	INR Zero Only
79.08	11 HOLES	1.000	each		0.00	INR Zero Only
79.09	12 HOLES	1.000	each		0.00	INR Zero Only
79.1	13 HOLES	1.000	each		0.00	INR Zero Only
79.11	14 HOLES	1.000	each		0.00	INR Zero Only
79.12	15 HOLES	1.000	each		0.00	INR Zero Only
79.13	16 HOLES	1.000	each		0.00	INR Zero Only
79.14	18 HOLES	1.000	each		0.00	INR Zero Only
80	4.5 MM LC-DCP BROAD	0.000	each		0.00	INR Zero Only
80.01	5 HOLES	1.000	each		0.00	INR Zero Only

80.02	6 HOLES	1.000	each		0.00	INR Zero Only
80.03	7 HOLES	1.000	each		0.00	INR Zero Only
80.04	8 HOLES	1.000	each		0.00	INR Zero Only
80.05	9 HOLES	1.000	each		0.00	INR Zero Only
80.06	10 HOLES	1.000	each		0.00	INR Zero Only
80.07	11 HOLES	1.000	each		0.00	INR Zero Only
80.08	12 HOLES	1.000	each		0.00	INR Zero Only
80.09	13 HOLES	1.000	each		0.00	INR Zero Only
80.1	14 HOLES	1.000	each		0.00	INR Zero Only
80.11	15 HOLES	1.000	each		0.00	INR Zero Only
80.12	16 HOLES	1.000	each		0.00	INR Zero Only
81	3.5 MM 1/3 TUBULAR PLATE	0.000	each		0.00	INR Zero Only
81.01	3 HOLES	1.000	each	1.00	1.00	INR One Only
81.02	4 HOLES	1.000	each	1.00	1.00	INR One Only
81.03	5 HOLES	1.000	each	1.00	1.00	INR One Only
81.04	6 HOLES	1.000	each	1.00	1.00	INR One Only
81.05	7 HOLES	1.000	each	1.00	1.00	INR One Only
81.06	8 HOLES	1.000	each	1.00	1.00	INR One Only
81.07	9 HOLES	1.000	each	1.00	1.00	INR One Only
81.08	10 HOLES	1.000	each	1.00	1.00	INR One Only
81.09	12 HOLES	1.000	each		0.00	INR Zero Only
82	4.5 MM SEMI TUBULAR PLATE	0.000	each		0.00	INR Zero Only
82.01	3 HOLES	1.000	each		0.00	INR Zero Only

82.02	4 HOLES	1.000	each		0.00	INR Zero Only
82.03	5 HOLES	1.000	each		0.00	INR Zero Only
82.04	6 HOLES	1.000	each		0.00	INR Zero Only
82.05	7 HOLES	1.000	each		0.00	INR Zero Only
82.06	8 HOLES	1.000	each		0.00	INR Zero Only
82.07	9 HOLES	1.000	each		0.00	INR Zero Only
82.08	10 HOLES	1.000	each		0.00	INR Zero Only
82.09	12 HOLES	1.000	each		0.00	INR Zero Only
83	3.5 MM STRAIGHT RECONSTRUCTION PLATE- DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
83.01	5 HOLES	1.000	each		0.00	INR Zero Only
83.02	6 HOLES	1.000	each		0.00	INR Zero Only
83.03	7 HOLES	1.000	each		0.00	INR Zero Only
83.04	8 HOLES	1.000	each		0.00	INR Zero Only
83.05	9 HOLES	1.000	each		0.00	INR Zero Only
83.06	10 HOLES	1.000	each		0.00	INR Zero Only
83.07	11 HOLES	1.000	each		0.00	INR Zero Only
83.08	12 HOLES	1.000	each		0.00	INR Zero Only
83.09	13 HOLES	1.000	each		0.00	INR Zero Only
83.1	14 HOLES	1.000	each		0.00	INR Zero Only
83.11	16 HOLES	1.000	each		0.00	INR Zero Only
84	4.5 MM STRAIGHT RECONSTRUCTION PLATE- DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
84.01	5 HOLES	1.000	each		0.00	INR Zero Only
84.02	6 HOLES	1.000	each		0.00	INR Zero Only

84.03	7 HOLES	1.000	each		0.00	INR Zero Only
84.04	8 HOLES	1.000	each		0.00	INR Zero Only
84.05	9 HOLES	1.000	each		0.00	INR Zero Only
84.06	10 HOLES	1.000	each		0.00	INR Zero Only
84.07	11 HOLES	1.000	each		0.00	INR Zero Only
84.08	12 HOLES	1.000	each		0.00	INR Zero Only
84.09	13 HOLES	1.000	each		0.00	INR Zero Only
84.1	14 HOLES	1.000	each		0.00	INR Zero Only
85	3.5 MM STRAIGHT RECONSTRUCTION PLATE- ROUND HOLES (THICKNESS 1.6 MM)	0.000	each		0.00	INR Zero Only
85.01	5 HOLES	1.000	each		0.00	INR Zero Only
85.02	6 HOLES	1.000	each		0.00	INR Zero Only
85.03	7 HOLES	1.000	each		0.00	INR Zero Only
85.04	8 HOLES	1.000	each		0.00	INR Zero Only
85.05	9 HOLES	1.000	each		0.00	INR Zero Only
85.06	10 HOLES	1.000	each		0.00	INR Zero Only
85.07	11 HOLES	1.000	each		0.00	INR Zero Only
85.08	12 HOLES	1.000	each		0.00	INR Zero Only
85.09	13 HOLES	1.000	each		0.00	INR Zero Only
85.1	14 HOLES	1.000	each		0.00	INR Zero Only
85.11	16 HOLES	1.000	each		0.00	INR Zero Only
85.12	18 HOLES	1.000	each		0.00	INR Zero Only
85.13	20 HOLES	1.000	each		0.00	INR Zero Only
85.14	22 HOLES	1.000	each		0.00	INR Zero Only

85.15	24 HOLES	1.000	each		0.00	INR Zero Only
86	4.5 MM STRAIGHT RECONSTRUCTION PLATE- ROUND HOLES (THICKNESS 1.6 MM)	0.000	each		0.00	INR Zero Only
86.01	5 HOLES	1.000	each		0.00	INR Zero Only
86.02	6 HOLES	1.000	each		0.00	INR Zero Only
86.03	7 HOLES	1.000	each		0.00	INR Zero Only
86.04	8 HOLES	1.000	each		0.00	INR Zero Only
86.05	9 HOLES	1.000	each		0.00	INR Zero Only
86.06	10 HOLES	1.000	each		0.00	INR Zero Only
86.07	11 HOLES	1.000	each		0.00	INR Zero Only
86.08	12 HOLES	1.000	each		0.00	INR Zero Only
86.09	13 HOLES	1.000	each		0.00	INR Zero Only
86.1	14 HOLES	1.000	each		0.00	INR Zero Only
86.11	16 HOLES	1.000	each		0.00	INR Zero Only
86.12	18 HOLES	1.000	each		0.00	INR Zero Only
86.13	20 HOLES	1.000	each		0.00	INR Zero Only
86.14	22 HOLES	1.000	each		0.00	INR Zero Only
86.15	24 HOLES	1.000	each		0.00	INR Zero Only
87	3.5 MM SMALL PLATE RIGHT ANGLE	0.000	each		0.00	INR Zero Only
87.01	3 HOLES	1.000	each		0.00	INR Zero Only
87.02	4 HOLES	1.000	each		0.00	INR Zero Only
87.03	5 HOLES	1.000	each		0.00	INR Zero Only
87.04	6 HOLES	1.000	each		0.00	INR Zero Only
87.05	7 HOLES	1.000	each		0.00	INR Zero Only

87.06	8 HOLES	1.000	each		0.00	INR Zero Only
88	3.5 MM SMALL T-PLATE OBLIQUE ANGLE	0.000	each		0.00	INR Zero Only
88.01	3 HOLES	1.000	each		0.00	INR Zero Only
88.02	4 HOLES	1.000	each		0.00	INR Zero Only
88.03	5 HOLES	1.000	each		0.00	INR Zero Only
88.04	6 HOLES	1.000	each		0.00	INR Zero Only
88.05	7 HOLES	1.000	each		0.00	INR Zero Only
88.06	8 HOLES	1.000	each		0.00	INR Zero Only
89	4.5 MM T- PLATE	1.000	each		0.00	INR Zero Only
89.01	4 HOLES	0.000	each		0.00	INR Zero Only
89.02	5 HOLES	1.000	each		0.00	INR Zero Only
89.03	6 HOLES	1.000	each		0.00	INR Zero Only
89.04	7 HOLES	1.000	each		0.00	INR Zero Only
89.05	8 HOLES	1.000	each		0.00	INR Zero Only
89.06	9 HOLES	1.000	each		0.00	INR Zero Only
89.07	10 HOLES	1.000	each		0.00	INR Zero Only
89.08	11 HOLES	1.000	each		0.00	INR Zero Only
89.09	12 HOLES	1.000	each		0.00	INR Zero Only
90	4.5 MM T- BUTTRESS PLATE	0.000	each		0.00	INR Zero Only
90.01	4 HOLES	1.000	each		0.00	INR Zero Only
90.02	5 HOLES	1.000	each		0.00	INR Zero Only
90.03	6 HOLES	1.000	each		0.00	INR Zero Only
90.04	7 HOLES	1.000	each		0.00	INR Zero Only

90.05	8 HOLES	1.000	each		0.00	INR Zero Only
90.06	9 HOLES	1.000	each		0.00	INR Zero Only
90.07	10 HOLES	1.000	each		0.00	INR Zero Only
90.08	11 HOLES	1.000	each		0.00	INR Zero Only
90.09	12 HOLES	1.000	each		0.00	INR Zero Only
91	4.5 MM L-BUTTRESS PLATE -RIGHT	0.000	each		0.00	INR Zero Only
91.01	4 HOLES	1.000	each		0.00	INR Zero Only
91.02	5 HOLES	1.000	each		0.00	INR Zero Only
91.03	6 HOLES	1.000	each		0.00	INR Zero Only
91.04	7 HOLES	1.000	each		0.00	INR Zero Only
91.05	8 HOLES	1.000	each		0.00	INR Zero Only
91.06	9 HOLES	1.000	each		0.00	INR Zero Only
91.07	10 HOLES	1.000	each		0.00	INR Zero Only
91.08	11 HOLES	1.000	each		0.00	INR Zero Only
91.09	12 HOLES	1.000	each		0.00	INR Zero Only
92	4.5 MM L-BUTTRESS PLATE -LEFT	0.000	each		0.00	INR Zero Only
92.01	4 HOLES	1.000	each		0.00	INR Zero Only
92.02	5 HOLES	1.000	each		0.00	INR Zero Only
92.03	6 HOLES	1.000	each		0.00	INR Zero Only
92.04	7 HOLES	1.000	each		0.00	INR Zero Only
92.05	8 HOLES	1.000	each		0.00	INR Zero Only
92.06	9 HOLES	1.000	each		0.00	INR Zero Only
92.07	10 HOLES	1.000	each		0.00	INR Zero Only

92.08	11 HOLES	1.000	each		0.00	INR Zero Only
92.09	12 HOLES	1.000	each		0.00	INR Zero Only
93	4.5 MM LATERAL TIBIAL BUTTRESS PLATE DCP HOLES (HOCKEY)- RIGHT	0.000	each		0.00	INR Zero Only
93.01	5 HOLES	1.000	each		0.00	INR Zero Only
93.02	7 HOLES	1.000	each		0.00	INR Zero Only
93.03	9 HOLES	1.000	each		0.00	INR Zero Only
93.04	11 HOLES	1.000	each		0.00	INR Zero Only
93.05	13 HOLES	1.000	each		0.00	INR Zero Only
94	4.5 MM LATERAL TIBIAL BUTTRESS PLATE DCP HOLES (HOCKEY)- LEFT	0.000	each		0.00	INR Zero Only
94.01	5 HOLES	1.000	each		0.00	INR Zero Only
94.02	7 HOLES	1.000	each		0.00	INR Zero Only
94.03	9 HOLES	1.000	each		0.00	INR Zero Only
94.04	11 HOLES	1.000	each		0.00	INR Zero Only
94.05	13 HOLES	1.000	each		0.00	INR Zero Only
95	3.5 MM CLOVERLEAF PLATE	0.000	each		0.00	INR Zero Only
95.01	3 HOLES	1.000	each		0.00	INR Zero Only
95.02	4 HOLES	1.000	each		0.00	INR Zero Only
95.03	5 HOLES	1.000	each		0.00	INR Zero Only
95.04	6 HOLES	1.000	each		0.00	INR Zero Only
95.05	7 HOLES	1.000	each		0.00	INR Zero Only
95.06	8 HOLES	1.000	each		0.00	INR Zero Only
95.07	9 HOLES	1.000	each		0.00	INR Zero Only

95.08	10 HOLES	1.000	each		0.00	INR Zero Only
96	3.5 MM SPOON PLATE	0.000	each		0.00	INR Zero Only
96.01	4 HOLES	1.000	each		0.00	INR Zero Only
96.02	5 HOLES	1.000	each		0.00	INR Zero Only
96.03	6 HOLES	1.000	each		0.00	INR Zero Only
97	3.5 MM Y RECONSTRUCTION PLATE	0.000	each		0.00	INR Zero Only
97.01	3 HOLES	1.000	each		0.00	INR Zero Only
97.02	4 HOLES	1.000	each		0.00	INR Zero Only
97.03	5 HOLES	1.000	each		0.00	INR Zero Only
97.04	6 HOLES	1.000	each		0.00	INR Zero Only
97.05	7 HOLES	1.000	each		0.00	INR Zero Only
98	125° DHS PLATE LONG BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
98.01	2 HOLES	1.000	each		0.00	INR Zero Only
98.02	3 HOLES	1.000	each		0.00	INR Zero Only
98.03	4 HOLES	1.000	each		0.00	INR Zero Only
98.04	5 HOLES	1.000	each		0.00	INR Zero Only
98.05	6 HOLES	1.000	each		0.00	INR Zero Only
98.06	7 HOLES	1.000	each		0.00	INR Zero Only
98.07	8 HOLES	1.000	each		0.00	INR Zero Only
98.08	9 HOLES	1.000	each		0.00	INR Zero Only
98.09	10 HOLES	1.000	each		0.00	INR Zero Only
98.1	12 HOLES	1.000	each		0.00	INR Zero Only
98.11	14 HOLES	1.000	each		0.00	INR Zero Only

99	130° DHS PLATE LONG BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
99.01	2 HOLES	1.000	each		0.00	INR Zero Only
99.02	3 HOLES	1.000	each		0.00	INR Zero Only
99.03	4 HOLES	1.000	each		0.00	INR Zero Only
99.04	5 HOLES	1.000	each		0.00	INR Zero Only
99.05	6 HOLES	1.000	each		0.00	INR Zero Only
99.06	7 HOLES	1.000	each		0.00	INR Zero Only
99.07	8 HOLES	1.000	each		0.00	INR Zero Only
99.08	9 HOLES	1.000	each		0.00	INR Zero Only
99.09	10 HOLES	1.000	each		0.00	INR Zero Only
99.1	12 HOLES	1.000	each		0.00	INR Zero Only
99.11	14 HOLES	1.000	each		0.00	INR Zero Only
100	135° DHS PLATE LONG BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
100.01	2 HOLES	1.000	each		0.00	INR Zero Only
100.02	3 HOLES	1.000	each		0.00	INR Zero Only
100.03	4 HOLES	1.000	each		0.00	INR Zero Only
100.04	5 HOLES	1.000	each		0.00	INR Zero Only
100.05	6 HOLES	1.000	each		0.00	INR Zero Only
100.06	7 HOLES	1.000	each		0.00	INR Zero Only
100.07	8 HOLES	1.000	each		0.00	INR Zero Only
100.08	9 HOLES	1.000	each		0.00	INR Zero Only
100.09	10 HOLES	1.000	each		0.00	INR Zero Only
100.1	12 HOLES	1.000	each		0.00	INR Zero Only

100.11	14 HOLES	1.000	each		0.00	INR Zero Only
100.12	16 HOLES	1.000	each		0.00	INR Zero Only
100.13	18 HOLES	1.000	each		0.00	INR Zero Only
100.14	20 HOLES	1.000	each		0.00	INR Zero Only
101	140° DHS PLATE LONG BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
101.01	2 HOLES	1.000	each		0.00	INR Zero Only
101.02	3 HOLES	1.000	each		0.00	INR Zero Only
101.03	4 HOLES	1.000	each		0.00	INR Zero Only
101.04	5 HOLES	1.000	each		0.00	INR Zero Only
101.05	6 HOLES	1.000	each		0.00	INR Zero Only
101.06	7 HOLES	1.000	each		0.00	INR Zero Only
101.07	8 HOLES	1.000	each		0.00	INR Zero Only
101.08	9 HOLES	1.000	each		0.00	INR Zero Only
101.09	10 HOLES	1.000	each		0.00	INR Zero Only
101.1	12 HOLES	1.000	each		0.00	INR Zero Only
101.11	14 HOLES	1.000	each		0.00	INR Zero Only
101.12	16 HOLES	1.000	each		0.00	INR Zero Only
102	145° DHS PLATE LONG BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
102.01	2 HOLES	1.000	each		0.00	INR Zero Only
102.02	3 HOLES	1.000	each		0.00	INR Zero Only
102.03	4 HOLES	1.000	each		0.00	INR Zero Only
102.04	5 HOLES	1.000	each		0.00	INR Zero Only
102.05	6 HOLES	1.000	each		0.00	INR Zero Only

102.06	7 HOLES	1.000	each		0.00	INR Zero Only
102.07	8 HOLES	1.000	each		0.00	INR Zero Only
102.08	9 HOLES	1.000	each		0.00	INR Zero Only
102.09	10 HOLES	1.000	each		0.00	INR Zero Only
102.1	12 HOLES	1.000	each		0.00	INR Zero Only
102.11	14 HOLES	1.000	each		0.00	INR Zero Only
102.12	16 HOLES	1.000	each		0.00	INR Zero Only
103	150° DHS PLATE LONG BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
103.01	2 HOLES	1.000	each		0.00	INR Zero Only
103.02	3 HOLES	1.000	each		0.00	INR Zero Only
103.03	4 HOLES	1.000	each		0.00	INR Zero Only
103.04	5 HOLES	1.000	each		0.00	INR Zero Only
103.05	6 HOLES	1.000	each		0.00	INR Zero Only
103.06	7 HOLES	1.000	each		0.00	INR Zero Only
103.07	8 HOLES	1.000	each		0.00	INR Zero Only
103.08	9 HOLES	1.000	each		0.00	INR Zero Only
103.09	10 HOLES	1.000	each		0.00	INR Zero Only
103.1	12 HOLES	1.000	each		0.00	INR Zero Only
103.11	14 HOLES	1.000	each		0.00	INR Zero Only
103.12	16 HOLES	1.000	each		0.00	INR Zero Only
104	125° DHS PLATE SHORT BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
104.01	3 HOLES	1.000	each		0.00	INR Zero Only
104.02	4 HOLES	1.000	each		0.00	INR Zero Only

104.03	5 HOLES	1.000	each		0.00	INR Zero Only
104.04	6 HOLES	1.000	each		0.00	INR Zero Only
104.05	7 HOLES	1.000	each		0.00	INR Zero Only
104.06	8 HOLES	1.000	each		0.00	INR Zero Only
104.07	9 HOLES	1.000	each		0.00	INR Zero Only
104.08	10 HOLES	1.000	each		0.00	INR Zero Only
104.09	12 HOLES	1.000	each		0.00	INR Zero Only
105	130° DHS PLATE SHORT BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
105.01	3 HOLES	1.000	each		0.00	INR Zero Only
105.02	4 HOLES	1.000	each		0.00	INR Zero Only
105.03	5 HOLES	1.000	each		0.00	INR Zero Only
105.04	6 HOLES	1.000	each		0.00	INR Zero Only
105.05	7 HOLES	1.000	each		0.00	INR Zero Only
105.06	8 HOLES	1.000	each		0.00	INR Zero Only
105.07	9 HOLES	1.000	each		0.00	INR Zero Only
105.08	10 HOLES	1.000	each		0.00	INR Zero Only
105.09	12 HOLES	1.000	each		0.00	INR Zero Only
106	135° DHS PLATE SHORT BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
106.01	3 HOLES	1.000	each		0.00	INR Zero Only
106.02	4 HOLES	1.000	each		0.00	INR Zero Only
106.03	5 HOLES	1.000	each		0.00	INR Zero Only
106.04	6 HOLES	1.000	each		0.00	INR Zero Only
106.05	7 HOLES	1.000	each		0.00	INR Zero Only

106.06	8 HOLES	1.000	each		0.00	INR Zero Only
106.07	9 HOLES	1.000	each		0.00	INR Zero Only
106.08	10 HOLES	1.000	each		0.00	INR Zero Only
106.09	12 HOLES	1.000	each		0.00	INR Zero Only
107	140° DHS PLATE SHORT BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
107.01	3 HOLES	1.000	each		0.00	INR Zero Only
107.02	4 HOLES	1.000	each		0.00	INR Zero Only
107.03	5 HOLES	1.000	each		0.00	INR Zero Only
107.04	6 HOLES	1.000	each		0.00	INR Zero Only
107.05	7 HOLES	1.000	each		0.00	INR Zero Only
107.06	8 HOLES	1.000	each		0.00	INR Zero Only
107.07	9 HOLES	1.000	each		0.00	INR Zero Only
107.08	10 HOLES	1.000	each		0.00	INR Zero Only
107.09	12 HOLES	1.000	each		0.00	INR Zero Only
108	145° DHS PLATE SHORT BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
108.01	3 HOLES	1.000	each		0.00	INR Zero Only
108.02	4 HOLES	1.000	each		0.00	INR Zero Only
108.03	5 HOLES	1.000	each		0.00	INR Zero Only
108.04	6 HOLES	1.000	each		0.00	INR Zero Only
108.05	7 HOLES	1.000	each		0.00	INR Zero Only
108.06	8 HOLES	1.000	each		0.00	INR Zero Only
108.07	9 HOLES	1.000	each		0.00	INR Zero Only
108.08	10 HOLES	1.000	each		0.00	INR Zero Only

108.09	12 HOLES	1.000	each		0.00	INR Zero Only
109	150° DHS PLATE SHORT BARREL DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
109.01	3 HOLES	1.000	each		0.00	INR Zero Only
109.02	4 HOLES	1.000	each		0.00	INR Zero Only
109.03	5 HOLES	1.000	each		0.00	INR Zero Only
109.04	6 HOLES	1.000	each		0.00	INR Zero Only
109.05	7 HOLES	1.000	each		0.00	INR Zero Only
109.06	8 HOLES	1.000	each		0.00	INR Zero Only
109.07	9 HOLES	1.000	each		0.00	INR Zero Only
109.08	10 HOLES	1.000	each		0.00	INR Zero Only
109.09	12 HOLES	1.000	each		0.00	INR Zero Only
110	125° DHS PLATE LONG BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
110.01	2 HOLES	1.000	each		0.00	INR Zero Only
110.02	3 HOLES	1.000	each		0.00	INR Zero Only
110.03	4 HOLES	1.000	each		0.00	INR Zero Only
110.04	5 HOLES	1.000	each		0.00	INR Zero Only
110.05	6 HOLES	1.000	each		0.00	INR Zero Only
110.06	7 HOLES	1.000	each		0.00	INR Zero Only
110.07	8 HOLES	1.000	each		0.00	INR Zero Only
110.08	9 HOLES	1.000	each		0.00	INR Zero Only
110.09	10 HOLES	1.000	each		0.00	INR Zero Only
110.1	12 HOLES	1.000	each		0.00	INR Zero Only
110.11	14 HOLES	1.000	each		0.00	INR Zero Only

111	130° DHS PLATE LONG BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
111.01	2 HOLES	1.000	each		0.00	INR Zero Only
111.02	3 HOLES	1.000	each		0.00	INR Zero Only
111.03	4 HOLES	1.000	each		0.00	INR Zero Only
111.04	5 HOLES	1.000	each		0.00	INR Zero Only
111.05	6 HOLES	1.000	each		0.00	INR Zero Only
111.06	7 HOLES	1.000	each		0.00	INR Zero Only
111.07	8 HOLES	1.000	each		0.00	INR Zero Only
111.08	9 HOLES	1.000	each		0.00	INR Zero Only
111.09	10 HOLES	1.000	each		0.00	INR Zero Only
111.1	12 HOLES	1.000	each		0.00	INR Zero Only
111.11	14 HOLES	1.000	each		0.00	INR Zero Only
112	135° DHS PLATE LONG BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
112.01	2 HOLES	1.000	each		0.00	INR Zero Only
112.02	3 HOLES	1.000	each		0.00	INR Zero Only
112.03	4 HOLES	1.000	each		0.00	INR Zero Only
112.04	5 HOLES	1.000	each		0.00	INR Zero Only
112.05	6 HOLES	1.000	each		0.00	INR Zero Only
112.06	7 HOLES	1.000	each		0.00	INR Zero Only
112.07	8 HOLES	1.000	each		0.00	INR Zero Only
112.08	9 HOLES	1.000	each		0.00	INR Zero Only
112.09	10 HOLES	1.000	each		0.00	INR Zero Only
112.1	12 HOLES	1.000	each		0.00	INR Zero Only

112.11	14 HOLES	1.000	each		0.00	INR Zero Only
112.12	16 HOLES	1.000	each		0.00	INR Zero Only
112.13	18 HOLES	1.000	each		0.00	INR Zero Only
112.14	20 HOLES	1.000	each		0.00	INR Zero Only
113	140° DHS PLATE LONG BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
113.01	2 HOLES	1.000	each		0.00	INR Zero Only
113.02	3 HOLES	1.000	each		0.00	INR Zero Only
113.03	4 HOLES	1.000	each		0.00	INR Zero Only
113.04	5 HOLES	1.000	each		0.00	INR Zero Only
113.05	6 HOLES	1.000	each		0.00	INR Zero Only
113.06	7 HOLES	1.000	each		0.00	INR Zero Only
113.07	8 HOLES	1.000	each		0.00	INR Zero Only
113.08	9 HOLES	1.000	each		0.00	INR Zero Only
113.09	10 HOLES	1.000	each		0.00	INR Zero Only
113.1	12 HOLES	1.000	each		0.00	INR Zero Only
113.11	14 HOLES	1.000	each		0.00	INR Zero Only
113.12	16 HOLES	1.000	each		0.00	INR Zero Only
114	145° DHS PLATE LONG BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
114.01	2 HOLES	1.000	each		0.00	INR Zero Only
114.02	3 HOLES	1.000	each		0.00	INR Zero Only
114.03	4 HOLES	1.000	each		0.00	INR Zero Only
114.04	5 HOLES	1.000	each		0.00	INR Zero Only
114.05	6 HOLES	1.000	each		0.00	INR Zero Only

114.06	7 HOLES	1.000	each		0.00	INR Zero Only
114.07	8 HOLES	1.000	each		0.00	INR Zero Only
114.08	9 HOLES	1.000	each		0.00	INR Zero Only
114.09	10 HOLES	1.000	each		0.00	INR Zero Only
114.1	12 HOLES	1.000	each		0.00	INR Zero Only
114.11	14 HOLES	1.000	each		0.00	INR Zero Only
114.12	16 HOLES	1.000	each		0.00	INR Zero Only
115	150° DHS PLATE LONG BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
115.01	2 HOLES	1.000	each		0.00	INR Zero Only
115.02	3 HOLES	1.000	each		0.00	INR Zero Only
115.03	4 HOLES	1.000	each		0.00	INR Zero Only
115.04	5 HOLES	1.000	each		0.00	INR Zero Only
115.05	6 HOLES	1.000	each		0.00	INR Zero Only
115.06	7 HOLES	1.000	each		0.00	INR Zero Only
115.07	8 HOLES	1.000	each		0.00	INR Zero Only
115.08	9 HOLES	1.000	each		0.00	INR Zero Only
115.09	10 HOLES	1.000	each		0.00	INR Zero Only
115.1	12 HOLES	1.000	each		0.00	INR Zero Only
115.11	14 HOLES	1.000	each		0.00	INR Zero Only
115.12	16 HOLES	1.000	each		0.00	INR Zero Only
116	125° DHS PLATE SHORT BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
116.01	3 HOLES	1.000	each		0.00	INR Zero Only
116.02	4 HOLES	1.000	each		0.00	INR Zero Only

116.03	5 HOLES	1.000	each		0.00	INR Zero Only
116.04	6 HOLES	1.000	each		0.00	INR Zero Only
116.05	7 HOLES	1.000	each		0.00	INR Zero Only
116.06	8 HOLES	1.000	each		0.00	INR Zero Only
116.07	9 HOLES	1.000	each		0.00	INR Zero Only
116.08	10 HOLES	1.000	each		0.00	INR Zero Only
116.09	12 HOLES	1.000	each		0.00	INR Zero Only
117	130° DHS PLATE SHORT BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
117.01	3 HOLES	1.000	each		0.00	INR Zero Only
117.02	4 HOLES	1.000	each		0.00	INR Zero Only
117.03	5 HOLES	1.000	each		0.00	INR Zero Only
117.04	6 HOLES	1.000	each		0.00	INR Zero Only
117.05	7 HOLES	1.000	each		0.00	INR Zero Only
117.06	8 HOLES	1.000	each		0.00	INR Zero Only
117.07	9 HOLES	1.000	each		0.00	INR Zero Only
117.08	10 HOLES	1.000	each		0.00	INR Zero Only
117.09	12 HOLES	1.000	each		0.00	INR Zero Only
118	135° DHS PLATE SHORT BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
118.01	3 HOLES	1.000	each		0.00	INR Zero Only
118.02	4 HOLES	1.000	each		0.00	INR Zero Only
118.03	5 HOLES	1.000	each		0.00	INR Zero Only
118.04	6 HOLES	1.000	each		0.00	INR Zero Only
118.05	7 HOLES	1.000	each		0.00	INR Zero Only

118.06	8 HOLES	1.000	each		0.00	INR Zero Only
118.07	9 HOLES	1.000	each		0.00	INR Zero Only
118.08	10 HOLES	1.000	each		0.00	INR Zero Only
118.09	12 HOLES	1.000	each		0.00	INR Zero Only
119	140° DHS PLATE SHORT BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
119.01	3 HOLES	1.000	each		0.00	INR Zero Only
119.02	4 HOLES	1.000	each		0.00	INR Zero Only
119.03	5 HOLES	1.000	each		0.00	INR Zero Only
119.04	6 HOLES	1.000	each		0.00	INR Zero Only
119.05	7 HOLES	1.000	each		0.00	INR Zero Only
119.06	8 HOLES	1.000	each		0.00	INR Zero Only
119.07	9 HOLES	1.000	each		0.00	INR Zero Only
119.08	10 HOLES	1.000	each		0.00	INR Zero Only
119.09	12 HOLES	1.000	each		0.00	INR Zero Only
120	145° DHS PLATE SHORT BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
120.01	3 HOLES	1.000	each		0.00	INR Zero Only
120.02	4 HOLES	1.000	each		0.00	INR Zero Only
120.03	5 HOLES	1.000	each		0.00	INR Zero Only
120.04	6 HOLES	1.000	each		0.00	INR Zero Only
120.05	7 HOLES	1.000	each		0.00	INR Zero Only
120.06	8 HOLES	1.000	each		0.00	INR Zero Only
120.07	9 HOLES	1.000	each		0.00	INR Zero Only
120.08	10 HOLES	1.000	each		0.00	INR Zero Only

120.09	12 HOLES	1.000	each		0.00	INR Zero Only
121	150° DHS PLATE SHORT BARREL ROUND HOLES	0.000	each		0.00	INR Zero Only
121.01	3 HOLES	1.000	each		0.00	INR Zero Only
121.02	4 HOLES	1.000	each		0.00	INR Zero Only
121.03	5 HOLES	1.000	each		0.00	INR Zero Only
121.04	6 HOLES	1.000	each		0.00	INR Zero Only
121.05	7 HOLES	1.000	each		0.00	INR Zero Only
121.06	8 HOLES	1.000	each		0.00	INR Zero Only
121.07	9 HOLES	1.000	each		0.00	INR Zero Only
121.08	10 HOLES	1.000	each		0.00	INR Zero Only
121.09	12 HOLES	1.000	each		0.00	INR Zero Only
122	95° DCS PLATE DYNAMIC HOLES	0.000	each		0.00	INR Zero Only
122.01	4 HOLES	1.000	each		0.00	INR Zero Only
122.02	5 HOLES	1.000	each		0.00	INR Zero Only
122.03	6 HOLES	1.000	each		0.00	INR Zero Only
122.04	7 HOLES	1.000	each		0.00	INR Zero Only
122.05	8 HOLES	1.000	each		0.00	INR Zero Only
122.06	9 HOLES	1.000	each		0.00	INR Zero Only
122.07	10 HOLES	1.000	each		0.00	INR Zero Only
122.08	11 HOLES	1.000	each		0.00	INR Zero Only
122.09	12 HOLES	1.000	each		0.00	INR Zero Only
122.1	14 HOLES	1.000	each		0.00	INR Zero Only
122.11	16 HOLES	1.000	each		0.00	INR Zero Only

122.12	18 HOLES	1.000	each		0.00	INR Zero Only
123	95° DCS PLATE ROUND HOLES	0.000	each		0.00	INR Zero Only
123.01	4 HOLES	1.000	each		0.00	INR Zero Only
123.02	5 HOLES	1.000	each		0.00	INR Zero Only
123.03	6 HOLES	1.000	each		0.00	INR Zero Only
123.04	7 HOLES	1.000	each		0.00	INR Zero Only
123.05	8 HOLES	1.000	each		0.00	INR Zero Only
123.06	9 HOLES	1.000	each		0.00	INR Zero Only
123.07	10 HOLES	1.000	each		0.00	INR Zero Only
123.08	11 HOLES	1.000	each		0.00	INR Zero Only
123.09	12 HOLES	1.000	each		0.00	INR Zero Only
123.1	14 HOLES	1.000	each		0.00	INR Zero Only
123.11	16 HOLES	1.000	each		0.00	INR Zero Only
123.12	18 HOLES	1.000	each		0.00	INR Zero Only
124	95° DCS CONDYLAR BLADE PLATE	0.000	each		0.00	INR Zero Only
124.01	5 HOLES - 50 MM	1.000	each		0.00	INR Zero Only
124.02	5 HOLES - 60 MM	1.000	each		0.00	INR Zero Only
124.03	5 HOLES - 70 MM	1.000	each		0.00	INR Zero Only
124.04	5 HOLES - 80 MM	1.000	each		0.00	INR Zero Only
124.05	7 HOLES - 50 MM	1.000	each		0.00	INR Zero Only
124.06	7 HOLES - 60 MM	1.000	each		0.00	INR Zero Only
124.07	7 HOLES - 70 MM	1.000	each		0.00	INR Zero Only
124.08	7 HOLES - 80 MM	1.000	each		0.00	INR Zero Only

124.09	9 HOLES - 50 MM	1.000	each		0.00	INR Zero Only
124.1	9 HOLES - 60 MM	1.000	each		0.00	INR Zero Only
124.11	9 HOLES - 70 MM	1.000	each		0.00	INR Zero Only
124.12	9 HOLES - 80 MM	1.000	each		0.00	INR Zero Only
124.13	12 HOLES - 50 MM	1.000	each		0.00	INR Zero Only
124.14	12 HOLES - 60 MM	1.000	each		0.00	INR Zero Only
124.15	12 HOLES - 70 MM	1.000	each		0.00	INR Zero Only
124.16	12 HOLES - 80 MM	1.000	each		0.00	INR Zero Only
125	130° LCP DHS PLATE LONG BARREL DC HOLES	0.000	each		0.00	INR Zero Only
125.01	3 HOLES	1.000	each		0.00	INR Zero Only
125.02	4 HOLES	1.000	each		0.00	INR Zero Only
125.03	5 HOLES	1.000	each		0.00	INR Zero Only
125.04	6 HOLES	1.000	each		0.00	INR Zero Only
125.05	7 HOLES	1.000	each		0.00	INR Zero Only
125.06	8 HOLES	1.000	each		0.00	INR Zero Only
125.07	9 HOLES	1.000	each		0.00	INR Zero Only
125.08	10 HOLES	1.000	each		0.00	INR Zero Only
125.09	12 HOLES	1.000	each		0.00	INR Zero Only
126	135° LCP DHS PLATE LONG BARREL DC HOLES	0.000	each		0.00	INR Zero Only
126.01	3 HOLES	1.000	each		0.00	INR Zero Only
126.02	4 HOLES	1.000	each		0.00	INR Zero Only
126.03	5 HOLES	1.000	each		0.00	INR Zero Only
126.04	6 HOLES	1.000	each		0.00	INR Zero Only

126.05	7 HOLES	1.000	each		0.00	INR Zero Only
126.06	8 HOLES	1.000	each		0.00	INR Zero Only
126.07	9 HOLES	1.000	each		0.00	INR Zero Only
126.08	10 HOLES	1.000	each		0.00	INR Zero Only
126.09	12 HOLES	1.000	each		0.00	INR Zero Only
127	GROUP - C : BONE SCREWS - LCP & DCP					
128	2.7 MM CORTICAL SCREW- SELF TAPPING	0.000	each		0.00	INR Zero Only
128.01	8 MM	1.000	each		0.00	INR Zero Only
128.02	10 MM	1.000	each		0.00	INR Zero Only
128.03	12 MM	1.000	each		0.00	INR Zero Only
128.04	14 MM	1.000	each		0.00	INR Zero Only
128.05	16 MM	1.000	each		0.00	INR Zero Only
128.06	18 MM	1.000	each		0.00	INR Zero Only
128.07	20 MM	1.000	each		0.00	INR Zero Only
128.08	22 MM	1.000	each		0.00	INR Zero Only
128.09	24 MM	1.000	each		0.00	INR Zero Only
128.1	26 MM	1.000	each		0.00	INR Zero Only
128.11	28 MM	1.000	each		0.00	INR Zero Only
128.12	30 MM	1.000	each		0.00	INR Zero Only
128.13	32 MM	1.000	each		0.00	INR Zero Only
128.14	34 MM	1.000	each		0.00	INR Zero Only
128.15	36 MM	1.000	each		0.00	INR Zero Only
128.16	38 MM	1.000	each		0.00	INR Zero Only

128.17	40 MM	1.000	each		0.00	INR Zero Only
129	3.5 MM CORTICAL SCREW- 20 TPI- SELF	0.000	each		0.00	INR Zero Only
129.01	10 MM	1.000	each		0.00	INR Zero Only
129.02	12 MM	1.000	each		0.00	INR Zero Only
129.03	14 MM	1.000	each		0.00	INR Zero Only
129.04	16 MM	1.000	each		0.00	INR Zero Only
129.05	18 MM	1.000	each		0.00	INR Zero Only
129.06	20 MM	1.000	each		0.00	INR Zero Only
129.07	22 MM	1.000	each		0.00	INR Zero Only
129.08	24 MM	1.000	each		0.00	INR Zero Only
129.09	26 MM	1.000	each		0.00	INR Zero Only
129.1	28 MM	1.000	each		0.00	INR Zero Only
129.11	30 MM	1.000	each		0.00	INR Zero Only
129.12	32 MM	1.000	each		0.00	INR Zero Only
129.13	34 MM	1.000	each		0.00	INR Zero Only
129.14	36 MM	1.000	each		0.00	INR Zero Only
129.15	38 MM	1.000	each		0.00	INR Zero Only
129.16	40 MM	1.000	each		0.00	INR Zero Only
129.17	42 MM	1.000	each		0.00	INR Zero Only
129.18	44 MM	1.000	each		0.00	INR Zero Only
129.19	46 MM	1.000	each		0.00	INR Zero Only
129.2	48 MM	1.000	each		0.00	INR Zero Only
129.21	50 MM	1.000	each		0.00	INR Zero Only

129.22	52 MM	1.000	each		0.00	INR Zero Only
129.23	54 MM	1.000	each		0.00	INR Zero Only
129.24	56 MM	1.000	each		0.00	INR Zero Only
129.25	58 MM	1.000	each		0.00	INR Zero Only
129.26	60 MM	1.000	each		0.00	INR Zero Only
129.27	62 MM	1.000	each		0.00	INR Zero Only
129.28	64 MM	1.000	each		0.00	INR Zero Only
129.29	66 MM	1.000	each		0.00	INR Zero Only
129.3	68 MM	1.000	each		0.00	INR Zero Only
129.31	70 MM	1.000	each		0.00	INR Zero Only
130	4.5 MM CORTICAL SCREW- 14 TPI- SELF TAPPING	0.000	each		0.00	INR Zero Only
130.01	10 MM	1.000	each		0.00	INR Zero Only
130.02	12 MM	1.000	each		0.00	INR Zero Only
130.03	14 MM	1.000	each		0.00	INR Zero Only
130.04	16 MM	1.000	each		0.00	INR Zero Only
130.05	18 MM	1.000	each		0.00	INR Zero Only
130.06	20 MM	1.000	each		0.00	INR Zero Only
130.07	22 MM	1.000	each		0.00	INR Zero Only
130.08	24 MM	1.000	each		0.00	INR Zero Only
130.09	26 MM	1.000	each		0.00	INR Zero Only
130.1	28 MM	1.000	each		0.00	INR Zero Only
130.11	30 MM	1.000	each		0.00	INR Zero Only
130.12	32 MM	1.000	each		0.00	INR Zero Only

130.13	34 MM	1.000	each		0.00	INR Zero Only
130.14	36 MM	1.000	each		0.00	INR Zero Only
130.15	38 MM	1.000	each		0.00	INR Zero Only
130.16	40 MM	1.000	each		0.00	INR Zero Only
130.17	42 MM	1.000	each		0.00	INR Zero Only
130.18	44 MM	1.000	each		0.00	INR Zero Only
130.19	46 MM	1.000	each		0.00	INR Zero Only
130.2	48 MM	1.000	each		0.00	INR Zero Only
130.21	50 MM	1.000	each		0.00	INR Zero Only
130.22	52 MM	1.000	each		0.00	INR Zero Only
130.23	54 MM	1.000	each		0.00	INR Zero Only
130.24	56 MM	1.000	each		0.00	INR Zero Only
130.25	58 MM	1.000	each		0.00	INR Zero Only
130.26	60 MM	1.000	each		0.00	INR Zero Only
130.27	62 MM	1.000	each		0.00	INR Zero Only
130.28	64 MM	1.000	each		0.00	INR Zero Only
130.29	66 MM	1.000	each		0.00	INR Zero Only
130.3	68 MM	1.000	each		0.00	INR Zero Only
130.31	70 MM	1.000	each		0.00	INR Zero Only
131	4.5 MM MALLEOLAR SCREW- SELF TAPPING	0.000	each		0.00	INR Zero Only
131.01	25 MM	1.000	each		0.00	INR Zero Only
131.02	30 MM	1.000	each		0.00	INR Zero Only
131.03	35 MM	1.000	each		0.00	INR Zero Only

131.04	40 MM	1.000	each		0.00	INR Zero Only
131.05	45 MM	1.000	each		0.00	INR Zero Only
131.06	50 MM	1.000	each		0.00	INR Zero Only
131.07	55 MM	1.000	each		0.00	INR Zero Only
131.08	60 MM	1.000	each		0.00	INR Zero Only
131.09	65 MM	1.000	each		0.00	INR Zero Only
131.1	70 MM	1.000	each		0.00	INR Zero Only
131.11	75 MM	1.000	each		0.00	INR Zero Only
131.12	80 MM	1.000	each		0.00	INR Zero Only
131.13	85 MM	1.000	each		0.00	INR Zero Only
132	3.5 MM CANCELLOUS SCREW- PARTIAL THREADED	0.000	each		0.00	INR Zero Only
132.01	10 MM	1.000	each		0.00	INR Zero Only
132.02	12 MM	1.000	each		0.00	INR Zero Only
132.03	14 MM	1.000	each		0.00	INR Zero Only
132.04	16 MM	1.000	each		0.00	INR Zero Only
132.05	18 MM	1.000	each		0.00	INR Zero Only
132.06	20 MM	1.000	each		0.00	INR Zero Only
132.07	22 MM	1.000	each		0.00	INR Zero Only
132.08	24 MM	1.000	each		0.00	INR Zero Only
132.09	26 MM	1.000	each		0.00	INR Zero Only
132.1	28 MM	1.000	each		0.00	INR Zero Only
132.11	30 MM	1.000	each		0.00	INR Zero Only
132.12	35 MM	1.000	each		0.00	INR Zero Only

132.13	40 MM	1.000	each		0.00	INR Zero Only
132.14	45 MM	1.000	each		0.00	INR Zero Only
132.15	50 MM	1.000	each		0.00	INR Zero Only
132.16	55 MM	1.000	each		0.00	INR Zero Only
132.17	60 MM	1.000	each		0.00	INR Zero Only
132.18	65 MM	1.000	each		0.00	INR Zero Only
132.19	70 MM	1.000	each		0.00	INR Zero Only
133	3.5 MM CANCELLOUS SCREW- FULL THREADED	0.000	each		0.00	INR Zero Only
133.01	10 MM	1.000	each		0.00	INR Zero Only
133.02	12 MM	1.000	each		0.00	INR Zero Only
133.03	14 MM	1.000	each		0.00	INR Zero Only
133.04	16 MM	1.000	each		0.00	INR Zero Only
133.05	18 MM	1.000	each		0.00	INR Zero Only
133.06	20 MM	1.000	each		0.00	INR Zero Only
133.07	22 MM	1.000	each		0.00	INR Zero Only
133.08	24 MM	1.000	each		0.00	INR Zero Only
133.09	26 MM	1.000	each		0.00	INR Zero Only
133.1	28 MM	1.000	each		0.00	INR Zero Only
133.11	30 MM	1.000	each		0.00	INR Zero Only
133.12	35 MM	1.000	each		0.00	INR Zero Only
133.13	40 MM	1.000	each		0.00	INR Zero Only
133.14	45 MM	1.000	each		0.00	INR Zero Only
133.15	50 MM	1.000	each		0.00	INR Zero Only

133.16	55 MM	1.000	each		0.00	INR Zero Only
133.17	60 MM	1.000	each		0.00	INR Zero Only
133.18	65 MM	1.000	each		0.00	INR Zero Only
133.19	70 MM	1.000	each		0.00	INR Zero Only
134	4.0 MM CANCELLOUS SCREW- PARTIAL THREADED	0.000	each		0.00	INR Zero Only
134.01	10 MM	1.000	each		0.00	INR Zero Only
134.02	12 MM	1.000	each		0.00	INR Zero Only
134.03	14 MM	1.000	each		0.00	INR Zero Only
134.04	16 MM	1.000	each		0.00	INR Zero Only
134.05	18 MM	1.000	each		0.00	INR Zero Only
134.06	20 MM	1.000	each		0.00	INR Zero Only
134.07	22 MM	1.000	each		0.00	INR Zero Only
134.08	24 MM	1.000	each		0.00	INR Zero Only
134.09	26 MM	1.000	each		0.00	INR Zero Only
134.1	28 MM	1.000	each		0.00	INR Zero Only
134.11	30 MM	1.000	each		0.00	INR Zero Only
134.12	35 MM	1.000	each		0.00	INR Zero Only
134.13	40 MM	1.000	each		0.00	INR Zero Only
134.14	45 MM	1.000	each		0.00	INR Zero Only
134.15	50 MM	1.000	each		0.00	INR Zero Only
134.16	55 MM	1.000	each		0.00	INR Zero Only
134.17	60 MM	1.000	each		0.00	INR Zero Only
134.18	65 MM	1.000	each		0.00	INR Zero Only

134.19	70 MM	1.000	each		0.00	INR Zero Only
135	4.0 MM CANCELLOUS SCREW- FULL THREADED	0.000	each		0.00	INR Zero Only
135.01	10 MM	1.000	each		0.00	INR Zero Only
135.02	12 MM	1.000	each		0.00	INR Zero Only
135.03	14 MM	1.000	each		0.00	INR Zero Only
135.04	16 MM	1.000	each		0.00	INR Zero Only
135.05	18 MM	1.000	each		0.00	INR Zero Only
135.06	20 MM	1.000	each		0.00	INR Zero Only
135.07	22 MM	1.000	each		0.00	INR Zero Only
135.08	24 MM	1.000	each		0.00	INR Zero Only
135.09	26 MM	1.000	each		0.00	INR Zero Only
135.1	28 MM	1.000	each		0.00	INR Zero Only
135.11	30 MM	1.000	each		0.00	INR Zero Only
135.12	35 MM	1.000	each		0.00	INR Zero Only
135.13	40 MM	1.000	each		0.00	INR Zero Only
135.14	45 MM	1.000	each		0.00	INR Zero Only
135.15	50 MM	1.000	each		0.00	INR Zero Only
135.16	55 MM	1.000	each		0.00	INR Zero Only
135.17	60 MM	1.000	each		0.00	INR Zero Only
135.18	65 MM	1.000	each		0.00	INR Zero Only
135.19	70 MM	1.000	each		0.00	INR Zero Only
136	6.5 MM CANCELLOUS SCREW- 16MM THREADED	0.000	each		0.00	INR Zero Only
136.01	25 MM	1.000	each		0.00	INR Zero Only

136.02	30 MM	1.000	each		0.00	INR Zero Only
136.03	35 MM	1.000	each		0.00	INR Zero Only
136.04	40 MM	1.000	each		0.00	INR Zero Only
136.05	45 MM	1.000	each		0.00	INR Zero Only
136.06	50 MM	1.000	each		0.00	INR Zero Only
136.07	55 MM	1.000	each		0.00	INR Zero Only
136.08	60 MM	1.000	each		0.00	INR Zero Only
136.09	65 MM	1.000	each		0.00	INR Zero Only
136.1	70 MM	1.000	each		0.00	INR Zero Only
136.11	75 MM	1.000	each		0.00	INR Zero Only
136.12	80 MM	1.000	each		0.00	INR Zero Only
136.13	85 MM	1.000	each		0.00	INR Zero Only
136.14	90 MM	1.000	each		0.00	INR Zero Only
136.15	95 MM	1.000	each		0.00	INR Zero Only
136.16	100 MM	1.000	each		0.00	INR Zero Only
136.17	105 MM	1.000	each		0.00	INR Zero Only
136.18	110 MM	1.000	each		0.00	INR Zero Only
137	6.5 MM CANCELLOUS SCREW- 32MM THREADED	0.000	each		0.00	INR Zero Only
137.01	40 MM	1.000	each		0.00	INR Zero Only
137.02	45 MM	1.000	each		0.00	INR Zero Only
137.03	50 MM	1.000	each		0.00	INR Zero Only
137.04	55 MM	1.000	each		0.00	INR Zero Only
137.05	60 MM	1.000	each		0.00	INR Zero Only

137.06	65 MM	1.000	each		0.00	INR Zero Only
137.07	70 MM	1.000	each		0.00	INR Zero Only
137.08	75 MM	1.000	each		0.00	INR Zero Only
137.09	80 MM	1.000	each		0.00	INR Zero Only
137.1	85 MM	1.000	each		0.00	INR Zero Only
137.11	90 MM	1.000	each		0.00	INR Zero Only
137.12	95 MM	1.000	each		0.00	INR Zero Only
137.13	100 MM	1.000	each		0.00	INR Zero Only
137.14	105 MM	1.000	each		0.00	INR Zero Only
137.15	110 MM	1.000	each		0.00	INR Zero Only
138	6.5 MM CANCELLOUS SCREW- FULLY THREADED	0.000	each		0.00	INR Zero Only
138.01	25 MM	1.000	each		0.00	INR Zero Only
138.02	30 MM	1.000	each		0.00	INR Zero Only
138.03	35 MM	1.000	each		0.00	INR Zero Only
138.04	40 MM	1.000	each		0.00	INR Zero Only
138.05	45 MM	1.000	each		0.00	INR Zero Only
138.06	50 MM	1.000	each		0.00	INR Zero Only
138.07	55 MM	1.000	each		0.00	INR Zero Only
138.08	60 MM	1.000	each		0.00	INR Zero Only
138.09	65 MM	1.000	each		0.00	INR Zero Only
138.1	70 MM	1.000	each		0.00	INR Zero Only
138.11	75 MM	1.000	each		0.00	INR Zero Only
138.12	80 MM	1.000	each		0.00	INR Zero Only

138.13	85 MM	1.000	each		0.00	INR Zero Only
138.14	90 MM	1.000	each		0.00	INR Zero Only
138.15	95 MM	1.000	each		0.00	INR Zero Only
138.16	100 MM	1.000	each		0.00	INR Zero Only
138.17	105 MM	1.000	each		0.00	INR Zero Only
138.18	110 MM	1.000	each		0.00	INR Zero Only
139	4.0 MM CANNULATED CANCELLOUS SCREW PARTIALLY THREADED	0.000	each		0.00	INR Zero Only
139.01	10 MM	1.000	each		0.00	INR Zero Only
139.02	15 MM	1.000	each		0.00	INR Zero Only
139.03	20 MM	1.000	each		0.00	INR Zero Only
139.04	25 MM	1.000	each		0.00	INR Zero Only
139.05	30 MM	1.000	each		0.00	INR Zero Only
139.06	35 MM	1.000	each		0.00	INR Zero Only
139.07	40 MM	1.000	each		0.00	INR Zero Only
139.08	45 MM	1.000	each		0.00	INR Zero Only
139.09	50 MM	1.000	each		0.00	INR Zero Only
139.1	55 MM	1.000	each		0.00	INR Zero Only
139.11	60 MM	1.000	each		0.00	INR Zero Only
139.12	65 MM	1.000	each		0.00	INR Zero Only
139.13	70 MM	1.000	each		0.00	INR Zero Only
140	4.0 MM CANNULATED CANCELLOUS SCREW FULLY THREADED	0.000	each		0.00	INR Zero Only
140.01	10 MM	1.000	each		0.00	INR Zero Only
140.02	15 MM	1.000	each		0.00	INR Zero Only

140.03	20 MM	1.000	each		0.00	INR Zero Only
140.04	25 MM	1.000	each		0.00	INR Zero Only
140.05	30 MM	1.000	each		0.00	INR Zero Only
140.06	35 MM	1.000	each		0.00	INR Zero Only
140.07	40 MM	1.000	each		0.00	INR Zero Only
140.08	45 MM	1.000	each		0.00	INR Zero Only
140.09	50 MM	1.000	each		0.00	INR Zero Only
140.1	55 MM	1.000	each		0.00	INR Zero Only
140.11	60 MM	1.000	each		0.00	INR Zero Only
140.12	65 MM	1.000	each		0.00	INR Zero Only
140.13	70 MM	1.000	each		0.00	INR Zero Only
141	6.5 MM LARGE CANNULATED CANCELLOUS SCREW 16 MM THREADED	0.000	each		0.00	INR Zero Only
141.01	25 MM	1.000	each		0.00	INR Zero Only
141.02	30 MM	1.000	each		0.00	INR Zero Only
141.03	35 MM	1.000	each		0.00	INR Zero Only
141.04	40 MM	1.000	each		0.00	INR Zero Only
141.05	45 MM	1.000	each		0.00	INR Zero Only
141.06	50 MM	1.000	each		0.00	INR Zero Only
141.07	55 MM	1.000	each		0.00	INR Zero Only
141.08	60 MM	1.000	each		0.00	INR Zero Only
141.09	65 MM	1.000	each		0.00	INR Zero Only
141.1	70 MM	1.000	each		0.00	INR Zero Only
141.11	75 MM	1.000	each		0.00	INR Zero Only

141.12	80 MM	1.000	each		0.00	INR Zero Only
141.13	85 MM	1.000	each		0.00	INR Zero Only
141.14	90 MM	1.000	each		0.00	INR Zero Only
141.15	95 MM	1.000	each		0.00	INR Zero Only
141.16	100 MM	1.000	each		0.00	INR Zero Only
141.17	105 MM	1.000	each		0.00	INR Zero Only
141.18	110 MM	1.000	each		0.00	INR Zero Only
142	6.5 MM LARGE CANNULATED CANCELLOUS SCREW-32 MM THREADED	0.000	each		0.00	INR Zero Only
142.01	40 MM	1.000	each		0.00	INR Zero Only
142.02	45 MM	1.000	each		0.00	INR Zero Only
142.03	50 MM	1.000	each		0.00	INR Zero Only
142.04	55 MM	1.000	each		0.00	INR Zero Only
142.05	60 MM	1.000	each		0.00	INR Zero Only
142.06	65 MM	1.000	each		0.00	INR Zero Only
142.07	70 MM	1.000	each		0.00	INR Zero Only
142.08	75 MM	1.000	each		0.00	INR Zero Only
142.09	80 MM	1.000	each		0.00	INR Zero Only
142.1	85 MM	1.000	each		0.00	INR Zero Only
142.11	90 MM	1.000	each		0.00	INR Zero Only
142.12	95 MM	1.000	each		0.00	INR Zero Only
142.13	100 MM	1.000	each		0.00	INR Zero Only
142.14	105 MM	1.000	each		0.00	INR Zero Only
142.15	110 MM	1.000	each		0.00	INR Zero Only

143	6.5 MM LARGE CANNULATED CANCELLOUS SCREW-FULLY THREADED	0.000	each		0.00	INR Zero Only
143.01	30 MM	1.000	each		0.00	INR Zero Only
143.02	35 MM	1.000	each		0.00	INR Zero Only
143.03	40 MM	1.000	each		0.00	INR Zero Only
143.04	45 MM	1.000	each		0.00	INR Zero Only
143.05	50 MM	1.000	each		0.00	INR Zero Only
143.06	55 MM	1.000	each		0.00	INR Zero Only
143.07	60 MM	1.000	each		0.00	INR Zero Only
143.08	65 MM	1.000	each		0.00	INR Zero Only
143.09	70 MM	1.000	each		0.00	INR Zero Only
143.1	75 MM	1.000	each		0.00	INR Zero Only
143.11	80 MM	1.000	each		0.00	INR Zero Only
143.12	85 MM	1.000	each		0.00	INR Zero Only
143.13	90 MM	1.000	each		0.00	INR Zero Only
143.14	95 MM	1.000	each		0.00	INR Zero Only
143.15	100 MM	1.000	each		0.00	INR Zero Only
143.16	105 MM	1.000	each		0.00	INR Zero Only
143.17	110 MM	1.000	each		0.00	INR Zero Only
143.18	115 MM	1.000	each		0.00	INR Zero Only
144	12.5 MM DHS SCREW WITH COMPRESSION SCREW	0.000	each		0.00	INR Zero Only
144.01	50 MM	1.000	each		0.00	INR Zero Only
144.02	55 MM	1.000	each		0.00	INR Zero Only
144.03	60 MM	1.000	each		0.00	INR Zero Only

144.04	65 MM	1.000	each		0.00	INR Zero Only
144.05	70 MM	1.000	each		0.00	INR Zero Only
144.06	75 MM	1.000	each		0.00	INR Zero Only
144.07	80 MM	1.000	each		0.00	INR Zero Only
144.08	85 MM	1.000	each		0.00	INR Zero Only
144.09	90 MM	1.000	each		0.00	INR Zero Only
144.1	95 MM	1.000	each		0.00	INR Zero Only
144.11	100 MM	1.000	each		0.00	INR Zero Only
144.12	105 MM	1.000	each		0.00	INR Zero Only
144.13	110 MM	1.000	each		0.00	INR Zero Only
145	3.5 MM HERBERT SCREW (HEAD LESS)	0.000	each		0.00	INR Zero Only
145.01	10 MM	1.000	each		0.00	INR Zero Only
145.02	12 MM	1.000	each		0.00	INR Zero Only
145.03	14 MM	1.000	each		0.00	INR Zero Only
145.04	16 MM	1.000	each		0.00	INR Zero Only
145.05	18 MM	1.000	each		0.00	INR Zero Only
145.06	20 MM	1.000	each		0.00	INR Zero Only
145.07	22 MM	1.000	each		0.00	INR Zero Only
145.08	24 MM	1.000	each		0.00	INR Zero Only
145.09	26 MM	1.000	each		0.00	INR Zero Only
145.1	28 MM	1.000	each		0.00	INR Zero Only
145.11	30 MM	1.000	each		0.00	INR Zero Only
146	WASHERS	0.000	each		0.00	INR Zero Only

146.01	13.0/6.5 MM Spiked Washer for 6.5MM Cancellous Screw	1.000	each		0.00	INR Zero Only
146.02	13.0/6.5 MM Washer for 6.5MM Cancellous Screw	1.000	each		0.00	INR Zero Only
146.03	7.0/4.0 MM Washer for 4.0 MM Cancellous Screw	1.000	each		0.00	INR Zero Only
146.04	7.0/4.0 MM Spiked Washer for 4.0 MM Cancellous Screw	1.000	each		0.00	INR Zero Only
146.05	10.0/4.5 MM Washer for Malleor Screw	1.000	each		0.00	INR Zero Only
147	2.4 MM LCP SCREW	0.000	each		0.00	INR Zero Only
147.01	8 MM	1.000	each		0.00	INR Zero Only
147.02	10 MM	1.000	each		0.00	INR Zero Only
147.03	12 MM	1.000	each		0.00	INR Zero Only
147.04	14 MM	1.000	each		0.00	INR Zero Only
147.05	16 MM	1.000	each		0.00	INR Zero Only
147.06	18 MM	1.000	each		0.00	INR Zero Only
147.07	20 MM	1.000	each		0.00	INR Zero Only
147.08	22 MM	1.000	each		0.00	INR Zero Only
147.09	24 MM	1.000	each		0.00	INR Zero Only
147.1	26 MM	1.000	each		0.00	INR Zero Only
147.11	28 MM	1.000	each		0.00	INR Zero Only
147.12	30 MM	1.000	each		0.00	INR Zero Only
147.13	32 MM	1.000	each		0.00	INR Zero Only
147.14	34 MM	1.000	each		0.00	INR Zero Only
147.15	36 MM	1.000	each		0.00	INR Zero Only
147.16	38 MM	1.000	each		0.00	INR Zero Only
147.17	40 MM	1.000	each		0.00	INR Zero Only

148	2.7 MM LCP SCREW	0.000	each		0.00	INR Zero Only
148.01	8 MM	1.000	each		0.00	INR Zero Only
148.02	10 MM	1.000	each		0.00	INR Zero Only
148.03	12 MM	1.000	each		0.00	INR Zero Only
148.04	14 MM	1.000	each		0.00	INR Zero Only
148.05	16 MM	1.000	each		0.00	INR Zero Only
148.06	18 MM	1.000	each		0.00	INR Zero Only
148.07	20 MM	1.000	each		0.00	INR Zero Only
148.08	22 MM	1.000	each		0.00	INR Zero Only
148.09	24 MM	1.000	each		0.00	INR Zero Only
148.1	26 MM	1.000	each		0.00	INR Zero Only
148.11	28 MM	1.000	each		0.00	INR Zero Only
148.12	30 MM	1.000	each		0.00	INR Zero Only
148.13	32 MM	1.000	each		0.00	INR Zero Only
148.14	34 MM	1.000	each		0.00	INR Zero Only
148.15	36 MM	1.000	each		0.00	INR Zero Only
148.16	38 MM	1.000	each		0.00	INR Zero Only
148.17	40 MM	1.000	each		0.00	INR Zero Only
149	3.5 MM LCP SCREW	0.000	each		0.00	INR Zero Only
149.01	10 MM	1.000	each		0.00	INR Zero Only
149.02	12 MM	1.000	each		0.00	INR Zero Only
149.03	14 MM	1.000	each		0.00	INR Zero Only
149.04	16 MM	1.000	each		0.00	INR Zero Only

149.05	18 MM	1.000	each		0.00	INR Zero Only
149.06	20 MM	1.000	each		0.00	INR Zero Only
149.07	22 MM	1.000	each		0.00	INR Zero Only
149.08	24 MM	1.000	each		0.00	INR Zero Only
149.09	26 MM	1.000	each		0.00	INR Zero Only
149.1	28 MM	1.000	each		0.00	INR Zero Only
149.11	30 MM	1.000	each		0.00	INR Zero Only
149.12	32 MM	1.000	each		0.00	INR Zero Only
149.13	34 MM	1.000	each		0.00	INR Zero Only
149.14	36 MM	1.000	each		0.00	INR Zero Only
149.15	38 MM	1.000	each		0.00	INR Zero Only
149.16	40 MM	1.000	each		0.00	INR Zero Only
149.17	42 MM	1.000	each		0.00	INR Zero Only
149.18	44 MM	1.000	each		0.00	INR Zero Only
149.19	46 MM	1.000	each		0.00	INR Zero Only
149.2	48 MM	1.000	each		0.00	INR Zero Only
149.21	50 MM	1.000	each		0.00	INR Zero Only
149.22	52 MM	1.000	each		0.00	INR Zero Only
149.23	54 MM	1.000	each		0.00	INR Zero Only
149.24	56 MM	1.000	each		0.00	INR Zero Only
149.25	58 MM	1.000	each		0.00	INR Zero Only
149.26	60 MM	1.000	each		0.00	INR Zero Only
149.27	65 MM	1.000	each		0.00	INR Zero Only

149.28	70 MM	1.000	each		0.00	INR Zero Only
150	5.0 MM LCP SCREW	0.000	each		0.00	INR Zero Only
150.01	14 MM	1.000	each		0.00	INR Zero Only
150.02	16 MM	1.000	each		0.00	INR Zero Only
150.03	18 MM	1.000	each		0.00	INR Zero Only
150.04	20 MM	1.000	each		0.00	INR Zero Only
150.05	22 MM	1.000	each		0.00	INR Zero Only
150.06	24 MM	1.000	each		0.00	INR Zero Only
150.07	26 MM	1.000	each		0.00	INR Zero Only
150.08	28 MM	1.000	each		0.00	INR Zero Only
150.09	30 MM	1.000	each		0.00	INR Zero Only
150.1	32 MM	1.000	each		0.00	INR Zero Only
150.11	34 MM	1.000	each		0.00	INR Zero Only
150.12	36 MM	1.000	each		0.00	INR Zero Only
150.13	38 MM	1.000	each		0.00	INR Zero Only
150.14	40 MM	1.000	each		0.00	INR Zero Only
150.15	42 MM	1.000	each		0.00	INR Zero Only
150.16	44 MM	1.000	each		0.00	INR Zero Only
150.17	46 MM	1.000	each		0.00	INR Zero Only
150.18	48 MM	1.000	each		0.00	INR Zero Only
150.19	50 MM	1.000	each		0.00	INR Zero Only
150.2	52 MM	1.000	each		0.00	INR Zero Only
150.21	54 MM	1.000	each		0.00	INR Zero Only

150.22	56 MM	1.000	each		0.00	INR Zero Only
150.23	58 MM	1.000	each		0.00	INR Zero Only
150.24	60 MM	1.000	each		0.00	INR Zero Only
150.25	65 MM	1.000	each		0.00	INR Zero Only
150.26	70 MM	1.000	each		0.00	INR Zero Only
150.27	75 MM	1.000	each		0.00	INR Zero Only
150.28	80 MM	1.000	each		0.00	INR Zero Only
150.29	85 MM	1.000	each		0.00	INR Zero Only
150.3	90 MM	1.000	each		0.00	INR Zero Only
151	4.0 MM LCP CANCELLOUS SCREW PARTIALLY THREADED	0.000	each		0.00	INR Zero Only
151.01	10 MM	1.000	each		0.00	INR Zero Only
151.02	12 MM	1.000	each		0.00	INR Zero Only
151.03	14 MM	1.000	each		0.00	INR Zero Only
151.04	16 MM	1.000	each		0.00	INR Zero Only
151.05	18 MM	1.000	each		0.00	INR Zero Only
151.06	20 MM	1.000	each		0.00	INR Zero Only
151.07	22 MM	1.000	each		0.00	INR Zero Only
151.08	24 MM	1.000	each		0.00	INR Zero Only
151.09	26 MM	1.000	each		0.00	INR Zero Only
151.1	28 MM	1.000	each		0.00	INR Zero Only
151.11	30 MM	1.000	each		0.00	INR Zero Only
151.12	35 MM	1.000	each		0.00	INR Zero Only
151.13	40 MM	1.000	each		0.00	INR Zero Only

151.14	45 MM	1.000	each		0.00	INR Zero Only
151.15	50 MM	1.000	each		0.00	INR Zero Only
151.16	55 MM	1.000	each		0.00	INR Zero Only
151.17	60 MM	1.000	each		0.00	INR Zero Only
151.18	65 MM	1.000	each		0.00	INR Zero Only
151.19	70 MM	1.000	each		0.00	INR Zero Only
152	4.0 MM LCP CANCELLOUS SCREW FULLY THREADED	0.000	each		0.00	INR Zero Only
152.01	10 MM	1.000	each		0.00	INR Zero Only
152.02	12 MM	1.000	each		0.00	INR Zero Only
152.03	14 MM	1.000	each		0.00	INR Zero Only
152.04	16 MM	1.000	each		0.00	INR Zero Only
152.05	18 MM	1.000	each		0.00	INR Zero Only
152.06	20 MM	1.000	each		0.00	INR Zero Only
152.07	22 MM	1.000	each		0.00	INR Zero Only
152.08	24 MM	1.000	each		0.00	INR Zero Only
152.09	26 MM	1.000	each		0.00	INR Zero Only
152.1	28 MM	1.000	each		0.00	INR Zero Only
152.11	30 MM	1.000	each		0.00	INR Zero Only
152.12	35 MM	1.000	each		0.00	INR Zero Only
152.13	40 MM	1.000	each		0.00	INR Zero Only
152.14	45 MM	1.000	each		0.00	INR Zero Only
152.15	50 MM	1.000	each		0.00	INR Zero Only
152.16	55 MM	1.000	each		0.00	INR Zero Only

152.17	60 MM	1.000	each		0.00	INR Zero Only
152.18	65 MM	1.000	each		0.00	INR Zero Only
152.19	70 MM	1.000	each		0.00	INR Zero Only
153	5.0 MM LCP CANCELLOUS SCREW 32 MM THREADED	0.000	each		0.00	INR Zero Only
153.01	40 MM	1.000	each		0.00	INR Zero Only
153.02	45 MM	1.000	each		0.00	INR Zero Only
153.03	50 MM	1.000	each		0.00	INR Zero Only
153.04	55 MM	1.000	each		0.00	INR Zero Only
153.05	60 MM	1.000	each		0.00	INR Zero Only
153.06	65 MM	1.000	each		0.00	INR Zero Only
153.07	70 MM	1.000	each		0.00	INR Zero Only
153.08	75 MM	1.000	each		0.00	INR Zero Only
153.09	80 MM	1.000	each		0.00	INR Zero Only
153.1	85 MM	1.000	each		0.00	INR Zero Only
153.11	90 MM	1.000	each		0.00	INR Zero Only
154	5.0 MM LCP CANCELLOUS SCREW FULLY THREADED	0.000	each		0.00	INR Zero Only
154.01	25 MM	1.000	each		0.00	INR Zero Only
154.02	30 MM	1.000	each		0.00	INR Zero Only
154.03	35 MM	1.000	each		0.00	INR Zero Only
154.04	40 MM	1.000	each		0.00	INR Zero Only
154.05	45 MM	1.000	each		0.00	INR Zero Only
154.06	50 MM	1.000	each		0.00	INR Zero Only
154.07	60 MM	1.000	each		0.00	INR Zero Only

154.08	65 MM	1.000	each		0.00	INR Zero Only
154.09	70 MM	1.000	each		0.00	INR Zero Only
154.1	75 MM	1.000	each		0.00	INR Zero Only
154.11	80 MM	1.000	each		0.00	INR Zero Only
154.12	85 MM	1.000	each		0.00	INR Zero Only
154.13	90 MM	1.000	each		0.00	INR Zero Only
155	6.5 MM LCP CANCELLOUS SCREW 16 MM THREADED	0.000	each		0.00	INR Zero Only
155.01	25 MM	1.000	each		0.00	INR Zero Only
155.02	30 MM	1.000	each		0.00	INR Zero Only
155.03	35 MM	1.000	each		0.00	INR Zero Only
155.04	40 MM	1.000	each		0.00	INR Zero Only
155.05	45 MM	1.000	each		0.00	INR Zero Only
155.06	50 MM	1.000	each		0.00	INR Zero Only
155.07	60 MM	1.000	each		0.00	INR Zero Only
155.08	65 MM	1.000	each		0.00	INR Zero Only
155.09	70 MM	1.000	each		0.00	INR Zero Only
155.1	75 MM	1.000	each		0.00	INR Zero Only
155.11	80 MM	1.000	each		0.00	INR Zero Only
155.12	85 MM	1.000	each		0.00	INR Zero Only
155.13	90 MM	1.000	each		0.00	INR Zero Only
155.14	95 MM	1.000	each		0.00	INR Zero Only
155.15	100 MM	1.000	each		0.00	INR Zero Only
156	6.5 MM LCP CANCELLOUS SCREW 32 MM THREADED	0.000	each		0.00	INR Zero Only

156.01	40 MM	1.000	each		0.00	INR Zero Only
156.02	45 MM	1.000	each		0.00	INR Zero Only
156.03	50 MM	1.000	each		0.00	INR Zero Only
156.04	60 MM	1.000	each		0.00	INR Zero Only
156.05	65 MM	1.000	each		0.00	INR Zero Only
156.06	70 MM	1.000	each		0.00	INR Zero Only
156.07	75 MM	1.000	each		0.00	INR Zero Only
156.08	80 MM	1.000	each		0.00	INR Zero Only
156.09	85 MM	1.000	each		0.00	INR Zero Only
156.1	90 MM	1.000	each		0.00	INR Zero Only
157	GROUP - D : NAILS-INTRAMEDUALLY					
158	Ø 6.5 MM HUMERUS NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
158.01	180 MM	1.000	each		0.00	INR Zero Only
158.02	200 MM	1.000	each		0.00	INR Zero Only
158.03	220 MM	1.000	each		0.00	INR Zero Only
158.04	240 MM	1.000	each		0.00	INR Zero Only
158.05	260 MM	1.000	each		0.00	INR Zero Only
158.06	280 MM	1.000	each		0.00	INR Zero Only
158.07	300 MM	1.000	each		0.00	INR Zero Only
159	Ø 7.0 MM HUMERUS NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
159.01	180 MM	1.000	each		0.00	INR Zero Only
159.02	200 MM	1.000	each		0.00	INR Zero Only
159.03	220 MM	1.000	each		0.00	INR Zero Only

159.04	240 MM	1.000	each		0.00	INR Zero Only
159.05	260 MM	1.000	each		0.00	INR Zero Only
159.06	280 MM	1.000	each		0.00	INR Zero Only
159.07	300 MM	1.000	each		0.00	INR Zero Only
160	∅ 7.5 MM HUMERUS NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
160.01	180 MM	1.000	each		0.00	INR Zero Only
160.02	200 MM	1.000	each		0.00	INR Zero Only
160.03	220 MM	1.000	each		0.00	INR Zero Only
160.04	240 MM	1.000	each		0.00	INR Zero Only
160.05	260 MM	1.000	each		0.00	INR Zero Only
160.06	280 MM	1.000	each		0.00	INR Zero Only
160.07	300 MM	1.000	each		0.00	INR Zero Only
161	∅ 8.0 MM TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
161.01	280 MM	1.000	each		0.00	INR Zero Only
161.02	300 MM	1.000	each		0.00	INR Zero Only
161.03	320 MM	1.000	each		0.00	INR Zero Only
161.04	340 MM	1.000	each		0.00	INR Zero Only
161.05	360 MM	1.000	each		0.00	INR Zero Only
161.06	380 MM	1.000	each		0.00	INR Zero Only
162	∅ 9.0 MM TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
162.01	280 MM	1.000	each		0.00	INR Zero Only
162.02	300 MM	1.000	each		0.00	INR Zero Only
162.03	320 MM	1.000	each		0.00	INR Zero Only

162.04	340 MM	1.000	each		0.00	INR Zero Only
162.05	360 MM	1.000	each		0.00	INR Zero Only
162.06	380 MM	1.000	each		0.00	INR Zero Only
163	∅ 10.0 MM TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
163.01	280 MM	1.000	each		0.00	INR Zero Only
163.02	300 MM	1.000	each		0.00	INR Zero Only
163.03	320 MM	1.000	each		0.00	INR Zero Only
163.04	340 MM	1.000	each		0.00	INR Zero Only
163.05	360 MM	1.000	each		0.00	INR Zero Only
163.06	380 MM	1.000	each		0.00	INR Zero Only
164	∅ 11.0 MM TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
164.01	280 MM	1.000	each		0.00	INR Zero Only
164.02	300 MM	1.000	each		0.00	INR Zero Only
164.03	320 MM	1.000	each		0.00	INR Zero Only
164.04	340 MM	1.000	each		0.00	INR Zero Only
164.05	360 MM	1.000	each		0.00	INR Zero Only
164.06	380 MM	1.000	each		0.00	INR Zero Only
165	∅ 8.0 MM EXPERT TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
165.01	280 MM	1.000	each		0.00	INR Zero Only
165.02	300 MM	1.000	each		0.00	INR Zero Only
165.03	320 MM	1.000	each		0.00	INR Zero Only
165.04	340 MM	1.000	each		0.00	INR Zero Only

165.05	360 MM	1.000	each		0.00	INR Zero Only
165.06	380 MM	1.000	each		0.00	INR Zero Only
166	∅ 9.0 MM EXPERT TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
166.01	280MM	1.000	each		0.00	INR Zero Only
166.02	300 MM	1.000	each		0.00	INR Zero Only
166.03	320 MM	1.000	each		0.00	INR Zero Only
166.04	340 MM	1.000	each		0.00	INR Zero Only
166.05	360 MM	1.000	each		0.00	INR Zero Only
166.06	380 MM	1.000	each		0.00	INR Zero Only
167	∅ 10.0 MM EXPERT TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
167.01	280 MM	1.000	each		0.00	INR Zero Only
167.02	300 MM	1.000	each		0.00	INR Zero Only
167.03	320 MM	1.000	each		0.00	INR Zero Only
167.04	340 MM	1.000	each		0.00	INR Zero Only
167.05	360 MM	1.000	each		0.00	INR Zero Only
167.06	380 MM	1.000	each		0.00	INR Zero Only
168	∅ 11.0 MM EXPERT TIBIA NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
168.01	280 MM	1.000	each		0.00	INR Zero Only
168.02	300 MM	1.000	each		0.00	INR Zero Only
168.03	320 MM	1.000	each		0.00	INR Zero Only
168.04	340 MM	1.000	each		0.00	INR Zero Only
168.05	360 MM	1.000	each		0.00	INR Zero Only
168.06	380 MM	1.000	each		0.00	INR Zero Only

169	∅ 9.0 MM FEMUR NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
169.01	320 MM	1.000	each		0.00	INR Zero Only
169.02	340 MM	1.000	each		0.00	INR Zero Only
169.03	360 MM	1.000	each		0.00	INR Zero Only
169.04	380 MM	1.000	each		0.00	INR Zero Only
169.05	400 MM	1.000	each		0.00	INR Zero Only
169.06	420 MM	1.000	each		0.00	INR Zero Only
169.07	440 MM	1.000	each		0.00	INR Zero Only
170	∅ 10.0 MM FEMUR NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
170.01	320 MM	1.000	each		0.00	INR Zero Only
170.02	340 MM	1.000	each		0.00	INR Zero Only
170.03	360 MM	1.000	each		0.00	INR Zero Only
170.04	380 MM	1.000	each		0.00	INR Zero Only
170.05	400 MM	1.000	each		0.00	INR Zero Only
170.06	420 MM	1.000	each		0.00	INR Zero Only
170.07	440 MM	1.000	each		0.00	INR Zero Only
171	∅ 11.0 MM FEMUR NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
171.01	320 MM	1.000	each		0.00	INR Zero Only
171.02	340 MM	1.000	each		0.00	INR Zero Only
171.03	360 MM	1.000	each		0.00	INR Zero Only
171.04	380 MM	1.000	each		0.00	INR Zero Only
171.05	400 MM	1.000	each		0.00	INR Zero Only
171.06	420 MM	1.000	each		0.00	INR Zero Only

171.07	440 MM	1.000	each		0.00	INR Zero Only
172	Ø 12.0 MM FEMUR NAIL- CANNULATED	0.000	each		0.00	INR Zero Only
172.01	320 MM	1.000	each		0.00	INR Zero Only
172.02	340 MM	1.000	each		0.00	INR Zero Only
172.03	360 MM	1.000	each		0.00	INR Zero Only
172.04	380 MM	1.000	each		0.00	INR Zero Only
172.05	400 MM	1.000	each		0.00	INR Zero Only
172.06	420 MM	1.000	each		0.00	INR Zero Only
172.07	440 MM	1.000	each		0.00	INR Zero Only
173	130° SHORT PROXIMAL FEMORAL NAIL	0.000	each		0.00	INR Zero Only
173.01	Ø 9.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
173.02	Ø 10.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
173.03	Ø 11.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
173.04	Ø 12.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
174	135° SHORT PROXIMAL FEMORAL NAIL	0.000	each		0.00	INR Zero Only
174.01	Ø 9.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
174.02	Ø 10.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
174.03	Ø 11.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
174.04	Ø 12.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
175	130° TROCHANTERIC FEMUR NAIL	0.000	each		0.00	INR Zero Only
175.01	Ø 9.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
175.02	Ø 10.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
175.03	Ø 11.0 MM x 250 MM	1.000	each		0.00	INR Zero Only

175.04	∅ 12.0 MM x 250 MM	1.000	each		0.00	INR Zero Only
176	135° TROCHANTERIC FEMUR NAIL	0.000	each		0.00	INR Zero Only
176.01	∅ 9.0 MM x 180 MM	1.000	each		0.00	INR Zero Only
176.02	∅ 10.0 MM x 180 MM	1.000	each		0.00	INR Zero Only
176.03	∅ 11.0 MM x 180 MM	1.000	each		0.00	INR Zero Only
176.04	∅ 12.0 MM x 180 MM	1.000	each		0.00	INR Zero Only
177	130° - ∅ 9.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	0.000	each		0.00	INR Zero Only
177.01	340 MM	1.000	each		0.00	INR Zero Only
177.02	360 MM	1.000	each		0.00	INR Zero Only
177.03	380 MM	1.000	each		0.00	INR Zero Only
177.04	400 MM	1.000	each		0.00	INR Zero Only
177.05	420 MM	1.000	each		0.00	INR Zero Only
177.06	440 MM	1.000	each		0.00	INR Zero Only
178	130° - ∅ 10.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	0.000	each		0.00	INR Zero Only
178.01	340 MM	1.000	each		0.00	INR Zero Only
178.02	360 MM	1.000	each		0.00	INR Zero Only
178.03	380 MM	1.000	each		0.00	INR Zero Only
178.04	400 MM	1.000	each		0.00	INR Zero Only
178.05	420 MM	1.000	each		0.00	INR Zero Only
178.06	440 MM	1.000	each		0.00	INR Zero Only
179	130° - ∅ 11.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	0.000	each		0.00	INR Zero Only
179.01	340 MM	1.000	each		0.00	INR Zero Only
179.02	360 MM	1.000	each		0.00	INR Zero Only

179.03	380 MM	1.000	each		0.00	INR Zero Only
179.04	400 MM	1.000	each		0.00	INR Zero Only
179.05	420 MM	1.000	each		0.00	INR Zero Only
179.06	440 MM	1.000	each		0.00	INR Zero Only
180	130° - ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	0.000	each		0.00	INR Zero Only
180.01	340 MM	1.000	each		0.00	INR Zero Only
180.02	360 MM	1.000	each		0.00	INR Zero Only
180.03	380 MM	1.000	each		0.00	INR Zero Only
180.04	400 MM	1.000	each		0.00	INR Zero Only
180.05	420 MM	1.000	each		0.00	INR Zero Only
180.06	440 MM	1.000	each		0.00	INR Zero Only
181	130° - ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	0.000	each		0.00	INR Zero Only
181.01	340 MM	1.000	each		0.00	INR Zero Only
181.02	360 MM	1.000	each		0.00	INR Zero Only
181.03	380 MM	1.000	each		0.00	INR Zero Only
181.04	400 MM	1.000	each		0.00	INR Zero Only
181.05	420 MM	1.000	each		0.00	INR Zero Only
181.06	440 MM	1.000	each		0.00	INR Zero Only
182	130° - ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	0.000	each		0.00	INR Zero Only
182.01	340 MM	1.000	each		0.00	INR Zero Only
182.02	360 MM	1.000	each		0.00	INR Zero Only
182.03	380 MM	1.000	each		0.00	INR Zero Only

182.04	400 MM	1.000	each		0.00	INR Zero Only
182.05	420 MM	1.000	each		0.00	INR Zero Only
182.06	440 MM	1.000	each		0.00	INR Zero Only
183	135° - ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	0.000	each		0.00	INR Zero Only
183.01	340 MM	1.000	each		0.00	INR Zero Only
183.02	360 MM	1.000	each		0.00	INR Zero Only
183.03	380 MM	1.000	each		0.00	INR Zero Only
183.04	400 MM	1.000	each		0.00	INR Zero Only
183.05	420 MM	1.000	each		0.00	INR Zero Only
183.06	440 MM	1.000	each		0.00	INR Zero Only
184	135° - ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	0.000	each		0.00	INR Zero Only
184.01	340 MM	1.000	each		0.00	INR Zero Only
184.02	360 MM	1.000	each		0.00	INR Zero Only
184.03	380 MM	1.000	each		0.00	INR Zero Only
184.04	400 MM	1.000	each		0.00	INR Zero Only
184.05	420 MM	1.000	each		0.00	INR Zero Only
184.06	440 MM	1.000	each		0.00	INR Zero Only
185	135° - ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	0.000	each		0.00	INR Zero Only
185.01	340 MM	1.000	each		0.00	INR Zero Only
185.02	360 MM	1.000	each		0.00	INR Zero Only
185.03	380 MM	1.000	each		0.00	INR Zero Only
185.04	400 MM	1.000	each		0.00	INR Zero Only

185.05	420 MM	1.000	each		0.00	INR Zero Only
185.06	440 MM	1.000	each		0.00	INR Zero Only
186	135° - ø 12.0 MM LONG PROXIMAL FEMORAL NAIL- RIGHT	0.000	each		0.00	INR Zero Only
186.01	340 MM	1.000	each		0.00	INR Zero Only
186.02	360 MM	1.000	each		0.00	INR Zero Only
186.03	380 MM	1.000	each		0.00	INR Zero Only
186.04	400 MM	1.000	each		0.00	INR Zero Only
186.05	420 MM	1.000	each		0.00	INR Zero Only
186.06	440 MM	1.000	each		0.00	INR Zero Only
187	135° - ø 9.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	0.000	each		0.00	INR Zero Only
187.01	340 MM	1.000	each		0.00	INR Zero Only
187.02	360 MM	1.000	each		0.00	INR Zero Only
187.03	380 MM	1.000	each		0.00	INR Zero Only
187.04	400 MM	1.000	each		0.00	INR Zero Only
187.05	420 MM	1.000	each		0.00	INR Zero Only
187.06	440 MM	1.000	each		0.00	INR Zero Only
188	135° - ø 10.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	0.000	each		0.00	INR Zero Only
188.01	340 MM	1.000	each		0.00	INR Zero Only
188.02	360 MM	1.000	each		0.00	INR Zero Only
188.03	380 MM	1.000	each		0.00	INR Zero Only
188.04	400 MM	1.000	each		0.00	INR Zero Only
188.05	420 MM	1.000	each		0.00	INR Zero Only
188.06	440 MM	1.000	each		0.00	INR Zero Only

189	135° - ø 11.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	0.000	each		0.00	INR Zero Only
189.01	340 MM	1.000	each		0.00	INR Zero Only
189.02	360 MM	1.000	each		0.00	INR Zero Only
189.03	380 MM	1.000	each		0.00	INR Zero Only
189.04	400 MM	1.000	each		0.00	INR Zero Only
189.05	420 MM	1.000	each		0.00	INR Zero Only
189.06	440 MM	1.000	each		0.00	INR Zero Only
190	135° - ø 12.0 MM LONG PROXIMAL FEMORAL NAIL- LEFT	0.000	each		0.00	INR Zero Only
190.01	340 MM	1.000	each		0.00	INR Zero Only
190.02	360 MM	1.000	each		0.00	INR Zero Only
190.03	380 MM	1.000	each		0.00	INR Zero Only
190.04	400 MM	1.000	each		0.00	INR Zero Only
190.05	420 MM	1.000	each		0.00	INR Zero Only
190.06	440 MM	1.000	each		0.00	INR Zero Only
191	ø 9.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	0.000	each		0.00	INR Zero Only
191.01	150 MM	1.000	each		0.00	INR Zero Only
191.02	200 MM	1.000	each		0.00	INR Zero Only
191.03	250 MM	1.000	each		0.00	INR Zero Only
191.04	300 MM	1.000	each		0.00	INR Zero Only
192	ø 10.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	0.000	each		0.00	INR Zero Only
192.01	150 MM	1.000	each		0.00	INR Zero Only
192.02	200 MM	1.000	each		0.00	INR Zero Only
192.03	250 MM	1.000	each		0.00	INR Zero Only

192.04	300 MM	1.000	each		0.00	INR Zero Only
193	Ø 11.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	0.000	each		0.00	INR Zero Only
193.01	150 MM	1.000	each		0.00	INR Zero Only
193.02	200 MM	1.000	each		0.00	INR Zero Only
193.03	250 MM	1.000	each		0.00	INR Zero Only
193.04	300 MM	1.000	each		0.00	INR Zero Only
194	Ø 12.0 MM SUPRACODYLAR DISTAL FEMUR NAIL	0.000	each		0.00	INR Zero Only
194.01	150 MM	1.000	each		0.00	INR Zero Only
194.02	200 MM	1.000	each		0.00	INR Zero Only
194.03	250 MM	1.000	each		0.00	INR Zero Only
194.04	300 MM	1.000	each		0.00	INR Zero Only
195	Ø 2.0 MM ENDER'S NAIL	0.000	each		0.00	INR Zero Only
195.01	200 MM	1.000	each		0.00	INR Zero Only
195.02	210 MM	1.000	each		0.00	INR Zero Only
195.03	220 MM	1.000	each		0.00	INR Zero Only
195.04	230 MM	1.000	each		0.00	INR Zero Only
195.05	240 MM	1.000	each		0.00	INR Zero Only
195.06	250 MM	1.000	each		0.00	INR Zero Only
195.07	260 MM	1.000	each		0.00	INR Zero Only
195.08	270 MM	1.000	each		0.00	INR Zero Only
195.09	280 MM	1.000	each		0.00	INR Zero Only
195.1	290 MM	1.000	each		0.00	INR Zero Only
195.11	300 MM	1.000	each		0.00	INR Zero Only

196	Ø 2.5 MM ENDER'S NAIL	0.000	each		0.00	INR Zero Only
196.01	200 MM	1.000	each		0.00	INR Zero Only
196.02	210 MM	1.000	each		0.00	INR Zero Only
196.03	220 MM	1.000	each		0.00	INR Zero Only
196.04	230 MM	1.000	each		0.00	INR Zero Only
196.05	240 MM	1.000	each		0.00	INR Zero Only
196.06	250 MM	1.000	each		0.00	INR Zero Only
196.07	260 MM	1.000	each		0.00	INR Zero Only
196.08	270 MM	1.000	each		0.00	INR Zero Only
196.09	280 MM	1.000	each		0.00	INR Zero Only
196.1	290 MM	1.000	each		0.00	INR Zero Only
196.11	300 MM	1.000	each		0.00	INR Zero Only
197	Ø 3.0 MM ENDER'S NAIL	0.000	each		0.00	INR Zero Only
197.01	Ø 3.0 MM X 210 MM	1.000	each		0.00	INR Zero Only
197.02	Ø 3.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
197.03	Ø 3.0 MM X 230 MM	1.000	each		0.00	INR Zero Only
197.04	Ø 3.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
197.05	Ø 3.0 MM X 250 MM	1.000	each		0.00	INR Zero Only
197.06	Ø 3.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
197.07	Ø 3.0 MM X 270 MM	1.000	each		0.00	INR Zero Only
197.08	Ø 3.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
197.09	Ø 3.0 MM X 290 MM	1.000	each		0.00	INR Zero Only
197.1	Ø 3.0 MM X 300 MM	1.000	each		0.00	INR Zero Only

198	Ø 3.5 MM ENDER'S NAIL	0.000	each		0.00	INR Zero Only
198.01	Ø 3.5 MM X 210 MM	1.000	each		0.00	INR Zero Only
198.02	Ø 3.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
198.03	Ø 3.5 MM X 230 MM	1.000	each		0.00	INR Zero Only
198.04	Ø 3.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
198.05	Ø 3.5 MM X 250 MM	1.000	each		0.00	INR Zero Only
198.06	Ø 3.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
198.07	Ø 3.5 MM X 270 MM	1.000	each		0.00	INR Zero Only
198.08	Ø 3.5 MM X 280 MM	1.000	each		0.00	INR Zero Only
198.09	Ø 3.5 MM X 290 MM	1.000	each		0.00	INR Zero Only
198.1	Ø 3.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
199	Ø 4.0MM ENDER'S NAIL	0.000	each		0.00	INR Zero Only
199.01	Ø 4.0 MM X 210 MM	1.000	each		0.00	INR Zero Only
199.02	Ø 4.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
199.03	Ø 4.0 MM X 230 MM	1.000	each		0.00	INR Zero Only
199.04	Ø 4.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
199.05	Ø 4.0 MM X 250 MM	1.000	each		0.00	INR Zero Only
199.06	Ø 4.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
199.07	Ø 4.0 MM X 270 MM	1.000	each		0.00	INR Zero Only
199.08	Ø 4.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
199.09	Ø 4.0 MM X 290 MM	1.000	each		0.00	INR Zero Only
199.1	Ø 4.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
199.11	Ø 4.0 MM X 310 MM	1.000	each		0.00	INR Zero Only

199.12	ø 4.0 MM X 320 MM	1.000	each		0.00	INR Zero Only
199.13	ø 4.0 MM X 330 MM	1.000	each		0.00	INR Zero Only
199.14	ø 4.0 MM X 340 MM	1.000	each		0.00	INR Zero Only
199.15	ø 4.0 MM X 350 MM	1.000	each		0.00	INR Zero Only
199.16	ø 4.0 MM X 360 MM	1.000	each		0.00	INR Zero Only
199.17	ø 4.0 MM X 370 MM	1.000	each		0.00	INR Zero Only
199.18	ø 4.0 MM X 380 MM	1.000	each		0.00	INR Zero Only
199.19	ø 4.0 MM X 390 MM	1.000	each		0.00	INR Zero Only
199.2	ø 4.0 MM X 400 MM	1.000	each		0.00	INR Zero Only
200	ø 4.5 MM ENDER'S NAIL	0.000	each		0.00	INR Zero Only
200.01	ø 4.5 MM X 210 MM	1.000	each		0.00	INR Zero Only
200.02	ø 4.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
200.03	ø 4.5 MM X 230 MM	1.000	each		0.00	INR Zero Only
200.04	ø 4.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
200.05	ø 4.5 MM X 250 MM	1.000	each		0.00	INR Zero Only
200.06	ø 4.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
200.07	ø 4.5 MM X 270 MM	1.000	each		0.00	INR Zero Only
200.08	ø 4.5 MM X 280 MM	1.000	each		0.00	INR Zero Only
200.09	ø 4.5 MM X 290 MM	1.000	each		0.00	INR Zero Only
200.1	ø 4.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
200.11	ø 4.5 MM X 310 MM	1.000	each		0.00	INR Zero Only
200.12	ø 4.5 MM X 320 MM	1.000	each		0.00	INR Zero Only
200.13	ø 4.5 MM X 330 MM	1.000	each		0.00	INR Zero Only

200.14	∅ 4.5 MM X 340 MM	1.000	each		0.00	INR Zero Only
200.15	∅ 4.5 MM X 350 MM	1.000	each		0.00	INR Zero Only
200.16	∅ 4.5 MM X 360 MM	1.000	each		0.00	INR Zero Only
200.17	∅ 4.5 MM X 370 MM	1.000	each		0.00	INR Zero Only
200.18	∅ 4.5 MM X 380 MM	1.000	each		0.00	INR Zero Only
200.19	∅ 4.5 MM X 390 MM	1.000	each		0.00	INR Zero Only
200.2	∅ 4.5 MM X 400 MM	1.000	each		0.00	INR Zero Only
201	TITANIUM ELASTIC NAIL- TENS	0.000	each		0.00	INR Zero Only
201.01	2.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
201.02	2.5 MM X 440 MM	1.000	each		0.00	INR Zero Only
201.03	3.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
201.04	3.5 MM X 440 MM	1.000	each		0.00	INR Zero Only
201.05	4.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
201.06	4.5 MM X 440 MM	1.000	each		0.00	INR Zero Only
202	∅ 7.0 MM K-NAIL	0.000	each		0.00	INR Zero Only
202.01	∅ 7.0 MM X 320 MM	1.000	each		0.00	INR Zero Only
202.02	∅ 7.0 MM X 340 MM	1.000	each		0.00	INR Zero Only
202.03	∅ 7.0 MM X 360 MM	1.000	each		0.00	INR Zero Only
202.04	∅ 7.0 MM X 380 MM	1.000	each		0.00	INR Zero Only
202.05	∅ 7.0 MM X 400 MM	1.000	each		0.00	INR Zero Only
202.06	∅ 7.0 MM X 420 MM	1.000	each		0.00	INR Zero Only
202.07	∅ 7.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
203	∅ 8.0 MM K-NAIL	0.000	each		0.00	INR Zero Only

203.01	∅ 8.0 MM X 320 MM	1.000	each		0.00	INR Zero Only
203.02	∅ 8.0 MM X 340 MM	1.000	each		0.00	INR Zero Only
203.03	∅ 8.0 MM X 360 MM	1.000	each		0.00	INR Zero Only
203.04	∅ 8.0 MM X 380 MM	1.000	each		0.00	INR Zero Only
203.05	∅ 8.0 MM X 400 MM	1.000	each		0.00	INR Zero Only
203.06	∅ 8.0 MM X 420 MM	1.000	each		0.00	INR Zero Only
203.07	∅ 8.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
204	∅ 9.0 MM K-NAIL	0.000	each		0.00	INR Zero Only
204.01	∅ 9.0 MM X 320 MM	1.000	each		0.00	INR Zero Only
204.02	∅ 9.0 MM X 340 MM	1.000	each		0.00	INR Zero Only
204.03	∅ 9.0 MM X 360 MM	1.000	each		0.00	INR Zero Only
204.04	∅ 9.0 MM X 380 MM	1.000	each		0.00	INR Zero Only
204.05	∅ 9.0 MM X 400 MM	1.000	each		0.00	INR Zero Only
204.06	∅ 9.0 MM X 420 MM	1.000	each		0.00	INR Zero Only
204.07	∅ 9.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
205	∅ 10.0 MM K-NAIL	0.000	each		0.00	INR Zero Only
205.01	∅ 10.0 MM X 320 MM	1.000	each		0.00	INR Zero Only
205.02	∅ 10.0 MM X 340 MM	1.000	each		0.00	INR Zero Only
205.03	∅ 10.0 MM X 360 MM	1.000	each		0.00	INR Zero Only
205.04	∅ 10.0 MM X 380 MM	1.000	each		0.00	INR Zero Only
205.05	∅ 10.0 MM X 400 MM	1.000	each		0.00	INR Zero Only
205.06	∅ 10.0 MM X 420 MM	1.000	each		0.00	INR Zero Only
205.07	∅ 10.0 MM X 440 MM	1.000	each		0.00	INR Zero Only

206	∅ 11.0 MM K-NAIL	0.000	each		0.00	INR Zero Only
206.01	∅ 11.0 MM X 320 MM	1.000	each		0.00	INR Zero Only
206.02	∅ 11.0 MM X 340 MM	1.000	each		0.00	INR Zero Only
206.03	∅ 11.0 MM X 360 MM	1.000	each		0.00	INR Zero Only
206.04	∅ 11.0 MM X 380 MM	1.000	each		0.00	INR Zero Only
206.05	∅ 11.0 MM X 400 MM	1.000	each		0.00	INR Zero Only
206.06	∅ 11.0 MM X 420 MM	1.000	each		0.00	INR Zero Only
206.07	∅ 11.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
207	∅ 12.0 MM K-NAIL	0.000	each		0.00	INR Zero Only
207.01	∅ 12.0 MM X 320 MM	1.000	each		0.00	INR Zero Only
207.02	∅ 12.0 MM X 340 MM	1.000	each		0.00	INR Zero Only
207.03	∅ 12.0 MM X 360 MM	1.000	each		0.00	INR Zero Only
207.04	∅ 12.0 MM X 380 MM	1.000	each		0.00	INR Zero Only
207.05	∅ 12.0 MM X 400 MM	1.000	each		0.00	INR Zero Only
207.06	∅ 12.0 MM X 420 MM	1.000	each		0.00	INR Zero Only
207.07	∅ 12.0 MM X 440 MM	1.000	each		0.00	INR Zero Only
208	END CAP- TIBIA /FEMUR/ PFN/SUPRA	0.000	each		0.00	INR Zero Only
208.01	0.0 MM	1.000	each		0.00	INR Zero Only
208.02	5.0 MM	1.000	each		0.00	INR Zero Only
208.03	10.0 MM	1.000	each		0.00	INR Zero Only
208.04	15.0 MM	1.000	each		0.00	INR Zero Only
209	∅ 3.0 MM INTERLOCKING BOLT, FOR HUMERUS NAIL	0.000	each		0.00	INR Zero Only
209.01	14 MM	1.000	each		0.00	INR Zero Only

209.02	16 MM	1.000	each		0.00	INR Zero Only
209.03	18 MM	1.000	each		0.00	INR Zero Only
209.04	20 MM	1.000	each		0.00	INR Zero Only
209.05	22 MM	1.000	each		0.00	INR Zero Only
209.06	24 MM	1.000	each		0.00	INR Zero Only
209.07	26 MM	1.000	each		0.00	INR Zero Only
209.08	28 MM	1.000	each		0.00	INR Zero Only
209.09	30 MM	1.000	each		0.00	INR Zero Only
209.1	32 MM	1.000	each		0.00	INR Zero Only
209.11	34 MM	1.000	each		0.00	INR Zero Only
209.12	36 MM	1.000	each		0.00	INR Zero Only
209.13	38 MM	1.000	each		0.00	INR Zero Only
209.14	40 MM	1.000	each		0.00	INR Zero Only
210	3.9 MM INTERLOCKING BOLT	0.000	each		0.00	INR Zero Only
210.01	24 MM	1.000	each		0.00	INR Zero Only
210.02	26 MM	1.000	each		0.00	INR Zero Only
210.03	28 MM	1.000	each		0.00	INR Zero Only
210.04	30 MM	1.000	each		0.00	INR Zero Only
210.05	32 MM	1.000	each		0.00	INR Zero Only
210.06	34 MM	1.000	each		0.00	INR Zero Only
210.07	36 MM	1.000	each		0.00	INR Zero Only
210.08	38 MM	1.000	each		0.00	INR Zero Only
210.09	40 MM	1.000	each		0.00	INR Zero Only

210.1	42 MM	1.000	each		0.00	INR Zero Only
210.11	44 MM	1.000	each		0.00	INR Zero Only
210.12	46 MM	1.000	each		0.00	INR Zero Only
210.13	48 MM	1.000	each		0.00	INR Zero Only
210.14	50 MM	1.000	each		0.00	INR Zero Only
210.15	52 MM	1.000	each		0.00	INR Zero Only
210.16	54 MM	1.000	each		0.00	INR Zero Only
210.17	56 MM	1.000	each		0.00	INR Zero Only
210.18	58 MM	1.000	each		0.00	INR Zero Only
210.19	60 MM	1.000	each		0.00	INR Zero Only
211	4.9 MM INTERLOCKING BOLT	0.000	each		0.00	INR Zero Only
211.01	24 MM	1.000	each		0.00	INR Zero Only
211.02	26 MM	1.000	each		0.00	INR Zero Only
211.03	28 MM	1.000	each		0.00	INR Zero Only
211.04	30 MM	1.000	each		0.00	INR Zero Only
211.05	32 MM	1.000	each		0.00	INR Zero Only
211.06	34 MM	1.000	each		0.00	INR Zero Only
211.07	36 MM	1.000	each		0.00	INR Zero Only
211.08	38 MM	1.000	each		0.00	INR Zero Only
211.09	40 MM	1.000	each		0.00	INR Zero Only
211.1	42 MM	1.000	each		0.00	INR Zero Only
211.11	44 MM	1.000	each		0.00	INR Zero Only
211.12	46 MM	1.000	each		0.00	INR Zero Only

211.13	48 MM	1.000	each		0.00	INR Zero Only
211.14	50 MM	1.000	each		0.00	INR Zero Only
211.15	52 MM	1.000	each		0.00	INR Zero Only
211.16	54 MM	1.000	each		0.00	INR Zero Only
211.17	56 MM	1.000	each		0.00	INR Zero Only
211.18	58 MM	1.000	each		0.00	INR Zero Only
211.19	60 MM	1.000	each		0.00	INR Zero Only
211.2	62 MM	1.000	each		0.00	INR Zero Only
211.21	64 MM	1.000	each		0.00	INR Zero Only
211.22	66 MM	1.000	each		0.00	INR Zero Only
211.23	68 MM	1.000	each		0.00	INR Zero Only
211.24	70 MM	1.000	each		0.00	INR Zero Only
211.25	72 MM	1.000	each		0.00	INR Zero Only
211.26	74 MM	1.000	each		0.00	INR Zero Only
211.27	76 MM	1.000	each		0.00	INR Zero Only
211.28	78 MM	1.000	each		0.00	INR Zero Only
211.29	80 MM	1.000	each		0.00	INR Zero Only
212	6.4 MM HIP PIN (FOR PFN NAIL)	0.000	each		0.00	INR Zero Only
212.01	40 MM	1.000	each		0.00	INR Zero Only
212.02	45 MM	1.000	each		0.00	INR Zero Only
212.03	50 MM	1.000	each		0.00	INR Zero Only
212.04	55 MM	1.000	each		0.00	INR Zero Only
212.05	60 MM	1.000	each		0.00	INR Zero Only

212.06	65 MM	1.000	each		0.00	INR Zero Only
212.07	70 MM	1.000	each		0.00	INR Zero Only
212.08	75 MM	1.000	each		0.00	INR Zero Only
212.09	80 MM	1.000	each		0.00	INR Zero Only
212.1	85 MM	1.000	each		0.00	INR Zero Only
212.11	90 MM	1.000	each		0.00	INR Zero Only
212.12	95 MM	1.000	each		0.00	INR Zero Only
212.13	100 MM	1.000	each		0.00	INR Zero Only
212.14	105 MM	1.000	each		0.00	INR Zero Only
212.15	110 MM	1.000	each		0.00	INR Zero Only
213	MM FEMORAL NECK SCREW (FOR PFN NAIL)	0.000	each		0.00	INR Zero Only
213.01	40 MM	1.000	each		0.00	INR Zero Only
213.02	45 MM	1.000	each		0.00	INR Zero Only
213.03	50 MM	1.000	each		0.00	INR Zero Only
213.04	55 MM	1.000	each		0.00	INR Zero Only
213.05	60 MM	1.000	each		0.00	INR Zero Only
213.06	65 MM	1.000	each		0.00	INR Zero Only
213.07	70 MM	1.000	each		0.00	INR Zero Only
213.08	75 MM	1.000	each		0.00	INR Zero Only
213.09	80 MM	1.000	each		0.00	INR Zero Only
213.1	85 MM	1.000	each		0.00	INR Zero Only
213.11	90 MM	1.000	each		0.00	INR Zero Only
213.12	95 MM	1.000	each		0.00	INR Zero Only

213.13	100 MM	1.000	each		0.00	INR Zero Only
213.14	105 MM	1.000	each		0.00	INR Zero Only
213.15	110 MM	1.000	each		0.00	INR Zero Only
214	6.4 MM SOLID INTERLOCKING BOLT (FOR SUPRACONDYLAR)	0.000	each		0.00	INR Zero Only
214.01	40 MM	1.000	each		0.00	INR Zero Only
214.02	45 MM	1.000	each		0.00	INR Zero Only
214.03	50 MM	1.000	each		0.00	INR Zero Only
214.04	55 MM	1.000	each		0.00	INR Zero Only
214.05	60 MM	1.000	each		0.00	INR Zero Only
214.06	65 MM	1.000	each		0.00	INR Zero Only
214.07	70 MM	1.000	each		0.00	INR Zero Only
214.08	75 MM	1.000	each		0.00	INR Zero Only
214.09	80 MM	1.000	each		0.00	INR Zero Only
214.1	85 MM	1.000	each		0.00	INR Zero Only
214.11	90 MM	1.000	each		0.00	INR Zero Only
214.12	95 MM	1.000	each		0.00	INR Zero Only
214.13	100 MM	1.000	each		0.00	INR Zero Only
214.14	105 MM	1.000	each		0.00	INR Zero Only
214.15	110 MM	1.000	each		0.00	INR Zero Only
215	4.0 MM INTERLOCKING BOLT PARTIAL THREAD (FOR HUMERUS NAIL)	0.000	each		0.00	INR Zero Only
215.01	20 MM	1.000	each		0.00	INR Zero Only
215.02	25 MM	1.000	each		0.00	INR Zero Only

215.03	30 MM	1.000	each		0.00	INR Zero Only
215.04	35 MM	1.000	each		0.00	INR Zero Only
215.05	40 MM	1.000	each		0.00	INR Zero Only
215.06	45 MM	1.000	each		0.00	INR Zero Only
215.07	50 MM	1.000	each		0.00	INR Zero Only
216	Ø 2.0 MM SQUARE NAIL FOR ULNA	0.000	each		0.00	INR Zero Only
216.01	Ø 2.0 MM X 200 MM	1.000	each		0.00	INR Zero Only
216.02	Ø 2.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
216.03	Ø 2.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
216.04	Ø 2.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
216.05	Ø 2.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
216.06	Ø 2.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
217	Ø 2.5 MM SQUARE NAIL FOR ULNA	0.000	each		0.00	INR Zero Only
217.01	Ø 2.5 MM X 200 MM	1.000	each		0.00	INR Zero Only
217.02	Ø 2.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
217.03	Ø 2.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
217.04	Ø 2.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
217.05	Ø 2.5 MM X 280 MM	1.000	each		0.00	INR Zero Only
217.06	Ø 2.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
218	Ø 3.0 MM SQUARE NAIL FOR ULNA	0.000	each		0.00	INR Zero Only
218.01	Ø 3.0 MM X 200 MM	1.000	each		0.00	INR Zero Only
218.02	Ø 3.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
218.03	Ø 3.0 MM X 240 MM	1.000	each		0.00	INR Zero Only

218.04	∅ 3.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
218.05	∅ 3.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
218.06	∅ 3.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
219	∅ 3.5MM SQUARE NAIL FOR ULNA	0.000	each		0.00	INR Zero Only
219.01	∅ 3.5MM X 200 MM	1.000	each		0.00	INR Zero Only
219.02	∅ 3.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
219.03	∅ 3.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
219.04	∅ 3.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
219.05	∅ 3.5 MM X 280 MM	1.000	each		0.00	INR Zero Only
219.06	∅ 3.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
220	∅ 2.0 MM SQUARE NAIL FOR RADIUS	0.000	each		0.00	INR Zero Only
220.01	∅ 2.0 MM X 200 MM	1.000	each		0.00	INR Zero Only
220.02	∅ 2.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
220.03	∅ 2.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
220.04	∅ 2.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
220.05	∅ 2.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
220.06	∅ 2.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
221	∅ 2.5 MM SQUARE NAIL FOR RADIUS	0.000	each		0.00	INR Zero Only
221.01	∅ 2.5 MM X 200 MM	1.000	each		0.00	INR Zero Only
221.02	∅ 2.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
221.03	∅ 2.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
221.04	∅ 2.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
221.05	∅ 2.5 MM X 280 MM	1.000	each		0.00	INR Zero Only

221.06	ø 2.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
222	ø 3.0 MM SQUARE NAIL FOR RADIUS	0.000	each		0.00	INR Zero Only
222.01	ø 3.0 MM X 200 MM	1.000	each		0.00	INR Zero Only
222.02	ø 3.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
222.03	ø 3.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
222.04	ø 3.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
222.05	ø 3.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
222.06	ø 3.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
223	ø 3.5 MM SQUARE NAIL FOR RADIUS	0.000	each		0.00	INR Zero Only
223.01	ø 3.5MM X 200 MM	1.000	each		0.00	INR Zero Only
223.02	ø 3.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
223.03	ø 3.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
223.04	ø 3.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
223.05	ø 3.5 MM X 280 MM	1.000	each		0.00	INR Zero Only
223.06	ø 3.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
224	ø 2.0 MM RUSH NAIL	0.000	each		0.00	INR Zero Only
224.01	ø 2.0 MM X 200 MM	1.000	each		0.00	INR Zero Only
224.02	ø 2.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
224.03	ø 2.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
224.04	ø 2.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
224.05	ø 2.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
224.06	ø 2.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
225	ø 2.5 MM RUSH NAIL	0.000	each		0.00	INR Zero Only

225.01	∅ 2.5 MM X 200 MM	1.000	each		0.00	INR Zero Only
225.02	∅ 2.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
225.03	∅ 2.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
225.04	∅ 2.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
225.05	∅ 2.5 MM X 280 MM	1.000	each		0.00	INR Zero Only
225.06	∅ 2.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
226	∅ 3.0 MM RUSH NAIL	0.000	each		0.00	INR Zero Only
226.01	∅ 3.0 MM X 200 MM	1.000	each		0.00	INR Zero Only
226.02	∅ 3.0 MM X 220 MM	1.000	each		0.00	INR Zero Only
226.03	∅ 3.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
226.04	∅ 3.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
226.05	∅ 3.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
226.06	∅ 3.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
227	∅ 3.5 MM RUSH NAIL	0.000	each		0.00	INR Zero Only
227.01	∅ 3.5MM X 200 MM	1.000	each		0.00	INR Zero Only
227.02	∅ 3.5 MM X 220 MM	1.000	each		0.00	INR Zero Only
227.03	∅ 3.5 MM X 240 MM	1.000	each		0.00	INR Zero Only
227.04	∅ 3.5 MM X 260 MM	1.000	each		0.00	INR Zero Only
227.05	∅ 3.5 MM X 280 MM	1.000	each		0.00	INR Zero Only
227.06	∅ 3.5 MM X 300 MM	1.000	each		0.00	INR Zero Only
228	∅ 4.0 MM RUSH NAIL	0.000	each		0.00	INR Zero Only
228.01	∅ 4.0 MM X 200 MM	1.000	each		0.00	INR Zero Only
228.02	∅ 4.0 MM X 220 MM	1.000	each		0.00	INR Zero Only

228.03	∅ 4.0 MM X 240 MM	1.000	each		0.00	INR Zero Only
228.04	∅ 4.0 MM X 260 MM	1.000	each		0.00	INR Zero Only
228.05	∅ 4.0 MM X 280 MM	1.000	each		0.00	INR Zero Only
228.06	∅ 4.0 MM X 300 MM	1.000	each		0.00	INR Zero Only
229	GROUP - E : PELVIC IMPLANTS					
230	3.5 MM PELVIC RECON PLATE LOW PROFILE STRAIGHT	0.000	each		0.00	INR Zero Only
230.01	2 HOLES	1.000	each		0.00	INR Zero Only
230.02	3 HOLES	1.000	each		0.00	INR Zero Only
230.03	4 HOLES	1.000	each		0.00	INR Zero Only
230.04	5 HOLES	1.000	each		0.00	INR Zero Only
230.05	6 HOLES	1.000	each		0.00	INR Zero Only
230.06	7 HOLES	1.000	each		0.00	INR Zero Only
230.07	8 HOLES	1.000	each		0.00	INR Zero Only
230.08	9 HOLES	1.000	each		0.00	INR Zero Only
230.09	10 HOLES	1.000	each		0.00	INR Zero Only
230.1	12 HOLES	1.000	each		0.00	INR Zero Only
230.11	14 HOLES	1.000	each		0.00	INR Zero Only
230.12	16 HOLES	1.000	each		0.00	INR Zero Only
230.13	18 HOLES	1.000	each		0.00	INR Zero Only
230.14	20 HOLES	1.000	each		0.00	INR Zero Only
231	3.5 MM PELVIC RECON PLATE 88° - CURVED	0.000	each		0.00	INR Zero Only
231.01	6 HOLES	1.000	each		0.00	INR Zero Only
231.02	8 HOLES	1.000	each		0.00	INR Zero Only

231.03	10 HOLES	1.000	each		0.00	INR Zero Only
231.04	12 HOLES	1.000	each		0.00	INR Zero Only
231.05	14 HOLES	1.000	each		0.00	INR Zero Only
231.06	16 HOLES	1.000	each		0.00	INR Zero Only
232	3.5 MM PELVIC RECON PLATE 108° - CURVED	0.000	each		0.00	INR Zero Only
232.01	6 HOLES	1.000	each		0.00	INR Zero Only
232.02	8 HOLES	1.000	each		0.00	INR Zero Only
232.03	10 HOLES	1.000	each		0.00	INR Zero Only
232.04	12 HOLES	1.000	each		0.00	INR Zero Only
232.05	14 HOLES	1.000	each		0.00	INR Zero Only
232.06	16 HOLES	1.000	each		0.00	INR Zero Only
233	3.5 MM LCP PELVIC RECON PLATE - STRAIGHT	0.000	each		0.00	INR Zero Only
233.01	2 HOLES	1.000	each		0.00	INR Zero Only
233.02	3 HOLES	1.000	each		0.00	INR Zero Only
233.03	4 HOLES	1.000	each		0.00	INR Zero Only
233.04	5 HOLES	1.000	each		0.00	INR Zero Only
233.05	6 HOLES	1.000	each		0.00	INR Zero Only
233.06	7 HOLES	1.000	each		0.00	INR Zero Only
233.07	8 HOLES	1.000	each		0.00	INR Zero Only
233.08	9 HOLES	1.000	each		0.00	INR Zero Only
233.09	10 HOLES	1.000	each		0.00	INR Zero Only
233.1	12 HOLES	1.000	each		0.00	INR Zero Only
233.11	14 HOLES	1.000	each		0.00	INR Zero Only

233.12	16 HOLES	1.000	each		0.00	INR Zero Only
233.13	18 HOLES	1.000	each		0.00	INR Zero Only
234	3.5 MM SPRING PLATE	0.000	each		0.00	INR Zero Only
234.01	1 HOLE - L- 19.5 MM	1.000	each		0.00	INR Zero Only
234.02	1 HOLE - L- 31.5 MM	1.000	each		0.00	INR Zero Only
234.03	1 HOLE - L- 43.5 MM	1.000	each		0.00	INR Zero Only
235	3.5 MM PELVIC J PLATE- RIGHT	0.000	each		0.00	INR Zero Only
235.01	10 HOLES	1.000	each		0.00	INR Zero Only
235.02	12 HOLES	1.000	each		0.00	INR Zero Only
235.03	14 HOLES	1.000	each		0.00	INR Zero Only
235.04	16 HOLES	1.000	each		0.00	INR Zero Only
236	3.5 MM PELVIC J PLATE- LEFT	0.000	each		0.00	INR Zero Only
236.01	10 HOLES	1.000	each		0.00	INR Zero Only
236.02	12 HOLES	1.000	each		0.00	INR Zero Only
236.03	14 HOLES	1.000	each		0.00	INR Zero Only
236.04	16 HOLES	1.000	each		0.00	INR Zero Only
237	GROUP - F : MAXILLOFACIAL IMPLANTS					
238	1.5 MM STRAIGHT PLATE WITH STEM/BAR/GAP-0.6 MM THICKNESS	0.000	each		0.00	INR Zero Only
238.01	2 H	1.000	each		0.00	INR Zero Only
238.02	4 H	1.000	each		0.00	INR Zero Only
238.03	6 H	1.000	each		0.00	INR Zero Only
239	2.0 MM STRAIGHT PLATE RECON WITH STEM/BAR/GAP-1 MM THICKNESS	0.000	each		0.00	INR Zero Only

239.01	2 H	1.000	each		0.00	INR Zero Only
239.02	4 H	1.000	each		0.00	INR Zero Only
239.03	6 H	1.000	each		0.00	INR Zero Only
240	1.5 MM STRAIGHT PLATE CONTINUES RECON -0.6 MM THICKNESS	0.000	each		0.00	INR Zero Only
240.01	2 H	1.000	each		0.00	INR Zero Only
240.02	4 H	1.000	each		0.00	INR Zero Only
240.03	6 H	1.000	each		0.00	INR Zero Only
240.04	18 H	1.000	each		0.00	INR Zero Only
241	2.0 MM STRAIGHT PLATE CONTINUES RECON -1 MM THICKNESS	0.000	each		0.00	INR Zero Only
241.01	2 H	1.000	each		0.00	INR Zero Only
241.02	4 H	1.000	each		0.00	INR Zero Only
241.03	6 H	1.000	each		0.00	INR Zero Only
241.04	18 H	1.000	each		0.00	INR Zero Only
242	1.5 MM T-PLATE RECON- 0.6 MM THICKNES	0.000	each		0.00	INR Zero Only
242.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
242.02	3 HEAD HOLES+ 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
243	2.0 MM T-PLATE RECON- 1.0 MM THICKNES	0.000	each		0.00	INR Zero Only
243.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
243.02	3 HEAD HOLES+ 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
244	1.5 MM T-OBLIQUE PLATE RECON WITH GAP - 0.6 MM THICKNES	0.000	each		0.00	INR Zero Only
244.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
245	2.0 MM T-OBLIQUE PLATE RECON WITH GAP - 1.0 MM THICKNES	0.000	each		0.00	INR Zero Only

245.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
246	1.5 MM DOUBLE T- PLATE RECON - 0.6 MM THICKNES	0.000	each		0.00	INR Zero Only
246.01	8 H	1.000	each		0.00	INR Zero Only
247	2.0 MM DOUBLE T- PLATE RECON - 1.0 MM THICKNES	0.000	each		0.00	INR Zero Only
247.01	8 H	1.000	each		0.00	INR Zero Only
248	1.5 MM DOUBLE SQUARE PLATE RECON - 0.6 MM THICKNES	0.000	each		0.00	INR Zero Only
248.01	6 H	1.000	each		0.00	INR Zero Only
249	2.0MM DOUBLE SQUARE PLATE RECON - 1.0 MM THICKNES	0.000	each		0.00	INR Zero Only
249.01	6 H	1.000	each		0.00	INR Zero Only
250	1.5 MM DOUBLE Y-PLATE RECON WITH STEM/BAR/GAP- 0.6 MM THICKNESS	0.000	each		0.00	INR Zero Only
250.01	6H	1.000	each		0.00	INR Zero Only
251	2.0 MM DOUBLE Y-PLATE RECON WITH STEM/BAR/GAP- 1.0 MM THICKNESS	0.000	each		0.00	INR Zero Only
251.01	6H	1.000	each		0.00	INR Zero Only
252	1.5 MM L-PLATE RECON -0.6 MM THICKNESS-RIGHT SIDE	0.000	each		0.00	INR Zero Only
252.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
252.02	3 HEAD HOLES+ 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
253	1.5 MM L-PLATE RECON -0.6 MM THICKNESS-LEFT SIDE	0.000	each		0.00	INR Zero Only
253.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
253.02	3 HEAD HOLES+ 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
254	2.0 MM L-PLATE RECON -1.0 MM THICKNESS-RIGHT SIDE	0.000	each		0.00	INR Zero Only
254.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
254.02	3 HEAD HOLES+ 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only

255	2.0 MM L-PLATE RECON -1.0 MM THICKNESS-LEFT SIDE	0.000	each		0.00	INR Zero Only
255.01	3 HEAD HOLES+ 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
255.02	3 HEAD HOLES+ 3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
256	1.5 MM L-OBLIQUE PLATE RECON - 0.6 THICKNESS RIGHT SIDE- 120°	0.000	each		0.00	INR Zero Only
256.01	2 HEAD HOLES +3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
257	1.5 MM L-OBLIQUE PLATE RECON - 0.6 THICKNESS LEFT SIDE- 120°	0.000	each		0.00	INR Zero Only
257.01	2 HEAD HOLES +3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
258	2.0 MM L-OBLIQUE PLATE RECON - 1.0 THICKNESS RIGHT SIDE- 120°	0.000	each		0.00	INR Zero Only
258.01	2 HEAD HOLES +3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
259	2.0 MM L-OBLIQUE PLATE RECON - 1.0 THICKNESS LEFT SIDE- 120°	0.000	each		0.00	INR Zero Only
259.01	2 HEAD HOLES +3 SHAFT HOLES	1.000	each		0.00	INR Zero Only
260	1.5 MM SQUARE PLATE RECON -0.6 MM THICKNESS	0.000	each		0.00	INR Zero Only
260.01	4 H	1.000	each		0.00	INR Zero Only
261	2.0 MM SQUARE PLATE RECON -1.0 MM THICKNESS	0.000	each		0.00	INR Zero Only
261.01	4 H	1.000	each		0.00	INR Zero Only
262	1.5 MM X- PLATE RECON-0.6MM THICKNESS	0.000	each		0.00	INR Zero Only
262.01	2 HEAD HOLES + 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
262.02	4 HEAD HOLES + 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
263	2.0 MM X- PLATE RECON-1.0 MM THICKNESS	0.000	each		0.00	INR Zero Only
263.01	2 HEAD HOLES + 2 SHAFT HOLES	1.000	each		0.00	INR Zero Only
263.02	4 HEAD HOLES + 4 SHAFT HOLES	1.000	each		0.00	INR Zero Only
264	1.5 MM Y-PLATE RECON	0.000	each		0.00	INR Zero Only

264.01	SMALL	1.000	each		0.00	INR Zero Only
264.02	BIG	1.000	each		0.00	INR Zero Only
265	2.0 MM Y-PLATE RECON	0.000	each		0.00	INR Zero Only
265.01	SMALL	1.000	each		0.00	INR Zero Only
265.02	BIG	1.000	each		0.00	INR Zero Only
266	1.5 MM ORBITAL PLATE RECON	0.000	each		0.00	INR Zero Only
266.01	4H (2+2)	1.000	each		0.00	INR Zero Only
266.02	6H (3+3)	1.000	each		0.00	INR Zero Only
266.03	7H (4+3)	1.000	each		0.00	INR Zero Only
267	2.0 MM ORBITAL PLATE RECON CONTINUES	0.000	each		0.00	INR Zero Only
267.01	8H	1.000	each		0.00	INR Zero Only
268	1.5 MM MAXILLOFACIAL SCREWS (SELF- TAPPING) HEAD CROSS SLOT	0.000	each		0.00	INR Zero Only
268.01	5 MM	1.000	each		0.00	INR Zero Only
268.02	6 MM	1.000	each		0.00	INR Zero Only
268.03	7 MM	1.000	each		0.00	INR Zero Only
268.04	8 MM	1.000	each		0.00	INR Zero Only
268.05	9 MM	1.000	each		0.00	INR Zero Only
268.06	10 MM	1.000	each		0.00	INR Zero Only
268.07	11 MM	1.000	each		0.00	INR Zero Only
268.08	12 MM	1.000	each		0.00	INR Zero Only
268.09	13 MM	1.000	each		0.00	INR Zero Only
268.1	14 MM	1.000	each		0.00	INR Zero Only
268.11	15 MM	1.000	each		0.00	INR Zero Only

268.12	16 MM	1.000	each		0.00	INR Zero Only
269	2.0 MM MAXILLOFACIAL SCREWS (SELF- TAPPING) HEAD CROSS SLOT	0.000	each		0.00	INR Zero Only
269.01	5 MM	1.000	each		0.00	INR Zero Only
269.02	6 MM	1.000	each		0.00	INR Zero Only
269.03	7 MM	1.000	each		0.00	INR Zero Only
269.04	8 MM	1.000	each		0.00	INR Zero Only
269.05	9 MM	1.000	each		0.00	INR Zero Only
269.06	10 MM	1.000	each		0.00	INR Zero Only
269.07	11 MM	1.000	each		0.00	INR Zero Only
269.08	12 MM	1.000	each		0.00	INR Zero Only
269.09	13 MM	1.000	each		0.00	INR Zero Only
269.1	14 MM	1.000	each		0.00	INR Zero Only
269.11	15 MM	1.000	each		0.00	INR Zero Only
269.12	16 MM	1.000	each		0.00	INR Zero Only
269.13	17 MM	1.000	each		0.00	INR Zero Only
269.14	18 MM	1.000	each		0.00	INR Zero Only
269.15	19 MM	1.000	each		0.00	INR Zero Only
269.16	20 MM	1.000	each		0.00	INR Zero Only
269.17	21 MM	1.000	each		0.00	INR Zero Only
269.18	22 MM	1.000	each		0.00	INR Zero Only
269.19	23 MM	1.000	each		0.00	INR Zero Only
269.2	24 MM	1.000	each		0.00	INR Zero Only
269.21	25 MM	1.000	each		0.00	INR Zero Only

269.22	26 MM	1.000	each		0.00	INR Zero Only
269.23	27 MM	1.000	each		0.00	INR Zero Only
269.24	28 MM	1.000	each		0.00	INR Zero Only
269.25	29 MM	1.000	each		0.00	INR Zero Only
269.26	30 MM	1.000	each		0.00	INR Zero Only
269.27	31 MM	1.000	each		0.00	INR Zero Only
269.28	32 MM	1.000	each		0.00	INR Zero Only
269.29	33 MM	1.000	each		0.00	INR Zero Only
269.3	34 MM	1.000	each		0.00	INR Zero Only
270	GROUP - G : SPINAL IMPLANTS					
271	4.5 MM MONOAXIAL SCREW	0.000	each		0.00	INR Zero Only
271.01	25 MM	1.000	each		0.00	INR Zero Only
271.02	30 MM	1.000	each		0.00	INR Zero Only
271.03	35 MM	1.000	each		0.00	INR Zero Only
271.04	40 MM	1.000	each		0.00	INR Zero Only
271.05	45 MM	1.000	each		0.00	INR Zero Only
271.06	50 MM	1.000	each		0.00	INR Zero Only
272	5.5 MM MONOAXIAL SCREW	0.000	each		0.00	INR Zero Only
272.01	25 MM	1.000	each		0.00	INR Zero Only
272.02	30 MM	1.000	each		0.00	INR Zero Only
272.03	35 MM	1.000	each		0.00	INR Zero Only
272.04	40 MM	1.000	each		0.00	INR Zero Only
272.05	45 MM	1.000	each		0.00	INR Zero Only

272.06	50 MM	1.000	each		0.00	INR Zero Only
273	6.5 MM MONOAXIAL SCREW	0.000	each		0.00	INR Zero Only
273.01	25 MM	1.000	each		0.00	INR Zero Only
273.02	30 MM	1.000	each		0.00	INR Zero Only
273.03	35 MM	1.000	each		0.00	INR Zero Only
273.04	40 MM	1.000	each		0.00	INR Zero Only
273.05	45 MM	1.000	each		0.00	INR Zero Only
273.06	50 MM	1.000	each		0.00	INR Zero Only
274	4.5 MM POLYAXIAL SCREW	0.000	each		0.00	INR Zero Only
274.01	25 MM	1.000	each		0.00	INR Zero Only
274.02	30 MM	1.000	each		0.00	INR Zero Only
274.03	35 MM	1.000	each		0.00	INR Zero Only
274.04	40 MM	1.000	each		0.00	INR Zero Only
274.05	45 MM	1.000	each		0.00	INR Zero Only
274.06	50 MM	1.000	each		0.00	INR Zero Only
275	5.5 MM POLYAXIAL SCREW	0.000	each		0.00	INR Zero Only
275.01	30 MM	1.000	each		0.00	INR Zero Only
275.02	35 MM	1.000	each		0.00	INR Zero Only
275.03	40 MM	1.000	each		0.00	INR Zero Only
275.04	45 MM	1.000	each		0.00	INR Zero Only
275.05	50 MM	1.000	each		0.00	INR Zero Only
276	6.5 MM POLYAXIAL SCREW	0.000	each		0.00	INR Zero Only
276.01	30 MM	1.000	each		0.00	INR Zero Only

276.02	35 MM	1.000	each		0.00	INR Zero Only
276.03	40 MM	1.000	each		0.00	INR Zero Only
276.04	45 MM	1.000	each		0.00	INR Zero Only
276.05	50 MM	1.000	each		0.00	INR Zero Only
277	5.5 MM REDUCTION POLYAXIAL SCREW	0.000	each		0.00	INR Zero Only
277.01	30 MM	1.000	each		0.00	INR Zero Only
277.02	35 MM	1.000	each		0.00	INR Zero Only
277.03	40 MM	1.000	each		0.00	INR Zero Only
277.04	45 MM	1.000	each		0.00	INR Zero Only
277.05	50 MM	1.000	each		0.00	INR Zero Only
278	6.5 MM REDUCTION POLYAXIAL SCREW	0.000	each		0.00	INR Zero Only
278.01	30 MM	1.000	each		0.00	INR Zero Only
278.02	35 MM	1.000	each		0.00	INR Zero Only
278.03	40 MM	1.000	each		0.00	INR Zero Only
278.04	45 MM	1.000	each		0.00	INR Zero Only
278.05	50 MM	1.000	each		0.00	INR Zero Only
279	3.5 MM LATERAL MASS SCREW (POSTERIOR CRVICAL POLY)	0.000	each		0.00	INR Zero Only
279.01	10 MM	1.000	each		0.00	INR Zero Only
279.02	12 MM	1.000	each		0.00	INR Zero Only
279.03	14 MM	1.000	each		0.00	INR Zero Only
279.04	16 MM	1.000	each		0.00	INR Zero Only
279.05	18 MM	1.000	each		0.00	INR Zero Only

279.06	20 MM	1.000	each		0.00	INR Zero Only
279.07	22 MM	1.000	each		0.00	INR Zero Only
279.08	24 MM	1.000	each		0.00	INR Zero Only
279.09	26 MM	1.000	each		0.00	INR Zero Only
279.1	28 MM	1.000	each		0.00	INR Zero Only
279.11	30 MM	1.000	each		0.00	INR Zero Only
280	4.5 MM LATERAL MASS SCREW (POSTERIOR CERVICAL POLY)	0.000	each		0.00	INR Zero Only
280.01	10 MM	1.000	each		0.00	INR Zero Only
280.02	12 MM	1.000	each		0.00	INR Zero Only
280.03	14 MM	1.000	each		0.00	INR Zero Only
280.04	16 MM	1.000	each		0.00	INR Zero Only
280.05	18 MM	1.000	each		0.00	INR Zero Only
280.06	20 MM	1.000	each		0.00	INR Zero Only
280.07	22 MM	1.000	each		0.00	INR Zero Only
280.08	24 MM	1.000	each		0.00	INR Zero Only
280.09	26 MM	1.000	each		0.00	INR Zero Only
280.1	28 MM	1.000	each		0.00	INR Zero Only
280.11	30 MM	1.000	each		0.00	INR Zero Only
281	CERVICAL PLATE	0.000	each		0.00	INR Zero Only
281.01	22.5 MM	1.000	each		0.00	INR Zero Only
281.02	25.0 MM	1.000	each		0.00	INR Zero Only
281.03	27.5 MM	1.000	each		0.00	INR Zero Only
281.04	30.0 MM	1.000	each		0.00	INR Zero Only

281.05	32.5 MM	1.000	each		0.00	INR Zero Only
281.06	35.0 MM	1.000	each		0.00	INR Zero Only
281.07	37.5 MM	1.000	each		0.00	INR Zero Only
281.08	40.0 MM	1.000	each		0.00	INR Zero Only
281.09	42.5 MM	1.000	each		0.00	INR Zero Only
281.1	45.0 MM	1.000	each		0.00	INR Zero Only
281.11	47.5 MM	1.000	each		0.00	INR Zero Only
281.12	50.0 MM	1.000	each		0.00	INR Zero Only
281.13	55.0 MM	1.000	each		0.00	INR Zero Only
281.14	60.0 MM	1.000	each		0.00	INR Zero Only
281.15	65.0 MM	1.000	each		0.00	INR Zero Only
281.16	70.0 MM	1.000	each		0.00	INR Zero Only
282	3.5 MM CERVICAL PLATE	0.000	each		0.00	INR Zero Only
282.01	10 MM	1.000	each		0.00	INR Zero Only
282.02	12 MM	1.000	each		0.00	INR Zero Only
282.03	14 MM	1.000	each		0.00	INR Zero Only
282.04	16 MM	1.000	each		0.00	INR Zero Only
282.05	18 MM	1.000	each		0.00	INR Zero Only
282.06	20 MM	1.000	each		0.00	INR Zero Only
283	4.0 MM CERVICAL PLATE	0.000	each		0.00	INR Zero Only
283.01	10 MM	1.000	each		0.00	INR Zero Only
283.02	12 MM	1.000	each		0.00	INR Zero Only
283.03	14 MM	1.000	each		0.00	INR Zero Only

283.04	16 MM	1.000	each		0.00	INR Zero Only
283.05	18 MM	1.000	each		0.00	INR Zero Only
283.06	20 MM	1.000	each		0.00	INR Zero Only
284	CERVICAL PLATE WITH INBUILT CAGE	0.000	each		0.00	INR Zero Only
284.01	5.0 MM	1.000	each		0.00	INR Zero Only
284.02	6.0 MM	1.000	each		0.00	INR Zero Only
284.03	7.0 MM	1.000	each		0.00	INR Zero Only
284.04	8.0 MM	1.000	each		0.00	INR Zero Only
285	3.5 MM CERVICAL PLATE WITH INBUILT CAGE SCREW	0.000	each		0.00	INR Zero Only
285.01	10 MM	1.000	each		0.00	INR Zero Only
285.02	12 MM	1.000	each		0.00	INR Zero Only
285.03	14 MM	1.000	each		0.00	INR Zero Only
285.04	16 MM	1.000	each		0.00	INR Zero Only
285.05	18 MM	1.000	each		0.00	INR Zero Only
285.06	20 MM	1.000	each		0.00	INR Zero Only
286	3.8MM CERVICAL PLATE WITH INBUILT CAGE SCREW	0.000	each		0.00	INR Zero Only
286.01	10 MM	1.000	each		0.00	INR Zero Only
286.02	12 MM	1.000	each		0.00	INR Zero Only
286.03	14 MM	1.000	each		0.00	INR Zero Only
286.04	16 MM	1.000	each		0.00	INR Zero Only
286.05	18 MM	1.000	each		0.00	INR Zero Only
286.06	20 MM	1.000	each		0.00	INR Zero Only
287	3.5 MM SPINAL ROD FOR LATERAL MASS	0.000	each		0.00	INR Zero Only

287.01	40 MM	1.000	each		0.00	INR Zero Only
287.02	50 MM	1.000	each		0.00	INR Zero Only
287.03	60 MM	1.000	each		0.00	INR Zero Only
287.04	70 MM	1.000	each		0.00	INR Zero Only
287.05	80 MM	1.000	each		0.00	INR Zero Only
287.06	90 MM	1.000	each		0.00	INR Zero Only
287.07	100 MM	1.000	each		0.00	INR Zero Only
287.08	110 MM	1.000	each		0.00	INR Zero Only
287.09	120 MM	1.000	each		0.00	INR Zero Only
287.1	130 MM	1.000	each		0.00	INR Zero Only
287.11	140 MM	1.000	each		0.00	INR Zero Only
287.12	150 MM	1.000	each		0.00	INR Zero Only
287.13	160 MM	1.000	each		0.00	INR Zero Only
287.14	170 MM	1.000	each		0.00	INR Zero Only
287.15	180 MM	1.000	each		0.00	INR Zero Only
287.16	190 MM	1.000	each		0.00	INR Zero Only
287.17	200 MM	1.000	each		0.00	INR Zero Only
287.18	250 MM	1.000	each		0.00	INR Zero Only
288	5.5 MM SPINAL ROD FOR DORSOLUMBER	0.000	each		0.00	INR Zero Only
288.01	40 MM	1.000	each		0.00	INR Zero Only
288.02	50 MM	1.000	each		0.00	INR Zero Only
288.03	60 MM	1.000	each		0.00	INR Zero Only
288.04	70 MM	1.000	each		0.00	INR Zero Only

288.05	80 MM	1.000	each		0.00	INR Zero Only
288.06	90 MM	1.000	each		0.00	INR Zero Only
288.07	100 MM	1.000	each		0.00	INR Zero Only
288.08	110 MM	1.000	each		0.00	INR Zero Only
288.09	120 MM	1.000	each		0.00	INR Zero Only
288.1	130 MM	1.000	each		0.00	INR Zero Only
288.11	140 MM	1.000	each		0.00	INR Zero Only
288.12	150 MM	1.000	each		0.00	INR Zero Only
288.13	160 MM	1.000	each		0.00	INR Zero Only
288.14	170 MM	1.000	each		0.00	INR Zero Only
288.15	180 MM	1.000	each		0.00	INR Zero Only
288.16	190 MM	1.000	each		0.00	INR Zero Only
288.17	200 MM	1.000	each		0.00	INR Zero Only
288.18	210MM	1.000	each		0.00	INR Zero Only
288.19	220 MM	1.000	each		0.00	INR Zero Only
288.2	230 MM	1.000	each		0.00	INR Zero Only
288.21	240 MM	1.000	each		0.00	INR Zero Only
288.22	250MM	1.000	each		0.00	INR Zero Only
288.23	260 MM	1.000	each		0.00	INR Zero Only
288.24	270 MM	1.000	each		0.00	INR Zero Only
288.25	280 MM	1.000	each		0.00	INR Zero Only
288.26	290 MM	1.000	each		0.00	INR Zero Only
288.27	300 MM	1.000	each		0.00	INR Zero Only

288.28	350 MM	1.000	each		0.00	INR Zero Only
288.29	400 MM	1.000	each		0.00	INR Zero Only
288.3	500 MM	1.000	each		0.00	INR Zero Only
289	10 ϕ MM ECO CAGE	0.000	each		0.00	INR Zero Only
289.01	10 X 10 MM	1.000	each		0.00	INR Zero Only
289.02	10 X15 MM	1.000	each		0.00	INR Zero Only
289.03	10 X 20 MM	1.000	each		0.00	INR Zero Only
289.04	10 X 25 MM	1.000	each		0.00	INR Zero Only
289.05	10X 30 MM	1.000	each		0.00	INR Zero Only
289.06	10 X 35 MM	1.000	each		0.00	INR Zero Only
289.07	10 X 40 MM	1.000	each		0.00	INR Zero Only
289.08	10 X 45 MM	1.000	each		0.00	INR Zero Only
289.09	10 X 50 MM	1.000	each		0.00	INR Zero Only
290	12 MM ϕ ECO CAGE	0.000	each		0.00	INR Zero Only
290.01	12 X 10 MM	1.000	each		0.00	INR Zero Only
290.02	12 X15 MM	1.000	each		0.00	INR Zero Only
290.03	12 X 20 MM	1.000	each		0.00	INR Zero Only
290.04	12 X 25 MM	1.000	each		0.00	INR Zero Only
290.05	12 X 30 MM	1.000	each		0.00	INR Zero Only
290.06	12 X 35 MM	1.000	each		0.00	INR Zero Only
290.07	12 X 40 MM	1.000	each		0.00	INR Zero Only
290.08	12 X 45 MM	1.000	each		0.00	INR Zero Only
290.09	12 X 50 MM	1.000	each		0.00	INR Zero Only

291	14 MM ø ECO CAGE	0.000	each		0.00	INR Zero Only
291.01	14 MM X 10 MM	1.000	each		0.00	INR Zero Only
291.02	14 MM X15 MM	1.000	each		0.00	INR Zero Only
291.03	14 MM X 20 MM	1.000	each		0.00	INR Zero Only
291.04	14 MM X 25 MM	1.000	each		0.00	INR Zero Only
291.05	14 MM X 30 MM	1.000	each		0.00	INR Zero Only
291.06	14 MM X 35 MM	1.000	each		0.00	INR Zero Only
291.07	14 MM X 40 MM	1.000	each		0.00	INR Zero Only
291.08	14 MMX 45 MM	1.000	each		0.00	INR Zero Only
291.09	14 MMX 50 MM	1.000	each		0.00	INR Zero Only
292	16 MM ø ECO CAGE	0.000	each		0.00	INR Zero Only
292.01	16 MM X 10 MM	1.000	each		0.00	INR Zero Only
292.02	16 MM X15 MM	1.000	each		0.00	INR Zero Only
292.03	16 MM X 20 MM	1.000	each		0.00	INR Zero Only
292.04	16 MM X 25 MM	1.000	each		0.00	INR Zero Only
292.05	16 MM X 30 MM	1.000	each		0.00	INR Zero Only
292.06	16 MM X 35 MM	1.000	each		0.00	INR Zero Only
292.07	16 MM X 40 MM	1.000	each		0.00	INR Zero Only
292.08	16 MMX 45 MM	1.000	each		0.00	INR Zero Only
292.09	16 MMX 50 MM	1.000	each		0.00	INR Zero Only
293	18 MMø ECO CAGE	0.000	each		0.00	INR Zero Only
293.01	18 MM X 10 MM	1.000	each		0.00	INR Zero Only
293.02	18 MM X15 MM	1.000	each		0.00	INR Zero Only

293.03	18 MM X 20 MM	1.000	each		0.00	INR Zero Only
293.04	18 MM X 25 MM	1.000	each		0.00	INR Zero Only
293.05	18 MM X 30 MM	1.000	each		0.00	INR Zero Only
293.06	18 MM X 35 MM	1.000	each		0.00	INR Zero Only
293.07	18 MM X 40 MM	1.000	each		0.00	INR Zero Only
293.08	18 MMX 45 MM	1.000	each		0.00	INR Zero Only
293.09	18 MMX 50 MM	1.000	each		0.00	INR Zero Only
294	12 MM ø EXPANDABLE CAGE	0.000	each		0.00	INR Zero Only
294.01	12 MM, 20X25	1.000	each		0.00	INR Zero Only
294.02	12 MM, 25X35	1.000	each		0.00	INR Zero Only
294.03	12 MM, 35X55	1.000	each		0.00	INR Zero Only
294.04	12 MM, 55X77	1.000	each		0.00	INR Zero Only
295	14 MM ø EXPANDABLE CAGE	0.000	each		0.00	INR Zero Only
295.01	14 MM, 20X25	1.000	each		0.00	INR Zero Only
295.02	14 MM, 25X35	1.000	each		0.00	INR Zero Only
295.03	14 MM, 35X55	1.000	each		0.00	INR Zero Only
295.04	14 MM, 55X77	1.000	each		0.00	INR Zero Only
296	16 MM ø EXPANDABLE CAGE	0.000	each		0.00	INR Zero Only
296.01	16 MM, 20X25	1.000	each		0.00	INR Zero Only
296.02	16 MM, 25X35	1.000	each		0.00	INR Zero Only
296.03	16 MM, 35X55	1.000	each		0.00	INR Zero Only
296.04	16 MM, 55X77	1.000	each		0.00	INR Zero Only
297	18 MM ø EXPANDABLE CAGE	0.000	each		0.00	INR Zero Only

297.01	18 MM, 20X25	1.000	each		0.00	INR Zero Only
297.02	18 MM, 25X35	1.000	each		0.00	INR Zero Only
297.03	18 MM, 35X55	1.000	each		0.00	INR Zero Only
297.04	18 MM, 55X77	1.000	each		0.00	INR Zero Only
298	4° HEIGHT- TLIF CAGE	0.000	each		0.00	INR Zero Only
298.01	4° - 7 MM X25 MM	1.000	each		0.00	INR Zero Only
298.02	4° - 8 MM X 25 MM	1.000	each		0.00	INR Zero Only
298.03	4° - 9 MM x 25 MM	1.000	each		0.00	INR Zero Only
298.04	4° - 10 MM X 25 MM	1.000	each		0.00	INR Zero Only
298.05	4° - 11 MM X 25 MM	1.000	each		0.00	INR Zero Only
299	8° HEIGHT- TLIF CAGE	0.000	each		0.00	INR Zero Only
299.01	8° - 7 MM X25 MM	1.000	each		0.00	INR Zero Only
299.02	8° - 8 MM X 25 MM	1.000	each		0.00	INR Zero Only
299.03	8° - 9 MM x 25 MM	1.000	each		0.00	INR Zero Only
299.04	8° - 10 MM X 25 MM	1.000	each		0.00	INR Zero Only
299.05	8° - 11 MM X 25 MM	1.000	each		0.00	INR Zero Only
300	11° HEIGHT- TLIF CAGE	0.000	each		0.00	INR Zero Only
300.01	11° - 7 MM X25 MM	1.000	each		0.00	INR Zero Only
300.02	11° - 8 MM X 25 MM	1.000	each		0.00	INR Zero Only
300.03	11° - 9 MM x 25 MM	1.000	each		0.00	INR Zero Only
300.04	11° - 10 MM X 25 MM	1.000	each		0.00	INR Zero Only
300.05	11° - 11 MM X 25 MM	1.000	each		0.00	INR Zero Only
301	0° - PLIF CAGE	0.000	each		0.00	INR Zero Only

301.01	0° - 7 MM DIA	1.000	each		0.00	INR Zero Only
301.02	0° - 8 MM DIA	1.000	each		0.00	INR Zero Only
301.03	0° - 9 MM DIA	1.000	each		0.00	INR Zero Only
301.04	0° -10 MM DIA	1.000	each		0.00	INR Zero Only
301.05	0°- 11 MM DIA	1.000	each		0.00	INR Zero Only
301.06	0°- 12 MM DIA	1.000	each		0.00	INR Zero Only
301.07	0° - 13 MM DIA	1.000	each		0.00	INR Zero Only
301.08	0°- 14 MM DIA	1.000	each		0.00	INR Zero Only
302	4° - PLIF CAGE	0.000	each		0.00	INR Zero Only
302.01	4° - 7 MM DIA	1.000	each		0.00	INR Zero Only
302.02	4° - 8 MM DIA	1.000	each		0.00	INR Zero Only
302.03	4° - 9 MM DIA	1.000	each		0.00	INR Zero Only
302.04	4° -10 MM DIA	1.000	each		0.00	INR Zero Only
302.05	4°- 11 MM DIA	1.000	each		0.00	INR Zero Only
302.06	4°- 12 MM DIA	1.000	each		0.00	INR Zero Only
302.07	4° - 13 MM DIA	1.000	each		0.00	INR Zero Only
302.08	4°- 14 MM DIA	1.000	each		0.00	INR Zero Only
303	ROD TO ROD CLAMP	0.000	each		0.00	INR Zero Only
303.01	ROD TO ROD CLAMP- AXIAL	1.000	each		0.00	INR Zero Only
303.02	ROD TO ROD CLAMP- PARALLEL	1.000	each		0.00	INR Zero Only
304	CERVICAL PLATE STABLISATION PIN	0.000	each		0.00	INR Zero Only
304.01	CERVICAL PLATE STABLISATION PIN	1.000	each		0.00	INR Zero Only
305	TRANSVERS CONNECT OR ø 5.5 MM	0.000	each		0.00	INR Zero Only

305.01	TRANSVERS CONNECTOR 5.5 MM	1.000	each		0.00	INR Zero Only
306	CERVICAL SPINE OFF SET	0.000	each		0.00	INR Zero Only
306.01	CERVICAL SPINE OFF SET	1.000	each		0.00	INR Zero Only
307	CERVICAL ROD CONNECTOR	0.000	each		0.00	INR Zero Only
307.01	CERVICAL ROD CONNECTOR	1.000	each		0.00	INR Zero Only
308	HALF PIN 5.0 MM	0.000	each		0.00	INR Zero Only
308.01	150 MM	1.000	each		0.00	INR Zero Only
309	GROUP - H : PROSTHESIS					
310	BIPOLAR PROTHESIS FENESTRATED- NEW TYPE-STERLISED	0.000	each		0.00	INR Zero Only
310.01	37 MM	1.000	each		0.00	INR Zero Only
310.02	39 MM	1.000	each		0.00	INR Zero Only
310.03	41 MM	1.000	each		0.00	INR Zero Only
310.04	43 MM	1.000	each		0.00	INR Zero Only
310.05	45 MM	1.000	each		0.00	INR Zero Only
310.06	47 MM	1.000	each		0.00	INR Zero Only
310.07	49 MM	1.000	each		0.00	INR Zero Only
310.08	51 MM	1.000	each		0.00	INR Zero Only
310.09	53 MM	1.000	each		0.00	INR Zero Only
310.1	55 MM	1.000	each		0.00	INR Zero Only
311	BIPOLAR PROTHESIS - NON FENESTRATED- NEW TYPE-STERLISED	0.000	each		0.00	INR Zero Only
311.01	37 MM	1.000	each		0.00	INR Zero Only
311.02	39 MM	1.000	each		0.00	INR Zero Only

311.03	41 MM	1.000	each		0.00	INR Zero Only
311.04	43 MM	1.000	each		0.00	INR Zero Only
311.05	45 MM	1.000	each		0.00	INR Zero Only
311.06	47 MM	1.000	each		0.00	INR Zero Only
311.07	49 MM	1.000	each		0.00	INR Zero Only
311.08	51 MM	1.000	each		0.00	INR Zero Only
311.09	53 MM	1.000	each		0.00	INR Zero Only
311.1	55 MM	1.000	each		0.00	INR Zero Only
312	A.M. HIP PROSTHESIS STERLISED	0.000	each		0.00	INR Zero Only
312.01	37 MM	1.000	each		0.00	INR Zero Only
312.02	38 MM	1.000	each		0.00	INR Zero Only
312.03	39 MM	1.000	each		0.00	INR Zero Only
312.04	40 MM	1.000	each		0.00	INR Zero Only
312.05	41 MM	1.000	each		0.00	INR Zero Only
312.06	42 MM	1.000	each		0.00	INR Zero Only
312.07	43 MM	1.000	each		0.00	INR Zero Only
312.08	44 MM	1.000	each		0.00	INR Zero Only
312.09	45 MM	1.000	each		0.00	INR Zero Only
312.1	46 MM	1.000	each		0.00	INR Zero Only
312.11	47 MM	1.000	each		0.00	INR Zero Only
312.12	48 MM	1.000	each		0.00	INR Zero Only
312.13	49 MM	1.000	each		0.00	INR Zero Only
312.14	50 MM	1.000	each		0.00	INR Zero Only

312.15	51 MM	1.000	each		0.00	INR Zero Only
312.16	52 MM	1.000	each		0.00	INR Zero Only
312.17	53 MM	1.000	each		0.00	INR Zero Only
312.18	54 MM	1.000	each		0.00	INR Zero Only
312.19	55 MM	1.000	each		0.00	INR Zero Only
313	A.M. HIP PROSTHESIS - NON- STERILISED	0.000	each		0.00	INR Zero Only
313.01	37 MM	1.000	each		0.00	INR Zero Only
313.02	38 MM	1.000	each		0.00	INR Zero Only
313.03	39 MM	1.000	each		0.00	INR Zero Only
313.04	40 MM	1.000	each		0.00	INR Zero Only
313.05	41 MM	1.000	each		0.00	INR Zero Only
313.06	42 MM	1.000	each		0.00	INR Zero Only
313.07	43 MM	1.000	each		0.00	INR Zero Only
313.08	44 MM	1.000	each		0.00	INR Zero Only
313.09	45 MM	1.000	each		0.00	INR Zero Only
313.1	46 MM	1.000	each		0.00	INR Zero Only
313.11	47 MM	1.000	each		0.00	INR Zero Only
313.12	48 MM	1.000	each		0.00	INR Zero Only
313.13	49 MM	1.000	each		0.00	INR Zero Only
313.14	50 MM	1.000	each		0.00	INR Zero Only
313.15	51 MM	1.000	each		0.00	INR Zero Only
313.16	52 MM	1.000	each		0.00	INR Zero Only
313.17	53 MM	1.000	each		0.00	INR Zero Only

313.18	54 MM	1.000	each		0.00	INR Zero Only
313.19	55 MM	1.000	each		0.00	INR Zero Only
314	MODULAR BIPOLAR CUP	0.000	each		0.00	INR Zero Only
314.01	37 MM- SMALL	1.000	each		0.00	INR Zero Only
314.02	37 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.03	37 MM- LARGE	1.000	each		0.00	INR Zero Only
314.04	39 MM- SMALL	1.000	each		0.00	INR Zero Only
314.05	39 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.06	39 MM- LARGE	1.000	each		0.00	INR Zero Only
314.07	41 MM- SMALL	1.000	each		0.00	INR Zero Only
314.08	41 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.09	41 MM- LARGE	1.000	each		0.00	INR Zero Only
314.1	43 MM- SMALL	1.000	each		0.00	INR Zero Only
314.11	43 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.12	43 MM- LARGE	1.000	each		0.00	INR Zero Only
314.13	45 MM- SMALL	1.000	each		0.00	INR Zero Only
314.14	45 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.15	45 MM- LARGE	1.000	each		0.00	INR Zero Only
314.16	47 MM- SMALL	1.000	each		0.00	INR Zero Only
314.17	47 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.18	47 MM- LARGE	1.000	each		0.00	INR Zero Only
314.19	49 MM- SMALL	1.000	each		0.00	INR Zero Only
314.2	49 MM- MEDIUM	1.000	each		0.00	INR Zero Only

314.21	49 MM- LARGE	1.000	each		0.00	INR Zero Only
314.22	51 MM- SMALL	1.000	each		0.00	INR Zero Only
314.23	51 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.24	51 MM- LARGE	1.000	each		0.00	INR Zero Only
314.25	53 MM- SMALL	1.000	each		0.00	INR Zero Only
314.26	53 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.27	53 MM- LARGE	1.000	each		0.00	INR Zero Only
314.28	54 MM- SMALL	1.000	each		0.00	INR Zero Only
314.29	54 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.3	54 MM- LARGE	1.000	each		0.00	INR Zero Only
314.31	55 MM- SMALL	1.000	each		0.00	INR Zero Only
314.32	55 MM- MEDIUM	1.000	each		0.00	INR Zero Only
314.33	55 MM- LARGE	1.000	each		0.00	INR Zero Only
315	MODULAR BIPOLAR STEM	0.000	each		0.00	INR Zero Only
315.01	SMALL	1.000	each		0.00	INR Zero Only
315.02	MEDIUM	1.000	each		0.00	INR Zero Only
315.03	LARGE	1.000	each		0.00	INR Zero Only
316	THOMPSON HIP PROSTHESIS STERILISED	0.000	each		0.00	INR Zero Only
316.01	37 MM	1.000	each		0.00	INR Zero Only
316.02	38 MM	1.000	each		0.00	INR Zero Only
316.03	39 MM	1.000	each		0.00	INR Zero Only
316.04	40 MM	1.000	each		0.00	INR Zero Only
316.05	41 MM	1.000	each		0.00	INR Zero Only

316.06	42 MM	1.000	each		0.00	INR Zero Only
316.07	43 MM	1.000	each		0.00	INR Zero Only
316.08	44 MM	1.000	each		0.00	INR Zero Only
316.09	45 MM	1.000	each		0.00	INR Zero Only
316.1	46 MM	1.000	each		0.00	INR Zero Only
316.11	47 MM	1.000	each		0.00	INR Zero Only
316.12	48 MM	1.000	each		0.00	INR Zero Only
316.13	49 MM	1.000	each		0.00	INR Zero Only
316.14	50 MM	1.000	each		0.00	INR Zero Only
316.15	51 MM	1.000	each		0.00	INR Zero Only
316.16	52 MM	1.000	each		0.00	INR Zero Only
316.17	53 MM	1.000	each		0.00	INR Zero Only
316.18	54 MM	1.000	each		0.00	INR Zero Only
316.19	55 MM	1.000	each		0.00	INR Zero Only
317	THOMPSON HIP PROSTHESIS NON STERILISED	0.000	each		0.00	INR Zero Only
317.01	37 MM	1.000	each		0.00	INR Zero Only
317.02	38 MM	1.000	each		0.00	INR Zero Only
317.03	39 MM	1.000	each		0.00	INR Zero Only
317.04	40 MM	1.000	each		0.00	INR Zero Only
317.05	41 MM	1.000	each		0.00	INR Zero Only
317.06	42 MM	1.000	each		0.00	INR Zero Only
317.07	43 MM	1.000	each		0.00	INR Zero Only
317.08	44 MM	1.000	each		0.00	INR Zero Only

317.09	45 MM	1.000	each		0.00	INR Zero Only
317.1	46 MM	1.000	each		0.00	INR Zero Only
317.11	47 MM	1.000	each		0.00	INR Zero Only
317.12	48 MM	1.000	each		0.00	INR Zero Only
317.13	49 MM	1.000	each		0.00	INR Zero Only
317.14	50 MM	1.000	each		0.00	INR Zero Only
317.15	51 MM	1.000	each		0.00	INR Zero Only
317.16	52 MM	1.000	each		0.00	INR Zero Only
317.17	53 MM	1.000	each		0.00	INR Zero Only
317.18	54 MM	1.000	each		0.00	INR Zero Only
317.19	55 MM	1.000	each		0.00	INR Zero Only
318	ACL SCREW ϕ 7.0 MM	0.000	each		0.00	INR Zero Only
318.01	20	1.000	each		0.00	INR Zero Only
318.02	25	1.000	each		0.00	INR Zero Only
318.03	30	1.000	each		0.00	INR Zero Only
318.04	35	1.000	each		0.00	INR Zero Only
318.05	40	1.000	each		0.00	INR Zero Only
319	ACL SCREW ϕ 8.0 MM	0.000	each		0.00	INR Zero Only
319.01	20	1.000	each		0.00	INR Zero Only
319.02	25	1.000	each		0.00	INR Zero Only
319.03	30	1.000	each		0.00	INR Zero Only
319.04	35	1.000	each		0.00	INR Zero Only
319.05	40	1.000	each		0.00	INR Zero Only

320	ACL SCREW ø 9.0 MM	0.000	each		0.00	INR Zero Only
320.01	20	1.000	each		0.00	INR Zero Only
320.02	25	1.000	each		0.00	INR Zero Only
320.03	30	1.000	each		0.00	INR Zero Only
320.04	35	1.000	each		0.00	INR Zero Only
320.05	40	1.000	each		0.00	INR Zero Only
321	ACL SCREW ø 10.0 MM	0.000	each		0.00	INR Zero Only
321.01	20	1.000	each		0.00	INR Zero Only
321.02	25	1.000	each		0.00	INR Zero Only
321.03	30	1.000	each		0.00	INR Zero Only
321.04	35	1.000	each		0.00	INR Zero Only
321.05	40	1.000	each		0.00	INR Zero Only
322	ACL	0.000	each		0.00	INR Zero Only
322.01	ACL ENDO BUTTON	1.000	each		0.00	INR Zero Only
322.02	ACL DISC WASHER	1.000	each		0.00	INR Zero Only
323	GROUP - I : EXTERNAL FIXATORS					
324	RAIL FOR RAIL FIXATOR	0.000	each		0.00	INR Zero Only
324.01	240 MM- LONG	1.000	each		0.00	INR Zero Only
324.02	300 MM- LONG	1.000	each		0.00	INR Zero Only
324.03	400 MM-LONG	1.000	each		0.00	INR Zero Only
325	DYNAMIC EXTERNAL FIXATOR	0.000	each		0.00	INR Zero Only
325.01	DYNAMIC EXTERNAL FIXATOR- SMALL	1.000	each		0.00	INR Zero Only
325.02	DYNAMIC EXTERNAL FIXATOR - MEDIUM	1.000	each		0.00	INR Zero Only

325.03	DYNAMIC EXTERNAL FIXATOR- LARGE	1.000	each		0.00	INR Zero Only
325.04	DYNAMIC WRIST FIXATOR	1.000	each		0.00	INR Zero Only
325.05	DYNAMIC EXTERNAL FIXATOR MEDIUM WITH SELF ADJUSTING CLAMP	1.000	each		0.00	INR Zero Only
325.06	DYNAMIC LINEAR FIXATOR	1.000	each		0.00	INR Zero Only
325.07	DYNAMIC EXTERNAL FIXATOR FOR DISTAL RADIUS	1.000	each		0.00	INR Zero Only
326	PEDIATRIC RAIL FIXATOR	0.000	each		0.00	INR Zero Only
326.01	150 MM- LONG	1.000	each		0.00	INR Zero Only
326.02	200 MM- LONG	1.000	each		0.00	INR Zero Only
326.03	250 MM-LONG	1.000	each		0.00	INR Zero Only
327	CLAMP FOR RAIL FIXATORS	0.000	each		0.00	INR Zero Only
327.01	CENTRAL CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
327.02	END CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
327.03	GRADUATED SWIVEL CLMAP	1.000	each		0.00	INR Zero Only
327.04	SWIVEL CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
327.05	BALL AND SOCKET CLAMP STANDARD FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
327.06	T- BALL AND SOCKET CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
327.07	DYNA RING FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
327.08	T CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
327.09	SANDWICH PLATE	1.000	each		0.00	INR Zero Only
327.1	ELBOW CLAMP	1.000	each		0.00	INR Zero Only
327.11	METAPHYSEAL CLAMP FOR RAIL FIATOR	1.000	each		0.00	INR Zero Only
328	CLAMP PEDIATRIC	0.000	each		0.00	INR Zero Only
328.01	PEDIATRIC CENTRAL CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only

328.02	PEDIATRIC END CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
328.03	PEDIATRIC SWIVEL CLAMP FOR RAIL FIXATOR	1.000	each		0.00	INR Zero Only
329	CLAMP GENERAL	0.000	each		0.00	INR Zero Only
329.01	OPEN CLAMP (DX.)	1.000	each		0.00	INR Zero Only
329.02	CONNECTING CLAMP (DX.)	1.000	each		0.00	INR Zero Only
329.03	TWIN ADJUSTABLE CLAMP	1.000	each		0.00	INR Zero Only
329.04	TUBE TO TUBE CLAMP	1.000	each		0.00	INR Zero Only
329.05	TRANSVERSE CLAMP	1.000	each		0.00	INR Zero Only
329.06	CLAMOP FOR FOREARM 2.5 MM x4.0 MM	1.000	each		0.00	INR Zero Only
329.07	CLAMP FOR FOREARM 3.5 MM x4.0 MM	1.000	each		0.00	INR Zero Only
329.08	CONNECTING CLAMP 4.0 MM x4.0 MM	1.000	each		0.00	INR Zero Only
330	PIN CLAMPS	0.000	each		0.00	INR Zero Only
330.01	SINGLE PIN CLAMP (DX.)	1.000	each		0.00	INR Zero Only
330.02	DOUBLE PIN CLAMP (DX.)	1.000	each		0.00	INR Zero Only
331	CD UNIT	0.000	each		0.00	INR Zero Only
331.01	CD UNIT 40 MM	1.000	each		0.00	INR Zero Only
331.02	CD UNIT 80 MM	1.000	each		0.00	INR Zero Only
332	TUBULAR ROD (8 MM)	0.000	each		0.00	INR Zero Only
332.01	100 MM	1.000	each		0.00	INR Zero Only
332.02	150 MM	1.000	each		0.00	INR Zero Only
332.03	200 MM	1.000	each		0.00	INR Zero Only
332.04	250 MM	1.000	each		0.00	INR Zero Only
332.05	300 MM	1.000	each		0.00	INR Zero Only

332.06	350 MM	1.000	each		0.00	INR Zero Only
332.07	400 MM	1.000	each		0.00	INR Zero Only
332.08	450 MM	1.000	each		0.00	INR Zero Only
333	TUBULAR ROD (11 MM)	0.000	each		0.00	INR Zero Only
333.01	100 MM	1.000	each		0.00	INR Zero Only
333.02	150 MM	1.000	each		0.00	INR Zero Only
333.03	200 MM	1.000	each		0.00	INR Zero Only
333.04	250 MM	1.000	each		0.00	INR Zero Only
333.05	300 MM	1.000	each		0.00	INR Zero Only
333.06	350 MM	1.000	each		0.00	INR Zero Only
333.07	400 MM	1.000	each		0.00	INR Zero Only
333.08	450 MM	1.000	each		0.00	INR Zero Only
333.09	500 MM	1.000	each		0.00	INR Zero Only
334	CONNECTING ROD \varnothing 4.0 MM	0.000	each		0.00	INR Zero Only
334.01	75 MM	1.000	each		0.00	INR Zero Only
334.02	100 MM	1.000	each		0.00	INR Zero Only
334.03	125 MM	1.000	each		0.00	INR Zero Only
334.04	150 MM	1.000	each		0.00	INR Zero Only
334.05	200 MM	1.000	each		0.00	INR Zero Only
334.06	225 MM	1.000	each		0.00	INR Zero Only
334.07	250 MM	1.000	each		0.00	INR Zero Only
334.08	300 MM	1.000	each		0.00	INR Zero Only
335	THREADED ROD \varnothing 6.0 MM	0.000	each		0.00	INR Zero Only

335.01	40 MM	1.000	each		0.00	INR Zero Only
335.02	50 MM	1.000	each		0.00	INR Zero Only
335.03	60 MM	1.000	each		0.00	INR Zero Only
335.04	70 MM	1.000	each		0.00	INR Zero Only
335.05	80 MM	1.000	each		0.00	INR Zero Only
335.06	90 MM	1.000	each		0.00	INR Zero Only
335.07	100 MM	1.000	each		0.00	INR Zero Only
335.08	110MM	1.000	each		0.00	INR Zero Only
335.09	120 MM	1.000	each		0.00	INR Zero Only
335.1	130 MM	1.000	each		0.00	INR Zero Only
335.11	140 MM	1.000	each		0.00	INR Zero Only
335.12	150 MM	1.000	each		0.00	INR Zero Only
335.13	200 MM	1.000	each		0.00	INR Zero Only
335.14	250 MM	1.000	each		0.00	INR Zero Only
335.15	300 MM	1.000	each		0.00	INR Zero Only
335.16	350 MM	1.000	each		0.00	INR Zero Only
335.17	400 MM	1.000	each		0.00	INR Zero Only
336	LOTTED THREADED ROD ϕ 6.0 MM	0.000	each		0.00	INR Zero Only
336.01	40 MM	1.000	each		0.00	INR Zero Only
336.02	60 MM	1.000	each		0.00	INR Zero Only
336.03	80 MM	1.000	each		0.00	INR Zero Only
336.04	100 MM	1.000	each		0.00	INR Zero Only
337	HALF RING	0.000	each		0.00	INR Zero Only

337.01	80 MM	1.000	each		0.00	INR Zero Only
337.02	100 MM	1.000	each		0.00	INR Zero Only
337.03	120 MM	1.000	each		0.00	INR Zero Only
337.04	140 MM	1.000	each		0.00	INR Zero Only
337.05	160 MM	1.000	each		0.00	INR Zero Only
337.06	180 MM	1.000	each		0.00	INR Zero Only
337.07	200 MM	1.000	each		0.00	INR Zero Only
337.08	220 MM	1.000	each		0.00	INR Zero Only
338	5/8 RING	0.000	each		0.00	INR Zero Only
338.01	140 MM	1.000	each		0.00	INR Zero Only
338.02	160 MM	1.000	each		0.00	INR Zero Only
338.03	180 MM	1.000	each		0.00	INR Zero Only
338.04	200 MM	1.000	each		0.00	INR Zero Only
338.05	220 MM	1.000	each		0.00	INR Zero Only
339	WIRE FIXATION BOLT	0.000	each		0.00	INR Zero Only
339.01	WIRE FIXATION BOLT- CANNULATED	1.000	each		0.00	INR Zero Only
339.02	WIRE FIXATION BOLT- SLOTTED	1.000	each		0.00	INR Zero Only
340	WIRE TENSIONERS	0.000	each		0.00	INR Zero Only
340.01	WIRE TENSIONERS- MECHANICAL	1.000	each		0.00	INR Zero Only
340.02	WIRE TENSIONERS- DYNAMOMETRIC (DYNAMOMETE)	1.000	each		0.00	INR Zero Only
341	WRENCHOQUBE- MALE	0.000	each		0.00	INR Zero Only
341.01	1 HOLES	1.000	each		0.00	INR Zero Only
341.02	2 HOLES	1.000	each		0.00	INR Zero Only

341.03	3 HOLES	1.000	each		0.00	INR Zero Only
341.04	4 HOLES	1.000	each		0.00	INR Zero Only
342	WRENCHOQUBE- FEMALE	0.000	each		0.00	INR Zero Only
342.01	1 HOLES	1.000	each		0.00	INR Zero Only
342.02	2 HOLES	1.000	each		0.00	INR Zero Only
342.03	3 HOLES	1.000	each		0.00	INR Zero Only
342.04	4 HOLES	1.000	each		0.00	INR Zero Only
343	RING CONNECTING BOLT	0.000	each		0.00	INR Zero Only
343.01	15 MM	1.000	each		0.00	INR Zero Only
343.02	20 MM	1.000	each		0.00	INR Zero Only
344	ALLEN KEY FOR RAIL FIXATOR	0.000	each		0.00	INR Zero Only
344.01	5.0 MM	1.000	each		0.00	INR Zero Only
344.02	6.0 MM	1.000	each		0.00	INR Zero Only
345	SPANNERS	0.000	each		0.00	INR Zero Only
345.01	8 MM	1.000	each		0.00	INR Zero Only
345.02	11 MM	1.000	each		0.00	INR Zero Only
345.03	UNIVERSAL BOX SPANNER	1.000	each		0.00	INR Zero Only
346	NUT	0.000	each		0.00	INR Zero Only
346.01	11 MM NUT	1.000	each		0.00	INR Zero Only
346.02	SQUARE NUT	1.000	each		0.00	INR Zero Only
347	WASHERS FOR FIXATORS	0.000	each		0.00	INR Zero Only
347.01	SLOTTED WASHER	1.000	each		0.00	INR Zero Only
347.02	SPACING WASHER	1.000	each		0.00	INR Zero Only

347.03	CONICAL WASHER- COUPLE	1.000	each		0.00	INR Zero Only
348	TRIPPLE TROCAR WITH HANDLE	0.000	each		0.00	INR Zero Only
348.01	50 MM	1.000	each		0.00	INR Zero Only
348.02	100 MM	1.000	each		0.00	INR Zero Only
349	GENERAL FIXATOR ITEMS	0.000	each		0.00	INR Zero Only
349.01	SOCKET WRENCH- 11 MM	1.000	each		0.00	INR Zero Only
349.02	COMPRESSION/ DISTRACTION DEVICE LARGE	1.000	each		0.00	INR Zero Only
349.03	SCHANZ SCREW INTRODUCER	1.000	each		0.00	INR Zero Only
350	GROUP - J : PINS & WIRES					
351	3.5 MM MOORE \SPIN WITH 2 NUTS	0.000	each		0.00	INR Zero Only
351.01	45 MM	1.000	each		0.00	INR Zero Only
351.02	50 MM	1.000	each		0.00	INR Zero Only
351.03	55 MM	1.000	each		0.00	INR Zero Only
351.04	60 MM	1.000	each		0.00	INR Zero Only
351.05	65 MM	1.000	each		0.00	INR Zero Only
351.06	70 MM	1.000	each		0.00	INR Zero Only
351.07	75 MM	1.000	each		0.00	INR Zero Only
351.08	80 MM	1.000	each		0.00	INR Zero Only
351.09	85 MM	1.000	each		0.00	INR Zero Only
351.1	90 MM	1.000	each		0.00	INR Zero Only
351.11	100 MM	1.000	each		0.00	INR Zero Only
351.12	105 MM	1.000	each		0.00	INR Zero Only
351.13	110 MM	1.000	each		0.00	INR Zero Only

351.14	115 MM	1.000	each		0.00	INR Zero Only
351.15	120 MM	1.000	each		0.00	INR Zero Only
351.16	125 MM	1.000	each		0.00	INR Zero Only
351.17	130 MM	1.000	each		0.00	INR Zero Only
351.18	135 MM	1.000	each		0.00	INR Zero Only
351.19	140 MM	1.000	each		0.00	INR Zero Only
351.2	145 MM	1.000	each		0.00	INR Zero Only
351.21	150 MM	1.000	each		0.00	INR Zero Only
352	3.0 MM KNOWLES PIN	0.000	each		0.00	INR Zero Only
352.01	100 MM	1.000	each		0.00	INR Zero Only
352.02	105 MM	1.000	each		0.00	INR Zero Only
352.03	110 MM	1.000	each		0.00	INR Zero Only
352.04	115 MM	1.000	each		0.00	INR Zero Only
352.05	120 MM	1.000	each		0.00	INR Zero Only
352.06	125 MM	1.000	each		0.00	INR Zero Only
352.07	130 MM	1.000	each		0.00	INR Zero Only
352.08	135 MM	1.000	each		0.00	INR Zero Only
352.09	140 MM	1.000	each		0.00	INR Zero Only
352.1	145 MM	1.000	each		0.00	INR Zero Only
353	4.0 MM KNOWLES PIN	0.000	each		0.00	INR Zero Only
353.01	95 MM	1.000	each		0.00	INR Zero Only
353.02	100 MM	1.000	each		0.00	INR Zero Only
353.03	105 MM	1.000	each		0.00	INR Zero Only

353.04	110 MM	1.000	each		0.00	INR Zero Only
353.05	115 MM	1.000	each		0.00	INR Zero Only
353.06	120 MM	1.000	each		0.00	INR Zero Only
353.07	125 MM	1.000	each		0.00	INR Zero Only
353.08	130 MM	1.000	each		0.00	INR Zero Only
353.09	135 MM	1.000	each		0.00	INR Zero Only
353.1	140 MM	1.000	each		0.00	INR Zero Only
353.11	145 MM	1.000	each		0.00	INR Zero Only
353.12	150 MM	1.000	each		0.00	INR Zero Only
353.13	155 MM	1.000	each		0.00	INR Zero Only
353.14	160 MM	1.000	each		0.00	INR Zero Only
353.15	165 MM	1.000	each		0.00	INR Zero Only
353.16	170 MM	1.000	each		0.00	INR Zero Only
353.17	175 MM	1.000	each		0.00	INR Zero Only
353.18	180 MM	1.000	each		0.00	INR Zero Only
354	4.5 MM SCHANZ PIN	0.000	each		0.00	INR Zero Only
354.01	14 TH x 100 MM	1.000	each		0.00	INR Zero Only
355	3.5 MM SCHANZ PIN	0.000	each		0.00	INR Zero Only
355.01	16TH X 125 MM	1.000	each		0.00	INR Zero Only
355.02	16 TH X 150 MM	1.000	each		0.00	INR Zero Only
355.03	16 TH X175 MM	1.000	each		0.00	INR Zero Only
355.04	16 TH X 200 MM	1.000	each		0.00	INR Zero Only
355.05	18 TH X 175 MM	1.000	each		0.00	INR Zero Only

355.06	32 TH X 150 MM	1.000	each		0.00	INR Zero Only
355.07	32 TH X 175 MM	1.000	each		0.00	INR Zero Only
355.08	32 TH X 200 MM	1.000	each		0.00	INR Zero Only
355.09	32 TH X 225 MM	1.000	each		0.00	INR Zero Only
355.1	40 TH X 225 MM	1.000	each		0.00	INR Zero Only
356	3.5 MM X 4.0 MM SHAFT SCHANZ PIN	0.000	each		0.00	INR Zero Only
356.01	18 TH X 175 MM	1.000	each		0.00	INR Zero Only
356.02	25 TH X 125 MM	1.000	each		0.00	INR Zero Only
356.03	32 TH X 150 MM	1.000	each		0.00	INR Zero Only
357	3.5 MM X 4.5 MM SHAFT SCHANZ PIN	0.000	each		0.00	INR Zero Only
357.01	32 TH X 125 MM	1.000	each		0.00	INR Zero Only
357.02	32 TH X 150 MM	1.000	each		0.00	INR Zero Only
358	4.0 MM SCHANZ PIN	0.000	each		0.00	INR Zero Only
358.01	40 TH X 175 MM	1.000	each		0.00	INR Zero Only
359	4.5 MM SCHANZ PIN	0.000	each		0.00	INR Zero Only
359.01	18 TH X 150 MM	1.000	each		0.00	INR Zero Only
359.02	18 TH X 175 MM	1.000	each		0.00	INR Zero Only
359.03	18 TH X 200 MM	1.000	each		0.00	INR Zero Only
359.04	18 TH X 225 MM	1.000	each		0.00	INR Zero Only
359.05	25 TH X 125 MM	1.000	each		0.00	INR Zero Only
359.06	25 TH X 150 MM	1.000	each		0.00	INR Zero Only
359.07	25 TH X 175 MM	1.000	each		0.00	INR Zero Only
359.08	25 TH X 200 MM	1.000	each		0.00	INR Zero Only

359.09	25 TH X 225 MM	1.000	each		0.00	INR Zero Only
359.1	25 TH X250 MM	1.000	each		0.00	INR Zero Only
359.11	32 TH X 150 MM	1.000	each		0.00	INR Zero Only
359.12	32 TH X 175 MM	1.000	each		0.00	INR Zero Only
359.13	32 TH X 200 MM	1.000	each		0.00	INR Zero Only
359.14	32 TH X 225 MM	1.000	each		0.00	INR Zero Only
359.15	40TH X 175 MM	1.000	each		0.00	INR Zero Only
359.16	40 TH X 200 MM	1.000	each		0.00	INR Zero Only
359.17	40 TH X 225 MM	1.000	each		0.00	INR Zero Only
360	5.0 MM SCHANZ PIN	0.000	each		0.00	INR Zero Only
360.01	16 TH X 175 MM	1.000	each		0.00	INR Zero Only
360.02	18 TH X 150 MM	1.000	each		0.00	INR Zero Only
360.03	18 TH X 175 MM	1.000	each		0.00	INR Zero Only
360.04	18 TH X 200 MM	1.000	each		0.00	INR Zero Only
360.05	25 TH X 150 MM	1.000	each		0.00	INR Zero Only
360.06	25 TH X 175 MM	1.000	each		0.00	INR Zero Only
360.07	25 TH X 200 MM	1.000	each		0.00	INR Zero Only
360.08	32 TH X 150 MM	1.000	each		0.00	INR Zero Only
360.09	32 TH X 175 MM	1.000	each		0.00	INR Zero Only
360.1	32 TH X 200 MM	1.000	each		0.00	INR Zero Only
360.11	32 TH X 225 MM	1.000	each		0.00	INR Zero Only
360.12	50 TH X 100 MM	1.000	each		0.00	INR Zero Only
360.13	50 TH X 125 MM	1.000	each		0.00	INR Zero Only

360.14	50 TH X 150 MM	1.000	each		0.00	INR Zero Only
360.15	50 TH X 175 MM	1.000	each		0.00	INR Zero Only
360.16	50 TH X 200 MM	1.000	each		0.00	INR Zero Only
360.17	50 TH X 225 MM	1.000	each		0.00	INR Zero Only
361	6.0 MM SCHANZ PIN	0.000	each		0.00	INR Zero Only
361.01	32 TH X 150 MM	1.000	each		0.00	INR Zero Only
361.02	32 TH X 175 MM	1.000	each		0.00	INR Zero Only
361.03	32 TH X 200 MM	1.000	each		0.00	INR Zero Only
361.04	32 TH X 225 MM	1.000	each		0.00	INR Zero Only
361.05	50 TH X 125 MM	1.000	each		0.00	INR Zero Only
361.06	50 TH X 150 MM	1.000	each		0.00	INR Zero Only
361.07	50 TH X 175 MM	1.000	each		0.00	INR Zero Only
361.08	50 TH X 200 MM	1.000	each		0.00	INR Zero Only
361.09	50 TH X 225 MM	1.000	each		0.00	INR Zero Only
362	4.0 MM TAPERED SCHANZ PIN	0.000	each		0.00	INR Zero Only
362.01	18 TH X 50 MM	1.000	each		0.00	INR Zero Only
362.02	20TH X 60MM	1.000	each		0.00	INR Zero Only
362.03	20TH X 70 MM	1.000	each		0.00	INR Zero Only
362.04	20TH X 80 MM	1.000	each		0.00	INR Zero Only
362.05	20TH X 100 MM	1.000	each		0.00	INR Zero Only
363	4.5 MM TAPERED SCHANZ PIN	0.000	each		0.00	INR Zero Only
363.01	20 TH X 100 MM	1.000	each		0.00	INR Zero Only
363.02	30 TH X 100 MM	1.000	each		0.00	INR Zero Only

363.03	30 TH X 120 MM	1.000	each		0.00	INR Zero Only
363.04	40 TH X 120 MM	1.000	each		0.00	INR Zero Only
363.05	40 TH X 150 MM	1.000	each		0.00	INR Zero Only
363.06	40 TH X 170 MM	1.000	each		0.00	INR Zero Only
364	6.0 MM TAPERED SCHANZ PIN	0.000	each		0.00	INR Zero Only
364.01	30 TH X 130 MM	1.000	each		0.00	INR Zero Only
364.02	30 TH X 150 MM	1.000	each		0.00	INR Zero Only
364.03	40 TH X 130 MM	1.000	each		0.00	INR Zero Only
364.04	40 TH X 150 MM	1.000	each		0.00	INR Zero Only
364.05	40 TH X 170 MM	1.000	each		0.00	INR Zero Only
364.06	40 TH X 200 MM	1.000	each		0.00	INR Zero Only
364.07	50 TH X 130MM	1.000	each		0.00	INR Zero Only
364.08	50 TH X 150 MM	1.000	each		0.00	INR Zero Only
364.09	50 TH X 170 MM	1.000	each		0.00	INR Zero Only
364.1	50 TH X 200 MM	1.000	each		0.00	INR Zero Only
364.11	50 TH X 225 MM	1.000	each		0.00	INR Zero Only
364.12	50 TH X 250MM	1.000	each		0.00	INR Zero Only
364.13	50 TH X 170MM	1.000	each		0.00	INR Zero Only
364.14	50 TH X 200MM	1.000	each		0.00	INR Zero Only
365	SCHANZ PIN SELF DRILLING AND SELF TAPPING	0.000	each		0.00	INR Zero Only
365.01	40 TH X 150 MM	1.000	each		0.00	INR Zero Only
365.02	75 TH X 195 MM	1.000	each		0.00	INR Zero Only
365.03	75 TH X 200 MM	1.000	each		0.00	INR Zero Only

366	SCHANZ PIN (STERLISED)	0.000	each		0.00	INR Zero Only
366.01	16 TH X 150 MM (STERLISED)	1.000	each		0.00	INR Zero Only
366.02	18TH X 200 MM (STERLISED)	1.000	each		0.00	INR Zero Only
366.03	25 TH X 200 MM (STERLISED)	1.000	each		0.00	INR Zero Only
367	6.5 MM CANCELLOUS SCHANZ PIN	0.000	each		0.00	INR Zero Only
367.01	16 TH X 225 MM	1.000	each		0.00	INR Zero Only
367.02	32 TH X 225 MM	1.000	each		0.00	INR Zero Only
368	CANCELLOUS SCHANZ PIN WITH THREADED END WITH 2 NUTS 6.5 MM	0.000	each		0.00	INR Zero Only
368.01	L-150 MM	1.000	each		0.00	INR Zero Only
369	3.0 MM STEINMANN PIN	0.000	each		0.00	INR Zero Only
369.01	150 MM	1.000	each		0.00	INR Zero Only
369.02	175 MM	1.000	each		0.00	INR Zero Only
369.03	200 MM	1.000	each		0.00	INR Zero Only
369.04	225 MM	1.000	each		0.00	INR Zero Only
370	3.0 MM STEINMANN PIN	0.000	each		0.00	INR Zero Only
370.01	125 MM	1.000	each		0.00	INR Zero Only
370.02	150 MM	1.000	each		0.00	INR Zero Only
370.03	175 MM	1.000	each		0.00	INR Zero Only
370.04	200 MM	1.000	each		0.00	INR Zero Only
370.05	225 MM	1.000	each		0.00	INR Zero Only
370.06	250 MM	1.000	each		0.00	INR Zero Only
371	4.0 MM STEINMANN PIN	0.000	each		0.00	INR Zero Only
371.01	150 MM	1.000	each		0.00	INR Zero Only

371.02	175 MM	1.000	each		0.00	INR Zero Only
371.03	200 MM	1.000	each		0.00	INR Zero Only
371.04	225 MM	1.000	each		0.00	INR Zero Only
371.05	250 MM	1.000	each		0.00	INR Zero Only
372	4.5 MM STEINMANN PIN	0.000	each		0.00	INR Zero Only
372.01	150 MM	1.000	each		0.00	INR Zero Only
372.02	175 MM	1.000	each		0.00	INR Zero Only
372.03	200 MM	1.000	each		0.00	INR Zero Only
372.04	225 MM	1.000	each		0.00	INR Zero Only
372.05	250 MM	1.000	each		0.00	INR Zero Only
373	5.0 MM STEINMANN PIN	0.000	each		0.00	INR Zero Only
373.01	150 MM	1.000	each		0.00	INR Zero Only
373.02	175 MM	1.000	each		0.00	INR Zero Only
373.03	200 MM	1.000	each		0.00	INR Zero Only
373.04	225 MM	1.000	each		0.00	INR Zero Only
374	4.5 MM STEINMANN PIN (STERLISED)	0.000	each		0.00	INR Zero Only
374.01	225 MM (STERLISED)	1.000	each		0.00	INR Zero Only
375	DANHAM PIN	0.000	each		0.00	INR Zero Only
375.01	4.5 MM x 225 MM	1.000	each		0.00	INR Zero Only
375.02	5.0 MM X 225 MM	1.000	each		0.00	INR Zero Only
376	DANHAM PIN (STERILIZED)	0.000	each		0.00	INR Zero Only
376.01	4.5 MM x 225 MM	1.000	each		0.00	INR Zero Only
377	0.6 MM K.WIRE	0.000	each		0.00	INR Zero Only

377.01	L 100 MM	1.000	each		0.00	INR Zero Only
377.02	L 150 MM	1.000	each		0.00	INR Zero Only
377.03	L 200 MM	1.000	each		0.00	INR Zero Only
377.04	L 250 MM	1.000	each		0.00	INR Zero Only
378	0.8 MM K. WIRE	0.000	each		0.00	INR Zero Only
378.01	L 075 MM	1.000	each		0.00	INR Zero Only
378.02	L 100 MM	1.000	each		0.00	INR Zero Only
378.03	L 150 MM	1.000	each		0.00	INR Zero Only
379	1.0 MM K. WIRE	0.000	each		0.00	INR Zero Only
379.01	L 100 MM	1.000	each		0.00	INR Zero Only
379.02	L 150 MM	1.000	each		0.00	INR Zero Only
379.03	L 200 MM	1.000	each		0.00	INR Zero Only
379.04	L 250 MM	1.000	each		0.00	INR Zero Only
379.05	L-300 MM	1.000	each		0.00	INR Zero Only
380	1.2 MM K. WIRE	0.000	each		0.00	INR Zero Only
380.01	L 100 MM	1.000	each		0.00	INR Zero Only
380.02	L 150 MM	1.000	each		0.00	INR Zero Only
380.03	L 200 MM	1.000	each		0.00	INR Zero Only
380.04	L 250 MM	1.000	each		0.00	INR Zero Only
380.05	L-300 MM	1.000	each		0.00	INR Zero Only
381	1.4 MM K.WIRE	0.000	each		0.00	INR Zero Only
381.01	L 100 MM	1.000	each		0.00	INR Zero Only
381.02	L 150 MM	1.000	each		0.00	INR Zero Only

381.03	L 200 MM	1.000	each		0.00	INR Zero Only
381.04	L 250 MM	1.000	each		0.00	INR Zero Only
381.05	L-300 MM	1.000	each		0.00	INR Zero Only
381.06	L 310 MM	1.000	each		0.00	INR Zero Only
382	1.5 MM K. WIRE	0.000	each		0.00	INR Zero Only
382.01	L 100 MM	1.000	each		0.00	INR Zero Only
382.02	L 150 MM	1.000	each		0.00	INR Zero Only
382.03	L 200 MM	1.000	each		0.00	INR Zero Only
382.04	L 250 MM	1.000	each		0.00	INR Zero Only
382.05	L-300 MM	1.000	each		0.00	INR Zero Only
382.06	L-350 MM	1.000	each		0.00	INR Zero Only
382.07	L-400 MM	1.000	each		0.00	INR Zero Only
383	1.6 MM K. WIRE	0.000	each		0.00	INR Zero Only
383.01	L 100 MM	1.000	each		0.00	INR Zero Only
383.02	L 150 MM	1.000	each		0.00	INR Zero Only
383.03	L 200 MM	1.000	each		0.00	INR Zero Only
383.04	L 250 MM	1.000	each		0.00	INR Zero Only
383.05	L-300 MM	1.000	each		0.00	INR Zero Only
383.06	L-310 MM	1.000	each		0.00	INR Zero Only
384	1.7 MM K. WIRE	0.000	each		0.00	INR Zero Only
384.01	L 150 MM	1.000	each		0.00	INR Zero Only
385	1.8 MM K. WIRE	0.000	each		0.00	INR Zero Only
385.01	L 100 MM	1.000	each		0.00	INR Zero Only

385.02	L 150 MM	1.000	each		0.00	INR Zero Only
385.03	L 175 MM	1.000	each		0.00	INR Zero Only
385.04	L 200 MM	1.000	each		0.00	INR Zero Only
385.05	L 250 MM	1.000	each		0.00	INR Zero Only
385.06	L-300 MM	1.000	each		0.00	INR Zero Only
385.07	L 310 MM	1.000	each		0.00	INR Zero Only
386	2.0 MM K. WIRE	0.000	each		0.00	INR Zero Only
386.01	L 100 MM	1.000	each		0.00	INR Zero Only
386.02	L 150 MM	1.000	each		0.00	INR Zero Only
386.03	L 175 MM	1.000	each		0.00	INR Zero Only
386.04	L 200 MM	1.000	each		0.00	INR Zero Only
386.05	L-225 MM	1.000	each		0.00	INR Zero Only
386.06	L 250 MM	1.000	each		0.00	INR Zero Only
386.07	L 300 MM	1.000	each		0.00	INR Zero Only
386.08	L 310 MM	1.000	each		0.00	INR Zero Only
386.09	L 400 MM	1.000	each		0.00	INR Zero Only
387	2.5 MM K. WIRE	0.000	each		0.00	INR Zero Only
387.01	L 100 MM	1.000	each		0.00	INR Zero Only
387.02	L 150 MM	1.000	each		0.00	INR Zero Only
387.03	L 200 MM	1.000	each		0.00	INR Zero Only
387.04	L 250 MM	1.000	each		0.00	INR Zero Only
387.05	L-300 MM	1.000	each		0.00	INR Zero Only
387.06	L 400 MM	1.000	each		0.00	INR Zero Only

387.07	L 450 MM	1.000	each		0.00	INR Zero Only
388	3.0 MM K. WIRE	0.000	each		0.00	INR Zero Only
388.01	L 100 MM	1.000	each		0.00	INR Zero Only
388.02	L 150 MM	1.000	each		0.00	INR Zero Only
388.03	L 200 MM	1.000	each		0.00	INR Zero Only
388.04	L 250 MM	1.000	each		0.00	INR Zero Only
388.05	L-300 MM	1.000	each		0.00	INR Zero Only
388.06	L 310 MM	1.000	each		0.00	INR Zero Only
388.07	L 450 MM	1.000	each		0.00	INR Zero Only
389	3.5 MM K. WIRE	0.000	each		0.00	INR Zero Only
389.01	L 100 MM	1.000	each		0.00	INR Zero Only
389.02	L 150 MM	1.000	each		0.00	INR Zero Only
389.03	L 200 MM	1.000	each		0.00	INR Zero Only
389.04	L 250 MM	1.000	each		0.00	INR Zero Only
389.05	L-300 MM	1.000	each		0.00	INR Zero Only
390	4.0 MM K. WIRE	0.000	each		0.00	INR Zero Only
390.01	L 150 MM	1.000	each		0.00	INR Zero Only
390.02	L 200 MM	1.000	each		0.00	INR Zero Only
390.03	L 250 MM	1.000	each		0.00	INR Zero Only
390.04	L 300 MM	1.000	each		0.00	INR Zero Only
390.05	L-350 MM	1.000	each		0.00	INR Zero Only
391	5.0 MM K. WIRE	0.000	each		0.00	INR Zero Only
391.01	L-300 MM	1.000	each		0.00	INR Zero Only

392	K. WIRE (STERILIZED)	0.000	each		0.00	INR Zero Only
392.01	1.0 MM - L 150 MM (STERILIZED)	1.000	each		0.00	INR Zero Only
392.02	1.2 MM - L 150 MM (STERILIZED)	1.000	each		0.00	INR Zero Only
392.03	1.5 MM - L 150 MM (STERILIZED)	1.000	each		0.00	INR Zero Only
392.04	1.8 MM - L 150 MM (STERILIZED)	1.000	each		0.00	INR Zero Only
392.05	2.0 MM - L 150 MM (STERILIZED)	1.000	each		0.00	INR Zero Only
392.06	2.5 MM - L 150 MM (STERILIZED)	1.000	each		0.00	INR Zero Only
392.07	3.0 MM - L 150 MM (STERILIZED)	1.000	each		0.00	INR Zero Only
393	1.2 MM DOUBLE ENDED- THREADED K. WIRE	0.000	each		0.00	INR Zero Only
393.01	L-300 MM	1.000	each		0.00	INR Zero Only
394	1.4 MM DOUBLE ENDED- THREADED K. WIRE	0.000	each		0.00	INR Zero Only
394.01	L 250 MM	1.000	each		0.00	INR Zero Only
395	1.5 MM DOUBLE ENDED- THREADED K. WIRE	0.000	each		0.00	INR Zero Only
395.01	L 150 MM	1.000	each		0.00	INR Zero Only
395.02	L 180 MM	1.000	each		0.00	INR Zero Only
395.03	L 200 MM	1.000	each		0.00	INR Zero Only
395.04	L 250MM	1.000	each		0.00	INR Zero Only
395.05	L-300 MM	1.000	each		0.00	INR Zero Only
396	2.0 MM DOUBLE ENDED- THREADED K. WIRE	0.000	each		0.00	INR Zero Only
396.01	L 150 MM	1.000	each		0.00	INR Zero Only
396.02	L 200 MM	1.000	each		0.00	INR Zero Only
396.03	L 250 MM	1.000	each		0.00	INR Zero Only
397	2.5 MM DOUBLE ENDED- THREADED K. WIRE	0.000	each		0.00	INR Zero Only

397.01	L-100 MM	1.000	each		0.00	INR Zero Only
397.02	L 150 MM	1.000	each		0.00	INR Zero Only
397.03	L 200 MM	1.000	each		0.00	INR Zero Only
397.04	L 250 MM	1.000	each		0.00	INR Zero Only
397.05	L 300 MM	1.000	each		0.00	INR Zero Only
397.06	L-400 MM	1.000	each		0.00	INR Zero Only
398	3.0 MM DOUBLE ENDED- THREADED K. WIRE	0.000	each		0.00	INR Zero Only
398.01	L 150 MM	1.000	each		0.00	INR Zero Only
398.02	L 200 MM	1.000	each		0.00	INR Zero Only
398.03	L 250 MM	1.000	each		0.00	INR Zero Only
398.04	L 300 MM	1.000	each		0.00	INR Zero Only
398.05	L-350 MM	1.000	each		0.00	INR Zero Only
399	3.5 MM DOUBLE ENDED- THREADED K. WIRE	0.000	each		0.00	INR Zero Only
399.01	L 300 MM	1.000	each		0.00	INR Zero Only
400	S.S WIRE (SUTURE)	0.000	each		0.00	INR Zero Only
400.01	16 SWG	1.000	each		0.00	INR Zero Only
400.02	18 SWG	1.000	each		0.00	INR Zero Only
400.03	20 SWG	1.000	each		0.00	INR Zero Only
400.04	22 SWG	1.000	each		0.00	INR Zero Only
400.05	24 SWG	1.000	each		0.00	INR Zero Only
400.06	26 SWG	1.000	each		0.00	INR Zero Only
400.07	28 SWG	1.000	each		0.00	INR Zero Only
400.08	30 SWG	1.000	each		0.00	INR Zero Only

401	COVENTRY STAPLES	0.000	each		0.00	INR Zero Only
401.01	SMALL (5 MM STEP)	1.000	each		0.00	INR Zero Only
401.02	MEDIUM (10 MM STEP)	1.000	each		0.00	INR Zero Only
401.03	LARGE (15 MM STEP)	1.000	each		0.00	INR Zero Only
402	ILLIZAROV WIRE (BAYNOT & TROCAR POINT)	0.000	each		0.00	INR Zero Only
402.01	1.5 (BAYNOT & TROCAR POINT) x 12 MM	1.000	each		0.00	INR Zero Only
402.02	1.5 (BAYNOT & TROCAR POINT) x 16 MM	1.000	each		0.00	INR Zero Only
402.03	1.8 (BAYNOT & TROCAR POINT) x 16 MM	1.000	each		0.00	INR Zero Only
403	OLIVE WIRE (BAYNOT POINT)	0.000	each		0.00	INR Zero Only
403.01	1.5 (BAYNOT POINT)x 16 "	1.000	each		0.00	INR Zero Only
403.02	1.8 (BAYNOT POINT)x 16 "	1.000	each		0.00	INR Zero Only
404	GROUP - K					

405	<p>UNCEMENTED THR SYSTEM</p> <ul style="list-style-type: none"> * Fully Hydroxyapatite coated stem * Most optimum level coating 155 microns * Proximal Horizontal macrostructure * Distal Macrostructure * 12/14 Articuleze Mini Taper * Neck Shaft Angle - 130° to 135° * Neck length : 38.5 mm/ Offset: 38-43 mm * Stem Length: 115-165 mm * Femoral head Metallurgy- CoCr (Cobalt Chromium Molybdenum) * Cancellous screw diameter 6.5 mm * Metallurgy- Ti6Al4V (Forged Titanium Aluminium Vanadium Alloy) * Fully threaded self tapping cancellous screw * Moderate crosslinked polythelene acetabular liner * Metallurgy : Moderately Cross linked - 5 Mrad (GUR 402 grade UHMWPE) * Dome poly thickness 6-10 mm with 180 degree femoral head coverage * Gamma Irradiated Vacuum packed * Available with neutral and +4 mm lateralised option * Acetabular cup Metallurgy: Ti6Al4V * Acetabular cup dome geometry is 165 degree sub hemisphere shape * Cup Porocoat porous coating -250 microns * Pore diameter- coating thickness 0.8 mm * Locking -ring mechanism 	1.000	each		0.00	INR Zero Only
-----	--	-------	------	--	------	---------------

406	<p>Cemented THR System</p> <ul style="list-style-type: none"> * Stem Metallurgy- orton 90 * Tripple Tapered polished stem * Stem Offset 26-42 mm * Stem neck length : 25.5-32.1 mm & distal stem tip diameter 5.8 mm *Leg length range 26-29 mm * 9/10 & 12/14 taper *proximal M/L width range : 24.8- 29.7 mm *A/P width :10.3 -13 mm * Femoral head Mettallurgy - Orton 90 * Ogee flanged polythylene acetabular cup 4 MRAD poly with long posterior wall * Radiographic Positioning ring 15 degree angle bore option * Void Centraliser Mettallurgy- PMMA (Sizes : 10 , 12, 14, 16 mm) * Hardinge cement restrictor thickness- 8, 8.5, 9, 11.5 mm 	1.000	each		0.00	INR Zero Only
-----	---	-------	------	--	-------------	---------------

407	<p>Cemented Bipolar System</p> <ul style="list-style-type: none"> * Modular two part system metal cup with poly liner * Sizing range 39-65 mm * Comptable with 22.225 and 28 mm head * Easy convection to total hip without distrubing femoral componeny * Dedicated modular endo heads * Available to use both Uncemented and cemented hip system * Design to Accurate fit for wide range of patient * Locking ring locks the poly liner into metal cup * Stem Metallurgy- Orton 90 * Tripple Tapered polished stem *Stem offset 26-42 mm * Stem neck length : 25.5-32.1 mm & distal stem tip diameter 5.8 mm *Leg length range 26-29 mm * 9/10 & 12/14 taper *proximal M/L width range : 24.8- 29.7 mm *A/P width :10.3 -13 mm * Femoral head Mettalurgy - Orton 90 * Hardinge cement restrictor thickness- 8, 8.5, 9, 11.5 mm 	1.000	each		0.00	INR Zero Only
-----	--	-------	------	--	-------------	---------------

408	<p>Uncemented Bipolar system</p> <ul style="list-style-type: none"> * Modular two part system metal cup with poly liner * Sizing range 39-65 mm * Compatable with 22.225 and 28 mm head * Easy convection to total hip without distrubing femoral componeny * Dedicated modular endo heads * Available to use both Uncemented and cemented hip system * Design to Accurate fit for wide range of patient * Locking ring locks the poly liner into metal cup *Fully Hydroxyapatite coated stem * Most optimal level coating 155 microns * Proximal Horizontal macrostructure * Distal Macrostructure * 12/14 Articuleze Mini Taper * Neck Shaft Angle -135 degree * Neck Length: 38.5 mm/offset:38-43 mm * Stem length : 115-165 mm * Femoral head Metaallurgy- Co Cr (Cobalt Cromium Molybdenum) 	1.000	each		0.00	INR Zero Only
409	<p>Bone cement:</p> <ul style="list-style-type: none"> * High viscosity cement * Longer working time and comparetably short seeting time * Contains Methyl Methacrylate/ Methyl acrylate copolymer blend * Sterilised using as the radipaque agent * Zentamycin loaded 	1.000	each		0.00	INR Zero Only

410	<p>TKR System:</p> <ul style="list-style-type: none"> * Femoral component Metaallurgy- Co Cr (Cobalt Cromium Molybdenum) * Femur should have a deep sulcus (trochlear) groove ratio of 1.0" to 0.3" radii with 7 degree Q angle to mechanical axis * Femur should have J-curve articulation with multi radius design * Femoral component inner box dimension- 17.8 mm * Femoral component A/P dimension 57-69 mm * Femoral component M/L dimension 53-73 mm * Femoral component lift off height 20.3 mm * Femoral component posterior thickness 8 mm & distal thickness 9mm * 7 degree deep conforming trochlear groove * Tibial component Metallurgy Ti6Al4V (Forged Titanium Vanadium Alloy) * Anatomical 3 degree slope on keel * Spirallock threads in the distal aspect of keel accepts various dia & length of Tibial stem * Peripheral locking Rim Present * Thickness of tibial Platform -2mm * Tibial component M/L dimension 61 -83 mm and A/P dimension 41-55 mm * Keel height 38-43 mm A/P dimension of keel 21-24 mm and M/L dimension 37-43 mm * Poly Insert metallurgy-mild cross linked 5 MRAD (Gur 402 grade UHMPE) *Spine width 16.3 mm * Spine Height- 19mm * Insert Thickness 8, 10, 12.5, 15, 17.5 mm * Minimum Effective poly- 6mm * M/L dimension 58-83 mm & A/p dimension 38-55 mm * Peripheral anterior double locking *Dome patella Metallurgy - calcium stearate free UHMWPE *Three peg patella * Patella Thickness 8, 8.5 , 9 & 11.5 mm 	1.000	each		0.00	INR Zero Only
-----	--	-------	------	--	-------------	---------------

411	<p>Hemi Shoulder system</p> <ul style="list-style-type: none"> * Available in proximally Porocoat® * porous -coated and non -coated humeral stems * Trial and implants height markings assist in re- establishing anatomical height * A reduced proximal body helps preserve bone stock for tuberosity attachment * Anterior fin with hole provides the proper anatomical location for tuberosity fixation * Modular humeral heads provide more anatomical options than fixed head system * A medial fin hole provides additional fixation opportunities * Low profile femoral head * Increase articular surface area by 25-33 percent * Modular head coming into 5 diameter and 3 different hieghts (diameter 40,44,48,52, 56 mm & height 15 , 18 , 21 mm) 	1.000	each		0.00	INR Zero Only
-----	--	-------	------	--	-------------	---------------

412	<p>Total shoulder system</p> <ul style="list-style-type: none"> * Available in proximally Porocoat® * porous -coated and non -coated humeral stems * Trial and implants height markings assist in re- establishing anatomical height * A reduced proximal body helps preserve bone stock for tuberosity attachment * Anterior fin with hole provides the proper anatomical location for tuberosity fixation * Modular humeral heads with maximized articular surface area * Reverse Morse taper locking mechanism provides maximum surgical exposure * Modular humeral heads provide more anatomical options than fixed head system * A medial fin hole provides additional fixation opportunities * Peg & keel system glenoid to give more rotational stability * 3 types of glenoid anchor peg, keeled and 5 pegged glenoid * Glenoid made off UHMWPE 	1.000	each		0.00	INR Zero Only
413	<p>Elbow System:</p> <ul style="list-style-type: none"> * Hinge Prothesis * Made off Stailless stell type of metal * Both the edges should be narrow to reduce pain 	1.000	each		0.00	INR Zero Only
414	Shoulder Instrument system;					

414.01	Humeral stem instrument set: * Single reaming and broach technique * Manual and power both reaming option needed * Anterotation fin * Height and rotation adjustable zig	1.000	each		0.00	INR Zero Only
414.02	Humeral Head instrument set: * Diameter should 40, 44, 48, 52, and 56 & height should be 15, 18 & 21 mm * Different color coading for different sizes head which gives you maximum anatomic coverage	1.000	each		0.00	INR Zero Only
414.03	Glenoid instrument sets: * All 3 peg, keeled and anchor peg option should be available * Diameter should 40, 44, 48, 52, and 56 & height should be 15, 18 & 21 mm	1.000	each		0.00	INR Zero Only
415	Total instrument set for TKR system:					
415.01	Instrument set for Tibial component: * Tibial zig should have option 0 degree, 3 degree & 5 degree inbuilt slope * +/-2 mm cutting option be there within the zig itself * External tibial zig should have medio/ lateral sliding option to correct the varus/ valgus deformity & anterior sliding option to correct the posterior additional slope	1.000	each		0.00	INR Zero Only

415.02	Instrument set for Femoral component: * Femoral zig should have options of posterior referencing and anterior referencing * All cuts in one zig except notch cut * saw capture should be there within the zig itself to protect the extra bone cut * Varus/ valgus deformity correction option should be there within the zig itself	1.000	each		0.00	INR Zero Only
415.03	Instrument set for Tibial Insert component * High performance instrumnets to support anterior- posterior transition to match flexion to extension gap * Different colour coding for each insert trial * Sizes should be 8/10/12.5/15 & 17.5 in each sizes from 1.5-5	1.000	each		0.00	INR Zero Only
415.04	Instrument set for basic and common TKR system * High performance instruments designed to minimally invasisve procedure (MIS)	1.000	each		0.00	INR Zero Only
415.05	Instrument set for patellar component: * Sizes should be 32/35/38 & 41 * saw capture should be there within the zig itself to protect the extra bone cut within cutting zig itself * 3 peg pattla cutting zig needed	1.000	each		0.00	INR Zero Only
416	Total instrument set for THR system:					

416.01	Instrument set for Uncemented stem component * Downwards cutting broaches * single broach technique * 45 degree neck cutting option * 12/14 taper	1.000	each		0.00	INR Zero Only
416.02	Instrument set for Uncemented cup component * Sub hemispherical cup trials 165 degree dome * Liner trial lock in option within the shell * Anteversion and abduction angle reference guide * Compatible with 28& 32mm head	1.000	each		0.00	INR Zero Only
416.03	Instrument set for cemented stem component * Diamond cutting broaches * Wide range of each sizes straight reamer * 12/14 taper	1.000	each		0.00	INR Zero Only
416.04	Instrument set for cemented cup component * Compatible with 28 mm diameter head * Wide range of acetabulum reamer * Compatible with 28 mm diameter head	1.000	each		0.00	INR Zero Only
416.05	Instrument set for acetabulum reamer: * Clock wise cutting edge * Subhemispherical shape * Available in both option manual and power reaming	1.000	each		0.00	INR Zero Only

416.06	Instrument set for Bipolar: * Available in 22 & 28 Diameter * Size range 39-65 mm * Design to accurate fit for wide range of patient	1.000	each		0.00	INR Zero Only
416.07	Battery Reamer/drill (handpiece) set: * Fully Cannulated with 4.0 mm diameter * Drilling Speed from 0-930 rpm * Reaming Speed from 0-340 rpm * Power 195 watt * Torque Up to 15 Nm * Weight including Batteries 1565 g * Clockwise/ counter- clockwise operation * Operating voltage 14.8 V * Typical Charging Time of less than 60 min	1.000	each		0.00	INR Zero Only

416.08	<p>Battery Oscillator (Handpiece) set:</p> <ul style="list-style-type: none"> * variable frequency of 0 to 12,000 osc/min. * Saw Blade deflection 4.5 ° * Keyless fixation of Saw Blades * Saw Blade should fixation in 45 ° increments i.e total 8 positions * Weight including Batteries 1685 g * Operating Voltage 14.8 V * Typical Charging time of less than 60 min * Saw Blade for TJR Surgery Length 81 to 116 mm, Usable L 60 to 95 mm, Width 12.5 to 25 mm, Thickness 0.89 to 1.47 mm * Saw Blade for General Traumatology Length 46 to 90 mm, Usable Length 25 to 69 mm, Width 10 to 50 mm, Thickness 0.4 to 1.2 mm 	1.000	each		0.00	INR Zero Only
--------	--	-------	------	--	-------------	---------------

416.09	<p>Batteries/ casing/ Charger set:</p> <ul style="list-style-type: none"> * No memory effect (special charging process eliminates memory effect) * Long battery -lifetime (> 1000 charging cycles) * Non- sterile batteries * Quick Re-availability (because no washing/ sterilization is necessary) * No loss of battery capacity due to sterilization * Safe and easy handling in the operation theatre * Standard battery : 14.8V, 1.5 Ah, Li-Ion * Holds the 14.8 V battery to establish connection with the handpiece * Helps to ensure aseptic transfer of batteries with the help of sterile cover * With locking mechanism to prevent the battery from falling * Made up of PEEK (Polyetheretherketone) * fully Autoclavable * Should have 4 charging bays * Should be capable of charging NiCd, NiMh and Lithium Ion batteries * Should display the charging status of the batteries * Should have option of Refreshing batteries * Keeps inserted batteries constantly fully loaded 	1.000	each		0.00	INR Zero Only
--------	---	-------	------	--	-------------	---------------

416.1	Drill Chuck with Key / Hudson quick coupling/ Quick coupling for kirschner wires set: * 3.2 mm Cannulated with key * Operating capacity from 0.5 to 7.3 mm diameter * Maximum Speed: 930 rpm *Torque 6 Nm * 4.0 mm Cannulation * Maximum Speed: 340 rpm * torque 15 Nm * For dia 1.5 to 4.0 mm wires * Maximum Speed: 930 rpm	1.000	each		0.00	INR Zero Only
416.11	Reciprocating Saw system * variable frequency of 0 to 14,000 osc/min. * Weight Including Batteries 1675 g * Stroke 4 mm * Operating voltage 14.8 V *Typical Charging time of less than 60 min * Click in Saw Blade fixation * Saw Blade for Reciprocating saw Length 55 to 80 mm, Cutting Thickness 0.85 to 1.1mm, Width 10 to 12 mm	1.000	each		0.00	INR Zero Only
Total in Figures					0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				

₹0/-
निदेशक,
राजेन्द्र आयुर्वेदिक संस्थान, रांची।