

राजेन्द्र आयुर्विज्ञान संस्थान

(झारखण्ड सरकार का एक स्वयंशासी संस्थान)
राँची-834009(झारखण्ड)
दुरवाक: 0651-2541533, फैक्स: 0651-2540629,
E-mail: rimsranchi@rediffmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES

(An Autonomous Institute under Govt. of Jharkhand)

Ranchi-834009(Jharkhand)

Phone: 0651-2541533, Fax: 0651-2540629,

Email : rimsranchi@rediffmail.com

NOTICE INVITING TENDER (NIT), RIMS, RANCHI: 834009

E- Bids are invited in two bid system (Part-1 Technical bid & Part-2 Financial bid) for supply of Chemical/Kits/Reagents/Consumables based on rate contract from reputed & genuine manufacturers/Authorized dealer/distributors at RIMS, Ranchi.

E-Tender notice no. 81(PC) Dated 15.10.2024

E-Tender Portal: <https://jharkhandtenders.gov.in/>

Sl. No.	Particulars	Date	Time
1.	Publication of tender	15.10.24	
2.	Pre-bid discussion meeting	22.10.24	11:00 A.M.
3.	Uploading of amended tender based on pre-bid meeting	26.10.24	
4.	Bid submission begins	26.10.24	9:00 A.M.
5.	Bid submission ends	25.11.24	5:00 P.M.
6.	Last date for submission of EMD, tender fee (Submit Online as per E-Jharkhand Rule)	25.11.24	5:00 P.M.
7.	Opening of Bid	27.11.24	11:00 A.M.

Note: Corrigendum/amendments etc., to this publication, if any, would appear only on the said websites and not be published Rims, Ranchi shall not be responsible to notified the amendment to Bidders individually All amendments/ Corrigendum by the Rims, Ranchi till 07 (Seven) days Before the deadline for submission of bids shall be bidding on the participatory Bidders.

Pre-bid meeting venue

Conference Hall, Administrative Block, RIMS, Bariatu, Ranchi-834009

Bid Offer Validity (End Date) – 730 days

Time allow for Technical Clarification during Technical Evaluation.- 02 days

Evaluation Method. – Items wise Evaluation

Tender Fees (Non-refundable)

Amount: Rs. 5,000/- (Rupees Five Thousand Only)

Mode: Online as per E- Jharkhand Tender Website.

Earnest Money Deposit (EMD)

Amount: Rs. 2,00,000/- (Rupees Two Lakhs Only)

Mode: Online as per E- Jharkhand Tender Website.

E-mail: rimsranchi@rediffmail.com

Website: <https://rimsranchi.ac.in/>

Telephone: 0612 – 2297631

Sd/-

Medical Superintendent

Rajendra Institute of Medical Sciences

Ranchi

Memo No. , Dated

Copy: Add. Director (Administration)/Medical Superintendent/ Dy. Medical Superintendent/Accounts Officer/Director Cell RIMS, Ranchi for information.


15/10/2024

Medical Superintendent

Rajendra Institute of Medical Sciences

Ranchi

1

Signature Not Verified

Digitally signed by HIRENDRA BIRUA
Date: 2024.10.15 15:28:47 IST
Location: Jharkhand-JH



Birua

Hirendra



General Instruction:-

1. Please log on to www.jharkhandtenders.gov.in only for downloading bid document and for participation through **e-tendering basis**. All corrigendum/ modifications/ amendments, if any, will be published on the website www.jharkhandtenders.gov.in only. All bidders are requested to visit this website on regular basis.
2. Tenderer may also download the tender enquiry documents from the web site www.jharkhandtenders.gov.in and submit its tender by utilizing the downloaded document, along with the required non-refundable fee as mentioned above. The tender shall be submitted, all the necessary documents and in physical form (with respect to few documents as mentioned in the SIT) in parts/ covers as mentioned below:

A. All documents must be submitted Online In Original

- (i) Affidavit as per tender document
- (ii) Bid summary sheet
- (iii) Tender Fee & EMD

B. ELIGIBILITY CONDITIONS:

1.1 The bidder must have the following eligibility qualifications:

- (I) However, for submitting the bid, the bidders may submit an affidavit to this effect, duly sworn before a First Class Magistrate/ Notary Affidavit that The Company neither have been blacklisted by any Central / State government department nor should have any litigation pending with any of these departments.(Affidavit as (Annexure II))
- (II) It should have GST registration no and PAN Number.
- (III) It should have Articles of Association (in case of registered firms), by laws and certificate of registration (in case of registered cooperative societies), Partnership deed (in case of partnership firm).

TENDER NOTICE

Procurement Chemical Items for various departments at RIMS, Ranchi

1. E-tenders in Two Bids (Technical & Financial) are invited on behalf of the Director, Rajendra Institute of Medical Sciences, Ranchi from interested and eligible manufacturer or their authorized distributors/dealers, for supply of Chemical Items for period of two years at Rims, Ranchi. These items will be delivered to the Institute from time to time as per supply orders. You are requested to quote your best offer along with the complete details of specification terms & conditions.
2. Bids shall be submitted online only at Jharkhand Govt. Website: www.jharkhandtenders.gov.in
3. The complete bidding process is online. Bidders should be possession of valid digital Signature Certificate (DSC) for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above (Digital Certificates: For integrity of data and authenticity / non-repudiation of electronic records, and to be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC), also referred to as Digital Signature Certificate (DSC), of Class III, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer <http://www.cca.gov.in>]) For any query bidder may mail at rimsranchi@rediffmail.com .
4. Tenderer/Contractor/Bidders are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer/Bidders for the e-submission of the bids online through the Jharkhand Govt. e-tender Portal for e Procurement at www.jharkhandtenders.gov.in
5. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
6. **Submission of Tender:**
 - I. The tender shall be submitted online in two part, viz., technical bid and financial bid. All the pages of bid being submitted must be signed, stamped by authorized signatory and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.
 - II. A person signing the tender form or any document forming part of the tender on behalf of another person should have an authority to bind such other person and if, on enquiry it appears that the person so signing had no authority to do so, RIMS, Ranchi may without prejudice, cancel the contract and hold the signatory liable for all costs, consequences and damages under the civil and criminal remedies available.
 - III. All the duly filled/completed pages of the tender should be given serial /page number on each page and signed by the owner of the firm or his

Authorized signatory. In case the tenders are signed by the Authorized signatory, a copy of the power of attorney/authorization may be enclosed along with tender. A copy of the terms & conditions shall be signed on each page and submitted with the technical bid as token of acceptance of terms & conditions. Tender with unsigned pages/incomplete/partial/part of tender if submitted will be rejected out rightly.

IV. The offers submitted by Telegram/Fax/email shall not be considered. No correspondence will be entertained in this matter.

7. Any future clarification and/or corrigendum(s) shall be communicated through www.jharkhandtenders.gov.in. The bidders are required to regularly check the website to know about any/all such corrigendum(s) as only these bids, taking care of such corrigendum(s) shall be considered for finalization of the tender.
8. Bidder should necessarily enclose a covering letter mentioning a summary of applied document with proper numbering. Secondly, bid should also attach a compliance sheet as per specification It will be necessary to mention the make of any items you are quoting.
9. Any omission in filling the columns of Financial Bid form (Schedule of Rates) shall debar a tender from being considered. Rates should be filled up carefully by the tenderer. All corrections in this schedule must be duly attested by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.
10. **(i) EMD Payment** : Kindly Submit Online EMD and Tender Fees As per E-Jharkhand Rule. The bid without EMD and tender fee will be summarily rejected.
(ii) Bid Security: - EMD Fees Rs. 2,00,000.00/- (Rs. Two Lakh Only) or Tender Fees Rs. 5,000.00/- (Rs. Five Thousand Only)
 - a) The Public Sector Undertaking of the Central/ State Govt./ MSEs/ MSME/ Registered with Central Purchase Organization are exempted from furnishing Earnest Money along with tender, subject to submission of its valid proof.
 - b) The firms Registered with DGS & D/ SSI and any approved source of Centre/States Govt. are not exempted from furnishing Earnest Money in so far as this institute is concerned.
 - c) Earnest Money deposited with RIMS, Ranchi in connection with any other tender enquiry even if for same/similar material / Stores by the tenderer will not be considered against this tender.**(iii)** EMD is required to protect the purchaser against the risk of Bidders conduct. The EMD will be forfeited if the bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the





period of validity of its tender or if it comes to the notice that the information/ documents furnished in its tender is incorrect or false.

(iv) The bid security (EMD) without interest shall be returned to the unsuccessful bidders after finalization of contract with successful bidder.





11. Bidders are not allowed to submit more than one bid for the same/similar tendered item else all his bids shall be cancelled thereby making him disqualified in addition to the forfeiture of the EMD.
12. The tender evaluation committee may call the responsive bidders for discussion or presentation to facilitate and assess their understanding of the scope of work and its execution. However, the committee shall have sole discretion to call for discussion / presentation.
13. Chemical/Kits/Reagents supplied to RIMS must have stamp of govt. supply / not for sale on the wrappers, vials etc.
14. **Samples:** Quality of items supplied is of utmost importance. The tenderers have to provide samples of the quoted items (non-returnable) at the hospital site, when asked. Acceptance of the tender will normally be on the basis of minimum quoted rate and quality of the items quoted (as per sample). The tenderers have to abide by the decisions/ directions of Hospital Authority in this regard. On award of contract the approved Tenderer(s) have to supply the goods as per the brand and quality of sample provided at the time of Tender inspection and approved by the hospital. Any deviation in this regard will be treated as non-compliance and may lead to breach of contract. Each sample should have a card affixed to the sample which should bear the following information.
 - a) Your name and address
 - b) Tender Number
 - c) Opening of Tender
 - d) Item No. against which sample submitted
 - e) Any other relevant description deemed fit

15. Corrupt or Fraudulent Practices:

It is required by all concerned namely the Consignee/Bidders/Suppliers etc to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Purchaser defines, for the purposes of this provision, the terms set forth below as follows:

- a) "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution;
- b) "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Purchaser, and includes collusive practice among Bidders (prior to or after Tender submission) designed to establish Tender prices at artificial noncompetitive levels and to deprive the Purchaser of the benefits of free and open competition;
- c) Will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
- d) Will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract by the purchaser if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing the contract.
- 16.** If two or more bidders quote the same price for any items, RIMS-Ranchi reserves the right to seek revised offer from the same bidders and placing order on revised L-1 offer. If same situation prevails then RIMS-Ranchi reserve the right to place order on any of them.
- 17. Reservations:** RIMS-Ranchi reserves the right
- a) To reject any or all tender without assigning any reason whatsoever,
- b) To award any or part or full contract to any successful agency(ies) at his discretion and this will be binding on the tender.
- c) To verify any or all the original documents related to this tender, at any time.
- d) To test any or all the material supplied by the tender(s) by any Govt. or Govt. approved laboratory. The report of the laboratory shall be accepted by the supplier.
- e) To reject any or all tender without assigning any reason thereof and have the right to place order to one or more firms or may enter into parallel contract simultaneously at any time during the period of this contract for same item or different item.
- 18. Arbitration:**
- a) In case of any dispute between the purchaser and the tenderer, arising under the contract or in regard to the interpretation of the terms and conditions of the contract, decision of the Medical Superintendent or any other officer nominated by him to act as arbitrator in the disputes, shall be final and binding on both the parties of this contract,
- b) In case of any disputes all the legal matters will be settled under the jurisdiction of the court of Ranchi / Jharkhand high court.



19. The successful bidders have to execute a contract agreement on Indian non judicial stamp paper of Rs.100/- (Rupees one hundred only) within twenty-one (21) days from the date of award of this tender in his favor and also required to furnish the Security Deposit of Rs. 2,00,000.00 (Rs. Two Lakh Only) in the form of BG for three months extra of the contract period from any Nationalized/ Schedule bank duly pledged in favour of RIMS, Ranchi & payable at Ranchi only. The EMD deposited by successful bidder may be adjusted towards Security Deposit as demanded above after its validation for the required period. If the successful bidder fails to furnish the full security deposit or difference amount between Security Deposit and EMD within 21 (twenty-one) days after the issue of Letter of Award of Work, his bid security (EMD) shall be forfeited and award of tender in suppliers favour automatically stands terminated at his cost & liability, unless time extension has been granted by RIMS, Ranchi.
20. The bid shall be valid and open for acceptance by the competent authority of RIMS, Ranchi for a period of 730 (Seven Hundred thirty) days from the published date of opening of the tenders and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained. The unilateral withdrawal at any stage will cause forfeiture of EMD in addition to any remedy that the purchaser may have under the law.
21. To assist in the analysis, evaluation and computation of the bids, the Competent Authority, may ask bidders individually or jointly for clarification of their bids. The request for Clarification and the response shall be in writing but no change in the price or substance / material / consumables of the bid offered shall be permitted.
22. The competent authority of RIMS, Ranchi reserves all rights to accept or reject any/ all tender(s) without assigning any reason. It can also impose/relax any administrative term and condition/specifications of the tender enquiry after due discussion in pre-bid conference. This will be communicated and shown over the website of the Institute. No representation will be considered after pre-bid meeting and bidders may ensure its queries only in pre-bid meeting. RIMS, Ranchi also reserves the right to reject any bid which in his opinion is non-responsive or violating any of the conditions/specifications without any liability to any loss whatsoever it may cause to the bidder in the process.
23. Tender must be submitted on the prescribed Tender Form otherwise tender will be cancelled straightway.
24. The tender form is not transferable.
25. Canvassing in any form is strictly prohibited and the tenderers who are found canvassing are liable to have their tenders rejected out rightly.
26. It is required by all concerned, namely the Bidders/Suppliers, as the case may be to observe highest standard of ethics during the procurement and execution of this Tender.

Handwritten signatures and initials in blue ink, including a large 'A' and some illegible scribbles.

27. The concerned firm/company whose product has been declared as of spurious or adulterated quality and any **criminal cases** is filled and is pending in any court shall not be eligible to participate in the bidding process. Convicted firms/company shall also not be eligible to participate in the bid. Similarly, blacklisted / banned / debarred firms / company by any central / state govt. or its organization or autonomous bodies or central drug procurement agency is not eligible to participate in the bid.
28. Brochure, original technical catalogue with detailed specification and picture of the product offered, if relevant.
29. The bidders should have furnished a copy of GST registration number, the State / U.T. of registration and the date of such registration. Tenders not complying with this condition will be rejected.
30. Turnover provisions: -
- (i) The tenderers should submit along with the tender, a photo state copy of the last three years Annual Accounts with Audit certificate by Chartered Accountant, Income Tax returns and a copy of current valid income tax clearance certificate (IT CC), otherwise bidder will not be considered for administrative evaluation (in evaluation of Technical bid) and will be declared disqualified in technical evaluation.
 - (ii) In case of bidder falls under Section 44AD/44ADA/44AE of Income Tax shall be required to submit turnover certificate verified by Chartered Accountant with his Registration number issued by Institute of Chartered Accountants of India.
 - (iii) In case of supplier is an Indian Agent, the firm can submit copies of purchase orders issued in favour of firm (As the payment is made through LC directly to foreign manufacturer and equipment payment does not exist in the book of account of the supplier) in support to its turnover whatever amount is getting short.
 - (iv) There will be relaxation on turnover on case to case basis for Start-up firms registered by Government of Jharkhand under Start-ups scheme as per orders of Ministry of Commerce, Government of Jharkhand.
31. **Sample/demonstration:** - In case, the item required prior submission of sample/ performing demonstration, tenderer will have to submit sample/perform demonstration of the equipment/item /consumables to the competent authority of the institute, the bidder will have to born all the expenses for the same. Non submission of sample/non performing demonstration will disqualify the bidder in any stage of Tender process.
32. Enlistment under Rate Contract with this Institute does not ensure business of any quantum, whatsoever. Any deviation from the Terms & Conditions mentioned above will imply disqualification for the firm.

33. The Director, Rims, Ranchi has full authority to take into account the performance of manufacturer/authorized dealer or distributor/bidder and they should submit a latest performance certificate from any other Govt. Hospitals/Institutions/PSUs to testify the proper dealing & performance as well as installation and maintenance of equipment / Consumables.
34. Full description & specifications, make/brand and name of the manufacturing firm should be clearly mentioned in the tender. The tenderer should also mention whether the goods are imported / indigenous. Descriptive literature / catalogues should be attached with the tender in original.
35. **Force Majeure:** Any failure or omission to carryout of the provisions of this supply by the supplier shall not give right for any claim by supplier and purchaser to one against the other, if such failure or omission arise from an act of God which shall include all acts of natural calamities from civil strikes compliance with any statistics and or requisitions of the Government lockout and Strikes, riots, embargoes or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state of incarceration provided that notice of the occurrence of any event by either party to the other shall be within two weeks from the date of occurrence of such an event which could be attributed to force majeure. Any delay due to Force Majeure will not be attributable to the either of the parties.
36. The successful Bidder shall at all times agree to indemnify and keep indemnified the purchaser against all losses, damages which may arise in respect of action/inactions of such Bidder or breach of any term of this tender by such Bidder. All claims regarding indemnity shall survive the termination of the contract with such Bidder.
37. **Delivery:** Delivery of goods shall be made by the supplier within 40 days of placing of purchase order, however, in case of emergent requirement he has to supply the required quantity of goods within 1 weeks of placing of order also. In few cases the items are to be delivered at a very short notice i.e. within 24 hours. That the items shall be the exact specified quality, kind, description and specification as required by the end user department. Short expiry item will be rejected and those should be replaced by the supplier at free of cost.
38. **INSPECTION OF SUPPLIES:** Inspection will be done by the duly constituted committee members nominated by Director, Rims, Ranchi and or his authorized representatives (DPC members etc) in Rims, Ranchi premises at designated place.



39. **PACKING & MARKING OF SUPPLIES:** The firm shall supply the stores with proper packing and marking for transit so as to be received at destination free from any loss or damage.

40. Risk Purchase:-

(i) If successful tenderer fails to supply material within the stipulated delivery date or material supplied other than specification specified in our Rims, Ranchi reserves the right procure same or equivalent material from alternative sources at the vendor's risk, responsibility and cost. Any extra cost incurred in the procurement of the material from alternative source will be recovered from the Security Deposit / Bank Guarantee and Pending Bills and if the value of the materials under risk purchase exceeds, the amount of Security Deposit and / or Bank Guarantee and Pending Bills, the same may be recovered if necessary by due legal process.

(ii) The EMD/PBG shall be forfeited if successful bidder fails to supply the goods/equipment in stipulated time or fails to comply with any of the terms & conditions of the contract or fail to sign the contract. In case of repeated failure in supplying the order goods the supply order may be cancelled and bid security deposit will be forfeited.

41. Regarding Quality/Supply :-

(i) The tenderer hereby guarantees that the items supplied to the Institute (purchaser) under the Contract shall be of the best quality/latest version and workmanship and new in all respects and shall be strictly in accordance with the specification and particulars contained/ mentioned in the Tender Document. The Life period of any of the Reagents / consumables supplied by the successful Bidder/Bidders will have the **Minimum of two third of the expiry** period remaining on the date of receipts of items in Rims, Ranchi or in case if the supplier is unable to supply the required self life or supplies short expiry items (Self-Life less than 06 months) and the end user department unable to consume those material will be replace by the supplier at free of cost and supply back the fresh items within a month time.

(ii) In case the quality of goods supplied are not in conformity with the standard given in tender and as per the samples supplied or the supplies are found defective at any stage these goods shall immediately will be taken back by the supplier and will be replaced as per tender quality standards goods, without any delay. The competent authority/Purchase committee reserves all rights to reject the goods if the same are not found in accordance /

Handwritten signatures and initials at the bottom of the page, including a signature that appears to be 'NLM', a signature with a blue ink flourish, the word 'Issue', and another signature that appears to be 'A. K. Singh'.

conformity with the required description / specifications and liquidates damages shall be charged in addition to the cost of re-tender. The supplier is required to provide the demonstration of equipment / consumables at RIMS premises to the RIMS representatives for its evaluation as per the specification & desired functionality standard. However, a submission of videography displaying functionality as per tender specification may also be considered by the RIMS, representative.

- (iii) The supplier shall arrange to effect free replacement of any quantity which may deteriorate in potency, strength approaching expiry or expired etc. before the date of expiry marked on the labels.
- (v) If the supplied item is not utilized before expiry date the supplier should undertake to replace with fresh stock of item as and when required.
- (vi) During any internal audit if cost of reagent is found to be considerably higher than other institute the firm will be held responsible for the financial loss of the government funds and will be liable to pay the loss.
42. **Liquidated damage/demerge:** Supply of material will have to be completed within 40 days or period mentioned in the purchased order. if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery or dispatch in the supply order, liquidated damages may be deducted from the bill @ 0.5% per week subject to maximum of 10% of the value of the delayed goods or services under the contract. The competent authority of the institute may also cancel the supply at the cost & liability of the supplier. In such a case, bid security of the supplier shall stand forfeited.
43. **Legal Jurisdiction:** -The Hon'ble Jharkhand High Court, Ranchi alone and no other Court will have the jurisdiction to try the matter, dispute or reference between the parties arising out of this tender/supply Order/contract.
44. **Applicable Law:** The contract shall be governed by the laws and procedures established by Govt. of Jharkhand/ Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings / processing.
45. Except as otherwise provided under this Contract for immediate termination of the Contract, in the event of a disputes which may be arising out of the execution of the tender contract, the matter will be referred to the Purchase Committee. Appeal against the decision of the Purchase Committee will lie to the Governing Body RIMS, Ranchi and GB decision shall be final and binding upon both the parties.
46. **Breach of Terms and Conditions:** In case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right

to cancel the work order/ job without assigning any reason thereof and nothing will be payable by Rims, Ranchi in that event the security deposit shall also stands forfeited.

47. **Subletting of Work:** The firm shall not assign or sublet the work/job or any part of it to any other person or party without having first obtained permission in writing of Rims, Ranchi which will be at liberty to refuse if thinks fit. The tender is not transferable. Only one tender shall be submitted by one tenderer.
48. **Periodicity/ Duration of Tender:** Periodicity / Duration of Tender will be for two years from date of finalization.
49. Quotations qualified by such vague and in definite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and it will be rejected accordingly, any conditional quotation shall be rejected summarily.
50. language: the language of the Tender shall be in English.
51. **Fall Clause:**

Successful bidder is abiding to follow the Fall Clause. Fall Clause is a price safety mechanism. The fall clause provides that if the contract holder reduces its prices or sells or even offers to sell the contracted goods of identical specification and terms and conditions to that of the contract, at a price lower than the contract price, to any person or organization during the currency of the Contract, the Contract price will be automatically reduced with effect from the date for all subsequent supplies under the Contract and the contract amended accordingly.

52. **OTHERS:** Tenderer shall not be allowed to transfer, assign, pledge or sub-contract its rights and liabilities under this contract to any other agency/ies without prior written consent of the Director, Rims, Ranchi. If it is found that the firm has given subcontract to another Agency, the contract shall stand cancelled & the performance security deposit of such Tenderer shall be forfeited by Rims, Ranchi. The Rims, Ranchi shall not be responsible for any financial loss or other damage or injury to any item or person deployed/supplied by the Supplier Agency in the course of their performing the duties to this office in connection with purchase order/supply order for supplying/installation/ commissioning of ordered Equipment/ Stores/ Goods/ Items at Rims, Ranchi.
53. The tender validity is for 2 years. If any bidder provides an authorization with a validity period shorter than the tender period, it will be entirely their responsibility to provide a renewed certificate. Failure to do so may result in

Handwritten signatures and initials in blue ink at the bottom of the page. There are three distinct signatures: one on the left, one in the middle, and one on the right.

the forfeiture of the EMD (Earnest Money Deposit) or legal Action will be taken/ Penalty will be imposed. Therefore, ensure to obtain authorization for the full tender validity period.

I / We hereby accept the terms and Conditions given in the tender.

Note: A bid, which does not fulfill any of the above requirements and/or gives evasive information / reply against any such requirement, shall be liable to be ignored and rejected

(B) Financial terms and conditions

1. Rates are strictly required to be offered/ quoted on the prescribed "Financial Bid format". Financial bid submitted without prescribed format may not be considered and will be deemed improper subject to the condition that there is a requirement to mention other item which are not mentioned in the said format.
2. Rates quoted should be inclusive of all applicable taxes, packing, forwarding, postage and transportation charges at for RIMS Ranchi (Site of installation/Use).
3. The supplier has to submit a notarised affidavit on Indian Non Judicial Stamp Paper that the bidder has not quoted the price higher than previously supplied to any government Institute/Organization/reputed Private Organization or DGS&D rate in recent past. Therefore, if at any stage it has been found that the supplier has quoted lower rates than those quoted in this tender; the Institute (the purchaser) would be given the benefit of lower rates by the Supplier and any excess payment if any, will become immediately payable to the RIMS Ranchi. If such affidavit is not submitted, tender will be out rightly rejected.(Part of technical bid)
4. If the price of the contracted articles is/ are controlled by the Government, in no circumstances the payment will be higher than the controlled rate.
5. Tender will be regarded as constituting an offer open to acceptance in whole or in part at the discretion of the competent authority of the institute for a period of 730 days (2 years) valid from the date of opening of the tender by the committee.
6. Order shall be issued for tentative annual requirement on actual need basis by end user department Rims, Ranchi irrespective of value of the order.
7. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.
8. If a firm quotes NIL charges / consideration, the bid shall be treated as unresponsive and will not be considered
9. **Tender Currencies:** The bidders are required to quote in Indian Rupees only.
10. Sales Tax: - If a bidder asks for sales tax/GST, Service Tax and Works Contract Tax to be paid extra, the rate and nature of sales tax applicable





should be shown separately. The GST Service Tax and Works Contract Tax will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to sales tax/ GST, Service Tax and Works Contract Tax and is payable as per the terms of the contract.

11. Octroi Duty and Local Duties & Taxes: - Normally, goods to be supplied to Government departments against Government contracts are exempted from levy of town duty, Octroi duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned Government department. Keeping this in view, the supplier shall ensure that the goods to be supplied by the supplier against the contract placed by the RIMS, Ranchi are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the RIMS Ranchi. However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage charges and obtain a receipt for the same. The supplier should forward the receipt obtained for such payment to the RIMS, Ranchi to enable the RIMS, Ranchi reimburse the supplier and take other necessary action in the matter.

12. **Payment terms:**

- (i) The payment shall be made to the supplier on the satisfactory receipt of the goods ordered.
- (ii) Advance payment shall not be made under any circumstances.
- (iii) The payment shall be made to the suppliers A/C through NEFT/RTGS mode as per the details provided by the supplier.
- (iv) The contractor shall submit the bill only after supply of the material to the satisfaction of the Rims, Ranchi on receipt of a pre-receipted bill invoice from the Contractor the case of issuing sanction and passing of bill for payment will be initiated.
- (v) No payment will be made for goods rejected / Expired items. Rejected items must be removed by the Bidders within two (02) weeks of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice. Three copies of Supplier's invoice showing contract number, goods description, quantity, unit price, GST rate, HSN code, invoice or challan number Low rate certificate GSTIN number, Tan number, DL number, and total amount should be mentioned in bill.
- (vi) While claiming payment, the supplier is also to certify in the bill that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming this payment has

Handwritten signatures and initials in blue ink at the bottom of the page. There are four distinct marks: a signature on the left, a stylized signature in the center, the word 'Bidders' written vertically, and another signature on the right.



been fulfilled as required under the contract. There should also be a suitable provision for verification of the authenticity of the person signing the invoice etc. for claiming the payment.

- (vii) Bills in triplicate (**must be sign & sealed by authorized person**) for the items supplied by the selected firm(s), should be raised for payment. Payment shall be released after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office and accepted. Terms & condition mentioned in purchase order must be followed & applied. If any item is found to be defective, or not of the desired quality, the same shall be replaced immediately, for which no extra payment shall be made by RIMS Ranchi.
- (viii) **Duty Free clearance, Transportation, Forwarding & handling Charges:**
Clearance charges at point of Entry / Air Port and on ward transpiration charges with Insurance up to Ranjendra Institute of Medical Science, (RIMS) Ranchi. The firm should quote as FOR RIMS RANCHI including all expenditure. Ranjendra Institute of Medical Science, (RIMS) Ranchi will not be liable for any such charges.
- (ix) Submitting the bill will not be the criteria for immediate payment unless the rate are reasonable, justified, goods specification and quality satisfaction. Decision of the Director Rims, Ranchi will be final in this regard.
- (x) The supplier shall not claim any interest on payments under the contract.
13. **GST / TAX:** The rate of TAX / GST should be mentioned clearly. The bidders are required to mention GST rate applicable on each category otherwise rates will be treated as inclusive of all taxes. HSN code for each item should be clearly mentioned in BOQ / Financial Bid / Bill.
14. The firm shall maintain sufficiency buffer stock of reagents and consumables and must ensure that due to want of reagents and other consumables the testing procedure should not be hampered even for one day.
15. Trade discount along with certificate certifying that higher discount is not given to any other Department/Organization/Institution than offered should be enclosed with Financial Bid
16. **Purchase Order:** Production capacity to adequate supply without compromising the quality competitiveness and cost effectiveness should be considered, at the time of issuing order (regarding Jharkhand procurement policy). Decision of the Director Rims, Ranchi will be final in this regard.
17. **L1 Clause:**
- (i) Rate contract will be awarded to firm who will quote lowest per unit rates (Without GST) for items as per list provided in .xls format in BOQ separately from Jharkhand tender website www.jharkhandtenders.gov.in.

Handwritten signatures and initials in blue ink, including a signature that appears to be 'Bhalla' and another that appears to be 'A. M. Singh'.

(L1 firm will be decided on the basis of Unit Price quoted by the firm. NO DEMURRAGE / WHARFAGE CHARGES WILL BE PAYABLE BY THE INSTITUTE UNDER ANY CIRCUMSTANCES.

- (ii) After evaluation, the work shall be awarded normally to the Agency fulfilling all the conditions of the contract and who has quoted the lowest rate as per financial bid after complying with the all the Acts /Jharkhand polices(procurement)/provisions stated/referred to for adherence in tender.
- (iii) Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable and justified. Decision of the Director Rims, Ranchi will be final in this regard.

NO ADVANCE PAYMENT WILL BE PAYABLE FOR CUSTOM CLEARANCE/ FREIGHT/INSURANCE ETC

Note: In case of any dispute regarding award of tender, decision of RIMS Administration would be final. The Director Rims, Ranchi, India and competent authority can ask for any documents and certificate related to Tender on requirement basis for clarification etc at any time bidder will have to make them available. The Director Rims, Ranchi, India has the full and exclusive right to accept or reject, increase or decrease order quantity, any or all the tender without assigning any reason thereof and also to cancel the supply at any time without assigning any reason. The purchaser will reject a proposal for award if it determines that the bidder recommended for award has, directly or through an agent, engaged in corrupt, Fraudulent, collusive or coercive practices in competing for the contract in question.

I / We hereby accept the terms and Conditions given in the tender -----
----- (Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions & tender.

Handwritten signatures and stamps in blue ink, including a signature that appears to be 'Ramesh' and another that appears to be 'Ramesh'.

Please see annexure enclosed:

Sl.No	Particular	Annexure Ref.
1.	Undertaking for Compliance of All Tender Terms & Conditions mentioned in this Tender Document	Annexure I
2.	Criminal Liability Undertaking (Notarized Affidavit)	Annexure II
3.	Certificate for Tender(GFR rule 144- XI)	Annexure III
4.	Manufacturer's / Principal's Authorization Form	Annexure IV
5.	Bank Guarantee Form For Performance Security	Annexure V
6.	Bidder/Agency Details	Annexure VI
7.	Power of Attorney	Annexure VII
8.	Certificate Of No Deviation	Annexure VIII
9.	Certificate Of Price Justification	Annexure IX
10.	Format for Technical Bid	Annexure X
11.	Financial Bid	Annexure XI

Seal & sign of bidder

Date:

  
Dumth



"Chemical Items"
For RIMS Ranchi
TECHNICAL BID compliance report/ Qualifying criteria
(Documents to be attached in the "Technical Bid")

SL. NO	Details/ Particulars	Uploaded (yes/No)	Please give page number where needed
1.	Name & Detail Address of the manufacturer with phone number, email, name and telephone/mobile (to be mention in the letter head of the firm)(Scanned copy of Declaration in case of manufacturer or Scanned & Attested copy of current contract/Authorization - between manufacturer and distributor / distributor-bidder, as the case may be in the format given at " Annexure-IV ").		Page No.....
2.	Name & Detail Address of bidder/agency with phone number, email, name and telephone/mobile ((Sole proprietor/partner /Director) Annexure-VI		Page No.....
3.	Name, address & designation of the authorized person for signing the bid Documents.)(Power of Attorney/ authorization for signing the bid documents (Not required in case of sole proprietorship.) Annexure-VII		Page No.....
4.	Specify your firm/company is a manufacturer/ authorized dealer/ distributor/ Agency		Page No..... Manufacturer/ Authorized Dealer/ Distributor/ Agency
5.	Whether the signature on each page of tender document along with amendment/corrigendum and document provided by bidder/agency has been signed by the bidder or not.(Please sign each page of terms and conditions as token of acceptance and submit as part of tender document with technical bid. Otherwise your tender will be rejected)		Page No..... (Yes/No)
6.	Have you previously supplied these items to any government/ reputed private organization? If yes, attach the relevant poof.		Page No.....
7.	Please provide a notarized affidavit on Indian Non Judicial stamp paper that :As Annexure-II You have not quoted the price higher than previously supplied to any government Institute/ Organization / reputed Private Organization or DGS&D rate in last one year. No case is pending with the police against the Proprietor /firm/ partner or the Company (Agency). Indicate any		Page No.....

(Handwritten signatures and initials)

	iii) MSE Gender: (The MSE /other enterprise and unit must be registered under Jharkhand Act)(Enclose self-attested copy of certificate)for NON MSME please mention N.A		
16.	Undertaking for acceptance of all Terms & Conditions in original (Annexure - I)		Page No.....
17.	EMD & Tender Fees submission Proof		Page No.....
18.	Name, Mobile Number and E-mail of a Key person, who can be contacted at anytime. The person should be capable of taking orders and making arrangement for supply of the desired items.		Page No.....
19.	Compliance of Item "Chemical/Kits/Reagents supply to RIMS must have stamp of govt. supply / Not for Sale" on letter head.		Page No.....
20.	A covering letter mentioning a summary of applied document with proper numbering.		Page No.....
21.	Signed filled and scanned copy of Annexure VIII.		Page No.....
22.	Signed filled and scanned copy of Annexure IX.		Page No.....
24.	Signed filled and scanned copy of Annexure X.		Page No.....

N.B.

1. All pages of the Tender should be page numbered and indexed.

2. The Tenderer may go through the checklist and ensure that all the documents/confirmations listed above are enclosed in the tender and no column is left blank. If any column is not applicable, it may be filled up as NA.

(Signature with date)

(Full name, designation & address of the person duly authorized sign on behalf of the Tenderer)
For and on behalf of

(Name, address and stamp of the tendering firm)

[Handwritten signatures and initials]

Annexure-I

Name of the E-Tender : Supply of various Consumables Chemical and Reagent
RIMS, Ranchi

UNDERTAKING

FOR COMPLIANCE OF ALL TERMS AND CONDITIONS MENTIONED IN THIS TENDER DOCUMENTS

To

**The Director,
RIMS, Ranchi
Sir/Madam,**

I, undersigned (name).....(designation)....., duly **authorized representative** of (name of Proprietorship/Firm/Company/Agency) hereby undertake, affirm, confirm and declare that

1. Undersigned is fully competent and authorized from Proprietorship /Firm /Company/Agency to make this undertaking to bind such Proprietorship/Firm/Company/Agency.
2. All details/information/documents furnished by Proprietorship /Firm/ Company/Agency in provided In bid document is true and correct in all aspects and I/we hold the responsibility for the same.
3. Proprietorship/Firm/Company/Agency is fully solvent and legally /financially competent to perform terms and conditions of Tender.
4. Proprietorship/Firm/Company/Agency is duly registered under various relevant government notifications and all dues have been paid as on date.
5. The Undersigned certify that the rates quoted by me/us are valid and binding on me/us for acceptance till the validity. Rate quoted as per tender requirement measurement(Size ml/gm/unit/cach etc).
6. Proprietorship/Firm/Company/Agency hereby agrees and fully understands that notwithstanding anything contrary contained in Tender document and without prejudice to any of the rights or remedies of RIMS, Ranchi shall be entitled in its sole discretion to determine that a bidder is to be disqualified at any stage of the process and its participation in Tender process and/or its Technical Proposal and/or Financial Bid dropped from further consideration for any reasons.
7. The undersigned certify that I/we have gone through the entire Tender document including terms and conditions mentioned in the Tender document including amendment/corrigendum and undertake to comply with them. I have no objection for any of the content of the Tender document and I undertake not to

Handwritten signatures and initials in blue ink, including a signature on the left, a signature in the middle, and the word 'Bhus' and 'Bhus' written below.

- submit any complaint/representation against the Tender document submission date and time of the Tender. The rates quoted by me/us are valid and binding on me/us for acceptance till the validity of Tender.
8. I/We also certify that firm will be supplied the item / consumables as per the specification, requisite quality & quantity given by Rims, Ranchi and also abide all the terms & condition stipulated in rate contract supply order.
 9. The articles shall be of the best quality and of the kind as per the requirement of the institution. The decision of the Director, RIMS, Ranchi, India (herein after called the said officer and end user department) as regard to the quality and kind of article shall be final and binding on me/us.
 10. I/We undertake to arrange for a demonstration of the Equipment/item/ Consumables. Failure to arrange for a demonstration on the given date may lead to cancellation of award Contractor. Cost of such demonstration shall be borne by me/us. I/We undertake to supply the all Literature (Log Book/ Maintenance Record/ Troubleshooting / Operation Manuals etc.) supplied with each Equipment/ item/ Consumables by Principal Manufacturer in Original to Rims, Ranchi.
 11. If it is deemed necessary to change any article on being found of inferior quality issue/Any discrepancy in the number of tests available in specific kit due to lack of middle reagent would be settled by supplier. If volume of reagent middle reagent is found to be less than the number of tests reflecting, the system the supplier will have to provide the reagent for the deficient number of test, it shall be replaced by me/us free of cost in time to prevent inconvenience.
 12. I/We hereby undertake to supply the items during the validity period as per directions given in supply order within stipulated period positively. If we fail to supply our product in time or if product is found low quality, we request you please purchase from other source and Rims, Authority can deduct the different amount in our outstanding.
 13. I/we undertake to supply the ordered items within stipulated period and if fail to supply during the stipulated period The Director RIMS, Ranchi has full power to compound or forfeit the bid security/ security and imposed patently and take necessary action.
 14. I/We declare that no legal/financial irregularities are pending against the proprietor Partner/Director of the tendering firm or manufacturer.
 15. I/We undertake that if the rates of any items are lowered due to any reason, I will charge the lower rates.
 16. I/We undertake that the items supplied are as per Make/Model /Catalogue/ technical literature description.
 17. I /we here by undertake to provide price justification and authorization whenever asked during the period of contract.

18. I/We have by certify than item /consumables (must meet with technical specification and quality) are offered by us are made in Jharkhand/ made in India. If there is any item of foreign origin than the reason is that.....
(Kindly submit valid documentary evidence in support)(specify item name).
19. I/We also confirm that in the event of my/our tender being accepted. I/we hereby undertake to furnish within 15 days , Bank Guarantee/ Performance Security after the issue of Purchase Order, as applicable, in the format to be provided by RIMS, Ranchi in addition to execution of a Contract as pre-condition for obtaining the supply orders.
20. I/We further undertake that none of the Proprietor/Partners/Directors of the firm was or is Proprietor or Partner or Director of any firm with whom the Government have banned /suspended business dealings. I/We further undertake to report to the RIMS Ranchi immediately after we are informed but in any case not later 15 days, if any firm in which Proprietor/Partners/Directors are Proprietor or Partner or Director of such a firm which is banned/suspended in future during the currency of the Contract with you.
21. I/We also confirm that whenever The Director Rims, Ranchi, India and competent authority ask for any documents and certificate related proprietorship/Tender/Price related etc (on requirement basis) for clarification etc at any time we will provide them.
22. I/We also confirm that we have neither set any terms & condition nor there is any deviation taken from the condition of Rims, Ranchi Tender specification either Technical or commercial.
23. I/We also confirm that any expired or unused reagent will be replaced or refunded by us.
24. I/We also confirm that The Product and Reagent in original packing of the manufacturer and not refilled are provided by us.
25. I/We here declare that we must follow order instruction which is given in purchase order.
26. I pledge and solemnly affirm that the information submitted by us is true to the best of my knowledge and belief. I further pledge and solemnly affirm that nothing has been concealed by me and if anything adverse comes to the notice of purchaser during the validity period The Director, Rims, Ranchi(India)will have full authority to take appropriate action as he/she may deem fit.

(Signature of the Bidder)

Name:

Designation with Seal of the Firm:

Annexure-II

NOTARISED AFFIDAVIT
CRIMINAL LIABILITY UNDERTAKING

TENDER NO.

I, undersigned (name).....(designation)....., duly authorized representative of (name of Proprietorship/ Firm/ Company/ Agency) hereby undertake, affirm, confirm and declare that-

1. Proprietorship/ Firm/ Company/ Agency **has not quoted price in this Tender higher than one** at which goods/ services were previously supplied to any government Institute/ Organization/ reputed Private Organization or DGS&D/GEM rate in recent years. If at any stage it is found that the firm (bidder) has quoted lower rates to any Govt. / Private Institute, Bidder shall be liable to payback access value to Rims, Ranchi. Rims, Ranchi further reserves right to impose suitable penalty shall be made by competent authority Rims, Ranchi.
2. **No criminal case/ police case is pending with the Police** against our Proprietorship/Firm/Company/Agency or any of its authorized signatories/ (Indicate any convictions if any against the above person or firm/company).
3. Proprietorship/Firm/Company/Agency neither have been **blacklisted/ debarred** by any organization (Any central state government/ public undertaking/ institute on any account) nor should have any litigation pending with any of this department.

Undersigned, on behalf of Proprietorship/ Firm/ Company/ Agency does hereby solemnly declare and affirm that the above declaration is true and correct in all respects and we hold responsibilities for the same. No part of it is false and nothing has been concealed. Any false/ incorrect submission shall make Proprietorship/ Firm/ Company/ Agency as well as undersigned personally liable for all civil/ criminal obligations including complaint to police and other authorities.

Deponent Signature:

Name:

Designation:

Aadhaar No:

Email Id:

Mobile No:

Landline No:

Fax No:

Address:

Seal of the participating

Bidder Company.

(Copy of Authorization Letter from Proprietorship/ Firm/ Company/ Agency enclose)



Annexure-III

The bidder should submit related undertaking for Restrictions on procurement from bidders from a county or countries, or a class of countries under Rule 144 (XI) of the General Financial Rules 2017[Notwithstanding anything contained in these Rules, Department of Expenditure may, by order in writing, impose restrictions, including prior registration and/ or screening, on procurement from bidders from, or bidders having commercial arrangements with an entity from, a country or countries, or a class of countries, on grounds of defense of India, or matters directly or indirectly related thereto including national security; no procurement shall be made in violation of such restrictions]. Ministry of Finance Department of Expenditure, Public Procurement Division on the basis of following Certificate given below, on the company letter head duly signed by authorized signatory for this tender.

Certificate for Tender

Tender no.: - _____

I, undersigned (name).....(designation)....., duly authorized representative of (name of Proprietorship/Firm/Company/Agency) hereby undertake, affirm, confirm and declare that-

'We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfill all requirement in this regard and are eligible to be considered.'

AND

"We have read the clause regarding restrictions on procurement from a bidder of a county which shares a land border with India and on sub-contracting to contractors from such a country; and solemnly certify that we are not from such a county or, if from such a country, we are registered with the Competent Authority (copy enclosed) and we shall not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfill all requirements in this regard and are eligible to be considered."

It is to declare that if, our bid/offer is accepted by the purchaser, as per undertaking given by us as per aforementioned points on the basis of certificate are found to be false, in such case this would be a ground for immediate termination of our bid/offer and further legal action in accordance with the law to be initiating on us by the procuring entity i.e. Rims, Ranchi.

[Signature with date, name and designation]
For and on behalf of M/s _____]
[Name & Address of the Manufacturers/Bidder]

Annexure-IV

MANUFACTURER's / PRINCIPAL's AUTHORIZATION FORM

To
The Director,
Rajendra Institute of Medical Sciences
Ranchi,
Subject: Manufacture's authorization letter.
Dear Sir,

TENDER: _____ We,
_____, who are established and reputable
manufacturers of _____, having factories at _____
and _____, hereby authorize Messrs. _____ (name
and address of agents) to bid, negotiate and conclude the contract with you
against Tender No. _____ for the above goods manufactured by us.

We also state that we are not participating directly in this tender for the
following
reason(s) _____ (please provide
reason here).

We also hereby confirm that no firm or individual other than M/s.
_____ (name of the bidder) is authorized to quote and supply our products
for your esteemed institution against this tender.

We also hereby confirm that we would be responsible for the satisfactory
execution of supply contract placed on the authorized agent.

We also confirm that the price quoted by our agent shall not exceed than
that which we would have quoted directly.

We hereby extend our full guarantee and warranty as per the conditions of
tender contract for the goods offered for supply against this tender by the above
firm. The authorization is valid up to Tender validity.

Note - the Bidder shall require the manufacturer to fill in this form in
accordance with the instruction indicated. This letter of authorization should be
on the letter head of the manufacture and should be signed by a person with the
proper authority to sign documents that are binding on the manufacturer.

Yours faithfully,

Seal & Sign form Authorized Person

(Name) For and on behalf of Messrs. _____

(Name of manufacturers)/Principal.

Phone No & Email :

Handwritten signatures and initials in blue ink, including a large signature on the left, a smaller signature in the middle, and the word 'Bhaskar' written vertically on the right.

Annexure-V

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

To
The Director
Rajendra Institute of Medical Sciences
Ranchi- 834009

WHEREAS _____ (Name and address of the supplier) (Hereinafter called "the supplier") has undertaken, in pursuance of contract no _____ dated _____ to supply (description of goods and services) (herein after called "the contract"). AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract; AND WHEREAS we have agreed to give the supplier such a irrevocable bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you unconditionally, on behalf of the supplier, up to a total of _____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of you to first demanding the said amount of guarantee from the supplier before raising the demand with us. You may directly raise the demand with us, without asking the supplier for the same.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification. This guarantee will not be changed due to change in the constitution of the bank or the supplier.

This guarantee shall be valid up to 27 months from the date of satisfactory installation of the equipment/consumables i.e. up to ----- (indicate date).

.....
(Signature with date of the authorized officer of the Bank)

.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch





Annexure-VI

To,

The Director, Rims, Ranchi

Tender Enquiry / NIT No.....(Chem store(2) / RIMS/Ranchi/Dated

Reference - Qualifying criteria Sl. No. 02

Dear Sir,

Please find the required details as follows:

Name of the Company	
Name of the authorized dealer/distributor/bidder/supplier	
Designation	Dealer/Distributor/Bidder/Supplier/ Sole proprietor
Phone No.	
Email	

Thanking You.

Sign & stamp

Name of the authorized dealer/distributor/bidder/supplier

[Handwritten signatures and stamps]

Annexure-VII

Power of Attorney

Tender Enquiry/NIT No.....(Chem store(2)/RIMS/Ranchi/Dated for the procurement of Chemical Item of RIMS, Ranchi.

Board of Director of..... hereby authorize to sign all tender document, participate in negotiations, make correspondence, and sign all documents to the client and government statutory bodies for approval and take decisions.


.....,is hereby authorized to sign and execute the agreement etc, for the work and all other documents relating to the work awarded or being executed by

Signature of is attested below.

Board of Directors

Sealed

Designation: Director





Annexure-VIII

CERTIFICATE OF NO DEVIATION

[To be given on letter head]

NIT No.: _____

I/We M/s _____ hereby certify that not withstanding any contrary indication / conditions elsewhere in our offer documents, I/We have neither set any terms and conditions nor there is any deviation taken from the conditions of RIMS Ranchi's tender specification, either technical or commercial, and I/We agree to all the terms and conditions mentioned in RIMS Ranchi's tender specification with associated amendments & clarification

*[Signatures of the Bidder with Name,
Designation & Company's Seal]*

Bhalla

Director

Annexure-IX

CERTIFICATE OF PRICE JUSTIFICATION

[To be given on letter head]

NIT No.:

I/Wc, M/s. _____ certify that in the current tender we have not quoted the price higher than previously supplied to any government Institute/Organization/Reputed Private Organization or DGHS rate in recent past. Therefore, if at any stage it has been found that the supplier has quoted lower rates than those quote in this tender; the institute (purchaser) would be given the benefit of lower rates by the supplier and any excess payment if any, will become immediately payable to the RIMS Ranchi".

SIGNATURE AND STAMP
OF THE BIDDER

u/cm 

Bless

Annex

Annexure-X

Format for Technical Bid

(To be submitted on the letter head of the company/firm)

Sl. No. of Quoted Chemical/Kits/ Reagents/ Consumables	Item Name	Specification	Make/ Brand (Only 03 or less than 03 name is allowed)
---	------------------	----------------------	--

1. I/We have gone through the terms & condition as stipulated in the tender enquiry document and confirm to accept and abide the same.
2. No other charges would be payable by the Institute.
3. All wrappers of Chemical/ Kits/Reagents/Consumables will have print NOT FOR SALE/ GOVT. SUPPLY ONLY.
4. Rate to be quoted as per tender required measurement.

Authorized signatory of the bidder with seal.

Handwritten signature

Handwritten signature



Annexure-XI

FINANICAL BID

Sl. No	Description of Item	Item Code	Bidder name	Name of Band / Company / Make Quoted	Rate Without Tax	Tax/Duties(INR)	GST/Tax Duties %	Rate with TAX	Bid Rank

Mulla
Amrta



Instructions for Online Bid Submission:

The bidders are required to submit soft copies of their bids electronically on the Jharkhand tender Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the Jharkhand tender Portal, prepare their bids in accordance with the requirements and submitting their bids online on the Jharkhand tender.

More information useful for submitting online bids on the website- www.jharkhandtenders.gov.in

REGISTRATION

•Bidders are required to enroll on the e-Procurement module of the Jharkhand e-tender portal by clicking on the link whatsoever.

As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.

Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the Jharkhand tender Portal. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.

Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.

Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

There are various search options built in the Jharkhand tender Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the Jharkhand tender Portal.

Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the Jharkhand tender Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.

Handwritten signatures and initials in blue ink, including a signature that appears to be 'S. S.', the word 'Bids', and the name 'Amita'.

The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

Bidder should take into account any corrigendum published on the tender document before submitting their bids.

Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid.

Please note the Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS as per requirement of Tender No. : formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.

The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.

Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.

Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument,

Handwritten signatures and initials at the bottom of the page. From left to right: a signature that appears to be 'M/S', a signature that appears to be 'S', the word 'Brew' written vertically, and a signature that appears to be 'Santosh'.

physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.

Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key

Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid Tender No. : summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

The block contains several handwritten signatures in blue ink. On the left, there is a signature that appears to be 'u/m'. In the center, there is a stylized signature that looks like 'A'. To the right of that, there is a signature that looks like 'Brew'. At the bottom right, there is a signature that looks like 'kunch'.



ASSISTANCE TO BIDDERS

Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.

Any queries relating to the process of online bid submission or queries relating to web Portal in general may be directed to the 24x7 Jharkhand tender portal.

21/05/20

[Signature]

21/05/20

21/05/20

Sl.No	DESCRIPTION OF WORK / ITEM(S)
1	20°C MINI COOLER (IT SHOULD BE MADE UP OF POLYCARBONATE AND NON-TOXIC GEL, MUST CONTAIN ATLEAST 12 PLACES FOR 1.5ML TUBE.) - 1 NOS
2	50 X TAE BUFFER - 1 LITRE
3	10 X TAE BUFFER - 1 LTR
4	0.1 G PARACETIC ACID OTHER INGREDIENTS : CORROSION INHIBITORS, SURFACTANTS, STABILISING AGENTS, EXCIPIENTS. HYDROGEN PEROXIDE, ACETIC ACID PASSES EN 13624, EN 13727, EN 14348, EN 14347, I N 14476 STANDARDS, PACK SIZE: 5 LITRE JAR
5	1% W/V AVAILABLE IODINE IN NONOXYNOL IODINE SURFACTANT 500 ML
6	1,4-DITHIOTREYTOLE (DTT) SOLID (POWDER) - 25 GM
7	100 G OF GRANULES CONTAIN THE FOLLOWING ACTIVE INGREDIENTS: 43 G SODIUM PER CARBONATE, 22 G TETRAACETYLETHYLENEDIAMINE. PASSES EN 13624, EN 13727, EN 14348, EN 14561, EN 14562, EN 14563, EN 13704 AND EN 14476 STANDARDS
8	2* AB ENZYMATIC REACTION STOP SOLUTION H2SO4 PARAFORMALDEHYDE GLUTARALDEHYDE SOLUTION, 25% W/W - 1 GM
9	20-40% PHOSPHORIC ACID BASED SCALE REMOVER LTR - 5 LTRS
10	2-MERCAPTOETHANOL (B-ME) LIQUID 100 ML
11	2-METHOXY ETHANOL (250MG) (PURITY (GC) > 99.75 %)
12	4-METHYLUMBELLIFERONE (100GM)(PURITY (HPLC) ≥98 %, MOL. WT- 198.2)
13	4-METHYLUMBELLIFERYL A-D-GLUCOPYRANOSIDE - 25MG (TO BE USED IN PRENATAL DIAGNOSIS, ANALYTICAL GRADE)
14	4-METHYLUMBELLIFERYL B-D-GALACTOPYRANOSIDE - 1GM (≥99% (TLC))
15	4-METHYLUMBELLIFERYL B-D-GALACTOPYRANOSIDE-6-SULFATE SODIUM SALT -5GM (HPLC PURIFIED, ≥90%)
16	4-METHYLUMBELLIFERYL-6-SULFO-N-ACETYL-B-D-GLUCOSAMINIDE, POTASSIUM SALT - 25MG (TO BE USED IN PRENATAL DIAGNOSIS, ANALYTICAL GRADE)
17	4-MU BETA D-GLUCOPYRANOSIDE (250MG)(PURITY (HPLC) > 99 %)
18	4-MU-ALPHA D-GLUCO PYRANOSIDE (100MG) (PURITY (TLC) > 99 %)
19	60%V/V ETHYL ALCOHAL WITH BENZALKONIUM CHLORIDE, GLYCERINE, DIMETHICONE CYCLOPENTASILOXANE, C12-15 ALKYL LACTATE, PROYLENE GLYCOL, METHYL PARABEN, PHEKOXYTHANOL, STEARYL ALCOHOL, AMINOMETHYL PROPANOL, DIAZOLIDINYL PROPANOL, DIAZOLIDINYL AUREA WITH MOISTURIZER - 500 ML
20	6-MERCAPTOHEXANOIC ACID - 1GM (LABORATORY REAGENT GRADE, 90.0%)
21	7 COLOUR SETUP - 1000 PCS
22	ABSOLUTE ACID - 500 ML
23	ABSOLUTE ETHANOL 99.9% - 500ML
24	ABSOLUTE ETHANOL 99.9% - 2.5 LITRE
25	ACD BUFFER TUBES (9ML YELLOW CAPPED TUBE FILLED WITH ACD BUFFER (ANTICOAGULANT) TO BE USED FOR BLOOD COLLECTION) 1 X 100 PCS
26	ACE CONTROL LEVEL 1 - 100 ML
27	ACETAMIDE AGAR - 500 GM
28	ACETONITRILE (ICO GRADE) LIQUID - 100 ML

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

29	ACID FUCHSIN 1% - 100 ML
30	ACID FUCHSIN 1% - 125 ML
31	ACID GLYCOPROTEIN - 100 GM
32	ACID PHOSPHATASE- 10X2ML
33	ACID PHOSPHATASE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE – 5 ML
34	ACP - 100 ML
35	ACRYLIC COLD CURVE LIQUID - 500 ML
36	ACRYLIC COLD CURVE POWDER - 250 GM
37	ACRYLIC COLOURS (BLACK.)- 500ML CAN BE USED ON VARIETY OF SURFACES. STAYS PERMANENT ON PAPER EARTH WARE, WOOD, THERMOCOT, STONE ETC., WASH PROOF RICH IN COLOUR VALUE, QUICK DRYING AND READY TO USE AND REQUIRES NO SEPARATE MEDIUM
38	ACRYLIC COLOURS (DARK GREEN) - 500ML CAN BE USED ON VARIETY OF SURFACES. STAYS PERMANENT ON PAPER EARTH WARE, WOOD, THERMOCOT, STONE ETC., WASH PROOF RICH IN COLOUR VALUE, QUICK DRYING AND READY TO USE AND REQUIRES NO SEPARATE MEDIUM
39	ACRYLIC COLOURS (MAROON)- 500ML CAN BE USED ON VARIETY OF SURFACES. STAYS PERMANENT ON PAPER EARTH WARE, WOOD, THERMOCOT, STONE ETC., WASH PROOF RICH IN COLOUR VALUE, QUICK DRYING AND READY TO USE AND REQUIRES NO SEPARATE MEDIUM
40	ACRYLIC COLOURS (ULTRAMARINE BLUE) – 500 ML CAN BE USED ON VARIETY OF SURFACES. STAYS PERMANENT ON PAPER EARTH WARE, WOOD, THERMOCOT, STONE ETC., WASH PROOF RICH IN COLOUR VALUE, QUICK DRYING AND READY TO USE AND REQUIRES NO SEPARATE MEDIUM
41	ACTH CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE – 5 ML
42	ADA CALIBRATOR (COLORIMETRIC METHOD) - 5 ML
43	ADA CONTROL - 100 ML (COMPACTIBLE WITH DIRUI-CST240)
44	ADA CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
45	ADA CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
46	ADA KIT (COMPATIBLE WITH FOR FULLY AUTOMATED EM 360 BIOCHEMISTRY ANALYZER) - 100 ML
47	ADA WITH CALIBRATOR - 100 ML (COMPACTIBLE WITH DIRUI-CST240)
48	ADENOVIRUS ANTIGEN - 96 TESTS
49	ADRENALINE HYDROCHLORIDE - 500ML
50	AF MEDIA - 100ML BOTTLE (READY-TO-USE, MEDIA SHOULD CONTAINS FETAL BOVINE SERUM (FBS), GENTAMICIN, AND L-GLUTAMINE.)
51	AFP - 1 ML






52	AMP CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
53	AMP - 5 ML
54	ALCIAN BLUE - 10 GM
55	ALCIAN BLUE - 500 ML
56	ALCIAN BLUE BOX - 100 ML
57	ALCIAN BLUE SATAIN (PH 2.5) - 100 ML
58	ALCIAN BLUE SOLID [POWDER] 5 GM
59	ALCOHOL 90% - 2.5 LTRS
60	ALTA METHYLACTYL COA RACEMASE (AMACR) - 1 ML
61	ALGINIC ACID SODIUM SALT POWDER 250 GM
62	ALIZARIN RED S - 125 ML
63	ALKALIAN BLUE - 500 ML
64	ALKALINE PEPTONE WATER - 500 GM
65	ALKALINE PEPTONE WATER 100 ML
66	ALKALINE PEPTONE WATER 25 X 5 ML
67	ALKYL ALCOHOL ETHOXILATE 20-40%, SODIUM BENZOATE, 5% BASED EMULSIFIER 1 LTR.
68	ALKYLE DIMETHYLE BENZILE AMMONIUM CHLORIDE (IN HOUSE) (2.37%) INERT INGREDIETS 95.26% - 1 LTR
69	ALPHA NEPHYL BUTYRATE - 500 ML
70	ALUMINIUM AMMONIUM SULPHATE - 500 ML
71	ALUMINIUM FOIL - 100 GM PER PACK
72	ALUMINIUM FOIL (37.5 SQ FT - SILVER, 300MM WIDTH)- 1 ROLL EACH PACK
73	AMACR - 1 ML
74	AMINOGLUCIN - 10 MCC
75	AMP CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
76	AMIKACIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
77	AMMONIA - 100 ML
78	AMMONIA CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
79	AMMONIUM ACETATE SOLID (POWDER) 100 GM
80	AMMONIUM HYDROXIDE - 500 ML
81	AMMONIUM OXALATE - 250 GM
82	AMMONIUM SOLUTION 500 ML
83	AMMONIUM SULFONATE - 500G BOTTLE (ACS REAGENT, 99.0-100.5%)






84	AMONIA REAGENT (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
85	AMOXICILLIN- CLAVULANATE DISC 20 MCG (ANTIBIOTIC DISC) (250 DISC PER VIAL)
86	AMPHETAMINES - 100 ML
87	AMPHOTERICIN B POWDER (SOLUBILIZED POWDER, I-IRRADIATED) - 50 GM
88	AMPHOTERICIN B (MIC E TEST STRIP) 1 X 10 TEST STRIP
89	AMPHOTERICIN B MIC E-STRIP (0.002 - 32 MCG/ML) 10 STRIP PER PACK
90	AMULGELUM PLUGER - 1 PCS
91	AMYL OF ISOAMY ALCOHAL- 500ML
92	ANA STRIP BASED (MORE THAN 15 ANTIGEN STRIP INCLUDING DSE 70) - 24 TEST
93	ANAEMIA CONTROL (FERRITIN, VITAMIN B12, FOLATE ETC) [COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
94	ANAEROBIC GAS PACK SPECIFICATION -FOR 3.5 LTR. CAPACITY PACK SIZE - 5 NOS.
95	ANAEROBIC INDICATOR STRIP - 1 X 10 STRIP
96	ANAEROBIC INDICATOR TABLET PACK SIZE - 1 X 10 NOS.
97	ANA-IFA 1. TRANSFECTED HEP2 CELL WITH ABILITY OF PICKING UP SSA/RO ALSO, WITH A DISTINGUISHED PATTERN FOR SSA/RO FOR INCREASED SENSITIVITY 2. THE KIT SHOULD BE ABLE TO GIVE THE UNIQUE PATTERN FOR SSA/RO WHICH IS MISSED BY STANDARD HEP2 CELL. 3. THE KIT SHOULD HAVE 2 POSITIVE CONTROLS AND A NEGATIVE CONTROL INCLUDING SSA POSITIVE CONTROL. 4. THE SLIDE SHOULD HAVE INNER AND OUTER RING AREAS FOR EACH WELL, SO AS TO CONTROL THE SAMPLE OVERFLOW NOT AFFECTING THE ADJOINING WELL. 5. THE KIT SHOULD BE US FDA APPROVED. 6. THE KIT SHOULD HAVE MINIMUM 10 WELL SLIDES SO THAT 8 SAMPLES + PC/NC CAN BE PERFORMED TOGETHER. PER TEST
98	ANCA-C ELISA KIT - 96 WELL
99	ANCA-IFA 1. THE WELL SHOULD BE ETHANOL FIXED WITH NEUTROPHILS ANCA DETECTION. 2. THE KIT SHOULD BE ABLE TO PICK UP ANA INTERFERENCE BY USE OF LYMPHOCYTES PROVIDED ALONG WITH NEUTROPHILS. 3. THE KIT SHOULD BE PROVIDED WITH P-ANCA AS WELL AS C-ANCA. USER PATTERN TRAINING SHOULD BE PROVIDED ON READING SUCH PATTERNS AS WELL AS READING ANA INTERFERENCE. 4. THE SLIDE SHOULD HAVE INNER AND OUTER RING AREAS FOR EACH WELL, SO AS TO CONTROL THE SAMPLE OVERFLOW NOT AFFECTING THE ADJOINING WELL. 5. THE KIT SHOULD BE US FDA APPROVED. PER TEST
100	ANCA-P ELISA KIT - 96 WELL
101	ANDRADE'S INDICATOR- 100 ML
102	ANHYDROUS - AMMONIUM BICARBONATE ANHYDROUS LIQUID 500 GM
103	ANHYDROUS - ANHYDROUS ALUMINUM CHLORIDE - 100 ML

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

(4)

104	ANHYDROUS ANHYDROUS ALUMINUM CHLORIDE - 500 GM
105	ANHYDROUS ANHYDROUS FERRIC CHLORIDE 30% - 500 GM
106	ANHYDROUS ANHYDROUS SODIUM HYDROXIDE (NAOH) PELLET - 250 GM
107	ANHYDROUS ANHYDROUS SODIUM PHOSPHATE MONOBASIC (NAH ₂ PO ₄) - 500 GM
108	ANHYDROUS CALCIUM CARBONATE ANHYDROUS - 500 GM
109	ANHYDROUS DI SODIUM HYDROGEN PHOSPHATE ANHYDROUS - 100 GM
110	ANHYDROUS POTASSIUM PHOSPHATE DI BASIC ANHYDROUS - 5 KG [DI POTASSIUM HYDROGEN PHOSPHATE ANHYDROUS] ASSAY NLT = 98.0 % PH (5 % AQUEOUS SOLUTION) = 8.5 - 9.6 MAXIMUM LIMITS OF IMPURITIES - • CHLORIDE = 0.005 % • LOSS ON DRYING (105°C) = 1.0 %
111	ANHYDROUS SODIUM CARBONATE ANHYDROUS - 500 GM MINIMUM ASSAY (ACIDIMETRIC) AFTER DRYING = 99.5 % MAXIMUM LIMIT OF IMPURITIES MOISTURE = 1.5 % CHLORIDE = 0.01 % SILICATE = 0.02 % SULPHATE = 0.02 % LEAD = 0.01 %
112	ANHYDROUS SODIUM CARBONATE ANHYDROUS - 500 ML MINIMUM ASSAY (ACIDIMETRIC) AFTER DRYING = 99.5 % MAXIMUM LIMIT OF IMPURITIES MOISTURE = 1.5 % CHLORIDE = 0.01 % SILICATE = 0.02 % SULPHATE = 0.02 % LEAD = 0.01 %
113	ANHYDROUS SODIUM PHOSPHATE DIBASIC ANHYDROUS - 500 GM ASSAY NLT = 99.0 % PH (5 % AQUEOUS SOLUTION) = 8.7 - 9.4 MAXIMUM LIMITS OF IMPURITIES - • LOSS ON DRYING (105°C) = 0.5 % • HEAVY METALS (PB) = 0.001 % • CHLORIDE = 0.01 %
114	ANHYDROUS TETRA SODIUM PYROPHOSPHATE ANHYDROUS - 100 GM
115	ANIQUILAFUNGIN (MIC E TEST STRIP) 0.002 - 32 MCG/ML 10 STRIP PER PACK
116	ANIQUILAFUNGIN POWDER (SOLUBILIZED POWDER, Γ-IRRADIATED) 1MG
117	ANILINE BLUE SOLUTION - 100 GM
118	ANILINE BLUE SOLUTION - 500 GM
119	ANTI SERA FOR ESCHERICHIA COLI O157:H7 - 2 ML
120	ANTI SERA FOR SALMONELLA TYPHI POLY H - 2 ML
121	ANTI SERA FOR SALMONELLA TYPHI POLY D - 2 ML
122	ANTI SERA FOR SHIGELLA SPECIES - 2 ML
123	ANTI SERA FOR VIBRIO CHOLERAE - CLASSICAL 2 ML

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

42

124	ANTI SERA FOR VIBRIO CHOLERAEE - ELTOR 2 ML
125	ANTI STREPTOSYLIN 100 ML
126	ANTIBIOTIC ZONE SCALE - MEASURE 10-40 MM EACH SCALE
127	ANTIBIOTIC ZONE SCALE 370 MM X 65 MM
128	ANTI-CCP CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
129	ANTIGEN (OG4C3) DETECTION ELISA KIT FOR WUCHERERIA BANCROFTII - EACH KIT
130	ANTISERA KIT FOR SALMONELLA - 2 ML
131	ANTISERA KIT FOR SHIGELLA - 1 ML
132	ANTISERA KIT FOR VIBRIO - 3 ML
133	ANTI-TG AB CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
134	ANTI-TPO AB CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
135	ANTITRYPSIN 100 ML
136	APLA ELISA KIT - 96 WELL
137	APO CAL 5 POINT - 100 ML
138	APO CALIBRATOR - 100 ML
139	APO-A - 100 ML
140	APO-B - 100 ML
141	APT BROTH - 500 GM
142	AQ POTASSIUM PERMANGANATE 0.25% - 100 ML
143	AQUA PEG-40 HYDROGENATED CASTOR OIL, GLYCERIN, AROMA, SODIUM GLUCONATE, SUCRALOSE, OCTENIDINE HCL, CITRIC ACID, BHT - 500 ML
144	AQUA WINTH APIP - 500 ML
145	AQUA, COCANIDOPROPYLAMINE OXIDE PEG-7 GLYCERYL COCDATE, GLYCERIN HYDROXYETHYL-CELLOULOSE, LACTIC ACID, OCTENIDINE HCL, ALLANTION
146	AQUA, GLYCERINE COCAMIDOPROPYLAMINE OXIDE, SODIUM LACTATE, ALLANTION, OCTENIDINE HCL ETHYLHEXYL GLYCERINE
147	AQUEOUS CITRIC ACID 0.5% - 100 ML
148	AQUEOUS PHENOL 5% - 500 ML
149	AQUEOUS SILVER NITRATE 5% - 100 ML
150	AQUEOUS SODIUM METABISULPHITE 1% - 100 ML
151	AQUEOUS SULPHURIC ACID (H2SO4) 3% - 250 ML
152	ARBKACIN SPECIFICATION - MIC STRIP (0.016-256 MCG/ML) PACK SIZE - 1 X 10 PCS
153	ARGININE DECARBOXYLASE BROTH - 100 GM

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

43

154	ASD WITH CALIBRATOR (COMPATIBLE WITH) FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
155	ASPARAGINE PROLINE BROTH - 100 GM
156	AST SENSITIVITY DISC 5X750 Q
157	ASTHOVIRUS ANTIGEN - 100 TEST
158	ATCC E. COLI 79922 - EACH KIT
159	ATCC E. COLI 35218 - EACH KIT
160	ATCC STAPHYLOCOCCUS AUREUS 29213 - EACH KIT
161	ATCC STAPHYLOCOCCUS AUREUS BAA 1708 - EACH KIT
162	ATROPINE 500 ML
163	ATROPINE SULPHUR 25 GM
164	ATROPINE SULPHUR 500 ML
165	AU CONSUMABLES KIT - EACH TEST
166	AURAMINE O - 1000 ML
167	AURAMINE O 250 ML
168	AURAMINE O - 500 ML
169	AUTO WASH SOLUTION (COMPATIBLE WITH) FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
170	AUTO WASH SOLUTION 2 (AL/AL) (COMPATIBLE WITH) FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
171	AUTOCLAVABLE L SPREADER FOR AST - 20 PCS
172	AUTOCLAVABLE REAGENT RESERVOIR FOR MULTICHANNEL PIPETTE, SIZE 75 ML
173	AUTOMATED RAPID MYCOBACTERIUM CULTURE DIFFERENTIATION AND SENSITIVITY SYSTEM (LIQUID CULTURE) - 500 ML
174	AVAILABLE IODINE (1.0% W/V) - 500 ML
175	AVAILABLE IODINE (1.0% W/V) AND WATER SOLUBLE BASE (CONTAIN SODIUM IODIDE AND SURFACTANT) MANUFACTURER / MARKETING COMPANY SHOULD BE CERTIFYING ACCORDING TO DIN EN ISO - 500 ML
176	AVAILABLE IODINE 1% W/V IN AN AQUEOUS <5 SODIUM IODIDE, <1 SURFACTANT BASE, <88 WATER SHELF LIFE OF 5 YEARS, PACK SIZE: 500 ML BOTTLE
177	AZLOXILIN (ANTIBIOTIC DISC) 75MCG (250 DISC)
178	AMOXICILIN 30 MCG (ANTIBIOTIC DISC) (250 DISC)
179	BACTRACIN 30 MCG (ANTIBIOTIC DISC) (250 DISC)
180	BACTRACIN DISC (ANTIBIOTIC DISC) 16MCG - 250 DISC
181	BACTERIAL ANTIGEN RAPID LATEX AGGUTINATION TEST FOR MENINGITIS 100 TEST
182	BAG - AIRTIGHT ZIP LOCK TRANSPARENT BAGS 5' X 7" - PACK OF 100 PCS PER PACK
183	BAG - AUTOCLAVABLE BAGS 900G (SIZE 12"X24", TRANSPARENT BAGS) 1 X 100 PCS
184	BAG - AUTOCLAVABLE BAGS, SIZE 1 (14"X19") (SHOULD BE HIGH GRADE PLASTIC, FOR AUTOCLAVABLE, FOR LABORATORY USE)
185	BAG - AUTOCLAVABLE BIOHAZARD BAGS 900G (SIZE 12"X24", TRANSPARENT BAGS)
186	BAG - BIOHAZARD BAG - MEDIUM (DISCARDING POUCH (RED - BLACK) SIZES - 12" X 12" - FOR SHARP) & NEEDLE DISCARDING (100 POUCHES/PACK)

ncm

[Signature]

Mulla

Amur

(44)

187	BAG - BIOHAZARD BAG - SMALL (DISCARDING POUCH (RED - BLACK) SIZES - 11 X 17 - 10 1/2 X 16 TIPS DISCARDING (100 PIECES/PACK))
188	BAG - BIOHAZARD BAGS - LARGE (AUTOCLAVEABLE) PER KG
189	BAG - SAMPLE BAGS - 96W
190	BAG - ZIP LOCK BAGS - EACH
191	BAND AID ROUND - 250 PCS
192	BARBATHYMOL BLUE 500 ML
193	BARBITONE 500 ML
194	BARBITURATES 100 ML
195	BARBITURIC ACID, SOLID (POWDER) 25 GM
196	BD FACS LYSING SOLUTION - 1PC
197	BD FACS PERMEABILIZING SOLUTION - 1 PC
198	B-D GLUCAN TEST FOR ASPERGILLUS EACH KIT
199	BENZIDINE POWDER - 100 GM
200	BENZIDINE POWDER - 25 GM
201	BENZIDINE POWDER - 250 GM
202	BENZIDINE POWDER - 500GM MELTING RANGE = 177°C - 179°C SOLUBILITY IN ETHANOL TO PASS TEST SULPHATED ASH = MAX. 0.05 % SULPHATE TO PASS TEST.
203	BENZODIAZEPINES 100 ML
204	BENZOIC ACID - 500 ML
205	BETA-2 MACROGLOBULIN 100 ML
206	BICARBONATE CALIBRATOR - 100 ML
207	BICARBONATE CALIBRATOR - 125 ML
208	BILE ESCULIN POWDER - 250 GM
209	BILE ESCULIN POWDER 500 GM
210	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF ACINETOBACTER SPECIES KIT (24 T) EACH KIT
211	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF BACILLUS SPECIES KIT (12 T) EACH KIT
212	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF CANDIDA SPECIES KIT (12 T) EACH KIT
213	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF ENTEROBACTERIACEE (24 T) EACH KIT
214	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF GRAM NEGATIVE RODS KIT (12 T) EACH KIT
215	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF LISTERIA SPECIES KIT (12 T) EACH KIT
216	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF NEISSERIA SPECIES KIT (12 T) EACH KIT
217	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF NONFERMENTOR KIT (24 T) EACH KIT
218	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF SALMONELLA SPECIES KIT (12 T) EACH KIT
219	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF SHIGELLA SPECIES KIT (12 T) EACH KIT
220	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF STAPHYLOCOCCOUS SPECIES KIT (12 T) EACH KIT
221	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF STREPTOCOCCUS SPECIES KIT (12 T) EACH KIT
222	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF VIBRIO CHOLERAE KIT (12 T) EACH KIT
223	BIOCHEMICAL TEST KIT FOR IDENTIFICATION OF VIBRIO SPECIES KIT (12 T) EACH KIT
224	BIOCHEMISTRY CONTROLS (MORE THAN 30 PARAMETERS) - 5 ML

[Handwritten signature]

[Handwritten signature]

Bruce

Handwritten note

(Handwritten mark)

225	BIO IN 4 AMIDOBENZOIDIC ACID SODIUM SALT - 50MG (PURITY (TLC) > 95 %, MOL WT. 385.4)
226	BISMARCK BROWN - 100 GM 1000ML GLASS BOTTLE DYE CONTENT 50 % SOLUBILITY - H ₂ O - 10MG/ML - CLEAR TO TURBID RED-ORANGE TO RED FORM - POWDER GRADE - CERTIFIED BY BIOLOGICAL STAIN COMMISSION QUALITY LEVEL - 100
227	BISMARCK BROWN - 25 GM
228	BLADE - BLADE FOR CRYOSTAT (FROZEN) - 50 PCS
229	BLADE - BLADE FOR CRYOSTAT (FROZEN) EACH PACK
230	BLADE - CRYOSTAT BLADE FOR LEICA - 50 PCS (PROPRIETARY ITEM) LOW PROFILE MADE OF STAINLESS STEEL WITH HIGH DURABILITY. DISPOSABLE BLADES B19 80MM LONG X 8.5MM HIGH X 0.25 MM THICK BLADES
231	BLEACH - HYDROGEN PEROXIDE OF MINIMUM 30% AND OXYGEN BASED BLEACHING AGENT 5 LTR.
232	BLEACH - SODIUM HYDROXIDE MAXIMUM 5% BASED BLEACHING AGENT - 5 LTR.
233	BLOOD COLLECTION TUBES FOR PEDIATRIC PATIENTS I. SILICONE COATED, 250-500 UL FILL VOLUME WITH ANTI-SPILLAGE CAPS II. WITH K ₂ EDTA ADDITIVE, 250-500 UL FILL VOLUME WITH ANTI-SPILLAGE CAPS III. WITH NA ₂ /NA ₂ EDTA ADDITIVE, 400-600 UL FILL VOLUME WITH ANTI-SPILLAGE CAPS IV. WITH 0.25% SODIUM CITRATE, 500-1000 UL FILL VOLUME AND ANTI-SPILLAGE CAPS V. CONTACT ACTIVATED LANCELS FOR HIGH FLOW: 1.5MM WIDTH X 2.0MM DEPTH MATERIAL OF TUBE POLYETHYLENE TEREPHTHALATE (PET), SAFE FOR INCINERATION: ENVIRONMENTAL SAFETY DATA MUST BE PROVIDED, SUITABLE TO WITHSTAND CENTRIFUGATION FORCES BETWEEN 1000-2000 GCF, SPILLAGE PROOF RUBBER CAPS (NON SCREW TYPE), STABILITY OF DRAW VOLUME TO BE MAINTAINED FOR SIX MONTHS AT 18-25°C WITH < 10% INTRALOT AND INTERLOT VARIATION.
234	BLOOD FREE CAMPYLOBACTER AGAR - 500 GM
235	BOTTOM BOTTLE (BASE) - 500 GM
236	BOTTOM SELECTIVE SUPPLEMENT - 100 GM
237	BOTTLE - BLOOD CULTURE BOTTLE (CONVENTIONAL PEDIATRICS) - 25 ML
238	BOTTLE - BLOOD CULTURE BOTTLE - 100ML
239	BOTTLE - BLOOD CULTURE BOTTLE - 125ML
240	BOTTLE - DROP BOTTLE - 100 ML
241	BOTTLE - MYCOF BOTTLE - 100 ML
242	BOTTLE - REAGENT BOTTLE - 100 ML (SILICATE WITH DROPER CAP - 100 PC)
243	BOTTLE - SPRAY BOTTLES - 500 ML
244	BOTTLE - SPRAY GUN WITH BOTTLE (500 ML) NOS.
245	BOTTLE - SQUEEZE BOTTLE - 500 ML
246	BOTTLE - SQUEEZE BOTTLE WITH UNBREAKABLE FLEXIBLE DELIVERY TUBE - 500ML
247	BOTTLE - UNIVERSAL BOTTLE - 30 ML WITH SCREW CORK
248	BOTTLE - UNIVERSAL BOTTLE - GLASS WITH RUBBER WASHER AND CAP - 500 PCS
249	BQ IN A SERUM ALBUMINE - 100 MG (AGAROSE ELECTROPHORESIS > 95 % CELL CULTURE TEST PASS, WHITE SHOCK FRACTION, PROTEASE FREE, FATTY ACID FREE, ESSENTIALLY GLOBULIN FREE, PH 7, 29588) - 1 NOS





uc

250	BOVIN SERUM ALBUMINE - 50MG (AGAROSE ELECTROPHORESIS > 96% CELL CULTURE TEST PASS, HEAT SHOCK FRACTION, PROTEASE FREE, FATTY ACID FREE, ESSENTIALLY GLOBULIN FREE, PH 7, ≥98%) - 1 NOS
251	BOVINE ALBUMIN 22% - 10 ML
252	BOX - AUTOCLAVE BIOLOGICAL INDICATOR BOX (GEO. ATRIPHEUS) 50 X 1 ML
253	BOX - BOWIE - DICK COMPACT BOX - 20 PCS PER PACK
254	BOX - CRYO BOXES (5ML) 4X3 ML
255	BOX - CRYO BOXES (TUBE CAPACITY 5ML, PLACE B1 (3 X 3 ARRAY) 4 NOS IN EACH CASE
256	BOX - ETO INDICATOR BOX - 500 PCS IN EACH BOX
257	BOX - ETO INDICATOR TAPE - 19MM X 50 METERS
258	BOX - GLUFFS BOX EACH
259	BOX - MICRO PORE BOX - EACH PCS
260	BOX - MICRO PORE TAPE - 1" X 19 METER - EACH
261	BOX - MICRO TUBE BOX FOR 0.5 ML TUBE - EACH
262	BOX - MICRO TUBE BOX FOR 0.5ML TUBE (IT SHOULD BE MADE UP OF POLYCARBONATE /LOW DENSITY POLYETHYLENE, MUST CONTAIN AT LEAST 80 PLACES FOR 0.5ML TUBE.) - 1 X 4 NOS
263	BOX - PLASMA CASSET BOX - EACH
264	BOX - SLIDE BOX - SLIDE BOX FOR 100 SLIDE - EACH
265	BOX - SOFTNER WATER KIT BOX - EACH
266	BOX - STEAM EMULATING INDICATOR CLASS B (250 PCS EACH PACK)
267	BOX - STERILIZATION INDICATOR BOX - EACH
268	BOX - TIP BOX 0.2-10ul - 96 PC CAP EACH
269	BOX - TIP BOX 200-1000ul - 96 PC CAP EACH
270	BOX - TIP BOX 2-200ul - 96 PC CAP EACH
271	BRCA 1 POLYCLONAL ANTIBODY 100 MICROLITRE
272	BRCA 2 POLYCLONAL ANTIBODY 100 MICROLITRE
273	BRILLIANT GREEN BILE BROTH 2% - 125 ML
274	BROMINE SAMPLE - 250 GM
275	BROMO PHENOL BLUE 500 ML
276	BROMOPHENOL BLUE (POWDER, MOLECULAR WEIGHT: 609.96, MOLECULAR GRADE) - 25 GM
277	BROMOTHYMOL BLUE SOLUTION - 500 ML
278	BRUCELLA IGM ELISA 96 WELL
279	BRUCELLA SLIDE AGGLUTINATION TEST - 100 TESTS / PACK
280	BRUSH - CYTO BRUSH - MATERIAL - PLASTIC COLOR - WHITE PACKAGING TYPE - 100 PCS PER PACKET TO MINIMIZE TRAUMA
281	BRUSH - WASHING BRUSH 12" - EACH BRUSH
282	BRUSH - WASHING BRUSH 6" - EACH BRUSH
283	BUFFER - SALINE SODIUM CITRATE BUFFER - 500 ML
284	BUFFER FOR SEROPROTEIN ELECTROPHORESIS - 1 LTR
285	BUFFER SOLUTION HEMOGLOBIN - 1000 ML
286	BUFFERED FORMAL ACETONE 500 ML








287	BUFFERED PEPTONE WATER - 500 GM
288	BUTANE GAS - 250 GM
289	C3 CONTROL LEVEL 1 - 100 ML (COMPATIBLE WITH DIRUI-CST240)
290	C3 CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
291	C3 CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
292	C3 WITH CALIBRATOR - 100 ML (COMPATIBLE WITH DIRUI-CST240)
293	C3 100 ML
294	C3 WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
295	C4 CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
296	C4 CONTROL LEVEL 2 - 100 ML (COMPATIBLE WITH DIRUI-CST240)
297	C4 100 ML
298	C4 CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
299	C4 WITH CALIBRATOR - 100 ML (COMPATIBLE WITH DIRUI-CST240)
300	C4 WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
301	CA 125 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
302	CA 15-9 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
303	CA 125 - 1 ML
304	CA 15-9 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
305	CALAMINE POWDER - 750 GM
306	CALCIUM CHLORIDE DIHYDRATE - 500 GRAM (MOLECULAR WEIGHT - 147.03)
307	CALCIUM CHLORIDE SOLUTION FOR APTT - 10ML
308	CALCIUM OXIDE - 750 ML
309	CALCIUM PHOSPHATE DIBASIC DIHYDRATE - 500 GM
310	CALCIUM SULPHATE - 500 GM
311	CALCIUM SULPHATE - 500 ML
312	CA 125/CA 15.9 WHITE - 100 ML
313	CALIBRATED THERMOMETER - EACH
314	CALIBRATOR (U) (US) 100 ML
315	CALPER FOR ANTIBIOTIC ZONE MEASUREMENT - EACH




Handwritten signature

Handwritten signature

Review

Handwritten signature

316	CALPONIN - 1 ML
317	CALRETININ - 1 ML
318	CANDIDA ALBICANS AGAR -500 GM
319	CANDLE JAR - 5 LTR.
320	CARBAMAZEPINE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
321	CARBAMEZAPINE 100 ML
322	CARBAPENEM RESISTANT DETECTION KIT (LATERAL FLOW ASSAY) - 25 TEST EACH PACK
323	CARBO RED - 500 ML
324	CARBOHYDRATE CONSUMPTION BROTH BASE - 500 GM
325	CARBOLIC ACID - 500 ML
326	CARBON ROLL : 55MM X 300 CM WAX RIBBON (INK OUTSIDE) PACK SIZE - EACH ROLL
327	CARBOY WITH STOPCOCK- 10 LTR (IT SHOULD BE MADE UP OF MEDICAL GRADE POLYPROPYLENE AND MUST BE USP CLASS VI)
328	CARBOY WITH STOPCOCK- 5 LTR (IT SHOULD BE MADE UP OF MEDICAL GRADE POLYPROPYLENE AND MUST BE USP CLASS-VI)
329	CARDIAC CONTROLS - 5 ML
330	CARMINE POWDER - 250 GM
331	CASEIN - 500 GM
332	CASEIN - 500 ML
333	CASPOFUNGIN MIC E-STRIP - 1 X 10 STRIP
334	CASPOFUNGIN POWDER (SOLUBILIZED POWDER, T-BRAD-ATED) 10 GM
335	CCDA SELECTIVE SUPPLEMENT - PACK OF 10 VIAL
336	CD 10 - 1 ML
337	CD 117 - 1 ML
338	CD 15 - 1 ML
339	CD 19 - 1 ML
340	CD 20 - 1 ML
341	CD 3 - 1ML
342	CD 30 - 1 ML
343	CD 31 - 1 ML
344	CD 33 PE - 1 PC
345	CD 34 ENDOTHELIAL CELL MARKER - 1 ML
346	CD 45 - 1 ML
347	CD 5 - 1 ML
348	CD 5 PE - 1 PC
349	CD 5100 - 1 ML
350	CD 56 - 1 ML
351	CD 99 - 1 ML




390	CERBENICILLIN (ANTIBIOTIC DISC) P. SIZE - 5X250
391	CERULOPLASMIN 100 ML
392	CERULOPLASMIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS PACK SIZE - 5 ML
393	CERULOPLASMIN (IMMUNOTURBIDIMETRIC METHOD COMPATIBLE IN EN-360 BIOCHEMISTRY ANALYZER) - 100 ML
394	CHAMBER - DARK HUMIDITY CHAMBER - EACH PCS
395	CHAMBER - MULTIPURPOSE STAINING CHAMBER BODY TYPE - PLASTIC SIZE - 46X25X4 CM SLIDE CAPACITY - 24
396	CHAPS - 1 KG (CHOLAMIDOPROPYL)DIMETHYLAMMONIO) 1-PROPANESULPHONATE}}
397	CHART MARKER PEN- EACH
398	CHEMICAL INDICATORS CLASS 5 STEAM STRIPS - 500 PER PCS
399	CHEMICAL INDICATORS STEAM STRIPS (MINIMUM 50 METER)
400	CHIKUNGUNYA IGM ELISA KIT - 1 X 96WELL
401	CHEORAMPHENICOL YEAST EXTRACT GLUCOSE AGAR- 500 GM
402	CHLORHEXIDINE GLUCONATE SOLUTION IP 10.3% V/V [EQUIVALENT TO CHLORHEXIDINE GLUCONATE 2 % W/V] ETHANOL IP 80% V/V PASSES EN 13727, EN 13624 AND EN 14476 STANDARDS
403	CHLORHEXIDINE GLUCONATE SOLUTION IP 10 % V/V [EQUIVALENT TO CHLORHEXIDINE GLUCONATE 2 % W/V] ISOPROPYL ALCOHOL IP 70% V/V PASSES EN 13727, EN 13624 AND EN 14476 STANDARDS
404	CHLORHEXIDINE GLUCONATE SOLUTION IP 20% V/V (EQUIVALENT TO CHLORHEXIDINE GLUCONATE 4 % W/V) WITH ISOPROPANOL<10%, ETHOXYLATED ALKYLPHENOL<10%, FATTY ACID DILITHIOLAMIDE<10%, ACETIC ACID GLACIAL<1%, CELLULOSE AND FRAGRANCE<10% EMOLLIENT & MOISTURISING AGENTS WITH AUTOMATIC DISPENSOR PASSES EN 1499 STANDARDS
405	CHOCOLATE AGAR PLATE - 50 PLATES
406	CHOLESTEROL HI CD 100 ML
407	CHOLINESTERASE 24 ML
408	CHOPPING BOARD - EACH (GROSSING BOARDS) FEATURES MEASUREMENT GUIDES PRINTED ONTO BOARD MADE OF HEAVY-DUTY, STAIN-RESISTANT, THICK POLYETHYLENE WILL NOT DULL FINE SURGICAL BLADES SIZE - 33.6L X 22.5W X 1.2TH CENTIMETERS FEATURES A DRAIN GROOVE, CARVED INTO THE EDGE TO CONTAIN FLUIDS DURABLE DESIGN WILL MAKE THE BOARD LAST FOR YEARS, WITHOUT CHANGING SHAPE, BENDING, OR SWELLING
409	CHRISTENSEN'S UREA - 500 GM
410	CHROM AGAR - 500 GM

Handwritten signature

Handwritten signature

Agnes

Ames

51

411	CHROMIUM (III) CHLORIDE HEXAHYDRATE - 500 GM
412	CHROMIUM OXIDE 5% - 100ML
413	CHROMOGENIC AGAR LBST 1A (USTERA CT TAVANI - AGOSTI AGAR BASE) - 500 GM
414	CHROMOGENIC CARBAPENEM RESISTANT GRAM NEGATIVE BACTERIAL SCREENING AGAR
415	CHROMOGENIC COLISTIN RESISTANT GRAM-NEGATIVE BACTERIAL SCREENING AGAR - 500 GM
416	CHROMOGENIC ESBL PRODUCING GRAM NEGATIVE BACTERIAL SCREENING AGAR
417	CHROMOGRAFIN A - 1 ML
418	CHOXACIN [ANTIBIOTIC DISC]100 MCG (250 DISC/VIAL)
419	CIRCULAR CHART RECORDER- EACH
420	CITRIC ACID (C6H8O7) - 500 ML
421	CK MB WITH CALIBRATOR - 100 ML (COMPATIBLE WITH DIRUI-CST240)
422	CK-MB - 1 ML
423	CK-MB / CK-B - 1 ML
424	CK-MB - 1 ML
425	CK-MB CALIBRATION 100 ML
426	CK-MB CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
427	CK-MB CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
428	CK-MB WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 10 ML
429	CK-NAC - 100 ML (COMPATIBLE WITH DIRUI-CST240)
430	CLEANING SOLUTION (15 ML X 7) / IN ONE KIT
431	CLEANING SOLUTION 1 KIT
432	CLOSTRIDIUM DIFFICILE RAPID IDENTIFICATION TEST KIT
433	CMPO ITC - 1 PC
434	COAGULAS PLASMA - 75 ML
435	COAGULATION - CONTROLS (COMPATIBLE WITH SYSMEX/STANDARD EQUIPMENTS) PACK SIZE - 5 ML
436	COCAINE 100 ML
437	COCAINE POWDER - 1 KG
438	COCAINE 25 MG
439	COFORM AGAR - 500 GM
440	COLISTIN MIC E-STRIP TEST - 1 X 10 STRIP
441	COLISTIN SULPHATE SALT POWDER 1 GM
442	COMINSTRIX REAGENT STRIPS 100PC PER BOX
443	COMINSTRIX 100 T
444	COMPLEMENT C3 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PREFERRED GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML






445	COMPLEMENT C4 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
446	COMPLETE HAEMACYTOMETER SET - EACH (NEUBAUER BLOOD COUNTING CHAMBER BRIGHTLINED) - NUMBER OF MEMORY STICKS 1 ITEM WEIGHT 100 G PACKAGE DIMENSIONS 5 X 3 X 1 CM; 100 GRAMS COUNTRY OF ORIGIN GERMANY
447	CONC. HYDROCHLORIC ACID - 1000 ML
448	CONC. HYDROCHLORIC ACID- 500 ML
449	CONTAINER - AUTOCLAVABLE BIOHAZARDS WASTE CONTAINER - LARGE - 100 LTRS
450	CONTAINER - AUTOCLAVABLE BIOHAZARDS WASTE CONTAINER - MEDIUM - 50 LTRS
451	CONTAINER - MICROTUBE CONTAINER - 1000ML (IT SHOULD BE MADEUP OF MEDICAL GRADE POLYPROPYLENE OR POLYCARBONATE, CONFIRMING TO US FDA CODE OF FEDERAL REGULATIONS TITLE-21, AND SHOULD BE AUTOCLAVABLE) - 1 X 4 NOS
452	CONTAINER - MICROTUBE CONTAINER - 500ML (IT SHOULD BE MADEUP OF MEDICAL GRADE POLYPROPYLENE OR POLYCARBONATE, CONFIRMING TO US FDA CODE OF FEDERAL REGULATIONS TITLE-21, AND SHOULD BE AUTOCLAVABLE) - 1 X 4 NOS
453	CONTAINS SUBTILISIN TRIDECYL POLYETHYLENGLYCOL ETHER PROPAN-2-OL, GLYCEROL MASSKIN 13624, EN 13727, EN 14563 AND EN 14562 STANDARDS, PACK SIZE 2 LITRE BOTTLE
454	COOKED MEAT BROTH - 20 ML
455	COPLIN JAR -MADE OF POLYPROPYLENE - EACH PCS MICROWAVE SAFE CAN HOLD 10 SLIDES INTERIOR IS GROOVED TO HOLD SLIDES VERTICALLY DOMED AND SHALLOW THREAD SCREW CAP
456	COPLIN JAR PLASTIC - 2.5"W X 2.5"L X 4.5"H / EACH
457	COPLIN JAR PLASTIC - 5 SLIDE PAR JAR - 5 SLIDE CAP
458	COPLIN JAR PLASTIC HOLD 50 SLIDE
459	CORTISOL CONTROL (LEVEL 1 & LEVEL 2) (COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER) - 5 ML
460	CORTISOL CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
461	COTTON TIP APPLICATOR - 100 PCS / PACK
462	COVID-19 IGG ELISA - 1 X 96 WELL
463	C-PEPTIDE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
464	CPK KIT- 2X75ML






465	CPK-MB CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER. BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
466	CREATININE ENZYMATIC 100 ML (COMPATIBLE WITH DIRUI-CST240)
467	CREATININE ENZYMATIC METHOD (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER)- 100 ML
468	CREATININE KINASE (CK - NAC) 100 ML
469	CREATININE KINASE (CK) KIT 2X75ML
470	CREATININE ZINC CHLORIDE- 500 GM
471	CRESOL RED/D-CRESOL SULFONPHTHALEIN - 75 GM (REDDISH BROWN CRYSTALLINE POWDER, FORMULA : C ₂₁ H ₁₈ O ₅ MOLECULAR WEIGHT : 382.43 G/MOL)
472	CRESOL RED/D-CRESOLSULFONPHTHALEIN - 25 G (INDICATOR GRADE, DYE CONTENT 95%, REDDISH BROWN CRYSTALLINE POWDER, FORMULA : C ₂₁ H ₁₈ O ₅ MOLECULAR WEIGHT : 382.43 G/MOL)
473	CROSYL BLUE POWDER- 250 GM
474	CROWDBACTER ISOLATION AGAR 500GM/ PACK
475	CROWDBACTER SAKAZAKII AGAR 500GM/PACK
476	CROWDBACTER SELECTIVE BROTH - 500 GM
477	CRP LATEX HIGH SENSITIVE CALIBRATOR 100 ML
478	CRP LATER NORMAL CALIBRATOR 100 ML
479	CRP WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
480	CRP CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER. BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
481	CRP/IF-C (QUALITY CONTROL, CRP, IF) - 100 ML (STANDARD COMPATIBLE WITH DIRUI CS-240 SYSTEM PACK)
482	CRYO GLOBES LARGE - 100 PC / PACK
483	CRYO GLOBES MEDIUM - 100 PC / PACK
484	CRYO GLOBES SMALL - 100 PC / PACK
485	CRYO TAGS - 100 PCS / PACK
486	CRY PRODCOLS A TEC 3655E - 50 TEST
487	CRYSTAL BLUE POWDER 500 GM
488	CRYSTAL SULPHATE - 125ML
489	CRYSTAL SULPHATE - 500 ML
490	CRYSTALLINE PHENOL POWDER- 250 GM
491	CRYSTALLINE PHENOL POWDER 500 GM PER PACK
492	CST PROTEIN CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
493	CST PROTEIN WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
494	CTLA-4 (MONOCLONAL AB) 100UG
495	CTLA-4 (POLYCLONAL AB) - 2.00UL (0.5 - 1.5 UG/UL)



 Parvati Anandh

496	CUVETES AND STIRRECE FOR HEMESTAR (COAGULATION) XE 1.0/2.0 (EACH KIT PACK CONTAIN POLYSTYRENE CUVETTES - 100 UNITS AND MAGNETIC STIRRER BARS - 100 UNITS)
497	CYCLOSPORIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
498	CYLINDER - POLYPROPYLENE PLASTIC MEASURING CYLINDER TRANSPARENT GRADUATES 25ML
499	CYLINDER - GLASS MEASURING CYLINDERS 250 ML (IT SHOULD BE MADEUP OF POLYMETHYLPENTENE, CONFIRMING TO US FDA CODE OF FEDERAL REGULATIONS (21 CFR) 800 SHOULD BE AUTOCLAVABLE)
500	CYSTATIN 1 ML
501	CYSTICERCOSIS IGG ELISA KIT 96 WELL
502	CYSTICERCOSIS IGM ELISA KIT 96 WELL
503	CYSTICERCOSIS/ TAENIA SOLIUM IGG ELISA 96 W
504	CYSTICERCOSIS/ TAENIA SOLIUM IGM ELISA 96 W
505	CYTOMEGALOVIRUS, SERUM, IGM,DRG INTERNATIONAL (CMV IGM) - 96 WELL
506	DAPI 10 MG
507	DAPI DIHYDROCHLORIDE (4,6-DIAMIDINO-7-PHENYLINDOLE DIHYDROCHLORIDE) - 10 GM
508	D-BIOTIN - 1 GM
509	D-DIMER 100 ML
510	D-DIMER CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
511	D-DIMER CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED EM 360 BIOCHEMISTRY ANALYZER) - 5 ML
512	D-DIMER CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM 360 BIOCHEMISTRY ANALYZER) - 5 ML
513	D-DIMER WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM 360 BIOCHEMISTRY ANALYZER) - 100 ML
514	D-DIMER WITH CALIBRATOR 100 ML (COMPACTIBLE WITH DIRUI GST240)
515	DECARBOXYLASE BASE 500 GM/PACK
516	DECOTRORISING REAGENT DESTAINER (GERMAN) ELECTROPHORESIS - EACH
517	DEEP WELL PLATE (96 DEEP-WELL PLATE - 2000 µL) - 1 X 10 NOS.
518	DENGUE- IGG ELISA - 1 X 96 WELL
519	DENTAL CEMENT- 1 KG
520	DEOXYCHOLATE CITRATE AGAR - 500 GM
521	DEPROTEINISING SOLUTION- 1000ML
522	DESMIN - 1 ML
523	DESTAINER & CLEARING SOLUTION 500 ML
524	D-GLUCONIC ACID - 500 GM






55

525	DIAS-CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
526	DI SODIUM HYDROGEN PHOSPHATE 500 GM
527	DI SODIUM HYDROGEN PHOSPHATE DIHYDRATE PURIFIED- 250 GM
528	DIAMOND PENCIL MARKER - 50 IN NO. (USED FOR MARKING SLIDE OR TEST TUBE THE DIAMOND PENCIL FOR WRITING INFORMATION ONTO HISTOLOGICAL AND CYTOLOGICAL SLIDES. SUITABLE FOR MOST LABORATORY GLASS SURFACE, METAL AND CERAMIC. THIN DIAMOND TIP FOR A PERFECT WRITING.)
529	DIASTIC 100 T
530	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH (DRCM) - 500 GM
531	DIGITAL DISPLAY OF TEMPERATURE FOR REFRIGERATORS AND INCUBATORS PER PCS
532	DIG TOXIN (100 CALIBRATOR) 100 ML
533	DIGOXIN 100 ML
534	DIGOXIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
535	DIMETHYL SULFOXIDE (DMSO) 500 ML
536	DIPOTASSIUM HYDROGEN ORTHO PHOSPHATE (K ₂ HPO ₄) 500 GM
537	DIPOTASSIUM HYDROGEN PHOSPHATE - 500 GM
538	DISINFECTANT - 100 G OF GRANULES CONTAIN THE FOLLOWING ACTIVE INGREDIENTS: 43 G SODIUM PERCARBONATE, 22 G TETRAACETYLETHYLENEDIAMINE. PASSES EN 13624, EN 13727, EN 14368, EN 14567, EN 14569, EN 14563, EN 13704 AND EN 14475 STANDARDS, PACK SIZE: 1.5 KG BCH
539	DISINFECTANT - SODIUM PERBORATE MONOHYDRATE IN HOUSE 50% W/W QUANTITATIVE SUSPENSION TEST FOR THE EVALUATION OF SPORICIDAL ACTIVITY OF CHEMICAL DISINFECTANT OF USE IN FOOD INDUSTRIAL DOMESTIC & INSTITUTIONAL - 5 LTRS
540	DISINFECTANT - SODIUM PERBORATE MONOHYDRATE (IN HOUSE) (50 % W/W) QUANTITATIVE SUSPENSION TEST FOR THE EVALUATION OF SPORICIDAL ACTIVITY OF CHEMICAL DISINFECTANTS USED IN FOOD, INDUSTRIAL, DOMESTIC AND INSTITUTIONAL AREAS - 5 LTRS
541	DISINFECTANT POWDER - DISINFECTANT POWDER FOR SURFACE CLEANING CONTAINING POLYSSIUM MONOPERSULPHATE 40-50% SODIUM CLO - 13, ALKYBENZEN SULPHONATE 10-20% SODIUM (LIKE VIRKON) - 5 KG
542	DISINFECTANT SOLUTION - 4.25% AHP BASED SURFACE DISINFECTANT CONCENTRATE, 1 LTR.
543	DISINFECTANT SOLUTION - ALDEHYDE SURFACE & ENVIRONMENTAL DISINFECTANT - 500 ML
544	DISINFECTANT SOLUTION - DISINFECTANT CONTAINING ELECTROLYSED WATER WITH NEUTRAL PH, HYPOCHLOROUS ACID, SODIUM HYPOCHLORITE - 5 LTR.
545	DI SODIUM HYDROGEN ORTHOPHOSPHATE DODECAHYDRATE 500 GM
546	DI SODIUM HYDROGEN PHOSPHATE - 500 GM
547	DI SODIUM METASILICATE LIPTD 30%, NONIONIC SURFACTANT AND ANIONIC SURFACTANT BASED POWDER WITH OPTICAL BRIGHTNER 1 KG






548	DISPOSABLE BLADES 818 PER PACK
549	DISPOSABLE FLUID COLLECTION SYSTEM PER JAR
550	DISPOSABLE LOOP SPECIFICATION - PLASTIC, 2 MM LOOP DIAMETER PACK SIZE - 1 X 100 PCS
551	DISPOSABLE LOOP SPECIFICATION - PLASTIC, 4 MM LOOP DIAMETER PACK SIZE - 1 X 100 PCS
552	DIXON AGAR - 500 GM/PACK
553	DMEM MEDIUM - 1000 ML (READY TO USE, MEDIA SHOULD CONTAINS FETAL BOVINE SERUM (11%), GENTAMICIN, AND L-GLUTAMINE.)
554	DMEM MEDIUM - 500 ML (READY TO USE, MEDIA SHOULD CONTAINS FETAL BOVINE SERUM (11%), GENTAMICIN, AND L-GLUTAMINE.)
555	DNA EXTRACTION KIT (COLUMN BASED) (HAVE SUPPLIED THE REAGENTS IN AT LEAST 2 GOVERNMENT ORGANIZATION) - 100 TESTS
556	DNA EXTRACTION KIT (SOLUTION BASED) (HAVE SUPPLIED THE REAGENTS IN AT LEAST 2 GOVERNMENT ORGANIZATION) 100 TEST
557	DNA POLYMERASE KIT - 250 U
558	DNA POLYMERASE KIT - 50 REACTION
559	DNPH (2-4, DINITROPHENYLHYDRAZINE) - 500GM (LABORATORY REAGENT GRADE 99.9%)
560	DNTP - 10 MM PACK SIZE - 1 ML
561	DOCUMENTATION HAND LABELER GUM PER PCS
562	DORIPENAM (ANTIBIOTIC DISC) 10 MCG (256 DISC/MAL)
563	DROPPER (GLASSWARE DROPPER WITH RUBBER SUCKER, SIZE - 8 ML - 10 PCS)
564	DROPPER (PLASTICWARE DROPPER, SIZE - 3 ML - 10 PCS)
565	DSDNA IFA 1. THE WELLS OF THE KIT SHOULD BE COATED WITH CRITHIDIALUCIFAE 3. THE SLIDE SHOULD HAVE INNER AND OUTER RING AREAS FOR EACH WELL, SO AS TO CONTROL THE SAMPLE OVERFLOW NOT AFFECTING THE ADJOINING WELL. 4. THE KIT SHOULD BE US FDA APPROVED. PER TEST
566	DULCITOL DISCS - 10 X 250 DISCS
567	DULCITOL POWDER- 25GM 10MM X 25
568	DUTP - 2 GM
569	E. S. R FLUID- 500ML
570	EACH 100 G CONTAINS DIDECYLDIMETHYL AMMONIUM CHLORIDE: 7.0 G CORROSION INHIBITORS, FRAGRANCE, EXCIPIENTS Q.S. (ALCOHOL FREE, ALDEHYDE FREE), PACK SIZE: 500 ML BOTTLE
571	EACH 100 G CONTAINS ETHANOL IP: 10.0 G, 2-PROPANOL IP: 9.0 G/ ISOPROPANOL: 1-PROPANOL: 6.0 G/ N-PROPANOL PROVIDED WITH CONVENIENT HAND SPRAYER, PACK SIZE: 250ML BOTTLE
572	EACH 100 G CONTAINS ISOPROPYL ALCOHOL IP - 70% W/V, SURFACTANT, CORROSION INHIBITOR, STABILIZER PROVIDED WITH HAND SPRAYER 300 ML PACK






52

373	EACH 100 GM CONTAIN DODECYLBIS(3-PROPYLENE) TRIAMINE - 9.2 GM AND DIDECYLDIMETHYL AMMONIUM CHLORIDE 13GM 1 LTR JAR
374	EACH 100 GM CONTAINS TRUE PROPANOL 40 GMS 1-PROPANOL 22 GM SANIOCID 1 LTRS JAR
375	EACH 100 GMS CONTAINS :- 500 GM SALICYLATE IP 0.45 G SODIUM BENZOATE IP 0.59 G WATER SOLUBLE BASE Q.S
376	EACH 100 GMS CONTAINS 2-PROPANOL (63 GM) BENZALKONIUM CHLORIDE (3075 GM)
377	EACH 100 GMS CONTAINS: 2-PROPANOL 40 GM 1-PROPANOL 22GM SANIOCID 250ML
378	EC 380TH - 500 GM
379	EC 380TH - 1 ML
380	EC 380TH - 1 PC
381	ECOSHIELD SOLUTION - 1 LTR
382	EGG - 1 ML
383	ELIUCH'S ALDEHYDE TEST FOR 250 TESTS
384	ELIUCH'S IP 100 ML, TRUEPROPANOL 50 GM, 1-PROPANOL 6 GM
385	ELECTRIC PH METRE - EACH PCS
386	ELECTRICAL DIGITAL TIMER - 40 X 75 X 20 MM 50HZ EACH
387	ELECTROLYTE CONTROL (FOR FULLY AUTOMATED CLINICAL CHEMISTRY ANALYZER) - 5 ML
388	ELECTRONIC CELL COUNTER WITH 10 KEYS: 10M DCC - DIGITAL BLOOD CELL COUNTER BCC-10 IS A FEATURE LOADING CELL COUNTER WITH PERFECT QUALITY NO. OF CELLS: 10 NO. OF KEYS: 12 BODY MATERIAL: ABS POWER SOURCE: 2 X 1.5V (AA) - EACH
389	ELECTRONIC CELL COUNTER WITH 9 KEYS FOR DIC - EACH
390	ELECTROPHORESIS IN MOGLOBIN & PROTEIN BUFFER 500 ML
391	ELIUCH (GEL) - 1 PC
392	ELLERS 380TH - 500 GM
393	EMSA (EPITHELIAL MEMBRANE ANTIGEN) - 1 ML
394	ENDOTHELIAL GROWTH FACTOR RECEPTOR (EGFR) - 1 ML
395	ENOXACIN 10 MCG (250 DISC/VIAL)
396	ENROFLOXACIN 5 MCG (250 DISC/VIAL)
397	ENTEROBACTER AEROGENES / KLEBSIELLA AEROGENES - 50 PLATE/ PACK
398	ENTEROCOCCUS FAECALIS - 50 PLATE/ PACK
399	EDMUND 1% - 500 ML
400	EDMUND & NIGROSIN STAIN - (1 WIN PACK) SPECIFICATION A - 0.5% EDMUND, 290 MGS/L/100 ML NACL - 1X 30ML B - 0.5% NIGROSIN, 290 MGS/L/100 ML NACL - 1X 30ML
401	EPSON (RIBBON CARTRIDGE) NOS.
402	EPSON 9608 VIRUS ICAT (A.1) - 1 X 96 WELL






603	ERG (ERYTHROBLAST TRANSFORMATION-SPECIFIC RELATED GENE) - 1 ML
604	ERTAPENEM (ANTIBIOTIC DISC) 10 MCG (250 DISC)
605	ERYTHROMYCIN- 2 MCG (ANTIBIOTIC DISC) (250 DISC)
606	ERYTHROMYCIN- 5 MCG (ANTIBIOTIC DISC) (250 DISC)
607	ESR CONTROLS (COMPATIBLE WITH STANDARD EQUIPMENTS) - 5 ML
608	ESTRADIOL CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
609	ESTROGEN RECEPTOR - 3 ML
610	ETHANOL 100% (MOLECULAR GRADE) 500 ML
611	ETHANOL 1000 ML
612	ETHANOL 500 ML
613	ETHYL ACETATE- 250 ML
614	ETHYL ALCOHOL - 500ML (HIGH GRADE, FOR USE IN MOLECULAR BIOLOGY EXPERIMENTS, PURITY ≥99.99%, SHOULD CONTAIN ISOAMYL ALCOHOL ≤0.05, 2-PROPANOL ≤0.01, AND HIGHER ALCOHOLS ≤0.01.
615	ETHYL VIOLET AZIDE BROTH (EVA BROTH) - 500 GM
616	ETHYLACETATE - 1 LITRE (LABORATORY REAGENT GRADE, ≥99.0%)
617	ETHYLENE DIAMINETETRAACETIC ACID POWDER - 500GM (ACS GRADE, FOR MOLECULAR BIOLOGY USE)
618	ETHYL-HEXADECYL-DIMETHYL AMMONIUM ETHYL SULPHATE 0.2 GMS (MECETRONIUM ETHYLSULPHATE) EACH 100 GMS CONTAINS 2-PROPANOL 45 GMS, 1-PROPANOL 30 GMS, WITH THIRD PARTY TEST REPORT FROM RELIABLE LAB, OR INDIAN OR EUROPEAN NORM CERTIFICATES
619	EXTERNAL QUALITY CONTROL IMMUNOLOGY CONTROLS (IMMNO TUBIDIMETRIC METHODS > 5 PARAMETERS) - 12 X 5 ML
620	EXTERNAL QUALITY CONTROL CLINICAL CHEMISTRY (MORE THAN 30 PARAMETERS FOR ONE CYCLE) - 1 CYCLE
621	EXTERNAL QUALITY CONTROL CLINICAL CHEMISTRY (MORE THAN 30 PARAMETERS) - 5 ML
622	EXTERNAL QUALITY CONTROL HBA1C AND A1C - 1 ML
623	EXTERNAL QUALITY CONTROL HBA1C AND A1C (FOR ONE CYCLE) - 1 CYCLE
624	EXTERNAL QUALITY CONTROL IMMUNOASSAY (MORE THAN 20 PARAMETERS FOR ONE CYCLE) - 1 CYCLE
625	EXTERNAL QUALITY CONTROL IMMUNOASSAY (MORE THAN 20 PARAMETERS) - 5 ML
626	FALCON 5 ML ROUND BOTTOM POLYSTYRENE TEST TUBE WITH CELL STRAINER SNAP CAP 800 FACE SIZE
627	FALCON TUBE -15ML
628	FAROPENEM (ANTIBIOTIC DISC) 5MCG (250 DISC)
629	FAST GERNET BGBC SALT 500 GM
630	FERRIC ALUM 99% - 250 GM
631	FERRIC CHLORIDE 250 GM
632	FERRIC CHLORIDE 5% - 100 ML

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

- 833 FERRITIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML.
- 834 FERRITIN CONTROL LEVEL 1 - 100 ML (STANDARD COMPATIBLE WITH DIRUI CS-240 SYSTEM PACK)
- 835 FERRITIN CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
- 836 FERRITIN CONTROL LEVEL 2 - 100 ML (STANDARD COMPATIBLE WITH DIRUI CS-240 SYSTEM PACK)
- 837 FERRITIN CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
- 838 FERRITIN WITH CALIBRATOR - 100 ML (STANDARD COMPATIBLE WITH DIRUI CS-240 SYSTEM PACK)
- 839 FERRITIN WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
- 840 EFFRAOUS CH. GRIDE - 500 GM
- 841 FETAL BOVINE SERUM (FBS) - 100 ML (FILTERED STERILE, BOVINE IGG, ≤ 1 MG/ML + HEMOGLOBIN, ≤ 25 MG/DL)
- 842 FETAL BOVINE SERUM (FBS) - 500 ML (FILTERED STERILE, BOVINE IGG, ≤ 1 MG/ML + HEMOGLOBIN, ≤ 25 MG/DL)
- 843 FILTER PAPER (QUALITATIVE CIRCLES 11 CM) - 100 CIRCLE
- 844 FILTER PAPER (QUALITATIVE CIRCLES 12.5 CM) - 100 CIRCLE
- 845 FIXATIVE SOLUTION - 50 ML
- 846 FILICONAPOL (MICRO-TEST STRIP) 1 X 10 STRIP
- 847 FOLCLONGIN - 1 LTR
- 848 FOLIC ACID (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
- 849 FORCE PLUNTED DISSECTING SIZE 8 INCH EACH
- 850 FORCEP POINTED - 4 INCH EACH
- 851 FORCEP POINTED - 6 INCH EACH
- 852 FORCEP POINTED - 8 INCH EACH
- 853 FORMALINE TAB - 100 PCS
- 854 FORMIC ACID - 500 ML
- 855 FOSTOMYCIN (ANTIBIOTIC DISC) 200 MCG (750 DISC)
- 856 FLOWER BROTH - 500 GM
- 857 FRIGER LISTERIA SELECTIVE SUPPLEMENT - 1 X 10 VIAL
- 858 FRY FSA CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
- 859 FRY FSA CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML






660	FRET-14 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
661	FREEZING MEDIA FOR CRYOSTAT (125 ML) OPTIMAL CUTTING TEMPERATURE (OCT) COMPOUND IS FORMATION OF CLEAR, WATER SOLUBLE GLYCOLS AND RESIN, PROVIDING A SOLID MATRIX TO SPECIMEN HOLDER FOR CONSISTENT SECTIONING IN A CRYOSTAT WORKING TEMPERATURE OF -10°C BELOW. SPECIFICATION:- MOL. FORMULA = NA2S2O4 MOL. WT. = 174.11 ASSAY (IODOMETRIC) = 85 - 87.5 IRON (FE) = MAX. 0.002 % (AT THE MOMENT OF BATCH ANALYSIS)
662	FREEZING MEDIA FOR CRYOSTAT PACK SIZE 100 (118 ML) OPTIMAL CUTTING TEMPERATURE (OCT) COMPOUND IS FORMATION OF CLEAR, WATER SOLUBLE GLYCOLS AND RESIN, PROVIDING A SOLID MATRIX TO SPECIMEN HOLDER FOR CONSISTENT SECTIONING IN A CRYOSTAT WORKING TEMPERATURE OF -10°C BELOW. SPECIFICATION:- MOL. FORMULA = NA2S2O4 MOL. WT. = 174.11 ASSAY (IODOMETRIC) = 85 - 87.5 IRON (FE) = MAX. 0.002 % (AT THE MOMENT OF BATCH ANALYSIS)
663	FROSTED MICRO SLIDES 19MM X 25MM, THICKNESS- 1.35MM
664	FSH CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
665	FUNNEL (IT SHOULD BE MADE UP OF POLYMETHYLENE, CONFIRMING TO US FDA CODE OF FEDERAL REGULATIONS TITLE-21, AND SHOULD BE AUTOC. AVAIL) - 1 NOS
666	FURAXONE - 100 MCG (250 DISC)
667	FURAZOLIDONE - 100 MCG (250 DISC)
668	FUSIDIC ACID - 10 MCG (250 DISC)
669	G.V. POWDER - 500 GM
670	GATIFLOXACIN (ANTIBIOTIC DISC) P. SIZE SR 250 (250 DISC)
671	GELATIN AGAR - 500 GM
672	GEOBACILLUS STEAROTHERMOPHILUS AMPOULES - 50 NOS
673	GEOBACILLUS STEAROTHERMOPHILUS SPORES (BIOLOGICAL INDICATOR) 30 X 1 ML
674	GFAP (GLIAL FIBRILLARY ACIDIC PROTEIN) - 1 ML
675	GGTP - 10X2ML
676	GLASS PETRIDISH (90 MM) - EACH PCS
677	GLASS PETRIDISH (100 MM) - EACH PCS
678	GLASS PETRIDISH (120 MM) - EACH
679	GLASS PETRIDISH (90 MM) - EACH
680	GLASS MARKING PENCIL EACH - PER PCS






681	GLASS WOOL - 250 GM
682	GLOVE - CRYO GLOVES (FOR USE IN -80°C DEEP FREEZER, A PAIR OF GLOVES SHOULD COVER HALF HAND)
683	GLOVE - CRYO GLOVES - 1 PAIR EACH
684	GLOVE - NITRILE GLOVES (LARGE) (DISPOSABLE NITRILE GLOVES, FOR USE IN CHEMICAL LABS, THICKNESS SHOULD BE <5MIL) - 100 PCS / PACK
685	GLOVE - NITRILE GLOVES (MEDIUM) (DISPOSABLE NITRILE GLOVES, FOR USE IN CHEMICAL LABS, THICKNESS SHOULD BE <5MIL) - 100 PCS / PACK
686	GLOVE - NITRILE GLOVES (SMALL) (DISPOSABLE NITRILE GLOVES, FOR USE IN CHEMICAL LABS, THICKNESS SHOULD BE <5MIL) - 100 PCS / PACK
687	GLOVE - POWDER FREE NITRILE GLOVES- SIZE- L (IT SHOULD POWDER FREE NITRILE GLOVES, TO BE USED IN MOLECULAR BIOLOGY LAB) - 1 X 100 NOS
688	GLOVE - POWDER FREE NITRILE GLOVES- SIZE- XL (IT SHOULD POWDER FREE NITRILE GLOVES, TO BE USED IN MOLECULAR BIOLOGY LAB) - 1 X 100 NOS
689	GLOVE - POWDER FREE NITRILE GLOVES- SIZE- S (IT SHOULD POWDER FREE NITRILE GLOVES, TO BE USED IN MOLECULAR BIOLOGY LAB) - 1 X 100 NOS
690	GLUCOSE (HEXOKINASE) - 100 ML (COMPACTIBLE WITH DIRUI-CST240)
691	GLUCOSE FR- 100 ML
692	GLUCOSE SALT TEPOL BROTH - 500 GM
693	GLU WITH HD-45000 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
694	GLUTARALDEHYDE HYPOCHLORIDE - 100 GM
695	GUANIDINIUM THIOCYANATE - 100 GM
696	HAPTOGLOBIN CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
697	HAPTOGLOBIN WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
698	HARDNESS TESTING KIT (FOR WATER ANALYSIS) EACH - 300 TEST
699	HARRISH HEAMATOXYLINE POWDER 250 GM
700	HCV DNA EXTRACTION KIT - 1 X 96 WELL
701	HD - CHOLESTEROL KIT - 10ML
702	HEPAC TEST KIT - HUMAN HEPATITIS C VIRUS (HCV) ANTIGEN ELISA KIT - 96 WELL
703	HEV QPCR KIT - 100 TEST
704	HEX CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
705	HEKTOEN ENTERIC AGAR - 500 GM
706	HEMATOLOGY - EXTERNAL QUALITY CONTROL
707	HEMATOLOGY CONTROLS (LEVEL 1, LEVEL 2 AND LEVEL 3) (COMPATIBLE WITH SYSMEX XN-1000) PACK SIZE - 3 ML
708	HEMATOLOGY CONTROLS (COMPATIBLE WITHIN SYSMEX XN-1000) - 3 ML



709	HEMO DIALYSIS SOLUTION- 10 LTRS
710	HEMOGLOBINOMETER CALORIMETRY SET - EACH
711	HEPATITIS DELTA VIRUS (HDV) OR HEPATITIS D RAPID SCREENING TEST - 50 TEST
712	HEPATITIS E VIRUS (HEV) IGM AND IGG RAPID - 50 TEST
713	HEPES SODIUM SALT - 25 GM
714	HEXANE- 500 ML
715	HIPPURATE BROTH -500 GM
716	HISTOPAQUE-1077 - 100 ML (DENSITY 1.077 G/ML (5.7% POLYSUCROSE AND 9.0% SODIUM DIATRIZOATE))
717	HLA B27 RT PCR KIT(96 TEST) INCLUDING ALL CONSUMABLES (COMPATIBLE WITH BIORAD RT PCR) - 96 TEST
718	HOMOCYSTEINE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
719	HOMOCYSTEINE WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED FM-360 BIOCHEMISTRY ANALYZER) - 100 ML HOMOCYSTEINE CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED FM-360 BIOCHEMISTRY ANALYZER) - 5 ML
720	HS CRP CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
721	HUGH LEIFSON MEDIUM - 500 GM
722	HUMAN ACTIVATED PROTEIN C ELISA KIT - 96 WELL
723	HYDROCHLORIC ACID (35 %) - 500 ML
724	HYDROCHLORIC ACID HCL CONC- 500ML
725	HYDROGEN PEROXIDE 10 %
726	HYDROGEN PEROXIDE DISINFECTANT CLEANER WIPES, CDSCO APPROVED. EN 13727- BACTERICIDAL IN 1 MIN. EN 13624- FUNGICIDE IN 1 MIN 1.4% W/V OF HYDROGEN PEROXIDE (100 VOL) I.P AND 0.01% W/V OF SILVER NITRATE I.P
727	HYDROPHOBIC BARRIER MARKER PEN - REAGENT BLOCKER (PAP PEN) USE IN IMMUNOHISTOCHEMICAL APPLICATIONS
728	HYDROQUINONE BUFFER - 500 ML
729	HYDROXYLAMINE HYDROCHLORIDE - 500 GM (LABORATORY GRADE, 99%)
730	HYPOCHLORIDE 10 % - 500 ML
731	HYPOCHLOROUS ACID (HOCL - 0.003%) + SODIUM HYPOCHLORITE (NAOCL - 0.004%) + ELECTROLYSED WATER - 99.97% (WOUND CARE SPRAY) - 500 ML
732	HYPOCHLOROUS ACID (HOCL - 0.008%) + SODIUM HYPOCHLORITE (NAOCL - 0.002%) + ELECTROLYSED WATER - 97.64% (WOUND CARE GEL) - 60 GM.
733	ICE BUCKET - 1 LITRES (SHOULD BE MADE UP OF POLYURETHANE FOAM, WHICH HAS GOOD INSULATING PROPERTIES AND CHEMICAL RESISTANCE) - 1 NOS





63

Handwritten signatures and initials:








734	ICE BUCKET - 2.5 LITRES (SHOULD BE MADE UP OF POLYURETHANE FOAM, WHICH HAS GOOD INSULATING PROPERTIES AND CHEMICAL RESISTANCE) - 1 NOS
735	ICE BUCKET - 4 LITRES (SHOULD BE MADE UP OF POLYURETHANE FOAM, WHICH HAS GOOD INSULATING PROPERTIES AND CHEMICAL RESISTANCE) - 1 NOS
736	ICE BUCKET - 5 LITRES (SHOULD BE MADE UP OF POLYURETHANE FOAM, WHICH HAS GOOD INSULATING PROPERTIES AND CHEMICAL RESISTANCE) - 1 NOS
737	ICE BUCKET - 9 LITRES (SHOULD BE MADE UP OF POLYURETHANE FOAM, WHICH HAS GOOD INSULATING PROPERTIES AND CHEMICAL RESISTANCE) - 1 NOS
738	IGH POLYCLONAL ANTIBODY PACK SIZE 100 MICROLITRE
739	IGA 100 ML
740	IGA CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
741	IGE CALIBRATOR - 100 ML (COMPATIBLE WITH DIRUI-CST240)
742	IGE CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
743	IGE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
744	IGE CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
745	IGE REAGENT - 100 ML (COMPATIBLE WITH DIRUI-CST240)
746	IGE REAGENT WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
747	IGE 100 ML
748	IGG CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
749	IGM 100 ML
750	IGM CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
751	IMIDAZOLE - 100 GM
752	IMPINEM RELERACTUM (ANTIBIOTIC DISC) 10 MCG (250 DISC)
753	IMPINEM RELERACTUM (ANTIBIOTIC DISC) 25 MCG (250 DISC)
754	IMMUNOASSAY CONTROLS (MORE THAN 30 PARAMETERS) - 5 ML
755	IMMUNOHISTOCHEMISTRY (IHC) ESTROGEN RECEPTOR KIT (A ALL-IN-ONE KIT FOR IMMUNOHISTOCHEMICAL STAINING FOR TISSUES, IT MUST CONTAIN PRIMARY ANTIBODY, SECONDARY ANTIBODY, CONJUGATES, BUFFER AND ALL NECESSARY REAGENTS.) - EACH

756	IMMUNOHISTOCHEMISTRY (IHC) HER2 RECEPTOR KIT (A ALL-IN-ONE KIT FOR IMMUNOHISTOCHEMICAL STAINING FOR TISSUES, IT MUST CONTAIN PRIMARY ANTIBODY, SECONDARY ANTIBODY, CONJUGATES, BUFFER AND ALL NECESSARY REAGENTS) - EACH
757	IMMUNOHISTOCHEMISTRY (IHC) PROGESTERONE RECEPTOR (PR) (A ALL-IN-ONE KIT FOR IMMUNOHISTOCHEMICAL STAINING FOR TISSUES, IT MUST CONTAIN PRIMARY ANTIBODY, SECONDARY ANTIBODY, CONJUGATES, BUFFER AND ALL NECESSARY REAGENTS) - EACH
758	IMMUNOLOGY CONTROLS INCLUDING (CRP/ASD/RI) (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
759	INDIA INK - 100 GM
760	INDIAN INK 250 ML
761	INHIBIN - 1 ML
762	INNOVATIVE TENSIDE SYSTEM CONTAINING 5-15% ANIONIC SURFACTANTS, < 5% CATIONIC SURFACTANTS, <5% POLYCARBOXYLATE, ENZYMES, OTHER EXCIPIENTS: SOLUBILISER, CORROSION INHIBITORS SODIUM CUMENESULFONATE, SODIUM ETASULFATE, 2-AMINOETHANOL, ALCOHOLS, C13-15-BRANCHED AND LINEAR, BUTOXYLATED ETHOXYLATED, ALKYL POLYETHYLEN-GLYCOL POLYBUTYLEN-GLYCOLETHER, SUBTILISIN, GLUCEROL, PACK SIZE: 5 LITRE JAR
763	INNOVATIVE TENSIDE SYSTEM CONTAINING 5-15% ANIONIC SURFACTANTS, < 5% CATIONIC SURFACTANTS, <5% POLYCARBOXYLATE, ENZYMES, OTHER EXCIPIENTS: SOLUBILISER, CORROSION INHIBITORS SODIUM CUMENESULFONATE, SODIUM ETASULFATE, 2-AMINOETHANOL, ALCOHOLS, C13-15-BRANCHED AND LINEAR, BUTOXYLATED ETHOXYLATED, ALKYL POLYETHYLEN-GLYCOL POLYBUTYLEN-GLYCOLETHER, SUBTILISIN, GLUCEROL
764	INSULIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
765	INTACT PTH CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
766	IODINE APEX TINCTURE- 100 ML
767	IRON - 100 ML (STANDARD COMPATIBLE WITH DIRUI CS 260 SYSTEM PACK)
768	IRON (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
769	IRON ALUM 5% - 100 ML
770	IRON BINDING KIT- 150ML
771	IRON SULFITE AGAR - 500 GM
772	IRON TIBC 100 ML
773	ISO AMYL ALCOHOL - 500 ML
774	ISO-BUTANOL - 500 ML
775	ISONIAZID / ISONICOTINYL HYDRAZINE- 1MG (250 DISC)
776	ITRACONAZOLE MIC E-STRIP - 30 TEST EACH PACK
777	ITRACONAZOLE POWDER (SOLUBILIZED POWDER, I-IRRADIATED) 3 MG (250 DISC)
778	JAPANESE ENCEPHALITIS IGM (JE) ELISA - 1 X 96W


65

779	KARYOTYPING MEDIA - 1000 ML (READY TO USE, TO BE USED TO CULTURE PERIPHERAL BLOOD LYMPHOCYTES, MUST MANUFACTURED AT A CGMP COMPLIANT FACILITY)
780	KARYOTYPING MEDIA - 100ML (READY-TO-USE, TO BE USED TO CULTURE PERIPHERAL BLOOD LYMPHOCYTES, MUST MANUFACTURED AT A CGMP COMPLIANT FACILITY)
781	KARYOTYPING MEDIA - 500ML (READY TO USE, TO BE USED TO CULTURE PERIPHERAL BLOOD LYMPHOCYTES, MUST MANUFACTURED AT A CGMP COMPLIANT FACILITY)
782	KARYOTYPING MEDIA (500ML) (READY TO USE LIQUID MEDIA, TO BE USED TO CULTURE PERIPHERAL BLOOD LYMPHOCYTES, 1X PREPARATION, MUST SUPPLEMENTED WITH FETAL BOVINE SERUM, L-GLUTAMINE AND PHYTOHEMAGGLUTININ, MEDIA USE MUST BE CERTIFIED FOR "IN VITRO DIAGNOSTIC USE". IT SHOULD BE MANUFACTURED AT FDA REGISTERED CGMP COMPLIANT FACILITY ONLY)
783	KEF - 500ML
784	KETODINAZOLE POWDER (SOLUBILIZED POWDER, IRRADIATED) 1 MG (250 DISC)
785	KETODINAZOLE MICR STRIP - 10 STRIP
786	KETONE BODIES (BLOOD) WITH CALIBRATOR - 100 ML (COMPACTIBLE WITH DIRUI-CST240)
787	KIEP ANTICIN - 1 ML
788	L - SPREADER - 1 X 50 SPL
789	LAMCININE HYDROCHLORIDE 10 GM
790	L- EMBEDDING MOLD (SSIZE 75X30X19 MM) PACK SIZE IN PAIR
791	L- MEDIA SLANT EACH - 1 X 10 SLANT
792	L- CINE HYDROCHLORIDE 10 GM
793	L- EMBEDDING MOLD (SSIZE 37 X26 X15 MM) PACK SIZE IN PAIR
794	L- SLANT WITH EACH PACK
795	L-1 TEST KIT (PK34) - 100 TESTS
796	L-1 TEST KIT (PK35) - 50 TESTS
797	LAL GODOLLS EACH
798	LAB SHOES - SIZE 10
799	LAB SHOES - SIZE 7
800	LAB SHOES - SIZE 8
801	LAB SHOES - SIZE 9
802	LABOLINE - 5 LTR
803	LABORATORY DEODORIZING PEARLS -250PCS / PACK
804	LACTATE CONTROL -100 ML (COMPACTIBLE WITH DIRUI-CST240)
805	LACTATE CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
806	LACTATE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/HYMNALGASTAY ANALYZER BIGGER SHOULD HAVE FEED GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
807	LACTATE WITH CALIBRATOR - 100 ML (COMPACTIBLE WITH DIRUI-CST240)
808	LACTATE WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
809	LACTIC ACID - 500 ML
810	LACTOSE - 500 GM






811	LACTOSE BROTH - 500 GM
812	LACTOSE POWDER - 250 GM
813	LACTOSE TTC AGAR WITH TERGITOL 7 - 500 GM
814	LARGE RULER METALLIC SCALES- EACH
815	L-ARGININE HYDROCHLORIDE 10 GM
816	LB BROTH (LENNOX) - 500 GM
817	LB BROTH WITH AGAR - 500 GM
818	LDH CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
819	LDL CONTROL 50 ML
820	LEAD ACETATE - 500 GM
821	LEEMING- NOTMAN AGAR - 250 GM
822	LEEMING- NOTMAN AGAR - 500 GM
823	LENS CLEANER SOLUTION 10 ML
824	LH CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
825	LIGHT GREEN 2% - 100 ML
826	LIGNOCAINE HYDROCHLORIDE - 10 ML INJECTION IP - 2% LIGNOCAINE HYDROCHLORIDE IP 2% W/V SODIUM CHLORIDE - 0.45% W/V METHYL PARABEN - 0.2% W/V WATER FOR INJECTION IP Q.S
827	LIGNOCAINE HYDROCHLORIDE - 20 ML
828	LINCOMYCIN- 2 MCG (250 DISC/VIAL)
829	LIPASE, AMYLASE, PROTEASE, CELLULASE, BIODEGRADABILITY - 3.785 LITER
830	LIPID CONTROLS - 5 ML
831	LIPOPROTEIN (A) - 5 ML
832	LIPOPROTEIN 100 ML
833	LIQUOR AMMONIA - 500 ML
834	LISTERIA ENRICHMENT BROTH (BASE) - 500 GM
835	LISTERIA INNOCUA - 500 GM
836	LISTERIA MONOCYTOGENES - 500 GM
837	LITHIUM CARBONATE - 100 ML
838	LIVER BROTH - 500 GM
839	L-LYSINE HYDROCHLORIDE 10 GM
840	L-MOULD BRASS - SPECIMEN HOLDER USED FOR HOLDING THE WAX BLOCK FOR TAKING SECTIONS ON THE MICROTOME (SIZE - 7.5 x 3 x 1.9 CM PAIR) - EACH PACK
841	L-MOULD BRASS - SPECIMEN HOLDER USED FOR HOLDING THE WAX BLOCK FOR TAKING SECTIONS ON THE MICROTOME (SIZE - 4.5 x 2.5 x 0.5 CM PAIR) - EACH PACK






62

842	LOOP (1 MM) 100 PCS / PACK
843	LOOP (10MM) 100 PCS / PACK
844	LOOP (2MM) 100 PCS PER PACK
845	LOOP (4MM) 100 PCS PER PACK
846	L-ORNITHINE HYDROCHLORIDE 10 GM
847	LPI 100 ML
848	L-THREONINE - 5 GM
849	L-TYROSINE 125 ML
850	L-VALINE - 25 GM
851	LYSOZYME - 1 GM
852	MAC CARTNEY BOTTLE WITH SCREW CORK 100 ML
853	MACCONKEY BROTH - 500 GM
854	MAGNIFYING GLASS 3" - EACH
855	MAGNESIUM 100 ML
856	MAGNESIUM CHLORIDE (M ₂ CL ₂) - 500 ML
857	MAGNESIUM CHLORIDE HEXAHYDRATE - 500 GM
858	MAGNESIUM CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 1 ML
859	MANGANESE POWDER - 500 GM
860	MAGNESIUM SULPHATE HEPTAHYDRATE - 50 GM
861	MAGNESIUM SOLUTION CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
862	MALACHITE GREEN - 100 GM EACH PACK
863	MALT EXTRACT - 500 GM
864	MANGANESE CHLORIDE - 500 GM
865	MANNITOL - EGG YOLK POLYMYXIN (MYP) AGAR - 500 GM
866	MANNITOL SALT AGAR - 500 GM
867	MANUAL CELL COUNTER WITH 9 KEYS FOR DFC - DIFFERENTIAL BLOOD CELL COUNTER - 9 WINDOWS TOTAL OF KEYS 8 OR 9 KEYS TOTAL OF WINDOWS 9 (TOTALIZER) EACH WINDOW FIGURE RANGE 0-999 NUMBER OF BUTTONS 8 NUMBER OF WINDOWS 9 DIMENSIONS (MM) W:200X178X45 - EACH
868	MASON TRICHOME STAIN REAGENT - 100 TEST / BOTTLE
869	MATHICLIN - 750 T
870	MAYER GRUNWALL STAIN 200 ML
871	MAYER'S HEMALUM SOLUTION - 1 LTRS SPECIFICATION: DENSITY - 1.05/CM ³ (20°C) PH - 5.8 - 2.2 (20°C) C17290 4.4GM/L AL ₂ (SO ₄) ₃ ·18H ₂ O - 28GM/L C6H8O7·H ₂ O - 0.5 GM/L






872	MAYER'S HEMETOXYLENE SOLUTION - 1 GM
873	MC CAL A (MASTERCURVE CALIBRATOR A) 100 ML
874	MC GRUNEWALD STAIN - 500 ML
875	MDM-2 - 1 ML
876	MEASLES IGM ELISA 1 X 96W
877	MEASURING JAR 500 ML
878	MEASURING SCOOP - 500 ML EACH
879	MEASURING SCOOP -10 ML EACH
880	MEASURING SCOOP -100 ML EACH
881	MECILLINAM- 10 MCG (250 DISC)
882	MELAN A - 1 ML
883	M-ENDO AGAR - 500 GM
884	METANIL YELLOW - 500 GM
885	METHANAMINE 3% - 500 ML
886	METHANAMINE SILVER - 100 ML
887	METHYL VIOLET/ CRYSTAL VIOLET POWDER - 100 GM
888	METHYL VIOLET/ CRYSTAL VIOLET POWDER - 500 GM
889	METHYLENE BLUE NEW - 500 ML
890	METHYLENE CHLORIDE - 250 ML
891	METHYLENE GREEN- 100 GM
892	METHYLENE GREEN- 500ML
893	METRONIDAZOLE- 80 MCG (250 DISC)
894	MEZLOCILLIN- 30 MCG (250 DISC)
895	MEZLOCILLIN- 75 MCG (250 DISC/VIAL)
896	M-FC AGAR - 500 GM
897	MG POWDER - 500 G
898	MICAFUNGIN (MIC E TEST STRIP) - 1 X 10 STRIP EACH PACK
899	MICAFUNGIN MIC E-STRIP 1 X 10 STRIP EACH PACK
900	MICAFUNGIN POWDER (SOLUBILIZED POWDER, I-IRRADIATED) 1 MCG
901	MICHEL'S TRANSPORT MEDIA - 500 GM
902	MICRO CLEAN - 1 LTR.
903	MICRO PROTEIN - 2 X 25 ML PER KIT
904	MICRO PROTEIN CONTROL LEVEL 1 - 100 ML (COMPATIBLE WITH DIRUI C51240)
905	MICRO PROTEIN WITH CALIBRATOR - 100 ML (COMPATIBLE WITH DIRUI C51240)
906	MICRO VIAL ADAPTOR COMPATIBLE WITH BIO RAD VARIANT II PACK SIZE 10
907	MICROBIOLOGICAL LOOP (3 MM) EACH PACK - 25
908	MICROBIOLOGICAL LOOP (4 MM) EACH PACK-25
909	MICRODILUTION PLATE FOR WIDE RANGE OF ANTIMICROBIAL PANEL FOR CANDIDA 50T15T EACH PACK
910	MICRODILUTION PLATE FOR WIDE RANGE OF ANTIMICROBIAL PANEL FOR GNB 50T15T EACH PACK
911	MICRODILUTION PLATE FOR WIDE RANGE OF ANTIMICROBIAL PANEL FOR GPC 50T15T EACH PACK
912	MICROFILARIA RAPID CARD - PER TEST






913	MICROPROTEIN CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
916	MICROPROTEIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
915	MICROPROTEIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
919	MICROPROTEIN KIT (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
917	MICROPROTEIN WITH CALIBRATOR - 100 ML
918	MICROSEAL ADHESIVE SEAL - MICROSEAL B ADHESIVE SEALS TO BE USED IN NEXT GENERATION EXPERIMENTS - 1 X 100 NOS
919	MICROTUBE RACK FOR 20 TUBES
920	MILK AGAR - 500 GM
921	MODIFIED CHARCOAL CEFOPERAZONE DEOXYCHOLATE AGAR (MCCD) - 500 GM
922	MODIFIED DIXON AGAR - 250 GM
923	MODIFIED DIXON AGAR - 500 GM
924	MODIFIED DIXON AGAR - 250 GM
925	MOLECULAR LADDER 100 BP - 50 UG
926	MOLECULAR LADDER 1 KB - 50 UG
927	MOLYBDIC ACID - 500 ML
928	MOTILITY TEST MEDIA - 500 GM
929	MOXALACTAM (ANTIBIOTIC DISC) 30MCC (250 DISC)
930	MPI STAINING REAGENT - BENZONIN POWER - 250 GM
931	MPI REAGENT - 100 ML
932	MPI (WCO) TWINER NEEDLE] 100 PCS PER PACK
933	MPI TETRAZOLEUM - 1 GM
934	MULLER KAPURMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (MKTTN) - 500 GM
935	MULTI CALIBRATOR ANTIBIOTIC TDM 100 ML
936	MULTI ENZYME CLEANER WITH NEUTRAL PH CONTAINING 5-15% NON-IONIC SURFACTANTS, ENZYMES (AMYLASE, LIPASE & PROTEASE), FRAGRANCES SOLUBILISERS, CORROSION INHIBITORS, COLOURING AGENTS. DECLARED CONFORMITY AS MEDICAL DEVICE ACCORDING TO - MDD93/42/EEC ALCOHOL, C13-C15 BRANCHED AND LINEAR, BUTOXYLATED ETHOXY, ETHANOL, ALKYL-POLYETHYLENYLGLYCOL POLYBUTYLENYLGLYCOL ETHER, SODIUM CUMENESULFONATE
937	MULTI DET KIT - 1000ML
938	MULTI ENZYME CLEANER - 1000 ML PER LAR
939	MULTI PURPOSE LABELLING TAPE 5 METERS
940	MIL-905 (GM) USA - 1 X 96 WELL
941	MIL-905 (GM) 250 MCC (250 DISC)
942	MIL-905 (GM) 5 MCC (250 DISC)






943	MYELOPEROXIDASE [MPO] STAINING REAGENT – BENZIDIN POWER- 250 GM
944	MYO D1 - 1 ML
945	MYOGENIN - 1 ML
946	MYOGLOBIN 1 ML
947	MYOGLOBIN 100 ML
948	MYOGLOBIN CALIBRATOR 100 ML
949	MYOGLOBIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS PACK SIZE – 5 ML
950	N-ACETYL L-CYSTEINE (NALC) 10 GM
951	N-HEXANE - 500 ML
952	N,N-DIMETHYL FORMAMIDE (SIGMA D-4551) – 500 ML
953	N,N,N',N'-TETRAMETHYLETHYLENEDIAMINE (TEMED) – 1 LTR
954	N,N'-METHYLENE-BIS-ACRYLAMIDE - 25 GM
955	N.A. AGAR - 500 GM
956	N-1 NEPTHYL ETHYLENEDIAMINE DIHYDROCHLORIDE - 100G (ACS REAGENT, >98.0%)
957	NA/K (COMPATIBLE WITH FOR FULLY AUTOMATED I M-360 BIOCHEMISTRY ANALYZER) - 100 ML
958	NA+ & K+ STANDARD SOLUTION- 500ML
959	NADP - 100MG (PURITY (HPLC) > 95 %/SPECTROPHOTOMETRIC PURITY > 95 %)
960	NADPH -100MG (POWDER, -97% (DRY WEIGHT), MOL.WT. 333.4)
961	NAFCILLIN - 1 MCG (ANTIBIOTIC DISC) (250 DISC)
962	NALC 10 GM
963	NAPHTHOL A S PHOSPHATE (SIGMA N-3625) - 500 ML
964	N-BUTANOL - 500 ML
965	N-BUTYL ALCOHOL- 500ML
966	NEGATIVE CALIBRATOR DAU 100 ML
967	NEOMYCIN- 5 MCG (ANTIBIOTIC DISC) (250 DISC)
968	NEUBAUER'S COUNTING COVER SLIP- 96 WELL
969	NEUROCYSTICERCOSIS IGG ELISA - 1 X 96 WELL
970	NEUROCYSTICERCOSIS IGM ELISA KIT 1 X 96 WELL
971	NEURON SPECIFY ENALASE - EACH
972	NEUTRAL RED (0.62% AQUEOUS SOLUTION) – 500 ML
973	NEUTROPHIL ALKALINE PHOSPHATE REAGENT - EACH
974	NEW METHYLENE BLUE - 25GM
975	NH3 CONTROL 1 - 100 ML (COMPACTIBLE WITH DIRUI-CST-240)
976	NH3 CONTROL 2 - 100ML (COMPACTIBLE WITH DIRUI-CST-240)
977	NH3 REAGENT - 100 ML (COMPACTIBLE WITH DIRUI-CST-240)
978	NITRIC ACID - 500 ML
979	NITROCEFIDIN DISC PACK SIZE - 1 X 50 PCS
980	NITROFURANTOIN- 50 MCG (ANTIBIOTIC DISC) (250 DISC)
981	NIGROSLIN STAIN – 25 ML






987	NO FOAM REAGENT 100 ML
988	NOFLOXACIN 2 MCG (ANTIBIOTIC DISC) (250 DISC)
989	NORMAL SALINE - 500 ML
990	NOBOVIRUS ANTIGEN - 1 X 95 WELL
991	NOVACA STRAIIIC DETECTION KIT - 1250 X 1 - EACH PACK
992	NOVOBIOICIN DISC (ANTIBIOTIC DISC) 10MCG (250 DISC)
993	NOVIGLINE POLYMER 1 KIT
994	NOVIGLINE
995	NOVIGLINE BNP/BNP CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
996	NUCLEAR FAST R/B - 100ML
997	NUCLEAR RED FAST STAINING TROUGH PACK SIZE - 250 ML
998	NUCLEAR RED FAST STAINING TROUGH PACK SIZE - 500 ML
999	NUTRIENT AGAR 100GM
1000	NUTRIENT BROTH - 500 GM
1001	NUTRIENT GELATIN - 500 GM
1002	O. TOLIDINE - 200 GM
1003	O.C.F POWDER 25 GM
1004	OCULET BLOOD TEST KIT (IMMUNOCHROMATOGRAPHY) - 25TEST EACH PACK
1005	OCTENIDINE BASED WASH LOTION WITH NEUTRAL PH, TESTED AS PER EUROPEAN NORMS CONTAINING OCTENIDINE HCL, AQUA, COCAMIDOPROPYLAMINE OXIDE, PEG-7 GLYCERYL COCOATE, GLYCERIN, HYDROXYETHYL CELLULOSE, LACTIC ACID, CONTAINS ALLANTOIN FOR FULL BODY WASH HEAD TO TOE
1006	OCTENIDINE BASED WASH LOTION WITH NEUTRAL PH, TESTED AS PER EUROPEAN NORMS CONTAINING OCTENIDINE HCL, AQUA, COCAMIDOPROPYLAMINE OXIDE, PEG-7 GLYCERYL COCOATE, GLYCERIN, HYDROXYETHYL CELLULOSE, LACTIC ACID, CONTAINS ALLANTOIN, FOR FULL BODY WASH HEAD TO TOE, PACK SIZE: 100 ML BOTTLE
1007	OCTENIDINE BASED WASH MITTS WITH PRACTICAL HAND DIMENSION, TESTED AS PER EUROPEAN NORMS CONTAINING OCTENIDINE HCL, AQUA, GLYCERINE, COCAMIDOPROPYLAMINE OXIDE, SODIUM LACTATE, ALLANTOIN, ETHYLHEXYL GLYCERINE, PACK SIZE: 100 PCS PER PACKET
1008	OFLOXACIN (ANTIBIOTIC DISC) 10MCG (250 DISC)
1009	OIL WITH FERMENT - 10ML
1010	OLIVANDOMYCIN 10MCG (ANTIBIOTIC DISC) (250 DISC)
1011	OLIVANDOMYCIN 15 MCG (ANTIBIOTIC DISC) (250 DISC)
1012	OLIC ACID - 5G (PURITY (GC) > 99% CELL CULTURE TEST PASS
1013	ORLYBE - 5 LTR
1014	ORLYBE SERUM AGAR - 500 GM
1015	ORLYBE - 200 ML
1016	ORLYBE DECARBOXYLASE TEST REAGENT 100GM
1017	ORTHOPHOSPHORIC ACID - 100 ML
1018	ORTHOTOLIDINE - 500 ML
1019	OXALATE POWDER - 250GM

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

1015	OXALIC ACID 2% - 500 ML
1016	OXFORD LISTERIA SELECTIVE AGAR - 500 GM
1017	OXFORD LISTERIA SELECTIVE SUPPLEMENT - 5 VIAL
1018	OXIDASE REAGENTS POWDER - 250 GM
1019	OXIDATIVE/FERMENTATIVE MEDIUM WITH "FERRIC CHLORIDE" REAGENT - 250 ML
1020	OXOLINIC ACID- 2 MCG (250 DISC)
1021	P 120 - 1 ML
1022	P 53 - 1 ML
1023	P 63 - 1 ML
1024	P.A.S. DISTASTE KIT PER 100 TEST
1025	P.H. (3.0 - 11.0) LIQUID INDICATOR - 100 ML
1026	P.H. (4.0 - 11.0) LIQUID INDICATOR - 100 ML
1027	P.P.D. 10 TU- 10ML
1028	P.P.D. 10 TU- 5ML
1029	P.P.D. 2 TU- 5ML
1030	P.P.D. 5 TU- 5ML
1031	PALCAM LISTERIA SELECTIVE AGAR - 500 GM
1032	PALCAM LISTERIA SELECTIVE SUPPLEMENT - 5 UL PACK
1033	PAL'S SOLUTION - 100 ML
1034	PAN CYTOKERATIN- 1 ML
1035	PANCYTOKERATIN - 1 ML
1036	PANTA 15 ML
1037	PAP STAINING KIT - 250 SMEARS PER KIT
1038	PAPER - AUTO CLAVE PRINT PAPER SHEETS 100 PCS / PACK
1039	PAPER - BUTTER PAPER (SHEET SIZE:10 X10 INCH) - 70 SHEET PER PACK
1040	PAPER - BUTTER PAPER 40 GSM PLAIN BUTTER PAPER SIZE 90 MTR - EACH
1041	PAPER - CELLULOSE ACETATE PAPER FOR ELECTROPHORESIS - EACH
1042	PAPER - ETO THERMAL PRINTING PAPER SHEETS - 100 PCS / PACK
1043	PAPER - LITMUS PAPER BLUE - 100 STRIP PER PACK
1044	PAPER - LITMUS PAPER RED - EACH - 100 STRIP PER PACK
1045	PAPER - R.A. PRINTING PAPER- EACH
1046	PAPER - SAMPLE APPICAFOR FOR CELLULOSE ACETATE PAPER ELECTROPHORESIS - EACH
1047	PAPER - THERMAL PAPER 4.2" - 50 MTRS
1048	PAPER - WHATMAN FILTER PAPER - GRADE 42, 1442-110, 100 PER PACK
1049	PARA FORMALDEHYDE - 500 GM
1050	PARAFFIN LIQUID- 500ML
1051	PARAFFIN SEALING STRIP/TAPE EACH PACK
1052	PARAFILM DISPENSER WITH CUTTER (SPECIFICATION - 25.4 MM) AND 4" (101.6 MM) WIDE ROLLS FAST, SAFE, AND EASY, MAKE POSSIBLE WITH THE SMOOTH DOWNWARD LEVER ACTION USEFUL FOR BOTH 4" (101.6 MM) AS WELL AS 2" (50.8 MM) WIDE ROLLS OF PARAFILM. PACK SIZE - EACH PCS) EACH





[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

1053	PARAFILM M 2 IN X 250 FT (FLEXIBLE, SEMI-TRANSPARENT, AND WATERPROOF FILM FOR COVERING OR SEALING VESSELS SUCH AS FLASKS, CUVETTES, TEST TUBES, BEAKERS, PETRI DISHES AND MORE) - 1 NOS
1054	PARAFORMALDEHYDE - 500 ML
1055	PARTIAL PRINT CRATE - 600MM X 400MM X 270MM PACK SIZE - EACH PCS
1056	PARTIAL PRINT CRATE - 650 MM X 450MM X 315MM PACK SIZE - EACH PCS
1057	PARVO B-19 IGM ELISA - 1 X 96 WELL
1058	PAS AND DIASTASE ENZYME - 100 ML
1059	PASTURE PIPETTE WITH RUBBER - EACH
1060	PBS - 1 ML
1061	PCR - PRIMER FOR THALASSAEMIA & SICKLE CELL ANAMIA - 500 ML
1062	PCR BUFFER 2X - 25ML EACH
1063	PCR BUFFER 2X - 500 ML EACH
1064	PCR BUFFER 5X - 500 ML EACH
1065	PCR BUFFER 5X - 25ML EACH
1066	PCR - HARD WATER 100 ML EACH PACK
1067	PCR MICROPLATE WITH COVER-96 WELL (POLYPROPYLENE PCR MICROPLATE COMPATIBLE WITH STANDARD PCR MACHINE, NON-SKIRTED, CLEAR, SHOULD BE SUPPLIED WITH COMPATIBLE PLASTIC SEPTAS)
1068	PCR MICROPLATE WITH SEPTA- 48 WELL (POLYPROPYLENE PCR MICROPLATE COMPATIBLE WITH STANDARD PCR MACHINE, NON-SKIRTED, CLEAR, SHOULD BE SUPPLIED WITH COMPATIBLE PLASTIC SEPTAS) - 1 X 10 PCS
1069	PCR MICROPLATE WITH SEPTA- 96 WELL (POLYPROPYLENE PCR MICROPLATE COMPATIBLE WITH STANDARD PCR MACHINE, NON-SKIRTED, CLEAR, SHOULD BE SUPPLIED WITH COMPATIBLE PLASTIC SEPTAS)
1070	PCR PLATE 0.1 UL - 50 NOS
1071	PCR PLATE 0.2 UL - 50 NOS
1072	PCR PLATE COVER 0.1UL - 50 NOS
1073	PCR PLATE COVER FILM 0.2 UL - 50 NOS
1074	PCR PLATE FILM - 96 WELL
1075	PCR PREMASTER MIX KIT - 50 UNITS (SHOULD CAPABLE OF AMPLIFY HIGH GC CONTENT OR SECONDARY STRUCTURE TEMPLATE, MUST CONTAIN ALL 12 PREMIXES.)
1076	PCR PRIMER (100 OLIGONUCLEOTIDES, AVERAGE 20B/OLIGO)- LABELLED WITH FAM (FAM DYE LABELLED CUSTOMIZED OLIGONUCLEOTIDES FOR PCR REACTION) - EACH
1077	PCR PRIMER (100 OLIGONUCLEOTIDES, AVERAGE 20B/OLIGO)- LABELLED WITH HEX (HEX DYE LABELLED CUSTOMIZED OLIGONUCLEOTIDES FOR PCR REACTION) - EACH
1078	PCR PRIMER (100 OLIGONUCLEOTIDES, AVERAGE 20B/OLIGO)- LABELLED WITH ROX (ROX DYE LABELLED CUSTOMIZED OLIGONUCLEOTIDES FOR PCR REACTION) - EACH
1079	PCR PRIMER (100 OLIGONUCLEOTIDES, AVERAGE 20B/OLIGO)- LABELLED WITH TAMARA (TAMARA DYE LABELLED CUSTOMIZED OLIGONUCLEOTIDES FOR PCR REACTION) - EACH
1080	PCR PRIMER (100 OLIGONUCLEOTIDES, AVERAGE 20B/OLIGO)- UNLABELLED (UNLABELLED CUSTOMIZED OLIGONUCLEOTIDES FOR PCR REACTION) - EACH

1081	PD-1 -50UL(40UG)
1082	PDA AGAR - 500 GM
1083	PEARL'S STAIN - 1 LTR
1084	PEARL'S IRON STAIN 1 & 2 (TWIN PACK) SPECIFICATION A. PEARL'S 1-POTASSIUM FERROCYANIDE- 250ML B. PEARL'S 2- HYDROCHLORIC ACID -250ML
1085	PEFLOX (IMPORTED) - 5MCG (250 DISC)
1086	PEFLOXACIN (ANTIBIOTIC DISC) 5 MCG (250 DISC)
1087	PEPSIN 1 GM
1088	PERCHLORIC ACID SCHIFF(PAS) KIT - 500 ML
1089	PERFUMED LIQUID BASED SOFTENING AGENT WITH ANTI STATIC PROPERTY AND BIODEGRADABLE HAVING PH OF 6.5-7.5 LTR.
1090	PERIODIC ACID : 25GM SPECIFICATION: PH 1.2 (100GM/L, H2O, 30 DEGREE CELSIUS BULK DENSITY - 1400KG/M3, ASSAY(IODOMETRIC) >98.0% MELTING POINT (LOWER VALUE) >124 DEGREE CELSIUS MELTING POINT (UPPER VALUE) >129 DEGREE CELSIUS
1091	PERIPHERAL BLOOD KARYOTYPING READYMADE CULTURE MEDIA - RPM1-16501 - EACH
1092	PERIPHERAL BLOOD KARYOTYPING READYMADE CULTURE MEDIA - RPM1-1640 - EACH
1093	PERL'S STAINING REAGENT - POTASSIUM FERROCYANIDE - 250 ML
1094	PERL'S PRUSSIAN BLUE IRON SPECIAL STAIN KIT - PER TEST
1095	PETRI PLATE CARRIER (MADE OUT OF SS 304) SPECIFICATION -SIZE: FOR DIA 100 MM DISH/PETRI PLATE, ONE PETRI PLATE CARRIER CONTAINS 24 DISH/PETRI PLATES PACK SIZE - 1 NOS.
1096	PETROLEUM ETHER- 250 ML
1097	PFIU POLYMERASE - 500 U MINIMUM (HIGH FIDELITY POLYMERASE TO BE USED TO AMPLIFY UP TO 12KB AND HIGH GC RICH REGION, 250U MINIMUM)
1098	PH BUFFER (BUFFER CAPSULE) - PH - 4.0 - 10 CAPSULE
1099	PH BUFFER (BUFFER CAPSULE) - PH - 7.0 - 10 CAPSULE
1100	PH BUFFER (BUFFER CAPSULE) - PH - 9.2 - 10 CAPSULE
1101	PH METER- EACH
1102	PHENOBARBITAL 100 ML
1103	PHENOTOIN 100 ML
1104	PHENYL HYDROGEN HYDROCHLORIDE 95% - 100 GM
1105	PHENYL PHOSPHATE DISODIUM SALT - 25 GM
1106	PHENYLALANINE AGAR - 500 GM
1107	PHOSPHATE BUFFER SALINE 120 ML
1108	PHOSPHATE BUFFER SALINE 500 ML
1109	PHOSPHORIC ACID - 500 ML

26






1110	PHOSPHORUNGSTIC ACID - 500GM SPECIFICATION: PHYSICAL STATE AT 20°C = SOLID APPEARANCE = WHITE TO YELLOWISH POWDER OR CRYSTAL ODORLESS MELTING POINT / FREEZING POINT = 95°C SOLUBILITY IN WATER { % WEIGHT } = 200GM/100GM WATER SUBSTANCE INSOLUBLE IN WATER = MAX. 0.01 % CHLORIDE = 0.01 % SULPHATE = MAX. 0.01 % TOTAL NITROGEN = 0.005 % LOSS ON IGNITION AT (>50°C) = MAX. 17 %
1111	PICNIC ACID (LYCLOPHENOL) 250 ML
1112	PIPIMIDIC ACID - 20 MCG (ANTIBIOTIC DISC) (250 DISC)
1113	PIPERACILLIN + TAZOBACTAM (ANTIBIOTIC DISC) 100 (250 DISC)
1114	PIPERACILLIN - 30 MCG (ANTIBIOTIC DISC) (250 DISC)
1115	PIPERACILLIN 30 MCG + TAZOBACTAM 6 MCG (ANTIBIOTIC DISC) (250 DISC)
1116	PIPERACILLIN 50 MCG (ANTIBIOTIC DISC) (250 DISC)
1117	PIPERACILLIN 75 MCG (ANTIBIOTIC DISC) (250 DISC)
1118	PIPERACILLIN 75 MCG + TAZOBACTAM 10 MCG (ANTIBIOTIC DISC) (250 DISC)
1119	PIPRAZINE-N,N' BIS(2-ETHANESULFONIC ACID) 500 ML
1120	PIPETTE - WASTENBERGERS ESR - 10 PCS PER BOX
1121	PIPETTE - AUTOPPETTE 0.1 - 10 UL - EACH PCS
1122	PIPETTE - AUTOPPETTE 1 - 200 UL - EACH PCS
1123	PIPETTE - HIGH VOLUME PIPETTOR (MUST BE LIGHT WEIGHT, BATTERY OPERATED, HIGH GRADE PLASTIC MADE, VOLUME RANGE - 1ML TO 10ML, MUST BE SUPPLIED WITH 10ML STERILE SEROLOGICAL PIPETTE (400 PCS) - 1 NOS
1124	PIPETTE - PIPETTE STAND - IT SHOULD BE MADE UP OF POLYMETHYL METHACRYLATE, ATLEAST 5 PLACES FOR PIPETTES) - PIPETTE STAND FOR 12 PIPETTES
1125	PIPETTE - STERILIZED PASTURE PIPETTE - EACH
1126	PIPETTE - STERILIZED PASTURE PIPETTE - PASTURE PIPETTE, STERILE, 150° LENGTH (PACK OF 500)
1127	PIPETTE - STERILIZED PASTURE PIPETTE WITH RUBBER - EACH
1128	PIPETTE - VARIABLE PIPETTE - MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE EIGHT CHANNEL - 100-3000UL EACH SET
1129	PIPETTE - VARIABLE PIPETTE - MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE EIGHT CHANNEL - 05-50 UL EACH SET
1130	PIPETTE - VARIABLE PIPETTE - MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE EIGHT CHANNEL - 30-3000UL EACH SET






1131	<p>PIPETTE - VARIABLE PIPETTE: MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE SINGLE CHANNEL : 01-10UL, SPRING LOADED TIP CONE FOR CONNECTING TIPS VERY TIGHTLY, ADJUSTMENT OPENING FOR ADJUSTING PIPETTES TO A SPECIFIC LIQUID AND VOLUME.</p> <p>CONTROL BUTTON WITH VERY LOW OPERATING FORCE, COLOR INDICATION FOR PIPETTE VOLUME, TIP EJECTOR WITH VERY LOW OPERATING FORCE, POSITIONED FOR PERFECT ERGONOMICS.</p> <p>VOLUME DISPLAY: 4 DIGITS WITH MAGNIFIER, TO PROVIDE THERMAL, MECHANICAL AND CHEMICAL STABILITY PISTON SHOULD MANUFACTURED FROM FORTRO MATERIAL VERY EASY REMOVABLE LOWER PART FOR CLEANING PIPETTE NO DISCOLORATION UPON UV IRRADIATION. CONFIRMATION TO SPECIFICATION MUST - EACH PIPETTE</p>
1132	<p>PIPETTE - VARIABLE PIPETTE: MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE SINGLE CHANNEL : 05-50UL SPRING LOADED TIP CONE FOR CONNECTING TIPS VERY TIGHTLY, ADJUSTMENT OPENING FOR ADJUSTING PIPETTES TO A SPECIFIC LIQUID AND VOLUME.</p> <p>CONTROL BUTTON WITH VERY LOW OPERATING FORCE, COLOR INDICATION FOR PIPETTE VOLUME, TIP EJECTOR WITH VERY LOW OPERATING FORCE, POSITIONED FOR PERFECT ERGONOMICS.</p> <p>VOLUME DISPLAY: 4 DIGITS WITH MAGNIFIER, TO PROVIDE THERMAL, MECHANICAL AND CHEMICAL STABILITY PISTON SHOULD MANUFACTURED FROM FORTRO MATERIAL VERY EASY REMOVABLE LOWER PART FOR CLEANING PIPETTE NO DISCOLORATION UPON UV IRRADIATION. CONFIRMATION TO SPECIFICATION MUST - EACH PIPETTE</p>
1133	<p>PIPETTE - VARIABLE PIPETTE: MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE SINGLE CHANNEL : 100-1000UL SPRING LOADED TIP CONE FOR CONNECTING TIPS VERY TIGHTLY, ADJUSTMENT OPENING FOR ADJUSTING PIPETTES TO A SPECIFIC LIQUID AND VOLUME.</p> <p>CONTROL BUTTON WITH VERY LOW OPERATING FORCE, COLOR INDICATION FOR PIPETTE VOLUME, TIP EJECTOR WITH VERY LOW OPERATING FORCE, POSITIONED FOR PERFECT ERGONOMICS.</p> <p>VOLUME DISPLAY: 4 DIGITS WITH MAGNIFIER, TO PROVIDE THERMAL, MECHANICAL AND CHEMICAL STABILITY PISTON SHOULD MANUFACTURED FROM FORTRO MATERIAL VERY EASY REMOVABLE LOWER PART FOR CLEANING PIPETTE NO DISCOLORATION UPON UV IRRADIATION. CONFIRMATION TO SPECIFICATION MUST - EACH PIPETTE</p>
1134	<p>PIPETTE - VARIABLE PIPETTE: MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE SINGLE CHANNEL : 10-100UL SPRING LOADED TIP CONE FOR CONNECTING TIPS VERY TIGHTLY, ADJUSTMENT OPENING FOR ADJUSTING PIPETTES TO A SPECIFIC LIQUID AND VOLUME.</p> <p>CONTROL BUTTON WITH VERY LOW OPERATING FORCE, COLOR INDICATION FOR PIPETTE VOLUME, TIP EJECTOR WITH VERY LOW OPERATING FORCE, POSITIONED FOR PERFECT ERGONOMICS.</p> <p>VOLUME DISPLAY: 4 DIGITS WITH MAGNIFIER, TO PROVIDE THERMAL, MECHANICAL AND CHEMICAL STABILITY PISTON SHOULD MANUFACTURED FROM FORTRO MATERIAL VERY EASY REMOVABLE LOWER PART FOR CLEANING PIPETTE NO DISCOLORATION UPON UV IRRADIATION. CONFIRMATION TO SPECIFICATION MUST - EACH PIPETTE</p>
1135	<p>PIPETTE - VARIABLE PIPETTE: MICROPIPETTE, ADJUSTABLE VOLUME, FULLY AUTOCLAVABLE SINGLE CHANNEL : 20-200UL SPRING LOADED TIP CONE FOR CONNECTING TIPS VERY TIGHTLY, ADJUSTMENT OPENING FOR ADJUSTING PIPETTES TO A SPECIFIC LIQUID AND VOLUME.</p> <p>CONTROL BUTTON WITH VERY LOW OPERATING FORCE, COLOR INDICATION FOR PIPETTE VOLUME, TIP EJECTOR WITH VERY LOW OPERATING FORCE, POSITIONED FOR PERFECT ERGONOMICS.</p> <p>VOLUME DISPLAY: 4 DIGITS WITH MAGNIFIER, TO PROVIDE THERMAL, MECHANICAL AND CHEMICAL STABILITY PISTON SHOULD MANUFACTURED FROM FORTRO MATERIAL VERY EASY REMOVABLE LOWER PART FOR CLEANING PIPETTE NO DISCOLORATION UPON UV IRRADIATION. CONFIRMATION TO SPECIFICATION MUST - EACH PIPETTE</p>
1136	<p>PIPETTE - VARIABLE VOLUME MICROPIPETTE - 8-CHANNEL (0.5-10UL (MUST BE ADJUSTABLE MINIMUM 2 DECIMAL PLACES, FULLY AUTOCLAVABLE, THE MICROPIPETTE SHOULD BE MADE OF MECHANICALLY DURABLE AND CHEMICALLY RESISTANT MATERIALS) CAN BE STERILIZED AT 121°C, 15 PSI FOR 10-15 MINUTES.) - 1 NOS</p>

mc

AS

Amu

Amu

xx

1137	PIPETTE - VARIABLE VOLUME MICROPIPETTE - 8 CHANNEL- 20-200 UL (MUST BE ADJUSTABLE MINIMUM 1 DECIMAL PLACES, FULLY AUTOCLAVABLE, THE MICROPIPETTE SHOULD BE MADE OF MECHANICALLY DURABLE AND CHEMICALLY RESISTANT MATERIALS IT CAN BE STERILIZED AT 121°C, 15 PSI FOR 10-15 MINUTES.) - 1 NOS
1138	PIPETTE - VARIABLE VOLUME MICROPIPETTE - SINGLE CHANNEL- 100-1000 UL (FULLY AUTOCLAVABLE, THE MICROPIPETTE SHOULD BE MADE OF MECHANICALLY DURABLE AND CHEMICALLY RESISTANT MATERIALS IT CAN BE STERILIZED AT 121°C, 15 PSI FOR 10-15 MINUTES.) - 1 NOS
1139	PIPETTE - VARIABLE VOLUME MICROPIPETTE - SINGLE CHANNEL- 0.1-2.5 UL (MUST BE ADJUSTABLE MINIMUM 3 DECIMAL PLACES, FULLY AUTOCLAVABLE, THE MICROPIPETTE SHOULD BE MADE OF MECHANICALLY DURABLE AND CHEMICALLY RESISTANT MATERIALS IT CAN BE STERILIZED AT 121°C, 15 PSI FOR 10-15 MINUTES.) - 1 NOS
1140	PIPETTE - VARIABLE VOLUME MICROPIPETTE - SINGLE CHANNEL- 0.5-10 UL (MUST BE ADJUSTABLE MINIMUM 2 DECIMAL PLACES, FULLY AUTOCLAVABLE, THE MICROPIPETTE SHOULD BE MADE OF MECHANICALLY DURABLE AND CHEMICALLY RESISTANT MATERIALS IT CAN BE STERILIZED AT 121°C, 15 PSI FOR 10-15 MINUTES.) - 1 NOS
1141	PIPETTE - VARIABLE VOLUME MICROPIPETTE - SINGLE CHANNEL- 20-200 UL (MUST BE ADJUSTABLE MINIMUM 1 DECIMAL PLACES, FULLY AUTOCLAVABLE, THE MICROPIPETTE SHOULD BE MADE OF MECHANICALLY DURABLE AND CHEMICALLY RESISTANT MATERIALS IT CAN BE STERILIZED AT 121°C, 15 PSI FOR 10-15 MINUTES.) - 1 NOS
1142	PIPETTE - VARIABLE VOLUME MICROPIPETTE - SINGLE CHANNEL- 2-20 UL (MUST BE ADJUSTABLE MINIMUM 2 DECIMAL PLACES, FULLY AUTOCLAVABLE, THE MICROPIPETTE SHOULD BE MADE OF MECHANICALLY DURABLE AND CHEMICALLY RESISTANT MATERIALS IT CAN BE STERILIZED AT 121°C, 15 PSI FOR 10-15 MINUTES.) - 1 NOS
1143	PLASTIC CASSETTES FOR AUTOMATIC TISSUE PROCESSOR - 500 ML
1144	PLASTICS BUCKET WITH LID - 16 L / 18 L PACK SIZE - EACH PCS
1145	PLASTICS CONTAINER WITH LID - 02 L / 03 L / 04 L PACK SIZE - EACH PCS
1146	PLATE - ELISA PLATE 96 WELL
1147	PLATE - MICROTITRE PLATE WITH LID 96 WELL FLAT BOTTOM
1148	PLATE - MICROTITRE PLATE WITH LID 96 WELL ROUND BOTTOM
1149	PLATE COUNT AGAR - 500 GM
1150	PLATE ROLLER - SEALING WEDGE OR ROLLER TO BE USED TO SEAL THE PLATE - 1 NOS
1151	POLYATO DEXTROSE (PDA) AGAR - 500 GM
1152	POWELL RED STAINING SOLUTION 500 ML
1153	POWELL (C) MENT) - 500 ML
1154	POWELL (A) POLYMERASE CHAINING KIT - 50 REACTION

28






1155	<p>POLYCLONAL RABBIT ANTI-HUMAN C1Q COMPLEMENT/FITC - ONE KIT(2ML CONCENTRATED) (THE REAGENT SHOULD BE USED FOR DEMONSTRATION OF HUMAN C1Q IN TISSUES, AND MAY ALSO BE USED FOR OTHER IMMUNOFLUORESCENCE TECHNIQUES. THE ANTI-HUMAN C1Q COMPLEMENT CONJUGATE SHOULD BE PREPARED FROM A PURIFIED IMMUNOGLOBULIN FRACTION OF RABBIT ANTISERUM. PROTEIN CONCENTRATION MUST BE LABELED IN G/L. ANTIBODY TITRE MUST BE SO THAT IT COULD PROVIDE F/P RATIO: E495 NM/E278 NM = 0.65 ± 0.05 CORRESPONDING TO A MOLAR FITC/PROTEIN RATIO OF >2.0. IT SHOULD BE COMPATIBLE FOR FROZEN SECTION AND PARAFFIN EMBEDDED TISSUES. SHOULD HAVE HIGH SENSITIVITY AND SPECIFICITY. THE SHELF LIFE MUST BE 7-9 MONTHS AT THE TIME OF DELIVERY. THE ANTIBODY SHOULD BE COMPATIBLE WITH MANUAL AND AUTOMATED SYSTEM. DEMONSTRATION SHOULD BE PERFORMED BEFORE SUPPLY OF PURCHASE ORDER.)</p>
1156	<p>POLYCLONAL RABBIT ANTI-HUMAN C3 COMPLEMENT/FITC - ONE KIT(2ML CONCENTRATED) (THE REAGENT SHOULD BE USED FOR DEMONSTRATION OF COMPLEMENT C3 IN TISSUES, AND MAY ALSO BE USED FOR OTHER IMMUNOFLUORESCENCE TECHNIQUES. THE COMPLEMENT C3 CONJUGATE SHOULD BE PREPARED FROM A PURIFIED IMMUNOGLOBULIN FRACTION OF RABBIT ANTISERUM CONJUGATED WITH FLUORESCIN ISOTHIOCYANATE (SOME F3). PROTEIN CONCENTRATION MUST BE LABELED IN G/L. ANTIBODY TITRE MUST BE SO THAT IT COULD PROVIDE F/P RATIO: E495 NM/E278 NM = 0.65 ± 0.05 CORRESPONDING TO A MOLAR FITC/PROTEIN RATIO OF >2.0. THE ANTIBODY SHOULD REACT WITH HUMAN C3 C PART OF C3 AND C3B. IT SHOULD BE COMPATIBLE FOR FROZEN SECTION AND PARAFFIN EMBEDDED TISSUES. SHOULD HAVE HIGH SENSITIVITY AND SPECIFICITY.)</p>
1157	<p>POLYCLONAL RABBIT ANTI-HUMAN FIBRINOGEN/FITC - ONE KIT (2ML CONCENTRATED) (THE REAGENT IS INTENDED FOR DEMONSTRATION OF HUMAN FIBRINOGEN IN TISSUES, AND MAY ALSO BE USED FOR OTHER IMMUNOFLUORESCENCE TECHNIQUES. THE FIBRINOGEN CONJUGATE SHOULD BE PREPARED FROM A PURIFIED PROTEIN FRACTION OF RABBIT ANTISERUM. PROTEIN CONCENTRATION MUST BE LABELED IN G/L. ANTIBODY TITRE MUST BE SO THAT IT COULD PROVIDE F/P RATIO: E495 NM/E278 NM = 0.65 ± 0.05 CORRESPONDING TO A MOLAR FITC/PROTEIN RATIO OF >2.0. IT SHOULD BE COMPATIBLE FOR FROZEN SECTION AND PARAFFIN EMBEDDED TISSUES. SHOULD HAVE HIGH SENSITIVITY AND SPECIFICITY. THE SHELF LIFE MUST BE 7-9 MONTHS AT THE TIME OF DELIVERY. THE ANTIBODY SHOULD BE COMPATIBLE WITH MANUAL AND AUTOMATED SYSTEM. DEMONSTRATION SHOULD BE PERFORMED BEFORE SUPPLY OF PURCHASE ORDER.)</p>






1158	POLYCLONAL RABBIT ANTI-HUMAN IGA/FITC - ONE KIT(2ML CONCENTRATED) (THE REAGENT IS INTENDED FOR DEMONSTRATION OF HUMAN IMMUNOGLOBULINS IN TISSUES, AND MAY ALSO BE USED FOR OTHER IMMUNOFLUORESCENCE TECHNIQUES. THE ANTI-HUMAN IGA CONJUGATE SHOULD BE PREPARED FROM A PURIFIED IMMUNOGLOBULIN FRACTION OF RABBIT ANTISERUM. PROTEIN CONCENTRATION MUST BE LABELED IN G/L. ANTIBODY TITRE MUST BE SO THAT IT COULD PROVIDE I/P RATIO: E495 NM/E278 NM = 0.65 ± 0.05 CORRESPONDING TO A MOLAR FITC/PROTEIN RATIO OF >2.0 . IT SHOULD BE COMPATIBLE FOR FROZEN SECTION AND PARAFFIN EMBEDDED TISSUES. SHOULD HAVE HIGH SENSITIVITY AND SPECIFICITY. THE SHELF LIFE MUST BE 7-9 MONTHS AT THE TIME OF DELIVERY. THE ANTIBODY SHOULD BE COMPATIBLE WITH MANUAL AND AUTOMATED SYSTEM. DEMONSTRATION SHOULD BE PERFORMED BEFORE SUPPLY OF PURCHASE ORDER.)
1159	POLYCLONAL RABBIT ANTI-HUMAN IGM/FITC - ONE KIT(2ML CONCENTRATED) (THE REAGENT IS INTENDED FOR DEMONSTRATION OF HUMAN IMMUNOGLOBULINS IN TISSUES, AND MAY ALSO BE USED FOR OTHER IMMUNOFLUORESCENCE TECHNIQUES. THE ANTI-HUMAN IGM CONJUGATE SHOULD BE PREPARED FROM A PURIFIED IMMUNOGLOBULIN FRACTION OF RABBIT ANTISERUM. PROTEIN CONCENTRATION MUST BE LABELED IN G/L. ANTIBODY TITRE MUST BE SO THAT IT COULD PROVIDE I/P RATIO: E495 NM/E278 NM = 0.65 ± 0.05 CORRESPONDING TO A MOLAR FITC/PROTEIN RATIO OF >2.0 . IT SHOULD BE COMPATIBLE FOR FROZEN SECTION AND PARAFFIN EMBEDDED TISSUES. SHOULD HAVE HIGH SENSITIVITY AND SPECIFICITY. THE SHELF LIFE MUST BE 7-9 MONTHS AT THE TIME OF DELIVERY. THE ANTIBODY SHOULD BE COMPATIBLE WITH MANUAL AND AUTOMATED SYSTEM. DEMONSTRATION SHOULD BE PERFORMED BEFORE SUPPLY OF PURCHASE ORDER.
1160	POLYETHYLENE GLYCOL 6000 - 500 GM
1161	POLY-L-LYSINE - 100ML SOLUTION 0.1% (W/V) IN H ₂ O P8920
1162	POLYMERIC BIGUANIDE HYDROCHLORIDE INHOUSE GREATED THEN 10% ALKYLE DIMETHYLE BENZYL AMMONIUM CHLORIDE AND DIDECYL DIMETHYLE AMMONIUM CHLORIDE IN HOUSE GREATER THEN 10% QUANTATIVE NONPOROUS SURFACE TEST FOR THE EVOLUTION OF BACTERICIDAL AND OR FUNGICIDAL ANIVITY OF CHEMICALS - 1 LTR
1163	POLYMERIC BIGUANIDE HYDROCHLORIDE 10% ALKYL DIMETHYLE BENZYL AMMONIUM CHLORIDE AND DIDECYL DIMETHYLE AMMONIUM - 1 LTR
1164	POLYSTYRENE CUVETTES AND MAGNETIC STIRRERS BARS FOR COAGULOMETRY MACHINE RE-105/100X 1.0/2.0 PACK 9/11 - 100 UNITS
1165	POSACONAZOLE (MIC E TEST STRIP) 1 X 10 STRIP EACH PACK
1166	POSACONAZOLE MIC E STRIP - 1 X 10 STRIP EACH PACK
1167	POSACONAZOLE POWDER (SOLUBILIZED POWDER, F-IRRADIATED) 1 MG
1168	POSITIVELY CHARGE SLIDES & POSITIVELY CHARGE SLIDES- HYDROPHILIC
1169	POT - URINARY URINE COLLECTOR - MATERIAL PLASTIC COLOUR - BLUE/WHITE CLOSURE TYPE - SCREW PATTERN - SOLID CAPACITY - 50 ML PRODUCT DIMENSIONS - 8W X 5H CENTIMETERS SHAPE - ROUND

RCM

[Signature]

Babu

Amit

1170	POTASSIUM CARBONATE (KHCO ₃) - 500 GM
1171	POTASSIUM CHLORIDE (KCL) 500 GM [REAGENT PLUS [®] , >99.0%]
1172	POTASSIUM CITRATE - 500 GM
1173	POTASSIUM DICHROMATE (POWDER) 500 GM
1174	POTASSIUM DIHYDROGEN DIPHOSPHATE - 5 KG [POTASSIUM PO ₄ MONO BASIC] ASSAY (AFTER DRYING) = 99.0 - 101.0 % PH (5 % AQUEOUS) = 4.1 - 4.5 MAXIMUM LIMITS OF IMPURITIES -- • CHLORIDE = 0.01 % • SULPHATE = 0.05 % • IRON = 0.002 % • HEAVY METALS (PB) = 0.002 % • SODIUM (NA) = 0.2 %
1175	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE - 500 GM
1176	POTASSIUM DIHYDROGEN PHOSPHATE 500 GM
1177	POTASSIUM DIHYDROGEN PHOSPHATE GR (KH ₂ PO ₄) - 500 GM
1178	POTASSIUM FERROCYANIDE 2% - 500 ML
1179	POTASSIUM PERIODATE - 100 GM
1180	POTASSIUM PERMANGANATE (ACIDIFIED) - 100 ML
1181	POTASSIUM PHOSPHATE DI-BASIC (K ₂ HPO ₄) (250G) (BIOULTRA, FOR MOLECULAR BIOLOGY, >99.0%)
1182	POTASSIUM PHOSPHATE MONOBASIC (KH ₂ PO ₄) - 500GM (ACS REAGENT, >99%)
1183	POTASSIUM SODIUM TART RATE - 500 GM
1184	POTASSIUM THIONATE 100 GM
1185	POTATO DEXTROSE AGAR WITH CHLORAMPHENICOL - 500 GM
1186	POVIDONE-IODINE IP 7.5 % W/V (EQUIVALENT TO 0.75 % W/V AVAILABLE IODINE) 0-10% AMMONIUM NANOXYNOL SULFATE, 0-10% GLYCEROL, 0-10% SODIUM LAURYL SULFATE, 0-10% SODIUM PHOSPHATE DIBASIC, 0-10% HYDROXYETHYLCELLULOSE, 0-10% POTASSIUM IODIDE, >20% WATER WITH EMOLLIENT & MOISTURISER - 500 ML BOTTLE
1187	PRE ALBUMIN (IMMUNOTURBIDIMETRIC METHOD COMPATIBLE IN EM-350 BIOCHEMISTRY ANALYZER) - 100 ML
1188	PREALBUMIN CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-350 BIOCHEMISTRY ANALYZER) - 5 ML
1189	PREALBUMIN CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-350 BIOCHEMISTRY ANALYZER) - 5
1190	PREGNENCY TEST KIT (UPT) EACH TEST
1191	PRIMER (100 OLIGONUCLEOTIDES, AVERAGE- 22B/OLIGO) (PRIMER (100 OLIGONUCLEOTIDES, AVERAGE- 22B/OLIGO)) - 1 NOS
1192	PRINTER ROLL - 50 MM X 30 MM PACK SIZE - EACH ROLL






1194	PROCALCITONIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1194	PROCALCITONIN CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1195	PROCALCITONIN CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1196	PROCALCITONIN KIT WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
1197	PROGESTERONE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1198	PROGESTONE RECEPTOR - 3 ML
1198	PROLACTIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1200	PROTEASE INHIBITOR - EACH
1201	PROTEIN KIT - 250 ML
1202	PROTEIN MW-MARKER - EACH
1203	PROTEIN, RUST, COFFEE AND INK SPOTTING KIT - EACH
1204	PROTEINASE K (POWDER) - 100MG (100MG POWDER, TO BE USED IN DNA ISOLATION, MOLECULAR BIOLOGY USE ONLY, SOURCE FROM PICHIA PASTORIS OR TRITIRACHUM ALBUM- ACTIVITY UNIT PER MG >30)
1205	PROTEINASE K - 100 MG POWDER, TO BE USED IN DNA ISOLATION, MOLECULAR BIOLOGY USE ONLY, SOURCE TRITIRACHUM ALBUM
1206	PROTEOLYTIC ENZYMATIC CLEANER - 100 ML
1207	PROTEOLYTIC ENZYME (PROTEASE), INSTRUMENT COMPATIBILITY - 1 LTRS
1208	PROTEUS MIRABILIS - 250 DISC
1208	PROFLIXACIN (ANTIBIOTIC DISC) 10MCG (250 DISC)
1210	PROSSIAN BLUE - 500 ML
1211	PSA - 3 ML
1212	PSA STAIN 100 ML
1213	PSEUDOMONAS AERUGINOSA - 250 GM
1214	PSEUDOMONAS AGAR BASE - 500 GM
1215	PSEUDOMONAS CFC SELECTIVE SUPPLEMENT - 1 VIAL
1216	PSEUDOMONAS CFC SELECTIVE SUPPLEMENT 100 GM EACH
1217	PSEUDOMONAS CN SELECTIVE SUPPLEMENT - 1 VIAL
1218	PSEUDOMONAS CN SELECTIVE SUPPLEMENT 100 GM EACH
1219	PSEUDOMONAS SELECTIVE AGAR (CFC AGAR) - 500 GM
1220	P-10 FLOIDINE - 500 GM
1221	P-10 FLOIDINE - 500 GM

WCS

[Signature]

Becker

Amur

1222	PURIFIED MERCURY 100 GM
1223	QUALITY CONTROL FOR CLINICAL CHEMISTRY HIGH - 100 ML
1224	QUALITY CONTROL FOR CLINICAL CHEMISTRY NORMAL - 100 ML
1225	QUINPRISTINE- DALFOPRISTINE (ANTIBIOTIC DISC) 15MCG (250DISC)
1226	R.C.M. MEDIA 250 GM
1227	RABBIES IGM ELISA 96 W
1228	RACK - 96 WELL RACK FOR MCT TUBES (FOR 2 ML TUBE) (IT SHOULD BE MADE UP OF POLYCARBONATE, MUST CONTAIN 96 PLACES (8X12) FOR 1.5ML TUBE.)
1229	RACK - PCR RACK WITH COVER (RACKS CAN HOLD INDIVIDUAL TUBES, 8/12 PCR STRIPS AND ALSO BE WELL PLATES CAPACITY - 0.2 ML)
1230	RACK - POLYWIRE MICRO TUBE RACK (RACK IS DESIGNED WITH WIDE SPACING TO ALLOW STORAGE OF 96, 1.5 ML OR 2 ML TUBES. RE-ENFORCED NYLON AUTOCLAVABLE) - 1 NOS.
1231	RACK - SOMERSAULT RACK UNIVERSAL EACH
1232	RACK - STAINING RACK- STAINING JAR INCLUDING LIDS - 8 NUMBERS SLIDE RACK - 1 BODY TYPE - STAINLESS STEEL SIZE - 47.5 X12.0X12.0 CM
1233	RACK - STEEL RACK - FOR MICROSCOPE SLIDES SLIDE STAINING RACK IS MADE OF ALUMINIUM AND STAINLESS STEEL STAINING RACK COMES WITH MOVABLE HANDLE. STAINLESS STEEL SLIDE RACK IS RESISTANT TO STAINING SOLUTIONS. HINGED RACK HANDLE ALLOWS EASY INSERTION AND REMOVAL OF THE MICROSCOPE SLIDES. SLIDE STAINING RACK HOLDS UP TO 75 MICROSCOPE SLIDES.
1234	RACK - STEEL RACK - TO HOLD 50 SLIDES
1235	RACK - UNIVERSAL COMBI RACK (4-WAY 80 WELLS PACK OF 6 (30 MM: 50 ML TUBES FOR 4 PLACES, 8 MM: FOR 40 PLACES, 11.5 MM: RIA TUBES FOR 40 PLACES, 17 MM OR 15 ML TUBES FOR 12 PLACES. TOTAL 80 PLACE)) - EACH PACK
1236	RACK - UNIVERSAL COMBI RACK (PLASTIC RACK, HOLDS 4 DIFFERENT DIAMETER TUBES (30MM,20MM,17MM,12MM)) - 1 NOS
1237	RAFFINOSE PENTAHYDRATE - 10 GM
1238	RAPID KIT FOR C.DIFFICILE - PER TEST
1239	RAPID TEST KIT FOR CLOSTRIDIUM DIFFICILE PACK OF 50 TEST
1240	RAPID TEST KIT FOR SALMONELLA SPECIES PACK OF 50 TEST
1241	RAPPAPORT VASSILIADIS SOYA PEPTONE BROTH - 500 GM
1242	RAT LKS (AMA, ASMA, LKM) 1. THE WELLS OF THE KIT SHOULD BE COATED WITH RAT LIVER, STOMACH AND KIDNEY SECTION. 2. THE KIT SHOULD HAVE 4 WELL SLIDES SO THAT EVEN 2 SAMPLES WITH POSITIVE AND NEGATIVE CONTROLS CAN BE PERFORMED TOGETHER. 3. TRAINING TO THE USER SHOULD BE PROVIDED FOR PATTERN INTERPRETATION. 4. THE SLIDE SHOULD HAVE INNER AND OUTER RING AREAS FOR EACH WELL, SO AS TO CONTROL THE SAMPLE OVERFLOW NOT AFFECTING THE ADJOINING WELL. 5. THE KIT SHOULD BE US FDA APPROVED. PER TEST
1243	RAT REPALLENT- 500 ML

MS

SP

MS

MS

83

1244	RAVUCONAZOLE POWDER (SOLUBILIZED POWDER, T-IRRADIATED) 1 MG
1245	READY PLATE CHROMOGENIC COLIFORM AGAR - 50 PLATE
1246	REAGENT RESERVOIR 200ML
1247	REAGENT RESERVOIR/ TROUGHS- AUTOCLAVABLE (POLYPROPYLENE, 75ML,)
1248	REAGENT RESERVOIR/ TROUGHS- AUTOCLAVABLE (POLYPROPYLENE, 75ML,) - 1 X 10 NOS
1249	READY TO USE FOR DRUG ASSAY - METHOTREXATE ASSAY - 3.0 ML
1250	READY TO USE FOR DRUG ASSAY - PHENOBARBITAL ASSAY - 28ML WITH CALIBRATOR
1251	READY TO USE FOR DRUG ASSAY - PHENOBARBITAL ASSAY - 14 ML WITH CALIBRATOR
1252	READY TO USE FOR DRUG ASSAY - PHENYTOIN ASSAY - 14 ML WITH CALIBRATOR
1253	READY TO USE FOR DRUG ASSAY - PHENYTOIN ASSAY - 28ML WITH CALIBRATOR
1254	READY TO USE FOR DRUG ASSAY - VALPOIC ACID ASSAY - 14 ML WITH CALIBRATOR
1255	READY TO USE FOR DRUG ASSAY - VALPOIC ACID ASSAY - 28ML WITH CALIBRATOR
1256	READY TO USE FOR DRUG ASSAY CARBAMAZEPINE ASSAY - 14 ML WITH CALIBRATOR
1257	READY TO USE FOR DRUG ASSAY CARBAMAZEPINE ASSAY - 28 ML WITH CALIBRATOR
1258	RET. ANGULAR STAINING JAR - 10 IN NO
1259	RED METHYLIC OXIDE - 100 GM
1260	RED NUCLEIC ACID GEL STAIN LIQUID (NON-MUTAGENIC, NON-HAZARDOUS FOR DISPOSAL, HIGHLY STABLE AND ENVIRONMENTALLY SAFE FLUORESCENT NUCLEIC ACID DYE FOR AGAROSE GEL ELECTROPHORESIS) - EACH
1261	REELS - AUTOCLAVE TAPE REELS- EACH
1262	REELS - STERILIZATION PACKAGING REELS - 200 MTR 40 CMS - EACH REELS
1263	REELS - STERILIZATION PACKAGING REELS - 200 MTRS 10 CMS - EACH REELS
1264	REELS - STERILIZATION PACKAGING REELS - 200 MTRS 20 CMS - EACH REELS
1265	REINFORCED CLOSTRIDIAL AGAR - 100 GM
1266	RESORCINOL - 50 GM
1267	RES SEARCH II - 1 LTR
1268	RETICULIN STAIN KIT - 500 ML
1269	RETICULOCYTE COUNTING FLUID- 250 ML BLUE COLOURED FLUID SOLUBILITY - MISCIBLE WITH WATER SOLUBILITY TEST - PASSES TEST
1270	RF WITH CALIBRATOR [COMPATIBLE WITH EM-360] [COMPATIBLE WITH FOR FULLY AUTOMATED EM-350 BIOCHEMISTRY ANALYZER] - 100 ML
1271	RF QUANTITATIVE WITH CALIBRATOR - 100 ML [STANDARD COMPATIBLE WITH DIRUI CS-240 SYSTEM PACK]
1272	RHEUMUSI DISC - 750 DISC
1273	RHEUMATOID FACTOR 100 BTL
1274	RIBOFLAVINE B - 250 GM
1275	RIBOFLAVIN - 5 GM
1276	RIF AMPICIN- 2 MCG (ANTIBIOTIC DISC) (250 DISC)
1277	RIF AMPICIN- 25 MCG (ANTIBIOTIC DISC) (250 DISC)




1278	RNA-LATER - 100 ML
1279	RNASE FREE WATER - 500 ML
1280	ROBO LEVELS - EACH PCS
1281	ROLL - BC ROBO 888 (THERMAL PAPER) - 50 MM X 30 MM (ROBO ROLL)
1282	ROLL - TSC PRIATER CARBON ROLL 5 (1/2)
1283	ROLL - TYVEK ROLL - 10" ROLLS - EACH
1284	ROLL - TYVEK ROLL - 15.5" ROLLS - EACH
1285	ROLL - TYVEK ROLL - 6" ROLLS - EACH
1286	ROTA VIRUS FECAL ANTIGEN ELISA- 1 X 96
1287	ROTARY SEALER EACH
1288	ROTOSPIN-ROTARY MIXER - 1 PC
1289	RPMI 1640 FOR FUNGAL TESTING 500 ML
1290	RT-PCR - BCR-ALB QUANTITATIVE KIT-MAJOR, MINOR AND MICRO - 96 REACTIONS (REQUIRED FOR RT-QPCR TEST FOR THE QUANTITATIVE DETECTION OF BCR-ABL FUSION TRANSCRIPTS IN BONE MARROW OR PERIPHERAL BLOOD SAMPLES. ALL THE THREE BREAK POINT CLUSTER REGIONS OF MAJOR/P210 (M-BCR), MINOR/P190 (M-BCR) AND MICRO/P230 (ML-BCR) IN SEPARATE TUBES) - 1 NOS
1291	RT-PCR - COVID 19 RT-PCR KIT - 100 REACTION
1292	RT-PCR - DENGUE SEROTYPING RT-PCR KIT - 50 REACTION
1293	RT-PCR - HPV RT-PCR HIGH RISK GENOTYPE DETECTION - 25 TEST
1294	RT-PCR - JAK2 PCR KIT - 24 REACTIONS (FOR QUANTITATIVE DETECTION OF THE JAK2 V617F/G 1848T MUTATION USING REAL-TIME PCR) - 1 NOS
1295	RT-PCR - JAK2 QRT-PCR KIT - 24 REACTIONS (FOR QUALITATIVE DETECTION OF V617F MUTATION IN JAK2 (JANUS KINASE 2) GENE AGAINST A BACKGROUND OF WILD-TYPE GENOMIC DNA) - 1 NOS
1296	RT-PCR - JAK2 QRT-PCR KIT - 48 REACTIONS (FOR QUALITATIVE DETECTION OF V617F MUTATION IN JAK2 (JANUS KINASE 2) GENE AGAINST A BACKGROUND OF WILD-TYPE GENOMIC DNA) - 1 NOS
1297	RT-PCR - ZIKA RT-PCR KIT 96 REACTIONS
1298	RUBBER CORK - EACH PCS
1299	RUBBER FOR BURETTE 3/8" - PER METER
1300	RUBELLA IGG ELISA - 1 X 96 WELL
1301	RUBELLA IGM ELISA - 1 X 96 WELL
1302	RULER METALLIC SCALE - EACH PCS INCH AND CM MARKING EXACTLY ON THE EDGES - MEASUREMENT CAN BEGIN AT ZERO AND SCALE AT END FOR RULE, STAINLESS STEEL AND ROUND SAFETY EDGE - GRINDING AND POLISHING AND THICKER SIDE - GREAT VALUE - AS 1 SET OF 3 LENGTH 6 INCH TO 24 INCH MATERIAL STAINLESS STEEL COLOUR SILVER GRADUATION RANGE 0-60 CENTIMETERS PRODUCT DIMENSIONS 61L X 2.5W CENTIMETERS
1303	S 100 - 1 ML
1304	SABROUD DEXTROSE AGAR WITH CAP - 500 GM
1305	SACCHAROMYCES CEREVISIAE - 500 GM

Handwritten signature

Handwritten signature





Handwritten signature

Handwritten signature

85

1305	SACCHAROSE - 500 GM	
1307	SAFETY GOGGLES 10 X 5 X 5 CM	
1308	SALT BALINE 250 GM	
1309	SARAFANINI STAINING - 500 ML	
1310	SALICYLIC ACID - 500 ML	
1311	SALMONELLA POLY O ANTISERUM 2 ML	
1312	SALT 1 KG	
1313	SAMPLE MICROVIAL 1.5 ML COMPATIBLE WITH BIO RAD VARIANT II PACK SIZE 100	
1314	SAMPLE PROCESSING CUP- EACH	
1315	SAMPLE RACK COMPATIBLE WITH BIO RAD VARIANT II PACK SIZE EACH	
1316	SANDEX OPA WITH TEST STRIP & DEACTIVATOR, BIODEGRADABILITY, INSTRUMENT COMPATIBILITY REPORT 5 LTR	
1317	SAPONIN EXTRA PURE - 100GM SPECIFICATION: MOL. FORMULA - NA MOL. WT. - NA INSOLUBLE MATTER IN WATER MAX. 0.1 % LOSS ON DRYING (150°C) - MAX. 10 % SULPHATED ASH - MAX. 10 % MICROBIAL LIMITS - PASSES TEST	
1318	SATURATED TETRACINE - 500 ML	
1319	SCHWAB MUCOSA SAMPLER EACH	
1320	SCHIFF REAGENT: 1000ML SPECIFICATION - APPEARANCE- CLEAR COLORLESS TO SLIGHT PINK COLORED PHYSICAL STATE AT 20 DEGREE CELSIUS- LIQUID, PH<2 1G/CM3, SOLUBILITY IN WATER(% WEIGHT)- COMPLETELY SOLUBLE	DENSITY
1321	SCHIFF REAGENT: 500ML SPECIFICATION - APPEARANCE- CLEAR COLORLESS TO SLIGHT PINK COLORED PHYSICAL STATE AT 20 DEGREE CELSIUS- LIQUID, PH<2 DENSITY 1GM/CM3, SOLUBILITY IN WATER(% WEIGHT)- COMPLETELY SOLUBLE	
1322	SOLIDUS TYPHUS IGM- ELISA - 1 X 96WELL	
1323	SECONDARY POLYMER KIT FOR IHC (IMMUNO HISTO-CHEMISTRY) STAINING - EACH PACK	
1324	SELECTIVE ENRICHMENT SECONDARY SUPPLEMENT FOR LISTERIA 500ML	
1325	SELECTIVE ENRICHMENT SUPPLEMENT FOR LISTERIA 500ML	
1326	SELECTIVE SUPPLEMENT FOR CHROMOGENIC LISTERIA AGAR 500ML	
1327	SELENIITE CYSTINE BROTH BASE 500GM	
1328	SERUM COPPER KIT - 25ML	
1329	SERUM MYOGLOBULIN 100 ML	
1330	SERUM PROTEIN CALIBRATOR - 100 ML	
1331	SHLE LIFE OF 5 YEARS - 500 ML BOTTLE	
1332	SHIMAZU ORCEIN - 100 ML	
1333	SHORT SPINNER FOR 1.5 ML TUBES EACH	
1334	SILICA ALLOY 100 GM	

1335	SILVER NITRATE 10% - 100 ML
1336	SILVER NITRATE 5% - 500 ML
1337	SLANETZ AND BARTLEY MEDIUM - 500 GM
1338	SLIDE - CAVITY SLIDE FOR VDRL (24 WELLS)
1339	SLIDE - CONCAVITY SLIDE (ONE CAVITY) EACH
1340	SLIDE - CONCAVITY SLIDE (TWO CAVITY) EACH
1341	SLIDE - GLASS MONOCAVITY SLIDE 25 MM X 75 MM X 1.3 MM EACH PACK
1342	SLIDE - GLASS SLIDE - GROUND EDGES, REFRACTIVE INDEX (SI) - 50 SLIDES
1343	SLIDE - MICROSCOPE SLIDES - FOR I.H.C. - EACH POSITIVELY CHARGE SLIDES & POSITIVELY CHARGE SLIDES-HYDROPHILIC TREATING WITH REAGENTS SUCH AS AMINOSILANE, POLY L LYSINE OR OTHERS
1344	SLIDE WARMING TABLE - EACH
1345	SMA - 1ML
1346	SMS WRAPS SHEETS 120 X 120 CMS SHEETS - EACH
1347	SMS WRAPS SHEETS 75 X 75 CMS SHEETS EACH
1348	SODIUM ACETATE- 100 ML
1349	SODIUM ALPHANAPHTHY PHOSPHATE- 250 ML
1350	SODIUM AZIDE (NaN ₃) - 100 GM
1351	SODIUM CITRATE AGAR- 500 GM
1352	SODIUM CITRATE DEHYDRATE - 500 GM
1353	SODIUM DICHLOROISOCYANURATE 500MG, EXCEPT 0.5 AVAILABLE CHLORINE; 300MG, TABLET SIZE: 50 TABLETS PER BOTTLE
1354	SODIUM DICHRIMATE DIHYDRATE - 500 GM
1355	SODIUM DITHIONATE 85 % EXTRA PURE - 1 KG SPECIFICATION:- MOL. FORMULA = Na ₂ S ₂ O ₄ MOL. WT. = 174.11 ASSAY (IODOMETRIC) = 85 - 87.5 IRON (FE) = MAX. 0.002 % (AT THE MOMENT OF BATCH ANALYSIS)
1356	SODIUM DODECYL SULPHATE (SDS) - 500 GM
1357	SODIUM FAURO CHOLATE- 500 ML
1358	SODIUM HYDROGEN SULPHITE - 500 GM
1359	SODIUM HYDRORIDE - 500 GM
1360	SODIUM HYDROSULPHITE(DITHIONITE) - 100 GM
1361	SODIUM HYDROXIDE BASED LIQUID ALKALI BOOSTER CONCENTRATE - 5 LTR
1362	SODIUM HYDROXIDE MAXIMUM 5% BASED BLEACHING AGENT - 5 LTR
1363	SODIUM HYDROXIDE(NaOH) - 500 ML
1364	SODIUM HYPODIPHOSPHATE - 500 ML
1365	SODIUM LAURYL SULPHATE SOLUTION FO 94.HAEMOGLOBIN ESTIMATION - 500 ML
1366	SODIUM META BI SULPHATE 65% BASED RINSING AID - 1KG.
1367	SODIUM NITRATE - 5 GM

1368	SODIUM NITROPRUSSIDE DI-HYDRATE FOR ANALYSIS - 500 GM 792.95 G/ML SPECIFICATION:- ASSAY - 99.0 - 107.0 % SUBSTANCES SOLUBLE IN WATER ≤ 0.01 % CHLORIDE (Cl) ≤ 0.02 % SULPHATE (SO ₄) = CONFORMS HEXACYANOFERRATE (III) ≤ 0.02 %	M =
1369	SODIUM PARBORATE MONO-HYDRATE 50% W/W SANISCOP, 1 EN 14561- BACTERICIDAL 2) EN14562 FUNGICIDAL 3) EN 13704 SPORICIDAL 4) INSTRUMENT COMPATIBILITY REPORT 5) EN 14348 MICROBICIDAL - 810 GM	
1370	SODIUM PERCHLORATE MONOHYDRATE 500 GM	
1371	SODIUM PHOSPHATE TRIBASIC HEPTA-HYDRATE - 500 GM	
1372	SODIUM PHOSPHATE MONOBASIC DIHYDRATE [NaH ₂ PO ₄ ·H ₂ O] - 500 GM ASSAY NET - 98.5 % PH (5 % AQUEOUS SOLUTION) - 4.2 - 4.6 MAXIMUM LIMITS OF IMPURITIES - • CHLORIDE - 0.01 % • SULPHATE - 0.02 % • ARSENIC - 0.0001 % • IRON - 0.002 % • HEAVY METALS (AS PB) - 0.0025 % • LOSS ON DRYING (130°C) - 21.0 - 24.0 %	
1373	SODIUM PHOSPHATE MONOBASIC MONOHYDRATE - 500 GM	
1374	SODIUM PYRUVATE - 100 GM	
1375	SODIUM THIOCYANATE - 500 GM	
1376	SODIUM THIOGLYCOLLATE SALT - 100 GM	
1377	SODIUM THIOSULPHATE 250 ML	
1378	SODIUM THIOSULPHATE 2% - 100 ML	
1379	SODIUM THIOSULPHATE 5% - 100 ML	
1380	SODIUM TUNGSTATE DIHYDRATE - 250 GM	
1381	SOLICA GEL FOR THIN LAYER CHROMATOGRAPHY - 500 GM	
1382	SOYABEAN CASEIN DIGEST AGAR (SCDA) - 500 GM	
1383	SPATULA - AYRE'S SPATULA FOR CERVICAL PAP SMEAR - STERILE AYRE SPATULA WOOD LENGTH: 18 CM INDIVIDUALLY PACKED IN STERILE POUCH, IN BOX OF 100	
1384	SPATULA - AYRE'S SPATULA FOR CERVICAL PAP SMEAR - STERILE AYRE SPATULA WOOD LENGTH: 18.8 CM INDIVIDUALLY PACKED IN STERILE POUCH, IN BOX OF 100	





ncm

SA

Aravali

hmr

1385	SPATULA - AYRE'S SPATULA FOR CERVICAL PAP SMEAR - EACH SPATULA STERILE AYRE SPATULA PLASTIC LENGTH: 18 CM INDIVIDUALLY PACKED IN STERILE POUCH, IN BOX OF 100
1386	SPATULA - AYRE'S SPATULA FOR CERVICAL PAP SMEAR - EACH SPATULA STERILE AYRE SPATULA PLASTIC LENGTH: 18.8 CM INDIVIDUALLY PACKED IN STERILE POUCH, IN BOX OF 100
1387	SPATULA - SAZALY - SPATULA WITH CYTO BRUSH (ROTABLE 360DEG)
1388	SPATULA - SPATULA CHATAWAY 5" - EACH
1389	SPATULA - SPATULA ONE END FLAT, ONE END SPOUR 12" - EACH
1390	SPATULA - SPATULA ONE END FLAT, ONE END SPOUR 6" - EACH
1391	SPATULA - SPATULA BOTH SIDE 8" - EACH
1392	SPECTINOMYCIN (ANTIBIOTIC DISC) 100MCG (250 DISC)
1393	SPIRIT(METHYLATED) - 500 ML
1394	SPUTUM CANTAINER - 30 ML EACH
1395	SSC 20 X BUFFER - 500 ML
1396	STABILIZED FORMULATION OF HYDROGEN PEROXIDE 10% V/V SILVER 0.01% W/V FOR CRITICAL AREA FUMIGATION AND SURFACE DISINFECTION, NON- TOXIC, NON-IRRITATING, ECO-FRIENDLY, 1 LITRE
1397	STABILIZED HYDROGEN PEROXIDE (11 % W/V)DILUTED SILVER NITRATE SOLUTION (0.01% W/V) - 1 LTR
1398	STAINING REAGENT RED PANCAEUS STAINER - EACH
1399	STAINING SOLUTION - 500 ML
1400	STAINING TROUGH- GLASS TROUGH WITH COVER, APPROX. 9 X 7 X 6.5 CM - EACH PCS GLASS COVER STAINING TRAY MADE OF STAINLESS STEEL STAINING TRAY MADE OF STAINLESS STEEL WITH EXTENDED HANDLE STAINING TROUGH - EACH
1401	STAINING TROUGH- GLASS TROUGH WITHOUT COVER GLASS COVER STAINING TRAY MADE OF STAINLESS STEEL STAINING TRAY MADE OF STAINLESS STEEL WITH EXTENDED HANDLE STAINING TROUGH - EACH
1402	STAINING TROUGH(FOR BULK STAINING) - EACH








1403	STAINING TROUGH-PLASTIC TROUGH WITH COVER, APPROX. 9 X 7 X 6.5 CM PLASTIC COVER STAINING TRAY MADE OF STAINLESS STEEL STAINING TRAY MADE OF STAINLESS STEEL WITH EXTENDED HANDLE STAINING TROUGH - EACH
1404	STAINLESS STEEL - EACH
1405	STAND - 100 STAND EACH
1406	STAND - PCR TUBE STAND 45 PC
1407	STAND - PLATE STAND WITH COVER - 1 X 96 WELL (IT SHOULD BE MADE UP OF POLYPROPYLENE, MUST ACCOMMODATE A 96 WELL PCR PLATE)
1408	STAPHYLOCOCCUS AUREUS - 500 GM
1409	STARCH - 500 GM
1410	STARCH SOLUBLE (ACS GRADE) - 300 GM
1411	STEEL SPATULA (FOR TRANSFERRING AND MEASURING OF CHEMICALS. LENGTH 125 MM, WIDTH OF FLAT END: 15 MM, WIDTH OF SPOON: 23 MM, SPOON CAPACITY: 2.5 ML) - 1 NOS
1412	STEEL SPATULA (FOR TRANSFERRING AND MEASURING OF CHEMICALS. LENGTH 150 MM, WIDTH OF FLAT END: 18 MM, WIDTH OF SPOON: 21 MM, SPOON CAPACITY: 2.5 ML) - 1 NOS
1413	STEEL SPATULA (FOR TRANSFERRING AND MEASURING OF CHEMICALS. LENGTH 250 MM, WIDTH OF FLAT END: 20 MM, WIDTH OF SPOON: 23 MM, SPOON CAPACITY: 2.5 ML) - 1 NOS
1414	STEEL PIPETTE XL - EACH
1415	STERILE CONNECTOR FOR CONNECTING DEVICE - EACH
1416	STERILE FILTER TIPS PACKED IN TIP BOX-10 μ l (POLYPROPYLENE, STERILE MICRO-PIPETTE FILTER TIPS PACKED IN TIP BOXES.) - 1 X 1000 PCS
1417	STERILE FILTER TIPS PACKED IN TIP BOX-100 μ l (POLYPROPYLENE, STERILE MICRO-PIPETTE FILTER TIPS PACKED IN TIP BOXES.) - 1 X 500 PCS
1418	STERILE FILTER TIPS PACKED IN TIP BOX-20 μ l (POLYPROPYLENE, STERILE MICRO-PIPETTE FILTER TIPS PACKED IN TIP BOXES.) - 1 X 1000 PCS
1419	STERILIZED YELLOW - 1000 PCS. PER PACK
1420	STICKER- 1500 STICKER PER PACK
1421	STOP WATCH - EACH PCS (SQUARE DESIGN, PLASTIC CONSTRUCTION AND LCD DISPLAY SHOW HOUR, MINUTE, SECOND, AM / PM INDICATOR, MONTH, DATE, AND DAY OF THE WEEK SELECT 12 OR 24 HOUR USER WITH CHRONOGRAPH STOPWATCHES 1/100 SECOND CHRONOGRAPH UP TO 23 HOURS, 59 MINUTES, 59 SECONDS - TIMER STOPWATCHES ALARM WITH 4 MINUTES SNOOZE (POWERED BY ONE AG13 BUTTON CELL (INCLUDED) HOURLY CHIME FUNCTION AND ALARM FUNCTION ARE INCLUDED NYLON FABRIC NECK STRAP FOR EASY CARRYING SPLIT / RESET, MODE AND START / STOP BUTTONS FOR CONVENIENT OPERATION DIAL WINDOW MATERIAL TYPE: PLASTIC DIAL DISPLAY: DIGITAL)
1422	STRAIGHT WIRE EACH PACK
1423	STRAINS 250 ML
1424	STREPTOMYCIN - 300 MCG (ANTIBIOTIC DISC) (250 DISC)
1425	STREPTOMYCIN - 50 MCG (ANTIBIOTIC DISC) (250 DISC)






1426	STRIP TUBE RETAINER (SHOULD BE CERTIFIED DNASE AND RNASE FREE, MUST HOLD 0.2% 96 TUBES OR 12 STRIP TUBES AT A TIME) - EACH
1427	STRIP TUBE RETAINER 0.2 X 8 ML (12 STRIP TUBES) (SHOULD BE CERTIFIED DNASE AND RNASE FREE) - 1 X 10 NOS
1428	STROMATO LYSER FBA - 5 LTRS
1429	STROMATO LYSER FF5 - 42 ML
1430	STROMATOLYSER FOURTH DL(4DL) - 5 L
1431	STROPTOZOTOCINZ - 500 GM
1432	SUBSTRATE FOR ALP- CONJUGATED 2 - AB TMB (3,3',5,5'-TETRAMETHYLBENZIDINE) DAB (3,3'-DIAMINOBENZINE)TETRAHYDROCHLDR - 5 GM
1433	SUBSTRATE FOR ALP- CONJUGATED 2* - AB NITRO BLUE TETRAZOLIUM CHLORIDE (NBT) - 1 GM
1434	SUCROSE - 500 GM
1435	SUCROSE POWDER - 500 GM
1436	SUDAN BLACK - 500ML
1437	SUDAN BLACK B POWDER- 250 GM
1438	SUDAN BLACK: 10 GM SPECIFICATION: COLOUR DARK BROWN BLACK, APPEARANCE (FORM) -POWDER MOLAR EXTINCTION COEFFICIENT @ 596NM ,MIN20,000 LOSS ON DRYING- MAX 5%
1439	SUDAN BLACK: 100GM
1440	SUGAR DISC CELLOTRISE- 4% - 1 VIAL
1441	SUGAR DISC DULCITOL- 4% - 1 VIAL
1442	SUGAR DISC FRUCTOSE- 4% - 1 VIAL
1443	SUGAR DISC GLUCOSE- 4% - 1 VIAL
1444	SUGAR DISC INOSITOL- 4% - 1 VIAL
1445	SUGAR DISC LACTOSE- 4% - 1 VIAL
1446	SUGAR DISC MALTOSE- 4% - 1 VIAL
1447	SUGAR DISC MELIBIOSE- 4% - 1 VIAL
1448	SUGAR DISC RUFFINOSE- 4% - 1 VIAL
1449	SUGAR DISC SUCROSE- 4% - 1 VIAL
1450	SUGAR DISC TREHALOSE- 4% - 1 VIAL
1451	SUGAR DISC XYLOSE- 4% - 1 VIAL
1452	SULFADIAZINE- 0.25 MCG (ANTIBIOTIC DISC) (250 DISC)
1453	SULFAMETHOXAZOLE- 23.75MCG (ANTIBIOTIC DISC) (250 DISC)
1454	SULFAMETHOXAZOLE-23.75 MCG + TRIMETHOPRIM- 1.25 MCG (ANTIBIOTIC DISC) (250 DISC)
1455	SULFATHIAZOLE-0.25 MCG (ANTIBIOTIC DISC) (250 DISC)
1456	SULFISOXAZOLE-0.25 MCG (ANTIBIOTIC DISC) (250 DISC)
1457	SULFOLYSER - 5L
1458	SULPHOSALIC ACID - 500 GM
1459	SULPHOSALICYLIC ACID - 500 GM
1460	SULPHUR POWDER - 500 GM
1461	SULPHURIC ACID (H2SO4) 20 % - 500 ML
1462	SULPHURIC ACID (H2SO4) CONC- 500ML










1463	SULTAX (CEFDAXIMEN + SULBACTAM) (ANTIBIOTIC DISC) (250 DISC)
1464	SUPER MIX - 25ML EACH
1465	SUPERSENSITIVE WASH BUFFER - 500 ML SPECIFICATION: CONCENTRATED WASH BUFFER DILUTE 1 PART WITH 19 PARTS DEIONISED WATER.
1466	SYNAPTOPHYSIN - 1 ML
1467	SYBER SAFE (CELL STAIN, DNA) - 400 MICRO LITER / PCS
1468	SYBR GREEN PCR MIX (500 REACTIONS)
1469	SYNAPTOPHYSIN - 1 ML
1470	SYPHILLIS CARD - PER TEST
1471	SYRINGE FILTER (0.2) UL / PCS
1472	SYSTEM CALIBRATOR 100 ML
1473	T3 ELISA KIT - 96 REACTION
1474	T4 ELISA KIT - 96 REACTION
1475	TACROLIMUS CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1476	TANK - SEROLOGICAL PIPETTE TANK - 100 PCS / PACK
1477	TALL POLYMERASE EACH - 500 U
1478	TARTARIC ACID - 500 ML
1479	T-BUTYL ALCOHOL - 500ML
1480	TEASING NEEDLE FOR MYCOLOGY WITH PLASTIC HANDLE NEEDLE SIZE MINIMUM SIZE 5" (PACK SIZE - 5)
1481	TELITHROMYCIN-15 MCG (ANTIBIOTIC DISC) (250 DISC)
1482	TELLURITE CEFIXIME SUPPLEMENT - 1 VIAL
1483	TEMOCILLIN-30 MCG (ANTIBIOTIC DISC) (250 DISC)
1484	TERMINALINE MICE-STRIP - 1 X 10 STRIP EACH PACK
1485	TESTOSTERONE CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1486	TETRA METHYL PHENYLENE - 250 ML
1487	TETRACYCLINE-10 MCG (ANTIBIOTIC DISC) (250 DISC)
1488	TETRACYCLINE-5 MCG (ANTIBIOTIC DISC) (250 DISC)
1489	TETRAZOLIUM SALT - 1 KG
1490	THE 100 ML
1491	THERAPEUTIC DRUG MONITORING CONTROL LEVEL 1 (COMPATIBLE WITH IMMUNOASSAY ANALYZER) - 5 ML
1492	THERAPEUTIC DRUG MONITORING CONTROL LEVEL 2 (COMPATIBLE WITH IMMUNOASSAY ANALYZER) - 5 ML
1493	THERAPEUTIC DRUG MONITORING CONTROL LEVEL 3 (COMPATIBLE WITH IMMUNOASSAY ANALYZER) - 5 ML






1494	THIAMIN HYDROCHLORIDE - 25 GM
1495	THIO UREA - 500GM
1496	THIOACETAMIDE - 100 GM
1497	THIOSEMICARBAZIDE 0.5 % - 100 ML
1498	THIOSEMICARBAZIDE - 100 GM
1499	THIOSULFATE CITRATE BILE SUCROSE (TCBS) AGAR - 500 GM
1500	THYMOL 1 KIT
1501	THYMOL BLUE- 500 GM
1502	TIBC (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
1503	TICARCILIN (ANTIBIOTIC DISC)75MCG (250 DISC)
1504	TIGECYCLIN (ANTIBIOTIC DISC)15MCG (250 DISC)
1505	TINCTURE BENZOIN - 400 ML
1506	TINCTURE IODINE - 400 ML
1507	TIPS - FILTER TIPS 10 UL - 100 UL - 96 TIPS
1508	TIPS - FILTER TIPS 100 UL - 1000 UL - 96 TIPS
1509	TIPS - FILTER TIPS 2 UL - 10 UL - 96 TIPS
1510	TIPS - FILTER TIPS 20 UL - 200 UL - 96 TIPS
1511	TIPS - FILTERED TIPS 200 - 1000UL - 96 TIPS
1512	TIPS - STERILE FILTERED TIPS 01-10UL - 96 TIPS
1513	TIPS - STERILE FILTERED TIPS 02-20UL - 96 TIPS
1514	TIPS - STERILE FILTERED TIPS 100- 1000UL - 96 TIPS
1515	TIPS - STERILE FILTERED TIPS 10-100UL - 96 TIPS
1516	TIPS - STERILE FILTERED TIPS 20-200UL - 96 TIPS
1517	TIPS - STERILE FILTERED TIPS 1-50UL - 96PC
1518	TIPS - STERILE MICROTIPS (0.5-10UL) (CLEAR PRE-STERILE, NON-FILTER MICROTIPS) - 1 X 1000 PCS
1519	TIPS - STERILE MICROTIPS (1000UL) (CLEAR PRE-STERILE, NON-FILTER MICROTIPS) - 1 X 500 PCS
1520	TIPS - STERILE MICROTIPS (20-200UL) (POLYPROPYLENE, PRE-STERILE, NON-FILTER, YELLOW MICROTIPS WITHOUT TIP BOX) - 1 X 1000 PCS
1521	TISSUE CAPSULE /EMBEDDING CASSETTE - PACK SIZE 40X28X13,6MM, PACK OF 100
1522	TISSUE CAPSULE /EMBEDDING CASSETTE (SMALL)
1523	TISSUE CASSATE - 1000 PC
1524	TISSUE CASSATE LEICA- 1000 PC
1525	TISSUE EMBEDDING CASSETTE - (LARGE) MADE FROM ACETYL POLYMER RESISTANT TO HISTOLOGICAL SOLVENTS NON-CYTOTOXIC, NON-METALLIC COLORS STORAGE TEMP. ROOM TEMP EACH MEASURES: 3X2.5X0.4 CM.
1526	TISSUE EMBEDDING CASSETTE - (SMALL)MADE FROM ACETYL POLYMER RESISTANT TO HISTOLOGICAL SOLVENTS NON-CYTOTOXIC, NON-METALLIC COLORS STORAGE TEMP. ROOM TEMP EACH SLOT MEASURES: 1 X 5 MM, TOTAL 128 SLOTS PER CASSETTE

1527	TISSUE FREEZING MEDIA - 700 ML
1528	TISSUE FREEZING MEDIA - 125 ML
1529	TITRIPLEX - 5 L
1530	TOLUIDINE BLUE - 250 GM
1531	TOLUENE - 250 ML
1532	TOLUIDINE BLUE 100ML
1533	TOTALIGA WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
1534	TOTALIRON KIT - 150ML
1535	TOTAL PSA CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1536	TOUCH SPOTS ASSORTED COLOURS - EACH
1537	TOLUIDINE BLUE - 1 X 96 (1-PACK)
1538	TOLUIDINE BLUE / GM - 50 TESTS
1539	TRANSFERRIN 1 KIT
1540	TRANSFERRIN CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1541	TRANSFERRIN CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1542	TRANSFERRIN CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1543	TRANSFERRIN KIT (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
1544	TRANSFERRIN CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1545	TRAY - DRAINING TRAY (IT SHOULD BE MADEUP OF POLYCARBONATE, AUTOCLAVABLE, DIMENTION SHOULD BE (MM)- 400X300X100 (LBH) - 1 NOS
1546	TRAY - ICE TRAY - 3" X 6" EACH
1547	TRAY - TRAY 3000ML
1548	TRAY - UTILITY TRAY EACH
1549	TRINITRYN AGAR - 500 GM
1550	TRICHROME STAIN (MASSON KIT): SPECIFICATION CARLINE BLUE SOLUTION-250ML BIEBRICH SCARLET- ACID FUSCHIN SOLUTION- 250ML PHOSPHOMOLYBDIC ACID SOLUTION - 250ML PHOSPHOTUNGSTIC ACID SOLUTION - 250ML
1551	TRISUCRONIC TIC ACID - 500 ML
1552	TRISUCRONIC 2.75% - EACH
1553	TRISUCRONIC 3% - EACH
1554	TRIPHENYL PHTHEN - 250 GM
1555	TRIPLE ENZYMIC CLEANER - EACH








1556	TRIS BUFFER (0.2 MOL/L) PLT 9.0 - 500 ML
1557	TRIS POWDER (500GM) (ACS GRADE, FOR MOLECULAR BIOLOGY USE)
1558	TRIS CHLORIDE - 500GM
1559	TRIS-SATURATED PHENOL - 500 ML
1560	TRITON X-100 - 500 ML
1561	TROPONIN I/T 100 ML
1562	TROPONIN T/TROPONIN I CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER. BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1563	TROPONIN I STRIPE - 10 T
1564	TRYPTIC SOYA BROTH - 500 GM
1565	TRYPTONE BROTH - 500 GM
1566	TRYPTONE SOYA YEAST EXTRACT AGAR - 500 GM
1567	TSH ELISA KIT - 96 REACTION
1568	TUBE - 1.7 ML LOBIND MICROCENTRIFUGE TUBE - 1 X 1000 NOS
1569	TUBE - 5 ML LOBIND MICROCENTRIFUGE TUBE - 1 X 500 NOS
1570	TUBE - ACD BUFFER TUBES (9ML YELLOW CAPPED TUBE FILLED WITH ACD BUFFER (ANTICOAGULANT) TO BE USED FOR BLOOD COLLECTION)
1571	TUBE - BLOOD RNA TUBE (BLOOD TRANSPORT TUBES FOR RNA STABILITY, CONTAINING 50 TUBES PER PACK)
1572	TUBE - CONICAL FALCON GRADUATED 15 ML EACH
1573	TUBE - CULTURE TUBE 10 X 100 MM - EACH
1574	TUBE - CYLINDRICAL GLASS TUBES FOR COLUMN CHROMATOGRAPHY - EACH
1575	TUBE - DREYER'S TUBE - 50PCS
1576	TUBE - DURHAMS TUBE - 1' INCH SIZE - 1000 PCS
1577	TUBE - FELIX TUBE - 50 PCS
1578	TUBE - GLASS CAPILLARY TUBE (100 MM LENGTH) - 100 PCS PACK
1579	TUBE - GLASS CAPILLARY TUBE (90 MM LENGTH) - 100 PCS PACK
1580	TUBE - ID SAMPLE TUBE - 96 WELL
1581	TUBE - KAHN TEST TUBE 100 PCS PACK
1582	TUBE - MCFARLAND TUBE WITH AUTOCLAVABLE CORK - EACH PCS
1583	TUBE - MICROCENTRIFUGE TUBE - 0.5ML (STERILE, CLEAR, SHOULD HAVE FROSTED CAP SURFACE FOR LABELING) - 100 PCS PER PACK
1584	TUBE - MICROCENTRIFUGE TUBE - 1.5ML (STERILE, CLEAR, SHOULD HAVE FROSTED CAP SURFACE FOR LABELING) - 500 PCS PER PACK
1585	TUBE - MICROCENTRIFUGE TUBE - 2.0ML (STERILE, CLEAR, SHOULD HAVE FROSTED CAP SURFACE FOR LABELING) - 500 PCS PER PACK
1586	TUBE - MICROCENTRIFUGE TUBE - AMBER MICROCENTRIFUGE TUBES - 1.5 ML (STERILE, BROWN COLOR MCT TUBES) - 1 X 500 PCS
1587	TUBE - PCR 0.2 ML STRIP TUBES WITH CAP (8 TUBE STRIP) (IT SHOULD BE MADEUP OF POLYPROPYLENE, EACH STRIP SHOULD CONTAIN 8 TUBES, MUST SUPPLIED WITH SEPARATE DOMED CAP STRIP) - 500 PCS PER PACK

Babu

1588	TUBE - PCR STRIPS TUBES (200 U/L) WITH FLAT CAPS (500 STRIPS) (PACKS) (POLYPROPYLENE PCR TUBE 0.2 ML, 8 TUBES/STRIP, DOME CAPS SHOULD BE SUPPLIED SEPARATELY (NOT ATTACHED TO THE TUBES)) - 1 X 120 PCS
1589	TUBE - PCR TUBE WITH CAP 0.1 ML - 100 PC
1590	TUBE - PCR TUBE WITH CAP 0.2 ML - 100 PC
1591	TUBE - PCR TUBE WITH CAPS 0.1 UL STRIP - 125 PCS PER PACK
1592	TUBE - PCR TUBE WITH CAPS 0.2 UL STRIP - 125 PCS PER PACK
1593	TUBE - RODO TUBE - EACH
1594	TUBE - TISSUE CARBON RNA TUBE - 500 PCS / PACK
1595	TUBE - TREATED TUBES - 500 PCS / PACK
1596	TUBE - TUBE RACK FOR 25 FALCON TUBES (VOLUME 15 ML) (PLASTIC RACKS FOR HOLDING 15 ML FALCON TUBES) - 1 NOS
1597	TUBE - TUBE RACK FOR 25 FALCON TUBES (VOLUME 50 ML) (PLASTIC RACKS FOR HOLDING 50 ML FALCON TUBES) - 1 NOS
1598	TUBE - TUBE WITH TRANSPARENT LABEL - 1000 PCS
1599	TUBE - WINTROBE TUBE - EACH TUBE
1600	TUBE LEVELER - EACH
1601	TUBERCULIN DILUTED PPD 10 TU - 5 ML
1602	TUBERCULIN DILUTED PPD 7 TU - 5 ML
1603	TUBERCULIN DILUTED PPD 5 TU - 5 ML
1604	TYPHOID KIT FOR SALMONELLA TYPHI - 50 TEST
1605	UREA (CDS) (2-HMO) (95 PURITY (HPLC) > 98)
1606	URIC (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
1607	URIC (100 ML) (STANDARD COMPATIBLE WITH DIRUI CS-240 SYSTEM PACK)
1608	ULTRA SENSITIVE TSH CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE FULL GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1609	URACIL DNA GLYCOSYLASE (1 VIAL OF 1 UNIT/ UL 200 U/L)
1610	UREASE DISC PACK SIZE - 1 X 50 PCS
1611	URINALYSIS CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1612	URINALYSIS CONTROL - 5 ML
1613	URINE ALBUMIN - 100 ML
1614	URINE ANALYSIS CONTROLS CONTROLS (COMPATIBLE WITH STANDARD EQUIPMENTS) - 10 ML
1615	URINE CALCIUM - 100 ML
1616	URINE CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1617	URINE CALIBRATOR - 100 ML
1618	URINE CHEMISTRY CONTROL CONTROLS (COMPATIBLE WITH STANDARD EQUIPMENTS) - 5 ML
1619	URINE CHEMISTRY CONTROL INCLUDING MICROPROTEIN (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1620	URINE CREATININE - 100 ML






1621	URINE MICROALBUMIN CONTROL LEVEL 1 (COMPATIBLE WITH FOR FULLY AUTOMATED IM 360 BIOCHEMISTRY ANALYZER) - 5 ML
1622	URINE MICROALBUMIN CONTROL LEVEL 2 (COMPATIBLE WITH FOR FULLY AUTOMATED IM 360 BIOCHEMISTRY ANALYZER) - 5 ML
1623	URINE MICROALBUMIN KIT (COMPATIBLE WITH FOR FULLY AUTOMATED IM 360 BIOCHEMISTRY ANALYZER) - 100 ML
1624	URINE MYOGLOBULIN - 100 ML
1625	URINE PHOSPHOROUS - 100 ML
1626	URINE POT - 60 ML EACH
1627	URINE POTASSIUM - 100 ML
1628	URINE SODIUM - 100 ML
1629	URINE UREA - 100 ML
1630	URINOMETER EACH
1631	UTM - 1 X 96 WELL
1632	UV SAFETY GOGGLES 96W
1633	VALPROIC ACID 100 ML
1634	VALPROIC ACID CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1635	VANCOMYCIN MIC E-STRIP 1 X 10 STRIP
1636	VANCOMYCIN POWDER 50 GM FOR MIC
1637	VARICELLA ZOSTER IGM ELISA - 1 X 96W
1638	VIAL - BOMIN VIAL - 10 ML EACH
1639	VIAL - BROMINE VIAL - 100 PCS
1640	VIAL - CLOT ACTIVATOR PAEDIATRIC BLOOD COLLECTION TUBES WITH CAP FOR SERUM (VOLUME - 400 UL) - EACH VIAL
1641	VIAL - CLOT ACTIVATOR PAEDIATRIC BLOOD COLLECTION TUBES WITH CAP FOR SERUM (VOLUME - 600 UL) - EACH VIAL
1642	VIAL - PAEDIATRIC BLOOD COLLECTION TUBES WITH SPRAY DRIED K2 EDTA (VOLUME - 250 UL) - EACH VIAL
1643	VIAL - PAEDIATRIC BLOOD COLLECTION TUBES WITH SPRAY DRIED K2 EDTA (VOLUME - 500 UL) - EACH VIAL
1644	VIAL - PROTEINASE K - 20 MG (VIAL)
1645	VIALS - SODIUM HEPARIN VIALS (GREEN TOP) (75 MM GREEN, STERILIZED AND SHOULD BE MADE UP OF POLYETHYLENE TEREPHTHALATE (PET)) - 1 X 100 PCS
1646	VICTORIA BLUE 1.5 % - 500 ML
1647	VIMENTIN - 1 ML
1648	VIOLET RED BILE GLUCOSE AGAR - 500 GM
1649	VIROLOGY CONTROLS (COMPATIBLE WITH STANDARD EQUIPMENTS) PACK SIZE - 5 ML
1650	VITAMIN B12 CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML






1652	VITAMIN B12 CONTROL (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 5 ML
1657	VITAMIN D3 TOTAL CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS. PACK SIZE - 5 ML
1653	VITAMIN D WITH CALIBRATOR (COMPATIBLE WITH FOR FULLY AUTOMATED EM-360 BIOCHEMISTRY ANALYZER) - 100 ML
1654	VON KOSA STAIN - 100 GM
1655	VORICONAZOLE MIC E-STRIP - 1 X 10 STRIP PER PACK
1656	VORICONAZOLE POWDER (SOLUBILIZED POWDER, T-IRRADIATED) 1 MG
1657	VORTEX SHAKER - 1 PCS
1658	VP AGENT 100 ML
1659	VPM - 1 X 96 WELL
1660	WASH CONCENTRATE - 100 ML
1661	WASH SOLUTION - 5 LTR
1662	WEIGERT'S IRON HEMATOXYLIN - 25 GM
1663	WELL BLOCK (GM FLISA) - 1 X 96 WELL
1664	WHITE PETROLIUM JELLY (WHITE VASELINE) - 250 GM
1665	WHOLE BLOOD EXTRACTION KIT- 250 TEST (1 PACK)
1666	WIDAL ANTIGEN (FOR TUBE METHOD) 4X100ML
1667	WIDAL ANTIGEN (FOR SLIDE TEST) 4X100ML
1668	WIDAL TUBE TEST REAGENTS - 100 TESTS/PACK
1669	WIPES - 0.35% AMP-BASED HIGH LEVEL SURFACE DISINFECTANT TUBERCULOCIDAL WIPES WIPES - 100 PCS PER PACK
1670	WIPES - KIM WIPES (100 PCS PER PACK)
1671	WIPES - TISSUE WIPES (BIG TOWELS PACKS) (SIZE- 37CM X 42CM. SHOULD BE MADE FROM 100% VIRGIN FIBER, LOW LINT AND LOW EXTRACTABLE. FOR SENSITIVE INSTRUMENT/LENS CLEANING.) - 1 X 100 PCS
1672	WIPES - TISSUE WIPES (SMALL TOWELS PACKS) (SIZE- 21CM X 11CM. SHOULD BE MADE FROM 100% VIRGIN FIBER, LOW LINT AND LOW EXTRACTABLE. FOR SENSITIVE INSTRUMENT/LENS CLEANING.) - 1 X 100 PCS
1673	X-RAY DEVELOPER 1 KG
1674	X-RAY FIXER 1 KG
1675	XTRAM (Ceftriaxone - Sulbactam) (ANTIBIOTIC DISC) P. SIZE 5 X 250
1676	XYLENE - 2.5 LTRS (SPECIFICATION: - BOILING RANGE (95%) = 137°C - 142°C WEIGHT PER ML AT 20°C = 0.850 - 0.865 NVV = 0.01% MAX. SOLUTION IN ALCOHOL = CLEAR)
1677	XYLENE CYANOL - 30 GM
1678	XYLOCAINE 2% - 25 ML
1679	ZINC CHLORIDE - 500 GM
1680	ZINC POWDER - 500GM
1681	ZIP LOCK BAG / SAMPLE BAGS - 96W






3

1682	ZYMOKEEN - 1 LTR.
1683	B-HCG CONTROL (LEVEL 1 & LEVEL 2) COMPATIBLE WITH FULLY AUTOMATED BIOCHEMISTRY/IMMUNOASSAY ANALYZER BIDDER SHOULD HAVE PEER GROUP DATA OF MULTIPLE EQUIPMENTS PACK SIZE - 5 ML

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature