

राजेन्द्र आयुर्विज्ञान संस्थान

झारखण्ड सरकार का एक स्वयतशासी संस्थान
रांची-834009 झारखण्ड
दुरभाष: 0651-2541533, फ़ैक्स: 0651-2540629,
E-mail: deanresearchrimsranchi@gmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES

(An Autonomous Institute under Govt. of Jharkhand)

Ranchi-834009(Jharkhand)

Phone: 0651-2541533, Fax: 0651-2540629,

E-mail: deanresearchrimsranchi@gmail.com

Letter no.: DRO/2025/594

Date: 06/11/2025

Subject: Purchase of Proprietary item for GeninSCD project.

A demand/request has been received from the project title "Study of clinical profiling and genetic risk factors for Vaso-occlusive crisis in sickle cell disease: A Multicentric case-control study (GeninSCD Project)" for the purchase of following list for patient diagnosis 5 reagents on proprietary basis.

S. No	Name of Item	Qty
1	High Sensitivity D1000 Screen Tape	7
2	High Sensitivity D1000 Reagents	7
3	Loading Tip (1pk)	7
4	Mx3000 Strip Tubes	2
5	Optical tube strip caps, 8/ stripx 120/box	1

The product is proprietary and manufactured by Agilent technologies. The PAC certificate, Authorization certificate, Non blacklist certificate, to LCGC Life Sciences LLP, LCGC Towers, 161/166, Palgah Colony, off S.P. Road, Hyderabad – 500 003. T.S. INDIA from the firm has been forwarded by the end user department.

The above documents are being uploaded for open information to all firms/bidders to submit objections, with respect to the proprietary nature of the items, authorization and price if any within 5 days from the date of issue/uploading of the notification, giving reference no. DRO/2025/594. The comments should be sent to Dean Research Office, Research Administration Cell, 3rd Floor, Director office, Rajendra Institute of Medical Sciences, Ranchi, Jharkhand Pin. 834009 on or before 11th November 2025 till 5 pm and must be received by email id deanresearchrimsranchi@gmail.com, failing which it will be presumed that any other vendor is having no comments to offer and the case will be decided on merit and the item will be purchased directly on proprietary basis.

Dean (Research)
RIMS, Ranchi

Dean (Research)
Rajendra Institute of
Medical Sciences
Ranchi

262

LCGC LIFE SCIENCES LLP

Diamond Arcade, 68 Jessore Road

5th Floor, Suit No-506

Kolkata-700055

Phone: 9007160977

Email: lifesciencekol@lccgindia.com

www.LCGCINDIA.COM**QUOTATION**

To
The Director
Rajendra Institute of Medical Sciences
Ranchi, Jharkhand, Pincode - 834009

LCGC Ref. No : 205/2025-26/250925

Date : 25-09-2025

Validity: 60 Days

Kind Attn:- Dr. Anupa Prasad
Additional Prof and Head
Dept of Genetics and Genomics

Subject-Quotation for supply of Agilent Consumables

Dear Sir/Madam,
Our offer as follows

Sl. No.	Cat. No.	Item and Specification	HSN Code	Unit Price (INR)	Qty.	Total Qty. Price (INR)
1	5067-5584	High Sensitivity D1000 ScreenTape	90279090	34,991.87	7	2,44,943.09
2	5067-5585	High Sensitivity D1000 Reagents	38221990	11,880.28	7	83,161.96
3	5067-5598	Loading Tips (1pk)	39269099	4,322.18	7	30,255.26
4	401428	Mx3000P Strip Tubes	39269099	5,622.00	2	11,244.00
5	401425	Optical tube strip caps,8/stripx120/box	39235010	2,644.00	1	2,644.00
Quotation Value						3,72,248.31
Less: Discount @ 10%						37,224.83
Price After Discount						3,35,023.48
Add: GST @ 5% (SI No- 2)						3,742.29
Add: GST @ 18% (SI No- 1, 3, 4 & 5)						46,831.99
Total Quotation Value with GST (INR)						3,85,598.00

Anupa
09.10.25Anupa
09/10/2025Dud
09/10/25

09/10/25

361

Terms and Conditions

1. After receiving the confirmed purchase order, Item will be delivered within 4-6 working weeks.
2. The prices quoted @ F.O.R. basis.
3. GST number is mandatory to mention on purchase order copy. GST Registration number requires while doing the shipment from Hyderabad to your destination.
4. Road Permit require for supply purpose (if applicable)
5. Order be Should Email to akash@lpgcindia.com / lifesciencekol@lpgcindia.com

6. **How To Order:**

Please submit your Purchase Order and a complete copy of this quotation in favour of

LCGC Life Sciences LLP
LCGC Towers, 161/166 Paigah Colony, S. P. Road, Hyderabad-500003.

akash@lpgcindia.com

Tel: 9007160977

Mob: 8017008138

Fax: 040-6632 9000

7. Payment terms: **As per institute norms.**
8. Payment to be made in favour of M/s. LCGC Life Sciences LLP. (NEFT/DD/Cheque/RTGS)

Bank Details:

- Bank Name: KOTAK MAHINDRA BANK
- Address: 6-3-110-9 /1, Block-A, jewel Pavani Towers, Somajiguda, Hyderabad-500082 (Telangana State)
- Account Number: 9449500942
- RTGS Alias IFSC Code: KKBK0000552
- MICR Code: 500485003

Company Details

- Company Name: LCGC LIFE SCIENCES LLP
- GST No: 36AAEFL8473G1Z1
- PAN No: AAEFL8473G

For LCGC LIFE SCIENCES LLP



(Signatory)

[Handwritten Signature]
09/10/25

[Handwritten Signature]
09-10-25

[Handwritten Signature]
09/10/2025

[Handwritten Signature]
09/10/25



Report ID: GEM/GARPTS/08102025/2UU9Y2EOC1MV

Report Name: High Sensitivity D1000 Screen Tape

Generated By: Anupa Prasad , Health Medical Education and Family Welfare Department Jharkhand

Generated On: 08/10/2025

Valid till: 07/11/2025

GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

Order Count and Order Value displayed is on a cumulative basis since GeM inception.

1. Search String: High Sensitivity D1000 Reagents

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values (LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 11880.0

Category Name	Catalog Count	Order Count		Order Value (In Lakhs)			
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Biochemistry Reagent Kit for Human Samples	75	66	0	0	15	0	0
Contamination monitor	250	69	5	92	107	744	587
High Vacuum Pump	232	341	15	98	553	280	423
Patient Urinals	206	1,001	2	13	201	0	2
Advance Fire Monitor (V2)	71	7	9	25	26	2,542	694
Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service	985	278	10	168	72	12	153

Anupa
09.10.25

Ankita
09/10/2025

Anupa
09/10/25

Anupa
09/10/25

359

2. Search String: Loading Tip (1pk)

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 4322.0

Category Name	Catalog Count	Order Count			Order Value (In Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
		DNA Gel loading dye	76	642	0	4	130
Nitrile Coated/Nitrile Hand Gloves (V2)	39,961	3,649	1	26	1,285	0	30
Stacked Tip Nozzles	10	83	1	4	14	0	1
Screw Drivers as per IS 844	1,966	24,474	55	667	689	19	60
Cautery Pencil Tip Cleaner (V2)	5	3	0	0	1	0	0
Multipara Monitor - Low End	23,921	3,241	148	516	7,818	2,433	10,971
Dropping Bottle with Tip Cap	57	449	0	5	182	0	0
Universal Pipette Tips (V2)	675	2,140	6	7	548	1	0
BOD Incubator	31,518	1,541	18	133	2,859	24	774
Pulse Oximeter (V2)	1,549	1,636	7	20	620	10	72

3. Search String: Mx3000 Strip Tubes

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with

9/10/25

Amr 09.10.25

09/10/2025

09/10/25

352

undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 5622.0

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)			
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid	
EFF Strip	0	0	0	0	0	0	0	0
Strip Heater	51	200	0	8	26	0	2	
PCR Tubes	465	3,069	3	39	1,116	3	167	
Packing Strip	11	440	1	3	60	0	4	
Centrifuge Tubes (V2)	420	886	8	11	375	46	7	
Blood Collection Tube	2,327	7,302	41	68	3,372	74	74	
Steel Tubes	28	1,318	1	4	637	2	31	
Endotracheal Tubes (V2)	1,587	3,667	62	106	913	111	37	
microcentrifuge tubes	556	3,408	4	45	580	2	28	
Pallet Truck (V2)	6,280	1,181	34	175	961	127	430	

4. Search String: Optical tube strip caps,8/stripx120/box

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 2644.0

[Signature]
09/10/25

[Signature]
09-10-25

[Signature]
09/10/2025

[Signature]
09/10/25

357

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Medication Event Reminder Monitor (MERM) Under NTEP	1	0	0	1	0	0	25
PCR Tubes	465	3,069	3	39	1,116	3	167
microcentrifuge tubes	556	3,408	4	45	580	2	28
Stapler Pin / Staples (V2)	300	82,141	564	2,824	1,450	68	70
Endotracheal Tubes (V2)	1,587	3,667	62	106	913	111	37
Chemical Splash Proof Goggle	984	528	5	46	140	0	10
Blood Collection Tube	2,327	7,302	41	68	3,372	74	74
Minifuge	291	1,036	1	34	237	4	44
Culture Tube With Screw Cap	119	500	0	1	146	0	0
Nasogastric Tube (V2)	681	1,335	22	38	331	4	3

5. Search String: High Sensitivity D1000 Screen Tape

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 34991.0

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
HT Tape	284	4,899	28	116	517	35	57
Caution / Crime Scene Tape (V2)	271	879	1	23	280	1	11
Contamination monitor	250	69	5	92	107	744	587
Walk in Cooler	561	931	4	21	864	120	1,316
High Vacuum Pump	232	341	15	98	553	280	423
Pressure Calibrator	493	744	3	72	911	3	296
Roasted Almonds	62	1,857	15	37	506	56	54
Patient Urinals	206	1,001	2	13	201	0	2

Handwritten signature

Handwritten signature and date: 09/10/25

Handwritten signature and date: 09/10/2025

Handwritten signature and date: 09/10/25

358

Category Name	Order Count				Order Value (in Lakhs)		
	Catalog Count	Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Advance Fire Monitor (V2)	71	7	9	25	26	2,542	694
Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service	985	278	10	168	72	12	153

Ampan
09.10.25

Arkie
09/10/2025

Arkie
09/10/25

Arkie
09/10/25

055

Agilent Technologies India Pvt.Ltd
Unit 105-116, First Floor
Splendor Forum, Plot No-3
Jasola District Centre
New Delhi - 110025

Tel.: 011 - 46237100
Fax: 011 - 46237102
www.agilent.com/chem



Ref: A/PROP/25-26/6019
Dated: 7th October 2025

PROPRIETARY CERTIFICATE

This is to certify that the below products are patented and trade mark for Agilent Technologies. No other Company in India/Abroad manufactures the product mentioned below except Agilent.

Part Number	Description
5067-5584	High Sensitivity D1000 ScreenTape
5067-5585	High Sensitivity D1000 Reagents
5067-5598	Loading Tips (1pk)
401428	Mx3000P Strip Tubes
401425	Optical tube strip caps,8/stripx120/box

For Agilent Technologies India Pvt Ltd



Authorized Signatory

Anupa
09.10.25

adit
09/10/2025

Ad
09/10/25

Goel
09/10/25

Annexure - IV
353

Agilent Technologies

Agilent Technologies
Country address: Block C, RMZ Centennial
Plot No. 8A, 8B, 8C, 8D, Doddanakundi
Industrial Area, Mahadovapura Post
Bangalore-560048

Tel. 080 40148770
Fax 080 40148991
Email: ashwini.kapur@agilent.com
Website: www.agilent.com/chem/


21st February 2025

To Whomsoever it may concern

We, Agilent Technologies India Pvt. Ltd., having office at Ground Floor, Elegance Tower, Plot No. 8, Jasola District Centre, Jasola, New Delhi – 110075 ('Agilent') do hereby authorize M/s. LCGC Life Sciences LLP., LCGC Towers, 161/166 Paigah Colony, off S.P Road, Hyderabad-500003, Telangana, as our Authorized distributor for the territory of North-East India (As per attached Annexure). LCGC Life Sciences LLP. is authorized to quote, submit bids, negotiate and receive orders for Agilent Technologies Genomics products. This authorization is valid till 31.12.2025. In case of any change in distributor, then the same will be informed to your esteemed institution.

Yours Faithfully,
For Agilent Technologies India Pvt. Ltd.,


Authorized Signatory



Amra
09.10.25

adviser
09/10/2025

Sw
09/10/25

Goal
10/10/25

Annexure - V

LCGC Life Sciences LLP
'LCGC Towers', 161/166, Paigah Colony,
off S.P. Road, Hyderabad - 500 003. T.S. India.

Tel: 040 - 6631 5242 / 43
Fax: 040 - 6632 9000
WWW.LCGCINDIA.COM

E-mail: lifesciencekol@lgcindia.com
info@lgcindia.com

Bio Molecule Analysers & Reagents

Date: 07-10-2025


To,
The Director
Rajendra Institute of Medical Sciences
Ranchi, Jharkhand, Pin code - 834009

Subject: Non Blacklisting Certificate

Dear Sir/Madam,

We LCGC Life Sciences LLP having a registered office at LCGC Towers, 161/166, Paigah Colony, S.P. Road, Hyderabad-500003, Telangana, India are certifying that we have not blacklisted/ not be bankrupted by Government or autonomous organizations/ institutions Universities etc.

For LCGC Life Sciences LLP



(Signatory)

Ange
09.10.25

Chakraborty
09/10/2025

Red
09/10/25

09/10/25

राजेन्द्र आयुर्विज्ञान संस्थान
भारत सरकार का एक स्वयत्तशासी संस्थान
राँची-834009 (झारखण्ड)
फ़ोन: 0651-2541533, फ़ैक्स: 0651-2540629,
ईमेल: E-mail: rimsranchi@rediffmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES
(An Autonomous Institute under Govt. of Jharkhand)
Ranchi-834009 (Jharkhand)
Phone: 0651-2541533, Fax: 0651-2540629,
Email : E-mail: rimsranchi@rediffmail.com

PROPRIETARY ARTICLE CERTIFICATE (PAC)
(For chemicals, spare parts, reagents, consumables etc.)

- (i) The indented goods are manufactured by M/s Agilent technologies
- (ii) Proprietary Items and Catalogue No:-

S. No	Name of Item	Cat Number
1.	High Sensitivity D1000 Screen Tape	5067-5584
2.	High Sensitivity D1000 Reagents	5067-5585
3.	Loading Tip (1pk)	5067-5598
4.	Mx3000 Strip Tubes	401428
5.	Optical tube strip caps, 8/strip x 120/box	401425

- Reasons/Justification which makes the requirement Proprietary sole manufacturer of the above items.
 1. It is certified that market survey has been done and found that no other manufacturer is manufacturing similar/equivalent specifications which can fulfill the vital requirements of end user.
 2. It is certified that the purchase is proposed to be made on proprietary usage basis because other material/equipment/instrument chemical etc. If used will lead to deviation and affect the integrity/accuracy. Validity or analysis of the assignment/patient care. (This is as per the information given by the proprietary)

Anupa Prasad
09.10.25
Dr. Anupa Prasad
Additional Professor and Head
Department of Genetics & Genomics
Rajendra Institute of Medical Sciences, Ranchi

Dr. Anupa Prasad, MD.
Additional Professor
Dept. of Genetics & Genomics
राजेन्द्र आयुर्विज्ञान संस्थान
RIMS, Ranchi, Jharkhand, India, राँची

Arkesha
09/10/2025

Dr. An
09/10/25

09/10/25

राजेन्द्र आयुर्विज्ञान संस्थान
 झारखण्ड सरकार का एक स्वयतशासी संस्थान)
 राँची-834009(झारखण्ड)
 दूरभाष 0651-2541533, फैक्स: 0651-2540629,
 E-mail: E-mail: rimsranchi@rediffmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES
 (An Autonomous Institute under Govt. of Jharkhand)
 Ranchi-834009 (Jharkhand)
 Phone: 0651-2541533, Fax: 0651-2540629,
 Email: E-mail: rimsranchi@rediffmail.com

Department of Genetics and Genomics, Rajendra Institute of Medical Sciences, Ranchi

File No.....

Date.....

CERTIFICATE FOR REASONABILITY OF PRICE

It is certified that the goods/equipment

S. No	Name of Item	Qty	Cat Number	Manufacturer	Rate	Total price (including GST)
1.	High Sensitivity D1000 Screen Tape	7	5067-5584	Agilent technologies	34991.87	2,44,943.09
2.	High Sensitivity D1000 Reagents	7	5067-5585	Agilent technologies	11,880.28	83,161.96
3.	Loading Tip (1pk)	7	5067-5598	Agilent technologies	4,322.18	30,255.26
4.	Mx3000 Strip Tubes	2	401428	Agilent technologies	5,622.00	11,244.00
5.	Optical tube strip caps, 8/strip x 120/box	1	401425	Agilent technologies	2,644.00	2,644.00
Total Including (GST)						3,85,598.00

(Item Name) to be purchased are of the requisite quality, quantity and specifications and has to be purchased after following due purchase procedure of the Institute. The purchased price against above mentioned tender/PAC is reasonable and recommended for the Department of Genetics and Genomics, Rajendra Institute of Medical Sciences, Ranchi

Arun Vincent Kisku

09/10/2025

DPC Member

Dr. Arun Vincent Kisku

Scientist II

Department of Genetics
and Genomics

RIMS, Ranchi, Jharkhand

Dr. Anup Prasad

09/10/25
DPC Member

Dr. Anup Prasad

DPC Member

Anupa Prasad
09.10.25

Signature of HOD

Dr. Anupa Prasad, M.D.

Additional Professor

Dept. of Genetics & Genomics

राजेन्द्र आयुर्विज्ञान संस्थान
RIMS, Ranchi, Jharkhand

राजेन्द्र आयुर्विज्ञान संस्थान
 (झारखण्ड सरकार का एक स्वयतशासी संस्थान)
 राँची-834009 (झारखण्ड)
 दुरभाष: 0651-2541533, फैक्स: 0651-2540629,
 E-mail: rimsranchi@rediffmail.com



RAJENDRA INSTITUTE OF MEDICAL SCIENCES
 (An Autonomous Institute under Govt. of Jharkhand)
 Ranchi-834009 (Jharkhand)
 Phone: 0651-2541533, Fax: 0651-2540629,
 Email: E-mail: rimsranchi@rediffmail.com

CERTIFICATE OF REASONABLENESS OF PRICES

Reference No. Annexure - VII

It is certified that the goods recommended for purchase against above reference from M/s. Agilent technologies

(L1 responsive bidder/single responsive bidder/proprietary bidder) are of requisite specifications and quality, priced at the prevailing market rate and are reasonable. The supplier recommended is reliable and competent to supply the goods in question.

(Signature of Indenting/User Department along with stamp & Date

*Please strike out whichever is not applicable

Arun Vincent Kisku
 09/10/2015
 DPC Member
Dr. Arun Vincent Kisku
 Scientist II
 Department of Genetics
 and Genomics
 RIMS, Ranchi, Jharkhand

Dr. Arun Vincent Kisku
 09/10/2015
 DPC Member

09/10/2015
 DPC Member

Signature of HOD

Anupa Prasad
 09.10.25
Dr. Anupa Prasad, M.D.
 Additional Professor
 Dept. of Genetics and Genomics
 RIMS, Ranchi, Jharkhand